

References

1. Y. Abe, Effective resistances for supercritical percolation clusters in boxes. ArXiv:1306.5580 (2013)
2. L. Addario-Berry, N. Broutin, C. Goldschmidt, The continuum limit of critical random graphs. Probab. Theory Relat. Fields **152**, 367–406 (2012)
3. M. Aizenman, D.J. Barsky, Sharpness of the phase transition in percolation models. Commun. Math. Phys. **108**, 489–526 (1987)
4. M. Aizenman, C.M. Newman, Tree graph inequalities and critical behavior in percolation models. J. Stat. Phys. **36**, 107–143 (1984)
5. D. Aldous, The continuum random tree. III. Ann. Probab. **21**, 248–289 (1993)
6. D. Aldous, Brownian excursions, critical random graphs and the multiplicative coalescent. Ann. Probab. **25**, 812–854 (1997)
7. D. Aldous, J. Fill, *Reversible Markov Chains and Random Walks on Graphs* (Book in preparation), <http://www.stat.berkeley.edu/~aldous/RWG/book.html>
8. S. Alexander, R. Orbach, Density of states on fractals: “fractons”. J. Phys. (Paris) Lett. **43**, L625–L631 (1982)
9. S. Andres, M.T. Barlow, Energy inequalities for cutoff-functions and some applications. J. Reine Angew. Math. (to appear)
10. S. Andres, M.T. Barlow, J.-D. Deuschel, B.M. Hambly, Invariance principle for the random conductance model. Probab. Theory Relat. Fields **156**, 535–580 (2013)
11. S. Andres, J.-D. Deuschel, M. Slowik, Invariance principle for the random conductance model in a degenerate ergodic environment. ArXiv:1306.2521 (2013)
12. O. Angel, Growth and percolation on the uniform infinite planar triangulation. Geom. Funct. Anal. **13**, 935–974 (2003)
13. O. Angel, J. Goodman, F. den Hollander, G. Slade, Invasion percolation on regular trees. Ann. Probab. **36**, 420–466 (2008)
14. O. Angel, O. Schramm, Uniform infinite planar triangulations. Commun. Math. Phys. **241**, 191–213 (2003)
15. P. Antal, A. Pisztora, On the chemical distance for supercritical Bernoulli percolation. Ann. Probab. **24**, 1036–1048 (1996)
16. M.T. Barlow, Diffusions on fractals, in *Ecole d’été de probabilités de Saint-Flour XXV—1995*. Lecture Notes in Mathematics, vol. 1690 (Springer, New York, 1998)
17. M.T. Barlow, Which values of the volume growth and escape time exponent are possible for a graph? Rev. Mat. Iberoam. **20**, 1–31 (2004)
18. M.T. Barlow, Random walks on supercritical percolation clusters. Ann. Probab. **32**, 3024–3084 (2004)

19. M.T. Barlow, *Random Walks on Graphs*. Lecture Notes for RIMS Lectures in 2005. Available at <http://www.math.kyoto-u.ac.jp/~kumagai/rim10.pdf>
20. M.T. Barlow, *Random Walks on Graphs* (Cambridge University Press, to appear)
21. M.T. Barlow, R.F. Bass, Stability of parabolic Harnack inequalities. *Trans. Amer. Math. Soc.* **356**, 1501–1533 (2003)
22. M.T. Barlow, R.F. Bass, Z.-Q. Chen, M. Kassmann, Non-local Dirichlet forms and symmetric jump processes. *Trans. Amer. Math. Soc.* **361**, 1963–1999 (2009)
23. M.T. Barlow, R.F. Bass, T. Kumagai, Stability of parabolic Harnack inequalities on metric measure spaces. *J. Math. Soc. Jpn.* **58**, 485–519 (2006)
24. M.T. Barlow, K. Burdzy, Á. Timár, Comparison of quenched and annealed invariance principles for random conductance model. *ArXiv:1304.3498* (2013)
25. M.T. Barlow, J. Černý, Convergence to fractional kinetics for random walks associated with unbounded conductances. *Probab. Theory Relat. Fields* **149**, 639–673 (2011)
26. M.T. Barlow, T. Coulhon, A. Grigor'yan, Manifolds and graphs with slow heat kernel decay. *Invent. Math.* **144**, 609–649 (2001)
27. M.T. Barlow, T. Coulhon, T. Kumagai, Characterization of sub-Gaussian heat kernel estimates on strongly recurrent graphs. *Commun. Pure Appl. Math.* **58**, 1642–1677 (2005)
28. M.T. Barlow, J.-D. Deuschel, Invariance principle for the random conductance model with unbounded conductances. *Ann. Probab.* **38**, 234–276 (2010)
29. M.T. Barlow, J. Ding, A. Nachmias, Y. Peres, The evolution of the cover time. *Comb. Probab. Comput.* **20**, 331–345 (2011)
30. M.T. Barlow, A. Grigor'yan, T. Kumagai, On the equivalence of parabolic Harnack inequalities and heat kernel estimates. *J. Math. Soc. Jpn.* **64**, 1091–1146 (2012)
31. M.T. Barlow, B.M. Hambly, Parabolic Harnack inequality and local limit theorem for random walks on percolation clusters. *Electron. J. Probab.* **14**, 1–27 (2009)
32. M.T. Barlow, A.A. Járai, T. Kumagai, G. Slade, Random walk on the incipient infinite cluster for oriented percolation in high dimensions. *Commun. Math. Phys.* **278**, 385–431 (2008)
33. M.T. Barlow, T. Kumagai, Random walk on the incipient infinite cluster on trees. *Illinois J. Math.* **50**, 33–65 (2006) (electronic)
34. M.T. Barlow, R. Masson, Spectral dimension and random walks on the two dimensional uniform spanning tree. *Commun. Math. Phys.* **305**, 23–57 (2011)
35. M.T. Barlow, Y. Peres, P. Sousi, Collisions of random walks. *Ann. Inst. Henri Poincaré Probab. Stat.* **48**, 922–946 (2012)
36. M.T. Barlow, X. Zheng, The random conductance model with Cauchy tails. *Ann. Appl. Probab.* **20**, 869–889 (2010)
37. D.J. Barsky, M. Aizenman, Percolation critical exponents under the triangle condition. *Ann. Probab.* **19**, 1520–1536 (1991)
38. R.F. Bass, A stability theorem for elliptic Harnack inequalities. *J. Eur. Math. Soc.* **17**, 856–876 (2013)
39. G. Ben Arous, M. Cabezas, J. Černý, R. Royfman, Randomly trapped random walks. *ArXiv:1302.7227* (2013)
40. G. Ben Arous, J. Černý, Bouchaud's model exhibits two aging regimes in dimension one. *Ann. Appl. Probab.* **15**, 1161–1192 (2005)
41. G. Ben Arous, J. Černý, Scaling limit for trap models on \mathbb{Z}^d . *Ann. Probab.* **35**, 2356–2384 (2007)
42. G. Ben Arous, A. Fribergh, N. Gantert, A. Hammond, Biased random walks on Galton-Watson trees with leaves. *Ann. Probab.* **40**, 280–338 (2012)
43. G. Ben Arous, Y. Hu, S. Olla, O. Zeitouni, Einstein relation for biased random walk on Galton-Watson trees. *Ann. Inst. Henri Poincaré Probab. Stat.* **49**, 698–721 (2013)
44. D. Ben-Avraham, S. Havlin, *Diffusion and Reactions in Fractals and Disordered Systems* (Cambridge University Press, Cambridge, 2000)
45. I. Benjamini, Instability of the Liouville property for quasi-isometric graphs and manifolds of polynomial volume growth. *J. Theor. Probab.* **4**, 631–637 (1991)

46. I. Benjamini, N. Curien, Simple random walk on the uniform infinite planar quadrangulation: subdiffusivity via pioneer points. *Geom. Funct. Anal.* **23**, 501–531 (2013)
47. I. Benjamini, H. Duminil-Copin, G. Kozma, A. Yadin, Disorder, entropy and harmonic functions. *ArXiv:1111.4853* (2011)
48. I. Benjamini, O. Gurel-Gurevich, R. Lyons, Recurrence of random walk traces. *Ann. Probab.* **35**, 732–738 (2007)
49. I. Benjamini, E. Mossel, On the mixing time of simple random walk on the super critical percolation cluster. *Probab. Theory Relat. Fields* **125**, 408–420 (2003)
50. I. Benjamini, O. Schramm, Recurrence of distributional limits of finite planar graphs. *Electron. J. Probab.* **6**(23), 13 pp. (2001)
51. N. Berger, M. Biskup, Quenched invariance principle for simple random walk on percolation clusters. *Probab. Theory Relat. Fields* **137**, 83–120 (2007)
52. N. Berger, M. Biskup, C.E. Hoffman, G. Kozma, Anomalous heat-kernel decay for random walk among bounded random conductances. *Ann. Inst. Henri Poincaré Probab. Stat.* **44**, 374–392 (2008)
53. N. Berger, J.-D. Deuschel, A quenched invariance principle for non-elliptic random walk in i.i.d. balanced random environment. *Probab. Theory Relat. Fields* (to appear)
54. N. Berger, N. Gantert, Y. Peres, The speed of biased random walk on percolation clusters. *Probab. Theory Relat. Fields* **126**, 221–242 (2003)
55. M. Biskup, Recent progress on the random conductance model. *Probab. Surv.* **8**, 294–373 (2011)
56. M. Biskup, O. Boukhadra, Subdiffusive heat-kernel decay in four-dimensional i.i.d. random conductance models. *J. Lond. Math. Soc. (2)* **86**, 455–481 (2012)
57. M. Biskup, O. Louidor, E.B. Procaccia, R. Rosenthal, Isoperimetry in two-dimensional percolation. *ArXiv:1211.0745* (2012)
58. M. Biskup, O. Louidor, A. Rozinov, A. Vandenberg-Rodes, Trapping in the random conductance model. *J. Stat. Phys.* **150**, 66–87 (2013)
59. M. Biskup, T.M. Prescott, Functional CLT for random walk among bounded random conductances. *Electron. J. Probab.* **12**, 1323–1348 (2007)
60. M. Biskup, M. Salvi, T. Wolff, A central limit theorem for the effective conductance: I. Linear boundary data and small ellipticity contrasts. *ArXiv:1210.2371* (2012)
61. M. Biskup, H. Spohn, Scaling limit for a class of gradient fields with non-convex potentials. *Ann. Probab.* **39**, 224–251 (2011)
62. D. Boivin, C. Rau, Existence of the harmonic measure for random walks on graphs and in random environments. *J. Stat. Phys.* **150**, 235–263 (2013)
63. B. Bollobás, *Random Graphs*, 2nd edn. (Cambridge University Press, Cambridge, 2001)
64. E. Bolthausen, A.-S. Sznitman, *Ten Lectures on Random Media*. DMV Seminar, vol. 32 (Birkhäuser Verlag, Basel, 2002)
65. O. Boukhadra, Heat-kernel estimates for random walk among random conductances with heavy tail. *Stoch. Process. Their Appl.* **120**, 182–194 (2010)
66. O. Boukhadra, P. Mathieu, The polynomial lower tail random conductances model. *ArXiv:1308.1067* (2013)
67. K. Burdzy, G.F. Lawler, Rigorous exponent inequalities for random walks. *J. Phys. A Math. Gen.* **23**, L23–L28 (1999)
68. P. Caputo, D. Ioffe, Finite volume approximation of the effective diffusion matrix: the case of independent bond disorder. *Ann. Inst. Henri Poincaré Probab. Stat.* **39**, 505–525 (2003)
69. E.A. Carlen, S. Kusuoka, D.W. Stroock, Upper bounds for symmetric Markov transition functions. *Ann. Inst. Henri Poincaré Probab. Stat.* **23**, 245–287 (1987)
70. J. Černý, On two-dimensional random walk among heavy-tailed conductances. *Electron. J. Probab.* **16**, 293–313 (2011, Paper no. 10)
71. D. Chen, X. Chen, Two random walks on the open cluster of \mathbb{Z}^2 meet infinitely often. *Sci. China Math.* **53**, 1971–1978 (2010)
72. Z.-Q. Chen, D. Croydon, T. Kumagai, Quenched invariance principles for random walks and elliptic diffusions in random media with boundary. *ArXiv:1306.0076* (2013)

73. Z.-Q. Chen, P. Kim, T. Kumagai, Discrete approximation of symmetric jump processes on metric measure spaces. *Probab. Theory Relat. Fields* **155**, 703–749 (2013)
74. Z.-Q. Chen, M. Fukushima, *Symmetric Markov Processes, Time Change, and Boundary Theory* (Princeton University Press, Princeton, 2011)
75. T. Coulhon, Heat kernel and isoperimetry on non-compact Riemannian manifolds, in *Contemporary Mathematics*, vol. 338 (American Mathematical Society, Providence, 2003), pp. 65–99
76. T. Coulhon, Ultracontractivity and Nash type inequalities. *J. Funct. Anal.* **141**, 510–539 (1996)
77. T. Coulhon, L. Saloff-Coste, Variétés riemanniennes isométriques à l’infini. *Rev. Mat. Iberoam.* **11**, 687–726 (1995)
78. N. Crawford, A. Sly, Simple random walks on long range percolation clusters I: heat kernel bounds. *Probab. Theory Relat. Fields* **154**, 753–786 (2012)
79. N. Crawford, A. Sly, Simple random walks on long range percolation clusters II: scaling limits. *Ann. Probab.* **41**, 445–502 (2013)
80. D.A. Croydon, Heat kernel fluctuations for a resistance form with non-uniform volume growth. *Proc. Lond. Math. Soc.* (3) **94**, 672–694 (2007)
81. D.A. Croydon, Convergence of simple random walks on random discrete trees to Brownian motion on the continuum random tree. *Ann. Inst. Henri Poincaré Probab. Stat.* **44**, 987–1019 (2008)
82. D.A. Croydon, Random walk on the range of random walk. *J. Stat. Phys.* **136**, 349–372 (2009)
83. D.A. Croydon, Scaling limit for the random walk on the largest connected component of the critical random graph. *Publ. Res. Inst. Math. Sci.* **48**, 279–338 (2012)
84. D. Croydon, A. Fribergh, T. Kumagai, Biased random walk on critical Galton-Watson trees conditioned to survive. *Probab. Theory Relat. Fields* **157**, 453–507 (2013)
85. D.A. Croydon, B.M. Hambly, Local limit theorems for sequences of simple random walks on graphs. *Potential Anal.* **29**, 351–389 (2008)
86. D.A. Croydon, B.M. Hambly, T. Kumagai, Convergence of mixing times for sequences of random walks on finite graphs. *Electron. J. Probab.* **17**(3), 32 pp. (2012)
87. D. Croydon, T. Kumagai, Random walks on Galton-Watson trees with infinite variance offspring distribution conditioned to survive. *Electron. J. Probab.* **13**, 1419–1441 (2008)
88. M. Damron, J. Hanson, P. Sosoe, Subdiffusivity of random walk on the 2D invasion percolation cluster. *Stoch. Process. Their Appl.* **123**, 3588–3621 (2013)
89. T. Delmotte, Parabolic Harnack inequality and estimates of Markov chains on graphs. *Rev. Mat. Iberoam.* **15**, 181–232 (1999)
90. T. Delmotte, J.-D. Deuschel, On estimating the derivatives of symmetric diffusions in stationary random environment, with applications to $\nabla\phi$ interface model. *Probab. Theory Relat. Fields* **133**, 358–390 (2005)
91. A. De Masi, P.A. Ferrari, S. Goldstein, W.D. Wick, An invariance principle for reversible Markov processes. Applications to random motions in random environments. *J. Stat. Phys.* **55**, 787–855 (1989)
92. J. Ding, J.R. Lee, Y. Peres, Cover times, blanket times and majorizing measures. *Ann. Math.* **175**, 1409–1471 (2012)
93. P.G. Doyle, J.L. Snell, *Random Walks and Electric Networks* (Mathematical Association of America, Washington, 1984). ArXiv:math/0001057
94. A. Drewitz, A.F. Ramírez, Selected topics in random walk in random environment. ArXiv:1309.2589 (2013)
95. R. Durrett, *Probability: Theory and Examples*, 4th edn. (Cambridge University Press, Cambridge, 2010)
96. A. Einstein, Die von der molekularkinetischen Theorie der Wärme geforderte Bewegung von in ruhenden Flüssigkeit suspendierten Teilchen. *Ann. d. Phys.* **17**, 549–560 (1905)
97. N. Enriquez, C. Sabot, O. Zindy, Limit laws for transient random walks in random environment on \mathbb{Z} . *Ann. Inst. Fourier (Grenoble)* **59**, 2469–2508 (2009)

98. P. Erdős, A. Rényi, On the evolution of random graphs. Magyar Tud. Akad. Mat. Kutató Int. Közl. **5**, 17–61 (1960)
99. E.B. Fabes, D.W. Stroock, A new proof of Moser's parabolic Harnack inequality using the old ideas of Nash. Arch. Ration. Mech. Anal. **96**, 327–338 (1986)
100. P.A. Ferrari, R.M. Grisi, P. Groisman, Harmonic deformation of Delaunay triangulations. Stoch. Process. Their Appl. **122**, 2185–2210 (2012)
101. R. Fitzner, Non-backtracking lace expansion, Ph.D. Thesis, The Eindhoven University of Technology, 2013, <http://www.win.tue.nl/~rfitzner/NoBLE/index.html>
102. R. Fitzner, R. van der Hofstad, Nearest-neighbor percolation function is continuous for $d \geq 15$. (Tentative title) (2013, in preparation)
103. L.R.G. Fontes, M. Isopi, C.M. Newman, Random walks with strongly inhomogeneous rates and singular diffusions: convergence, localization and aging in one dimension. Ann. Probab. **30**, 579–604 (2002)
104. L.R.G. Fontes, P. Mathieu, On symmetric random walks with random conductances on \mathbb{Z}^d . Probab. Theory Relat. Fields **134**, 565–602 (2006)
105. A. Fribergh, A. Hammond, Phase transition for the speed of the biased random walk on the supercritical percolation cluster. Commun. Pure Appl. Math. (to appear)
106. I. Fujii, T. Kumagai, Heat kernel estimates on the incipient infinite cluster for critical branching processes, in *Proceedings of German-Japanese Symposium in Kyoto 2006*, RIMS Kôkyûroku Bessatsu, vol. B6, 2008, pp. 85–95
107. R. Fukushima, N. Kubota, Quenched large deviations for multidimensional random walk in random environment with holding times. J. Theor. Probab. (to appear)
108. M. Fukushima, Y. Oshima, M. Takeda, *Dirichlet Forms and Symmetric Markov Processes* (de Gruyter, Berlin, 1994)
109. N. Gantert, P. Mathieu, A. Piatnitski, Einstein relation for reversible diffusions in a random environment. Commun. Pure Appl. Math. **65**, 187–228 (2012)
110. P.G. de Gennes, La percolation: un concept unificateur. La Recherche **7**, 919–927 (1976)
111. G. Giacomin, S. Olla, H. Spohn, Equilibrium fluctuations for $\nabla\phi$ interface model. Ann. Probab. **29**, 1138–1172 (2001)
112. A. Gloria, J.-C. Mourrat, Quantitative version of the Kipnis-Varadhan theorem and Monte Carlo approximation of homogenized coefficients. Ann. Appl. Probab. **23**, 1544–1583 (2013)
113. A. Gloria, S. Neukamm, F. Otto, Quantification of ergodicity in stochastic homogenization: optimal bounds via spectral gap on Glauber dynamics. Preprint 2013
114. A. Gloria, F. Otto, An optimal variance estimate in stochastic homogenization of discrete elliptic equations. Ann. Probab. **39**, 779–856 (2011)
115. A. Gloria, F. Otto, An optimal error estimate in stochastic homogenization of discrete elliptic equations. Ann. Appl. Probab. **22**, 1–28 (2012)
116. A. Grigor'yan, The heat equation on non-compact Riemannian manifolds. Matem. Sbornik. **182**, 55–87 (1991, in Russian) (English transl.) Math. USSR Sb. **72**, 47–77 (1992)
117. A. Grigor'yan, Heat kernel upper bounds on a complete non-compact manifold. Rev. Mat. Iberoam. **10**, 395–452 (1994)
118. A. Grigor'yan, *Analysis on Graphs* (2012). <http://www.math.uni-bielefeld.de/~grigor/aglect.pdf>
119. A. Grigor'yan, L. Saloff-Coste, Heat kernel on manifolds with ends. Ann. Inst. Fourier (Grenoble) **59**, 1917–1997 (2009)
120. A. Grigor'yan, A. Telcs, Sub-Gaussian estimates of heat kernels on infinite graphs. Duke Math. J. **109**, 452–510 (2001)
121. A. Grigor'yan, A. Telcs, Harnack inequalities and sub-Gaussian estimates for random walks. Math. Annalen **324**, 521–556 (2002)
122. G. Grimmett, *Percolation*, 2nd edn. (Springer, Berlin, 1999)
123. G. Grimmett, P. Hiemer, Directed percolation and random walk, in *In and Out of Equilibrium (Mambucaba, 2000)*. Progress in Probability, vol. 51 (Birkhäuser, Boston, 2002), pp. 273–297

124. M. Gromov, Hyperbolic manifolds, groups and actions, in *Riemann Surfaces and Related Topics: Proceedings of the 1978 Stony Brook Conference*, State University of New York, Stony Brook, 1978. Annals of Mathematics Studies, vol. 97 (Princeton University Press, Princeton, 1981), pp. 183–213
125. A. Guionnet, B. Zegarliński, Lectures on logarithmic Sobolev inequalities, in *Séminaire de Probabilités XXXVI*. Lecture Notes in Mathematics, vol. 1801 (Springer, Berlin, 2003), pp. 1–134
126. X. Guo, Einstein relation for random walks in balanced random environment. ArXiv:1212.0255 (2012)
127. X. Guo, O. Zeitouni, Quenched invariance principle for random walks in balanced random environment. Probab. Theory Relat. Fields **152**, 207–230 (2012)
128. O. Gurel-Gurevich, A. Nachmias, Recurrence of planar graph limits. Ann. Math. (2) **177**, 761–781 (2013)
129. P. Hajłasz, P. Koskela, Sobolev met Poincaré. Mem. Amer. Math. Soc. **145**(688), x+101 pp. (2000)
130. B.M. Hambly, T. Kumagai, Heat kernel estimates for symmetric random walks on a class of fractal graphs and stability under rough isometries, in *Fractal Geometry and Applications: A Jubilee of B. Mandelbrot, Proceedings of Symposia in Pure Mathematics*, vol. 72, Part 2 (American Mathematical Society, Providence, 2004), pp. 233–260
131. B.M. Hambly, T. Kumagai, Diffusion on the scaling limit of the critical percolation cluster in the diamond hierarchical lattice. Commun. Math. Phys. **295**, 29–69 (2010)
132. A. Hammond, Stable limit laws for randomly biased walks on supercritical trees. Ann. Probab. **41**, 1694–1766 (2013)
133. T. Hara, Decay of correlations in nearest-neighbour self-avoiding walk, percolation, lattice trees and animals. Ann. Probab. **36**, 530–593 (2008)
134. T. Hara, R. van der Hofstad, G. Slade, Critical two-point functions and the lace expansion for spread-out high-dimensional percolation and related models. Ann. Probab. **31**, 349–408 (2003)
135. M. Heydenreich, R. van der Hofstad, Random graph asymptotics on high-dimensional tori II: volume, diameter and mixing time. Probab. Theory Relat. Fields **149**, 397–415 (2011)
136. M. Heydenreich, R. van der Hofstad, T. Hulshof, Random walk on the high-dimensional IIC. ArXiv:1207.7230 (2012)
137. R. van der Hofstad, F. den Hollander, G. Slade, Construction of the incipient infinite cluster for spread-out oriented percolation above $4 + 1$ dimensions. Commun. Math. Phys. **231**, 435–461 (2002)
138. R. van der Hofstad, A.A. Járai, The incipient infinite cluster for high-dimensional unoriented percolation. J. Stat. Phys. **114**, 625–663 (2004)
139. R. van der Hofstad, G. Slade, Convergence of critical oriented percolation to super-Brownian motion above $4 + 1$ dimensions. Ann. Inst. Henri Poincaré Probab. Stat. **39**, 415–485 (2003)
140. B.D. Hughes, *Random Walks and Random Environments, Volume 2: Random Environments* (Oxford University Press, Oxford, 1996)
141. A.A. Járai, A. Nachmias, Electrical resistance of the low dimensional critical branching random walk. ArXiv:1305.1092 (2013)
142. D. Jerison, The Poincaré inequality for vector fields satisfying Hörmander’s condition. Duke Math. J. **53**, 503–523 (1986)
143. V.V. Jikov, S.M. Kozlov, O.A. Oleinik, *Homogenization of Differential Operators and Integral Functionals* (Springer, Berlin, 1994)
144. O.D. Jones, Transition probabilities for the simple random walk on the Sierpinski graph. Stoch. Process. Their Appl. **61**, 45–69 (1996)
145. M. Kanai, Rough isometries, and combinatorial approximations of geometries of non-compact riemannian manifolds. J. Math. Soc. Jpn. **37**, 391–413 (1985)
146. M. Kanai, Analytic inequalities, and rough isometries between non-compact riemannian manifolds, in *Lecture Notes in Mathematics*, vol. 1201 (Springer, Berlin, 1986), pp. 122–137

147. A. Kasue, Convergence of metric graphs and energy forms. *Rev. Mat. Iberoam.* **26**, 367–448 (2010)
148. H. Kesten, *Percolation Theory for Mathematicians*. Progress in Probability and Statistics, vol. 2 (Birkhäuser, Boston, 1982), iv+423 pp. Available at <http://www.math.cornell.edu/~kesten/kesten-book.html>
149. H. Kesten, The incipient infinite cluster in two-dimensional percolation. *Probab. Theory Relat. Fields* **73**, 369–394 (1986)
150. H. Kesten, Subdiffusive behavior of random walk on a random cluster. *Ann. Inst. Henri Poincaré Probab. Stat.* **22**, 425–487 (1986)
151. J. Kigami, *Analysis on Fractals* (Cambridge University Press, Cambridge, 2001)
152. J. Kigami, Dirichlet forms and associated heat kernels on the Cantor set induced by random walks on trees. *Adv. Math.* **225**, 2674–2730 (2010)
153. J. Kigami, Resistance forms, quasisymmetric maps and heat kernel estimates. *Mem. Amer. Math. Soc.* **216**(1015), vi+132 pp. (2012)
154. C. Kipnis, S.R.S. Varadhan, Central limit theorem for additive functionals of reversible Markov processes and applications to simple exclusions. *Commun. Math. Phys.* **104**, 1–19 (1986)
155. T. Komorowski, S. Olla, On mobility and Einstein relation for tracers in time-mixing random environments. *J. Stat. Phys.* **118**, 407–435 (2005)
156. T. Komorowski, S. Olla, Einstein relation for random walks in random environments. *Stoch. Process. Their Appl.* **115**, 1279–1301 (2005)
157. T. Komorowski, C. Landim, S. Olla, *Fluctuations in Markov Processes: Time Symmetry and Martingale Approximation*. Grundlehren der mathematischen Wissenschaften, vol. 345 (Springer, Berlin, 2012)
158. W. König, M. Salvi, T. Wolff, Large deviations for the local times of a random walk among random conductances. *Electron. Commun. Probab.* **17**, 1–11 (2012, Paper no. 10)
159. S.M. Kozlov, The method of averaging and walks in inhomogeneous environments. *Russ. Math. Surv.* **40**, 73–145 (1985)
160. G. Kozma, Percolation on a product of two trees. *Ann. Probab.* **39**, 1864–1895 (2011)
161. G. Kozma, The triangle and the open triangle. *Ann. Inst. Henri Poincaré Probab. Stat.* **47**, 75–79 (2011)
162. G. Kozma, A. Nachmias, The Alexander-Orbach conjecture holds in high dimensions. *Invent. Math.* **178**, 635–654 (2009)
163. G. Kozma, A. Nachmias, Arm exponents in high dimensional percolation. *J. Amer. Math. Soc.* **24**, 375–409 (2011)
164. M. Krikun, Local structure of random quadrangulations. *ArXiv:math/0512304* (2005)
165. N. Kubota, Large deviations for simple random walk on supercritical percolation clusters. *Kodai Math. J.* **35**, 560–575 (2012)
166. T. Kumagai, J. Misumi, Heat kernel estimates for strongly recurrent random walk on random media. *J. Theor. Probab.* **21**, 910–935 (2008)
167. G.F. Lawler, Weak convergence of a random walk in a random environment. *Commun. Math. Phys.* **87**, 81–87 (1982)
168. J.L. Lebowitz, H. Rost, The Einstein relation for the displacement of a test particle in a random environment. *Stoch. Process. Their Appl.* **54**, 183–196 (1994)
169. J.-F. Le Gall, G. Miermont, Scaling limits of random trees and planar maps. Lecture Notes for the Clay Mathematical Institute Summer School in Buzios, 2010. *ArXiv:1101.4856*
170. D. Levin, Y. Peres, E. Wilmer, *Markov Chains and Mixing Times* (American Mathematical Society, Providence, 2009)
171. M. Loulakis, Einstein relation for a tagged particle in simple exclusion processes. *Commun. Math. Phys.* **229**, 347–367 (2002)
172. L. Lovász, P. Winkler, Mixing times, in *Microsurveys in Discrete Probability (Princeton, NJ, 1997)*. DIMACS Series in Discrete Mathematics and Theoretical Computer Science, vol. 41 (American Mathematical Society, Providence, 1998), pp. 85–133

173. F. Lust-Piquard, Lower bounds on $\|K^n\|_{1 \rightarrow \infty}$ for some contractions K of $L^2(\mu)$, with some applications to Markov operators. *Math. Ann.* **303**, 699–712 (1995)
174. R. Lyons, R. Pemantle, Y. Peres, Biased random walks on Galton-Watson trees. *Probab. Theory Relat. Fields* **106**, 249–264 (1996)
175. R. Lyons, Y. Peres, *Probability on Trees and Networks* (Book in preparation), <http://mypage.iu.edu/~rdlyons/prbtree/prbtree.html>
176. T. Lyons, Instability of the Liouville property for quasi-isometric Riemannian manifolds and reversible Markov chains. *J. Differ. Geom.* **26**, 33–66 (1987)
177. D. Marahrens, F. Otto, Annealed estimates on the Green’s function. ArXiv:1304.4408 (2013)
178. P. Mathieu, Quenched invariance principles for random walks with random conductances. *J. Stat. Phys.* **130**, 1025–1046 (2008)
179. P. Mathieu, A. Piatnitski, Quenched invariance principles for random walks on percolation clusters. *Proc. R. Soc. A* **463**, 2287–2307 (2007)
180. P. Mathieu, E. Remy, Isoperimetry and heat kernel decay on percolation clusters. *Ann. Probab.* **32**, 100–128 (2004)
181. R. Montenegro, P. Tetali, Mathematical aspects of mixing times in Markov chains. *Found. Trends Theor. Comput. Sci.* **1**, x+121 pp. (2006)
182. B. Morris, Y. Peres, Evolving sets, mixing and heat kernel bounds. *Probab. Theory Relat. Fields* **133**, 245–266 (2005)
183. J.C. Mourrat, Scaling limit of the random walk among random traps on \mathbb{Z}^d . *Ann. Inst. Henri Poincaré Probab. Stat.* **47**, 813–849 (2011)
184. J.C. Mourrat, Variance decay for functionals of the environment viewed by the particle. *Ann. Inst. Henri Poincaré Probab. Stat.* **47**, 294–327 (2011)
185. J.C. Mourrat, A quantitative central limit theorem for the random walk among random conductances. *Electron. J. Probab.* **17**(97), 17 pp. (2012)
186. A. Nachmias, Y. Peres, Critical random graphs: diameter and mixing time. *Ann. Probab.* **36**, 1267–1286 (2008)
187. J. Nash, Continuity of solutions of parabolic and elliptic equations. *Amer. J. Math.* **80**, 931–954 (1958)
188. J. Norris, *Markov Chains* (Cambridge University Press, Cambridge, 1998)
189. G.C. Papanicolaou, S.R.S. Varadhan, Boundary value problems with rapidly oscillating random coefficients, in *Random Fields, Vol. I, II (Esztergom, 1979)*. *Colloq. Math. Soc. János Bolyai*, vol. 27 (North-Holland, Amsterdam, 1981), pp. 835–873
190. G. Pete, A note on percolation on \mathbb{Z}^d : isoperimetric profile via exponential cluster repulsion. *Electron. Commun. Probab.* **13**, 377–392 (2008)
191. E. Procaccia, R. Rosenthal, A. Sapozhnikov, Quenched invariance principle for simple random walk on clusters in correlated percolation models. ArXiv:1310.4764 (2013)
192. F. Rassoul-Agha, T. Seppäläinen, An almost sure invariance principle for random walks in a space-time random environment. *Probab. Theory Relat. Fields* **133**, 299–314 (2005)
193. C. Rau, Sur le nombre de points visités par une marche aléatoire sur un amas infini de percolation. *Bull. Soc. Math. France* **135**, 135–169 (2007)
194. L. Saloff-Coste, A note on Poincaré, Sobolev, and Harnack inequalities. *Int. Math. Res. Not. IMRN* **2**, 27–38 (1992)
195. L. Saloff-Coste, Lectures on finite Markov chains, in *Ecole d’Eté de Probabilités de Saint-Flour XXVI-1996*. *Lecture Notes in Mathematics*, vol. 1665 (Springer, Berlin, 1997), pp. 301–413
196. L. Saloff-Coste, *Aspects of Sobolev-Type Inequalities*. *London Mathematical Society Lecture Notes*, vol. 289 (Cambridge University Press, Cambridge, 2002)
197. A. Sapozhnikov, Upper bound on the expected size of intrinsic ball. *Electron. Commun. Probab.* **15**, 297–298 (2010)
198. R. Schonmann, Multiplicity of phase transitions and mean-field criticality on highly non-amenable graphs. *Commun. Math. Phys.* **219**, 271–322 (2001)
199. D. Shiraishi, Heat kernel for random walk trace on \mathbb{Z}^3 and \mathbb{Z}^4 . *Ann. Inst. Henri Poincaré Probab. Stat.* **46**, 1001–1024 (2010)

200. D. Shiraishi, Exact value of the resistance exponent for four dimensional random walk trace. *Probab. Theory Relat. Fields* **153**, 191–232 (2012)
201. D. Shiraishi, Random walk on non-intersecting two-sided random walk trace is subdiffusive in low dimensions. *Trans. Amer. Math. Soc.* (to appear)
202. V. Sidoravicius, A.-S. Sznitman, Quenched invariance principles for walks on clusters of percolation or among random conductances. *Probab. Theory Relat. Fields* **129**, 219–244 (2004)
203. G. Slade, *The Lace Expansion and its Applications. Ecole d'Eté de Probabilités de Saint-Flour XXXIV—2004*. Lecture Notes in Mathematics, vol. 1879 (Springer, Berlin, 2006)
204. P.M. Soardi, *Potential Theory on Infinite Networks*. Lecture Notes in Mathematics, vol. 1590 (Springer, Berlin, 1994)
205. H. Spohn, *Large Scale Dynamics of Interacting Particles* (Springer, Berlin, 1991)
206. R.S. Strichartz, *Differential Equations on Fractals: A Tutorial* (Princeton University Press, Princeton, 2006)
207. K.T. Sturm, Analysis on local Dirichlet spaces—III. The parabolic Harnack inequality. *J. Math. Pure Appl.* **75**, 273–297 (1996)
208. A.-S. Sznitman, On the anisotropic walk on the supercritical percolation cluster. *Commun. Math. Phys.* **240**, 123–148 (2003)
209. A.-S. Sznitman, Topics in random walks in random environment, in *School and Conference on Probability Theory*. ICTP Lecture Notes, vol. XVII (Abdus Salam International Centre for Theoretical Physics, Trieste, 2004), pp. 203–266 (electronic)
210. A. Telcs, *The Art of Random Walks*. Lecture Notes in Mathematics, vol. 1885 (Springer, Berlin, 2006)
211. W. Woess, in *Random Walks on Infinite Graphs and Groups* (Cambridge University Press, Cambridge, 2000)
212. G.M. Zaslavsky, *Hamiltonian Chaos and Fractional Dynamics* (Oxford University Press, Oxford, 2005)
213. O. Zeitouni, Random walks in random environment, in *Ecole d'Eté de Probabilités de Saint-Flour XXXI—2001*. Lecture Notes in Mathematics, vol. 1837 (Springer, Berlin, 2004), pp. 189–312
214. O. Zeitouni, Random walks and diffusions in random environments. *J. Phys. A Math. Gen.* **39**, R433–R464 (2006)
215. O. Zindy, Scaling limit and aging for directed trap models. *Markov Process. Relat. Fields* **15**, 31–50 (2009)

Index

- Aldous tree, 80
- Alexander-Orbach conjecture, 2, 63–77
- Annealed (averaged) estimate, 60
- Annealed (averaged) functional central limit theorem (Annealed FCLT), 96
- Anomalous, 1, 87, 97, 98, 100
- Antal-Pisztora, 103, 131

- Backbone, 68, 82, 83
- Balanced random environment, 133–134
- Berry-Esseen estimate, 130
- Biased random walk, 133, 134
- Birkhoff’s ergodic theorem, 118, 123
- BK inequality, 69, 75, 86
- Bond percolation, 1, 2, 63, 66–68, 79, 84, 96, 103, 131
- Bouchaud’s trap model (BTM), 102
- Boundary, 6, 37, 63, 74, 75, 92, 104, 132
- Bounded perturbation, 9, 14, 34
- Branching process, 75, 79, 80, 82, 87

- Canonical measure, 84, 85
- Capacity, 14
- Chapman-Kolmogorov equation, 52
- Cheeger constant, 36
- Co-area formula, 28, 30
- Cocycle property, 106, 108, 111–113, 118, 121–123
- Conductance weight, 92, 102
- Constant speed random walk (CSRW), 8, 95–97, 99–102, 126
- Controlled weight, 3, 4, 32, 34, 35, 71, 132
- Corrector, 105–113, 116, 123, 124, 127–131, 133
- Cover time, 91–93, 131–132

- Cramér-Wold device, 125
- Critical dimension, 63, 64, 86–88, 90
- Critical percolation, 1, 2, 71, 79, 87, 88, 92
- CSRW. *See* Constant speed random walk (CSRW)
- Cut-off function, 35
- Cut-off Sobolev inequality, 35
- Cut point, 90
- Cut-set, 72
- Cutting law, 11, 27

- Δ -Y transform, 47
- Diamond lattice, 87
- Diffusion, 91, 92, 101, 102, 134
- Dirichlet problem, 10, 11
- Dirichlet’s principle, 11
- Discrete Laplace operator, 4, 6, 8

- Effective resistance, 2, 10, 11, 14, 43, 44, 47, 48, 87
- Effective velocity, 134
- Einstein relation, 134
- Electrical network, 4
- Elliptic environment, 131, 134
- Environment seen from the particle, 110, 130
- Erdős-Rényi random graph, 89–92
- Evolving random set, 37–41
- Exit time, 2, 68, 87
- Extremal process, 133

- Faber-Krahn inequality, 25–31
- Federer-Fleming theorem, 30
- Fontes-Isopi-Newman (FIN) diffusion, 101
- Fractal, 1, 34, 56–58

- Fractal graph, 34, 56–58
- Fractional-Kinetic (FK) process, 101
- Galton-Watson branching process, 80
- Gauss-Green formula, 7
- Gaussian free field (GFF), 92, 131
- Graph automorphism, 65
- Green density, 44–48, 92, 100
- Green function, 2, 43
- Gromov-Hausdorff convergence, 92
- Harnack inequality, 9, 33–35
- Heat kernel, 1, 2, 5, 21–41, 43–59, 62, 63, 68, 80, 81, 87–91, 96–100, 102–109, 113, 121–124, 126–131
- Heavy-tailed environment, 101
- Homogeneous tree, 79
- Homogenization, 95, 105, 129–130, 133
- Incipient infinite cluster (IIC), 2, 62–64, 66, 68, 79–93, 102, 133
- Invasion percolation, 80, 87
- Isoperimetric inequality, 27, 35, 36, 39
- Join (of graphs), 32, 33
- Kipnis-Varadhan theory, 131
- Kirchhoff's law, 6
- Lace expansion, 63, 66, 67
- λ -lane (rich), 71, 73
- Lane, 71, 73, 85
- Lazy (Markov chain), 38, 39
- Lindeberg-Feller FCLT, 125
- Liouville property, 9, 16
- Local central limit theorem (Local CLT), 100
- Local distance, 88
- Local time, 44, 101
- Logarithmic convex, 22, 24
- Long-range percolation, 68
- Loop erased random walk, 90
- Markov chain, 2, 4–6, 8, 13, 15–17, 37–39, 59, 81, 89, 92, 93, 96–98, 102, 104, 106, 110, 133
- Markovian property, 21, 22
- Markovian semigroup, 21
- Maximum principle, 6
- Mean field, 66, 87
- Median, 36
- Meyer's inequality, 133
- Minimum principle, 6
- Mixing time, 91–93, 102
- Mobility, 134
- Moser's iteration, 129
- Nash inequality, 2, 9, 22–25, 32
- Nearest neighbor model, 63, 67, 68
- Off-spring distribution, 79, 80, 82
- Ohm's law, 6, 12
- Parabolic Harnack inequality, 9, 33–35
- Parallel circuit, 44
- Path, 3, 13, 43, 63, 65, 67, 70, 71, 79, 82, 83, 86, 99, 103–105, 116, 125
- Percolation cluster, 1, 63, 64, 71, 87, 88, 106, 124, 130, 131, 133
- Planar map, 88
- Poincaré inequality, 21, 31–37, 127, 130
- (1,1)-Poincaré inequality, 36
- Potential, 2–4, 6, 11, 46, 111, 113, 134
- Quadrangulation, 88
- Quadratic form, 4, 15, 17, 25, 110
- Quasi-isometry, 9
- Quenched estimate, 59, 62, 132
- Quenched functional central limit theorem (Quenched FCLT), 96, 127, 129
- Quenched invariance principle, 2, 95, 96, 99–100, 105–109, 123–130, 133, 134
- Random conductance model (RCM), 2, 95–134
- Random walk in random environment (RWRE), 95
- Random walk trace, 87, 89–91
- Range of random walk, 62, 102
- RCM. *See* Random conductance model (RCM)
- Recurrence, 9, 14, 16
- Regeneration, 75
- Regular Dirichlet form, 7, 23
- Reimer's inequality, 74
- Relative isoperimetric inequality, 35, 36
- Reproducing property, 45, 48

- Resistance form, 44, 49, 50
- Root, 22, 66, 79, 88
- Rough isometry, 8, 9, 14, 34, 35
- Royden decomposition, 17
- RWRE. *See* Random walk in random environment (RWRE)

- Scaling limit, 2, 68, 91, 101, 102
- Scaling window, 92
- Series circuit, 44
- Shift covariance property, 111
- Shortest path, 3, 43, 67
- Shorting law, 11, 54, 57, 72
- Sierpinski gasket, 30, 56, 57
- Simple random walk, 1, 13, 25, 34, 46, 56–58, 63, 68, 80, 84, 87–91, 100, 102, 131, 134
- Size biased branching process, 82
- Sobolev inequality, 25–31, 130
- Spectral dimension, 1, 63, 80, 87, 88
- Spectral Gromov-Hausdorff convergence, 92
- Spread-out model, 63, 64, 67, 68
- Stabilizer, 65
- Stable subordinator, 101
- Stable under bounded perturbation, 9, 14, 34
- Stable under rough isometry, 9, 14, 34, 35
- Stationary ergodic media, 129, 130
- Stochastic homogenization, 129–130, 133
- Strongly recurrent, 52–56
- Sub-ballistic, 133
- Sub-diffusive, 33
- Sub-Gaussian heat kernel estimate, 2, 33, 35, 58
- Sub-harmonic, 6
- Sub-linearity (of corrector), 105–109, 123, 127, 129
- Super Brownian motion, 84
- Super-critical percolation, 97, 100, 102, 106, 108, 124, 128, 130–133
- Super-harmonic, 6, 15, 16

- Thompson's law, 11
- Total flux, 6, 46
- Total population size, 82
- Trace (of weighted graph), 17–19
- Transience, 9, 14, 16
- Transitive, 65–67, 73, 74
- Trapping phenomena, 133
- Triangle condition, 66, 68
- Triangulation, 88
- Two scale convergence, 127

- Uniform elliptic, 96, 106, 130, 134
- Uniform infinite planar quadrangulation (UIPQ), 88
- Uniform infinite planar triangulation (UIPT), 88
- Uniform spanning tree, 87
- Unimodular, 65–67, 73, 74

- Variable speed random walk (VSRW), 8, 95–100, 106, 108, 124, 126, 127, 129, 130
- Vicsek set, 57, 58
- Volume doubling condition, 31

- Weak functional central limit theorem (Weak FCLT), 96, 129
- Weak Poincaré inequality, 32
- Weighted graph, 2–19, 21, 25, 27, 29, 31, 32, 34, 35, 37, 38, 43, 44, 46, 49, 52, 54, 63, 66, 89, 91, 92, 132
- Wulff construction, 132

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.
Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this "lecture notes" character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.
2. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer's mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.
Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees' recommendations, making further refereeing of a final draft necessary.
Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.
3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped ps-files. Lecture Notes volumes are, as a rule, printed digitally from the authors' files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-server at:

[ftp://ftp.springer.de/pub/tex/latex/svmonot1/](http://ftp.springer.de/pub/tex/latex/svmonot1/) (for monographs) and
[ftp://ftp.springer.de/pub/tex/latex/svmult1/](http://ftp.springer.de/pub/tex/latex/svmult1/) (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from lnm@springer.com.

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,
175 rue du Chevaleret
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the “Mathematical Biosciences Subseries” of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail: maini@maths.ox.ac.uk

Springer, Mathematics Editorial, Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com