

References

- [AB02] R. Atar, K. Burdzy, On nodal lines of Neumann eigenfunctions. *Electron. Commun. Probab.* **7**, 129–139 (2002)
- [AB04] R. Atar, K. Burdzy, On Neumann eigenfunctions in lip domains. *J. Am. Math. Soc.* **17**(2), 243–265 (2004)
- [ACTDBP06] N. Arcozzi, E. Casadio Tarabusi, F. Di Biase, M.A. Picardello, Twist points of planar domains. *Trans. Am. Math. Soc.* **358**(6), 2781–2798 (2006)
- [Ahl78] L.V. Ahlfors, *Complex Analysis. An Introduction to the Theory of Analytic Functions of One Complex Variable*. International Series in Pure and Applied Mathematics, 3rd edn. (McGraw-Hill Book, New York, 1978)
- [Ata01] R. Atar, Invariant wedges for a two-point reflecting Brownian motion and the “hot spots” problem. *Electron. J. Probab.* **6**(18), 19 pp. (2001)
- [Ath00] S. Athreya, Monotonicity property for a class of semilinear partial differential equations, in *Séminaire de Probabilités, XXXIV*. Lecture Notes in Mathematics, vol. 1729 (Springer, Berlin, 2000), pp. 388–392
- [Ban80] C. Bandle, *Isoperimetric Inequalities and Applications*. Monographs and Studies in Mathematics, vol. 7 (Pitman (Advanced Publishing Program), Boston, 1980)
- [Bañ87] R. Bañuelos, On an estimate of Cranston and McConnell for elliptic diffusions in uniform domains. *Probab. Theory Relat. Fields* **76**(3), 311–323 (1987)
- [Bas95] R.F. Bass, *Probabilistic Techniques in Analysis*. Probability and Its Applications (Springer, New York, 1995)
- [BB92] R.F. Bass, K. Burdzy, Lifetimes of conditioned diffusions. *Probab. Theory Relat. Fields* **91**(3–4), 405–443 (1992)
- [BB99] R. Bañuelos, K. Burdzy, On the “hot spots” conjecture of J. Rauch. *J. Funct. Anal.* **164**(1), 1–33 (1999)
- [BB00] R.F. Bass, K. Burdzy, Fiber Brownian motion and the “hot spots” problem. *Duke Math. J.* **105**(1), 25–58 (2000)
- [BB08] R.F. Bass, K. Burdzy, On pathwise uniqueness for reflecting Brownian motion in $C^{1+\gamma}$ domains. *Ann. Probab.* **36**(6), 2311–2331 (2008)
- [BBC05] R.F. Bass, K. Burdzy, Z.-Q. Chen, Uniqueness for reflecting Brownian motion in lip domains. *Ann. Inst. H. Poincaré Probab. Stat.* **41**(2), 197–235 (2005)
- [BC98] K. Burdzy, Z.-Q. Chen, Weak convergence of reflecting Brownian motions. *Electron. Commun. Probab.* **3**, 29–33 (1998)
- [BC02] K. Burdzy, Z.-Q. Chen, Coalescence of synchronous couplings. *Probab. Theory Relat. Fields* **123**(4), 553–578 (2002)
- [BCS03] K. Burdzy, Z.-Q. Chen, J. Sylvester, The heat equation and reflected Brownian motion in time-dependent domains. II. Singularities of solutions. *J. Funct. Anal.* **204**(1), 1–34 (2003)

- [BCS04] K. Burdzy, Z.-Q. Chen, J. Sylvester, The heat equation and reflected Brownian motion in time-dependent domains. *Ann. Probab.* **32**(1B), 775–804 (2004)
- [Ber96] J. Bertoin, *Lévy Processes*. Cambridge Tracts in Mathematics, vol. 121 (Cambridge University Press, Cambridge, 1996)
- [BH91] R.F. Bass, P. Hsu, Some potential theory for reflecting Brownian motion in Hölder and Lipschitz domains. *Ann. Probab.* **19**(2), 486–508 (1991)
- [Bil99] P. Billingsley, *Convergence of Probability Measures*. Wiley Series in Probability and Statistics: Probability and Statistics, 2nd edn. (Wiley, New York, 1999)
- [BK98] K. Burdzy, D. Khoshnevisan, Brownian motion in a Brownian crack. *Ann. Appl. Probab.* **8**(3), 708–748 (1998)
- [BK00] K. Burdzy, W.S. Kendall, Efficient Markovian couplings: examples and counterexamples. *Ann. Appl. Probab.* **10**(2), 362–409 (2000)
- [BP04] R. Bañuelos, M. Pang, An inequality for potentials and the “hot-spots” conjecture. *Indiana Univ. Math. J.* **53**(1), 35–47 (2004)
- [BPP04] R. Bañuelos, M. Pang, M. Pascu, Brownian motion with killing and reflection and the “hot-spots” problem. *Probab. Theory Relat. Fields* **130**(1), 56–68 (2004)
- [Bry95] W. Bryc, *The Normal Distribution*. Lecture Notes in Statistics, vol. 100 (Springer, New York, 1995). Characterizations with applications
- [Bur76] D.L. Burkholder, Harmonic analysis and probability, in *Studies in Harmonic Analysis (Proc. Conf., DePaul Univ., Chicago, Ill., 1974)*. MAA Stud. Math., vol. 13 (Mathematical Association of America, Washington, 1976), pp. 136–149
- [Bur90] K. Burdzy, Minimal fine derivatives and Brownian excursions. *Nagoya Math. J.* **119**, 115–132 (1990)
- [Bur05] K. Burdzy, The hot spots problem in planar domains with one hole. *Duke Math. J.* **129**(3), 481–502 (2005)
- [BW99] K. Burdzy, W. Werner, A counterexample to the “hot spots” conjecture. *Ann. Math.* (2) **149**(1), 309–317 (1999)
- [Cha84] I. Chavel, *Eigenvalues in Riemannian Geometry*. Pure and Applied Mathematics, vol. 115 (Academic, Orlando, 1984). Including a chapter by Burton Randol, With an appendix by Jozef Dodziuk
- [Che92a] M.F. Chen, *From Markov Chains to Nonequilibrium Particle Systems* (World Scientific Publishing, River Edge, 1992)
- [Che92b] Z.Q. Chen, Pseudo Jordan domains and reflecting Brownian motions. *Probab. Theory Relat. Fields* **94**(2), 271–280 (1992)
- [Chu84] K.L. Chung, The lifetime of conditional Brownian motion in the plane. *Ann. Inst. H. Poincaré Probab. Stat.* **20**(4), 349–351 (1984)
- [Dav75] B. Davis, Picard’s theorem and Brownian motion. *Trans. Am. Math. Soc.* **213**, 353–362 (1975)
- [Dav79a] B. Davis, Applications of the conformal invariance of Brownian motion, in *Proceedings of the Symposium in Pure Mathematics of the American Mathematical Society*, Williams College, Williamstown, MA, 10–28 July, 1978, ed. by G. Weiss, S. Wainger. Harmonic Analysis in Euclidean Spaces. Part 2, vol. XXXV (American Mathematical Society, Providence, 1979), pp. 303–310. Dedicated to Nestor M. Rivière
- [Dav79b] B. Davis, Brownian motion and analytic functions. *Ann. Probab.* **7**(6), 913–932 (1979)
- [Dav89] E.B. Davies, *Heat Kernels and Spectral Theory*. Cambridge Tracts in Mathematics, vol. 92 (Cambridge University Press, Cambridge, 1989)
- [Doo61] J.L. Doob, Conformally invariant cluster value theory. *Ill. J. Math.* **5**, 521–549 (1961)
- [Doo84] J.L. Doob, *Classical Potential Theory and Its Probabilistic Counterpart*. Grundlehren der Mathematischen Wissenschaften (Fundamental Principles of Mathematical Sciences), vol. 262 (Springer, New York, 1984)

- [Dur83] P.L. Duren, *Univalent Functions*. Grundlehren der Mathematischen Wissenschaften (Fundamental Principles of Mathematical Sciences), vol. 259 (Springer, New York, 1983)
- [Dur84] R. Durrett, *Brownian Motion and Martingales in Analysis*. Wadsworth Mathematics Series (Wadsworth International Group, Belmont, 1984)
- [Fit89] P.J. Fitzsimmons, Time changes of symmetric Markov processes and a Feynman-Kac formula. *J. Theor. Probab.* **2**(4), 487–501 (1989)
- [Fol76] G.B. Folland, *Introduction to Partial Differential Equations* (Princeton University Press, Princeton, 1976). Preliminary informal notes of university courses and seminars in mathematics, Mathematical Notes
- [FÖT94] M. Fukushima, Y. Ōshima, M. Takeda, *Dirichlet Forms and Symmetric Markov Processes*. de Gruyter Studies in Mathematics, vol. 19 (Walter de Gruyter & Co., Berlin, 1994)
- [Fre02] P. Freitas, Closed nodal lines and interior hot spots of the second eigenfunction of the Laplacian on surfaces. *Indiana Univ. Math. J.* **51**(2), 305–316 (2002)
- [Fuk67] M. Fukushima, A construction of reflecting barrier Brownian motions for bounded domains. *Osaka J. Math.* **4**, 183–215 (1967)
- [Gru98] J.-C. Gruet, On the length of the homotopic Brownian word in the thrice punctured sphere. *Probab. Theory Relat. Fields* **111**(4), 489–516 (1998)
- [HSS91] R. Hempel, L.A. Seco, B. Simon, The essential spectrum of Neumann Laplacians on some bounded singular domains. *J. Funct. Anal.* **102**(2), 448–483 (1991)
- [IM74] K. Itô, H.P. McKean Jr., *Diffusion Processes and Their Sample Paths* (Springer, Berlin, 1974). Second printing, corrected, Die Grundlehren der mathematischen Wissenschaften, Band 125
- [IM03] K. Ishige, N. Mizoguchi, Location of blow-up set for a semilinear parabolic equation with large diffusion. *Math. Ann.* **327**(3), 487–511 (2003)
- [IW89] N. Ikeda, S. Watanabe, *Stochastic Differential Equations and Diffusion Processes*. North-Holland Mathematical Library, 2nd edn., vol. 24 (North-Holland, Amsterdam, 1989)
- [Jer00] D. Jerison, Locating the first nodal line in the Neumann problem. *Trans. Am. Math. Soc.* **352**(5), 2301–2317 (2000)
- [JN00] D. Jerison, N. Nadirashvili, The “hot spots” conjecture for domains with two axes of symmetry. *J. Am. Math. Soc.* **13**(4), 741–772 (2000)
- [Kak44] S. Kakutani, Two-dimensional Brownian motion and harmonic functions. *Proc. Imp. Acad. Tokyo* **20**, 706–714 (1944)
- [Kak45a] S. Kakutani, Markoff process and the Dirichlet problem. *Proc. Jpn. Acad.* **21**(1945), 227–233 (1949)
- [Kak45b] S. Kakutani, Two-dimensional Brownian motion and the type problem of Riemann surfaces. *Proc. Jpn. Acad.* **21**(1945), 138–140 (1949)
- [Kaw85] B. Kawohl, *Rearrangements and Convexity of Level Sets in PDE*. Lecture Notes in Mathematics, vol. 1150 (Springer, Berlin, 1985)
- [Kni81] F.B. Knight, *Essentials of Brownian Motion and Diffusion*. Mathematical Surveys, vol. 18 (American Mathematical Society, Providence, 1981)
- [KS91] I. Karatzas, S.E. Shreve, *Brownian Motion and Stochastic Calculus*. Graduate Texts in Mathematics, 2nd edn., vol. 113 (Springer, New York, 1991)
- [Lin87] C.S. Lin, On the second eigenfunctions of the Laplacian in \mathbf{R}^2 . *Commun. Math. Phys.* **111**(2), 161–166 (1987)
- [Lin92] T. Lindvall, *Lectures on the Coupling Method*. Wiley Series in Probability and Mathematical Statistics: Probability and Mathematical Statistics (Wiley, New York, 1992)
- [LS84] P.-L. Lions, A.-S. Sznitman, Stochastic differential equations with reflecting boundary conditions. *Commun. Pure Appl. Math.* **37**(4), 511–537 (1984)
- [Luo95] S.L. Luo, A probabilistic proof of the fundamental theorem of algebra and a generalization. *Math. Appl. (Wuhan)* **8**(4), 487–489 (1995)

- [McM69] J.E. McMillan, Boundary behavior of a conformal mapping. *Acta Math.* **123**, 43–67 (1969)
- [Miy09] Y. Miyamoto, The “hot spots” conjecture for a certain class of planar convex domains. *J. Math. Phys.* **50**(10), 103530–103530-7 (2009)
- [Mou88] T.S. Mountford, Transience of a pair of local martingales. *Proc. Am. Math. Soc.* **103**(3), 933–938 (1988)
- [MP10] P. Mörters, Y. Peres, *Brownian Motion*. Cambridge Series in Statistical and Probabilistic Mathematics (Cambridge University Press, Cambridge, 2010). With an appendix by Oded Schramm and Wendelin Werner
- [Nad86] N.S. Nadirashvili, Multiplicity of eigenvalues of the Neumann problem. *Dokl. Akad. Nauk SSSR* **286**(6), 1303–1305 (1986)
- [Nad87] N.S. Nadirashvili, Multiple eigenvalues of the Laplace operator. *Mat. Sb. (N.S.)* **133**(175)(2), 223–237, 272 (1987)
- [Nov81] A.A. Novikov, Small deviations of Gaussian processes. *Mat. Zametki* **29**(2), 291–301, 319 (1981)
- [NTY01] N. Nadirashvili, D. Tot, D. Yakobson, Geometric properties of eigenfunctions. *Uspekhi Mat. Nauk* **56**(6(342)), 67–88 (2001)
- [O’N11] M.D. O’Neill, A Green proof of Fatou’s theorem. *J. Stat. Theory Pract.* **5**(3), 497–513 (2011)
- [O’N12] M.D. O’Neill, A geometric and stochastic proof of the twist point theorem. *Publ. Mat.* **56**(1), 41–63 (2012)
- [Pas02] M.N. Pascu, Scaling coupling of reflecting Brownian motions and the hot spots problem. *Trans. Am. Math. Soc.* **354**(11), 4681–4702 (2002)
- [Pas05] M.N. Pascu, A probabilistic proof of the fundamental theorem of algebra. *Proc. Am. Math. Soc.* **133**(6), 1707–1711 (2005)
- [PG11] M.N. Pascu, M.E. Gageonea, Monotonicity properties of the Neumann heat kernel in the ball. *J. Funct. Anal.* **260**(2), 490–500 (2011)
- [Pin80] M.A. Pinsky, The eigenvalues of an equilateral triangle. *SIAM J. Math. Anal.* **11**(5), 819–827 (1980)
- [Pin85] M.A. Pinsky, Completeness of the eigenfunctions of the equilateral triangle. *SIAM J. Math. Anal.* **16**(4), 848–851 (1985)
- [Pol] Polymath7. The Hot Spots Conjecture, <http://polymathprojects.org/2012/09/10/polymath7-research-threads-4-the-hot-spots-conjecture/>, Ch. Evans, T. Tao (moderators). Accessed 24 June 2012
- [Pom75] C. Pommerenke, *Univalent Functions* (Vandenhoeck & Ruprecht, Göttingen, 1975). With a chapter on quadratic differentials by Gerd Jensen, *Studia Mathematica/Mathematische Lehrbücher*, Band XXV
- [Pom92] Ch. Pommerenke, *Boundary Behaviour of Conformal Maps*. Grundlehren der Mathematischen Wissenschaften (Fundamental Principles of Mathematical Sciences), vol. 299 (Springer, Berlin, 1992)
- [Pro90] P. Protter, *Stochastic Integration and Differential Equations*. Applications of Mathematics (New York), vol. 21 (Springer, Berlin, 1990). A new approach
- [PY86] J. Pitman, M. Yor, Asymptotic laws of planar Brownian motion. *Ann. Probab.* **14**(3), 733–779 (1986)
- [RY99] D. Revuz, M. Yor, *Continuous Martingales and Brownian Motion*. Grundlehren der Mathematischen Wissenschaften (Fundamental Principles of Mathematical Sciences), 3rd edn., vol. 293 (Springer, Berlin, 1999)
- [Shi85] M. Shimura, Excursions in a cone for two-dimensional Brownian motion. *J. Math. Kyoto Univ.* **25**(3), 433–443 (1985)
- [Sil74] M.L. Silverstein, *Symmetric Markov Processes*. Lecture Notes in Mathematics, vol. 426 (Springer, Berlin, 1974)
- [STW00] F. Soucaliuc, B. Tóth, W. Werner, Reflection and coalescence between independent one-dimensional Brownian paths. *Ann. Inst. H. Poincaré Probab. Stat.* **36**(4), 509–545 (2000)

- [Syt75] G.N. Sytaja, Asymptotic representation of the probability of small deviation of the trajectory of a Brownian motion from a given function, in *Theory of Random Processes, No. 3 (Russian)*, pp. 117–121, 160 (Izdat. Naukova Dumka, Kiev, 1975)
- [Syt77] G.N. Sytaja, The asymptotic behavior of the Wiener measure of small spheres. *Teor. Veroyatnost. i Mat. Statist.* **16**, 121–135, 157 (1977)
- [Syt79] G.N. Sytaja, On the problem of the asymptotic behavior of a Wiener measure of small spheres in the uniform metric, in *Analytical Methods of Probability Theory (Russian)*, pp. 95–98, 153 (Naukova Dumka, Kiev, 1979)
- [VW85] S.R.S. Varadhan, R.J. Williams, Brownian motion in a wedge with oblique reflection. *Commun. Pure Appl. Math.* **38**(4), 405–443 (1985)
- [Wan94] F.Y. Wang, Application of coupling methods to the Neumann eigenvalue problem. *Probab. Theory Relat. Fields* **98**(3), 299–306 (1994)
- [Wik12a] Wikipedia, Brownian motion—wikipedia, the free encyclopedia (2012), http://en.wikipedia.org/w/index.php?title=Brownian_motion&oldid=524637895. Accessed 24 Nov 2012
- [Wik12b] Wikipedia, Probabilistic method—wikipedia, the free encyclopedia (2012), http://en.wikipedia.org/w/index.php?title=Probabilistic_method&oldid=518260271. Accessed 24 Nov 2012
- [Wik12c] Wikipedia, Probabilistic proofs of non-probabilistic theorems—wikipedia, the free encyclopedia (2012), http://en.wikipedia.org/w/index.php?title=Probabilistic_proofs_of_non-probabilistic_theorems&oldid=475916464. Accessed 24 Nov 2012

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.

Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this “lecture notes” character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.

2. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer’s mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.

Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees’ recommendations, making further refereeing of a final draft necessary.

Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.

3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include

- a table of contents;
- an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
- a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped ps-files. Lecture Notes volumes are, as a rule, printed digitally from the authors’ files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer’s web-server at:

[ftp://ftp.springer.de/pub/tex/latex/svmonot1/](http://ftp.springer.de/pub/tex/latex/svmonot1/) (for monographs) and

[ftp://ftp.springer.de/pub/tex/latex/svmult1/](http://ftp.springer.de/pub/tex/latex/svmult1/) (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from lnm@springer.com.

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,
175 rue du Chevaleret
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the “Mathematical Biosciences Subseries” of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail: maini@maths.ox.ac.uk

Springer, Mathematics Editorial, Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com