

References

- [AO06] A. Alves, P. Ontaneda, A formula for the Whitehead group of a three-dimensional crystallographic group. *Topology* **45**(1), 1–25 (2006)
- [Bar03] A. Bartels, On the domain of the assembly map in algebraic K -theory. *Algebr. Geom. Topol.* **3**, 1037–1050 (2003)
- [Bas64] H. Bass, K -theory and stable algebra. *Inst. Hautes 'Etudes Sci. Publ. Math.* **22**, 5–60 (1964)
- [BMS67] H. Bass, J. Milnor, J.-P. Serre, Solution of the congruence subgroup problem for SL_n ($n \geq 3$) and Sp_{2n} ($n \geq 2$). *Inst. Hautes Études Sci. Publ. Math.* **33**, 59–137 (1967)
- [BM67] H. Bass, M. Murthy, Grothendieck groups and Picard groups of abelian group rings. *Ann. Math.* **86**(2), 16–73 (1967)
- [Bas68] H. Bass, *Algebraic K-Theory* (W.A. Benjamin, New York, 1968)
- [BJ-PP01] E. Berkove, D.J. Pineda, K. Pearson, The lower algebraic K -theory of Fuchsian groups. *Comment. Math. Helv.* **76**(2), 339–352 (2001)
- [BFJ-PP00] E. Berkove, F.T. Farrell, D.J. Pineda, K. Pearson, The Farrell-Jones isomorphism conjecture for finite covolume hyperbolic actions and the algebraic K -theory of Bianchi groups. *Trans. Am. Math. Soc.* **352**(12), 5689–5702 (2000)
- [BJ-PL04] E. Berkove, D.J. Pineda, Q. Lu, Algebraic K -theory of mapping class groups. *K Theory* **32**(1), 83–100 (2004)
- [B83] B. Bürgisser, On the projective class group of arithmetic groups. *Math. Z.* **184**(3), 339–357 (1983)
- [C80a] D. Carter, Lower K -theory of finite groups. *Commun. Algebra* **8**(20), 1927–1937 (1980)
- [Co73] M. Cohen, *A Course in Simple Homotopy Theory* (Springer, New York, 1973)
- [CK90] F. Connolly, T. Koźniewski, Rigidity and crystallographic groups, I. *Invent. Math.* **99**(1), 25–48 (1990)
- [CP02] F.X. Connolly, S. Prassidis, On the exponent of the cokernel of the forget-control map on K_0 -groups. *Fund. Math.* **172**(3), 201–216 (2002)
- [DQR11] J.F. Davis, F. Quinn, H. Reich, Algebraic K -theory over the infinite dihedral group: A controlled topology approach. *J. Topol.* **4**(3), 505–528 (2011)
- [DKR11] J.F. Davis, Q. Khan, A. Ranicki, Algebraic K -theory over the infinite dihedral group: An algebraic approach. *Algebr. Geom. Topol.* **11**(4), 2391–2436 (2011)
- [EH79] S. Endo, Y. Hironaka, Finite groups with trivial class group. *J. Math. Soc. Jpn.* **31**(1), 161–174 (1979)

- [Fa10] D. Farley, Constructions of E_{VC} and $E_{\mathcal{FBC}}$ for groups acting on CAT(0) spaces. *Algebr. Geom. Topol.* **10**(4), 2229–2250 (2010)
- [F77] F.T. Farrell, The nonfiniteness of Nil. *Proc. Am. Math. Soc.* **65**(2), 215–216 (1977)
- [FJ93] F.T. Farrell, L. Jones, Isomorphism conjectures in algebraic K -theory. *J. Am. Math. Soc.* **6**(2), 249–297 (1993)
- [FJ95] F.T. Farrell, L. Jones, The lower algebraic K -theory of virtually infinite cyclic groups. *K Theory* **9**, 13–30 (1995)
- [FJ87] F.T. Farrell, L. Jones, Algebraic K -theory of discrete subgroups of Lie groups. *Proc. Nat. Acad. Sci. USA* **84**(10), 3095–3096 (1987)
- [FH81] F.T. Farrell, W.C. Hsiang, The whitehead group of poly-(finite or cyclic) groups. *J. Lond. Math. Soc.* **24**(2), 308–324 (1961)
- [FH73] F.T. Farrell, W.C. Hsiang, Manifolds with $\pi_1 = G \times_\alpha T$. *Am. J. Math.* **95**(2), 813–848 (1973)
- [FH70] F.T. Farrell, W.C. Hsiang, A formula for $K_1(R_\alpha[T])$, in *Applications of Categorical Algebra*. Proceedings of Symposia in Pure Mathematics, vol. 17 (American Mathematical Society, Providence, 1970), pp. 192–218
- [FH68] F.T. Farrell, W.C. Hsiang, A geometric interpretation of the Künneth formula for algebraic K -theory. *Bull. Am. Math. Soc.* **74**, 548–553 (1968)
- [G07] J. Grunewald, Non-finiteness results for Nil-groups. *Algebr. Geom. Topol.* **7**, 1979–1986 (2007)
- [Ha87] D.R. Harmon, NK_1 of finite groups. *Proc. Am. Math. Soc.* **100**, 229–232 (1987)
- [H] A. Hatcher, *Algebraic Topology* (Cambridge University Press, Cambridge, 2002)
- [J-PL06] D. Juan-Pineda, I. Leary, On classifying spaces for the family of virtually cyclic subgroups, in *Recent Developments in Algebraic Topology*. Contemporary Mathematics, vol. 407 (American Mathematical Society, Providence, 2006), pp. 135–145
- [J-PR09] D. Juan-Pineda, R. Ramos, On the vanishing of twisted nil groups. *J. K Theory* **3**(1), 153–163 (2009)
- [LMO10] J.-F. Lafont, B. Magurn, I.J. Ortiz, Lower algebraic K -theory of certain reflection groups. *Math. Proc. Camb. Philos. Soc.* **148**(2), 193–226 (2010)
- [LO07] J.-F. Lafont, I.J. Ortiz, Relative hyperbolicity, classifying spaces, and lower algebraic K -theory. *Topology* **46**, 527–553 (2007)
- [LO08] J.-F. Lafont, I.J. Ortiz, Relating the Farrell Nil-groups to the Waldhausen Nil-groups. *Forum Math.* **20**, 445–455 (2008)
- [LO09] J.-F. Lafont, I.J. Ortiz, Lower algebraic K -theory of hyperbolic 3-simplex reflection groups. *Comment. Math. Helv.* **84**, 297–337 (2009)
- [LS00] W. Lück, R. Stamm, Computations of K - and L -theory of cocompact planar groups. *K Theory* **21**(3), 249–292 (2000)
- [L05] W. Lück, K - and L -theory of the semi-direct product of the discrete 3-dimensional Heisenberg group by $\mathbb{Z}/4$. *Geom. Topol.* **9**, 1639–1676 (2005)
- [Ma06] B. Magurn, Explicit K_1 of some modular groups rings. *J. Pure Appl. Algebra* **206**, 3–20 (2006)
- [Ma07] B. Magurn, Explicit K_2 of some finite groups rings. *J. Pure Appl. Algebra* **209**, 801–811 (2007)
- [Mi71] J. Milnor, in *Introduction to Algebraic K-Theory*. Annals of Mathematics Studies, vol. 72 (Princeton University Press, Princeton) (1971)
- [Mu00] J. Munkres, *Topology*, 2nd edn. (Prentice-Hall, Englewood Cliffs, 2000)
- [O89] R. Oliver, in *Whitehead Groups of Finite Groups*. London Mathematical Society Lecture Note Series, vol. 132 (Cambridge University Press, Cambridge, 1989)
- [P98] K. Pearson, Algebraic K -theory of two-dimensional crystallographic groups. *K Theory* **14**(3), 265–280 (1998)
- [PI80] S.P. Plotnick, Vanishing of Whitehead groups for Seifert manifolds with infinite fundamental group. *Comment. Math. Helv.* **55**, 654–667 (1980)
- [Qu82] F. Quinn, Ends of maps II. *Invent. Math.* **68**, 353–424 (1982)
- [Ra] R. Ramos, *Non finiteness of Twisted Nils*. Preprint (2006)

- [Ra94] J. Ratcliffe, *Foundations of Hyperbolic Manifolds*. Graduate Texts in Mathematics, vol. 149 (Springer, New York, 1994)
- [RU74] I. Reiner, S. Ullom, *Remarks on Class Groups of Integral Group Rings*. Symposia Mathematica, vol. XIII (Convegno di Gruppi e loro Rappresentazioni, INDAM, Rome, 1972) (Academic, London, 1974), pp. 501–516
- [Sc80] R.L.E. Schwarzenberger, *N-Dimensional Crystallography*. Research Notes in Mathematics, vol. 41 (Pittman Advanced Publishing Program, Boston, Mass.-London 1980)
- [Se77] J.-P. Serre, *Linear Representations of Finite Groups* [translated from the second French edition by Leonard L. Scott]. Graduate Texts in Mathematics, vol. 42 (Springer, New York, 1977)
- [Se80] J.-P. Serre, *Trees* [translated from the French by John Stillwell] (Springer, Berlin, 1980)
- [T95] G. Tsapogas, On the K -theory of crystallographic groups. Trans. Am. Math. Soc. **347**(8), 2781–2794 (1995)
- [Va70] L.N. Vaserstein, On the stabilization of the general linear group over a ring. Mat. Sb. (N.S.) **79**(121), 405–424 (Russian) [translated as Math. USSR-Sb. **8**, 383–400 (1969)]
- [Wal78] F. Waldhausen, Algebraic K -theory of generalized free products I, II. Ann. Math. **108**, 135–256 (1978)
- [We09] C. Weibel, NK_0 and NK_1 of the groups C_4 and D_4 . Comment. Math. Helv. **84**, 339–349 (2009)

Index

A

Arithmetic equivalence (of crystallographic groups), 4, 23–24, 41, 42
 Assembly map, 49–51, 56, 57, 119–136

C

Classifying space, 2, 5
 $E_{\mathcal{FIN}}$, 45
 $E_{\mathcal{VC}}$, 45–47
 Crystallographic group
 maximal, 5, 43, 45, 46, 59–79, 99
 split (classification table), 3, 4, 23, 59
 split (definition), 23–25, 41, 99
 splitting group, 2, 45

D

Dihedral angle sum, 60, 61, 68, 72, 76, 78

E

Eichler condition, 83, 84

F

Farrell-Jones isomorphism conjecture/theorem, 2, 6
 $\mathbb{F}p$ -conjugacy class, 86
 Full sublattice, 24–28
 Fundamental domain, 6, 7, 59–79, 81, 99–117

H

Hyper-elementary, 87

K

K_0 , 2, 3, 7, 81–85, 87–89, 96–98, 135–137
 K_{-1} , 82, 83, 85, 87, 97, 131, 135–138

L

Lattice, 9, 28–32
 cubic (L_C), 25, 43, 90, 103, 120, 121, 123, 124, 140
 prismatic (L_P), 25
 Lines (as vertices in classifying space), 5, 7, 102

M

Matrix algebra, 83

N

Negligible (cell stabilizer)
 negligible line stabilizers, 99–102
 in the sense of Definition 5.3, 51
 Nil-groups, 131, 132, 134–136

P

Poincaré's fundamental polyhedron theorem, 6, 59–61
 Point group
 non-standard point group (examples), 4, 20–21
 standard point group (classification tables)
 with central inversion, 15, 38
 orientation-preserving, 3, 4, 9, 11–15, 17–18, 25, 29, 37, 101
 remaining point groups, 4, 15–19

standard point group (definition), 4
 Pole, 3, 11, 34, 39, 101, 102
 vector, 11, 101, 102
 Polyhedron
 convex compact, 59–61, 64, 66, 69, 71
 exact, 61–63, 65, 68, 70, 72–76, 78, 104, 106, 108
 fundamental, 6, 59–62, 64–79, 104, 106, 108
 interior, 59–62
 ridge, 60–63
 side, 59–63, 67, 68, 71, 72, 76
p-regular, 86

Q

Quaternion algebra, 83, 84

R

Ridge cycle
 cyclic, 60, 61, 78
 dihedral, 60, 61, 68, 72, 76, 78

S

Schur index, 85
 Side-pairing, 60–62, 67, 68, 72, 76, 78, 104, 111
 subproper, 61, 62, 67, 68, 72, 76, 78
 Spectral sequence, 6, 81, 82, 89
 Splitting formula (Theorem 5.1), 3, 6–8, 47–57
 Stabilizer groups, 62–64
 cell stabilizer tables, 82, 91–94
 strict stabilizer, 7, 99, 103, 105–108, 110, 112, 115, 119, 123, 124
 vertex stabilizer, 6, 65–66

V

Virtually cyclic group
 type I, 51, 52
 type II, 51, 52, 100

W

Wedderburn decomposition, 85, 87
 Wh_n , 2, 3, 5, 6, 140

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.

Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this “lecture notes” character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.

2. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer’s mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.

Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees’ recommendations, making further refereeing of a final draft necessary.

Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.

3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include

- a table of contents;
- an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
- a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped ps-files. Lecture Notes volumes are, as a rule, printed digitally from the authors’ files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer’s web-server at:

[ftp://ftp.springer.de/pub/tex/latex/svmonot1/](http://ftp.springer.de/pub/tex/latex/svmonot1/) (for monographs) and

[ftp://ftp.springer.de/pub/tex/latex/svmult1/](http://ftp.springer.de/pub/tex/latex/svmult1/) (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from lnm@springer.com.

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,
175 rue du Chevaleret
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the “Mathematical Biosciences Subseries” of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail: maini@maths.ox.ac.uk

Springer, Mathematics Editorial, Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com