

References

1. Afendikov, A., Fiedler, B., Liebscher, S.: Plane Kolmogorov flows and Takens-Bogdanov bifurcation without parameters: The doubly reversible case. *Asymptotic Anal.* **60**(3–4), 185–211 (2008)
2. Afendikov, A., Fiedler, B., Liebscher, S.: Plane Kolmogorov flows and Takens-Bogdanov bifurcation without parameters: The singly reversible case. *Asymptotic Anal.* **72**(1–2), 31–76 (2011)
3. Afendikov, A., Mielke, A.: Dynamical properties of the 2d Navier-Stokes flow with Kolmogorov forcing in an infinite strip for spatially non-decaying initial data. *J. Math. Fluid Mech.* **7**, S51–S67 (2005)
4. Alexander, J., Auchmuty, G.: Global bifurcation of phase-locked oscillators. *Arch. Ration. Mech. Anal.* **93**, 253–270 (1986)
5. Alexander, J., Fiedler, B.: Global decoupling of coupled symmetric oscillators. In: Dafermos, C., Ladas, G., Papanicolaou, G. (eds.) *Differential Equations, Lect. Notes Math.*, vol. 118. Marcel Dekker, New York (1989)
6. Anosov, D.: Roughness of geodesic flows on compact riemannian manifolds of negative curvature. *Dokl. Akad. Nauk SSSR* **145**, 707–709 (1962). English transl. in *Sov. Math. Dokl.* **3**, 1068–1069 (1962)
7. Arnol'd, V.: Geometrical methods in the theory of ordinary differential equations. *Grundle Math. Wiss.*, vol. 250. Springer, New York (1983)
8. Arnol'd, V.: Dynamical systems V. Bifurcation theorie and catastrophe theory. *Enc. Math. Sciences*, vol. 5. Springer, Berlin (1994)
9. Arnol'd, V., Gusejn-Zade, S., Varchenko, A.: Singularities of differentiable maps. Volume I: The classification of critical points, caustics and wave fronts. *Monographs in Mathematics*, vol. 82. Birkhäuser, Stuttgart (1985)
10. Béguin, F.: Aperiodic oscillatory asymptotic behavior for some Bianchi spacetimes. *Classical Quant. Grav.* **27**, 185,005 (2010)
11. Belinskii, V., Khalatnikov, I., Lifshitz, E.: Oscillatory approach to a singular point in the relativistic cosmology. *Adv. Phys.* **19**, 525–573 (1970)
12. Belitskii, G.: Functional equations and conjugacy of local diffeomorphisms of a finite smoothness class. *Funct. Anal. Appl.* **7**, 268–277 (1973)
13. Bogdanov, R.: Bifurcation of the limit cycle of a family of plane vector fields. *Trudy Semin. Im. I. G. Petrovskogo* **2**, 23–36 (1976)
14. Bogdanov, R.: Versal deformation of a singularity of a vector field on the plane in the case of zero eigenvalues. *Trudy Semin. Im. I. G. Petrovskogo* **2**, 37–65 (1976)

15. Bogdanov, R.: Bifurcation of the limit cycle of a family of plane vector fields. *Sel. Mat. Sov.* **1**, 373–387 (1981)
16. Bogdanov, R.: Versal deformation of a singularity of a vector field on the plane in the case of zero eigenvalues. *Sel. Mat. Sov.* **1**, 389–421 (1981)
17. Bruce, J., Giblin, P.: *Curves and Singularities*, 2nd edn. Cambridge University Press, Cambridge (1992)
18. Burgers, J.: Application of a model system to illustrate some points of the statistical theory of free turbulence. *Nederl. Akad. Wefensh. Proc.* **43**, 2–12 (1940)
19. Chillingworth, D., Sbano, L.: Bifurcation from a normally degenerate manifold. *Proc. Lond. Math. Soc.* (3) **101**(1), 137–178 (2010)
20. Chossat, P., Lauterbach, R.: *Methods in equivariant bifurcations and dynamical systems*. Advanced Series in Nonlinear Dynamics, vol. 15. World Scientific, Singapore (2000)
21. Chow, S.N., Hale, J.K.: *Methods of Bifurcation Theory*. Springer, New York (1982)
22. Dafermos, C.: *Hyperbolic conservation laws in continuum physics*. Grundlehren der Mathematischen Wissenschaften, vol. 325, 3rd edn. Springer, Berlin (2010)
23. Dumortier, F., Roussarie, R.: Geometric singular perturbation theory beyond normal hyperbolicity. In: Jones, C.K.R.T. et al. (eds.) *Multiple-Time-Scale Dynamical Systems*. Proceedings of the IMA Workshop, Minneapolis, 1997–1998, IMA Vol. Math. Appl., vol. 122, pp. 29–63. Springer, New York (2001)
24. Farkas, M.: ZIP bifurcation in a competition model. *Nonlinear Anal. Theory Methods Appl.* **8**, 1295–1309 (1984)
25. Fenichel, N.: Geometric singular perturbation theory for ordinary differential equations. *J. Differ. Equat.* **31**, 53–89 (1979)
26. Fiedler, B., Liebscher, S.: Generic Hopf bifurcation from lines of equilibria without parameters: II. Systems of viscous hyperbolic balance laws. *SIAM J. Math. Anal.* **31**(6), 1396–1404 (2000)
27. Fiedler, B., Liebscher, S.: Takens-Bogdanov bifurcations without parameters, and oscillatory shock profiles. In: Broer, H., Krauskopf, B., Vegter, G. (eds.) *Global Analysis of Dynamical Systems*, Festschrift dedicated to Floris Takens for his 60th birthday, pp. 211–259. IOP, Bristol (2001)
28. Fiedler, B., Liebscher, S.: Bifurcations without parameters: Some ODE and PDE examples. In: Li, T.-T., et al. (eds.) *International Congress of Mathematicians, Vol. III: Invited Lectures*, pp. 305–316. Higher Education Press, Beijing (2002)
29. Fiedler, B., Liebscher, S., Alexander, J.: Generic Hopf bifurcation from lines of equilibria without parameters: I. Theory. *J. Differ. Equat.* **167**, 16–35 (2000)
30. Fiedler, B., Liebscher, S., Alexander, J.: Generic Hopf bifurcation from lines of equilibria without parameters: III. Binary oscillations. *Int. J. Bif. Chaos Appl. Sci. Eng.* **10**(7), 1613–1622 (2000)
31. Fiedler, B., Scheurle, J.: *Discretization of Homoclinic Orbits and Invisible Chaos*, Mem. AMS, vol. 570. Amer. Math. Soc., Providence (1996)
32. Freistühler, H., Szmolyan, P.: Existence and bifurcation of viscous profiles for all intermediate magnetohydrodynamic shock waves. *SIAM J. Math. Anal.* **26**(1), 112–128 (1995)
33. Gelfreich, V.: A proof of the exponentially small transversality of the separatrices for the standard map. *Commun. Math. Phys.* **201**, 155–216 (1999)
34. Gibson, C.: *Singular Points of smooth mappings*. Pitman Res. Notes Math., vol. 25. Pitman, London, San Francisco, Melbourne (1979)
35. Golubitsky, M., Guillemin, V.: *Stable mappings and their singularities*. Grad. Texts in Math., vol. 14. Springer, New York (1973)
36. Golubitsky, M., Stewart, I.: *The symmetry perspective. From equilibrium to chaos in phase space and physical space*. Progress in Mathematics, vol. 200. Birkhäuser, Basel (2002)
37. Guckenheimer, J., Holmes, P.: *Nonlinear oscillations, dynamical systems, and bifurcations of vector fields*. Appl. Math. Sci., vol. 42. Springer, New York (1982)
38. Hale, J., Koçak, H.: *Dynamics and bifurcations*. Texts in Appl. Math., vol. 3. Springer, New York (1991)

39. Härterich, J., Liebscher, S.: Travelling waves in systems of hyperbolic balance laws. In: Warnecke, G. (ed.) *Analysis and Numerical Methods for Conservation Laws*, pp. 281–300. Springer, New York (2005)
40. Heinzle, J., Uggle, C.: Mixmaster: Fact and belief. *Classical Quant. Grav.* **26**(7), 075,016 (2009)
41. Hirsch, M., Pugh, C., Shub, M.: *Invariant Manifolds*. Lect. Notes Math., vol. 583. Springer, Berlin (1977)
42. Iooss, G., Mielke, A., Demay, Y.: Theory of the steady Ginzburg-Landau equation in hydrodynamic stability problems. *Eur. J. Mech. B/Fluids* **8**(3), 229–268 (1989)
43. Joseph, D.D.: *Fluid dynamics of viscoelastic liquids*. Appl. Math. Sci., vol. 84. Springer, New York (1990)
44. Keyfitz, B.L., Kranzer, H.C.: A system of non-strictly hyperbolic conservation laws arising in elasticity theory. *Arch. Ration. Mech. Anal.* **72**, 219–241 (1980)
45. Kirchgässner, K.: Wave-solutions of reversible systems and applications. *J. Differ. Equat.* **45**, 113–127 (1982)
46. Kosiuk, I., Szmolyan, P.: Scaling in singular perturbation problems: blowing up a relaxation oscillator. *SIAM J. Appl. Dyn. Syst.* **10**(4), 1307–1343 (2011)
47. Kröner, D.: *Numerical Schemes for Conservation Laws*. Wiley & Teubner, New York (1997)
48. Krupa, M., Szmolyan, P.: Extending geometric singular perturbation theory to nonhyperbolic points — fold and canard points in two dimensions. *SIAM J. Math. Anal.* **33**(2), 286–314 (2001)
49. Kurakin, L., Yudovich, V.: Bifurcation of the branching of a cycle in n -parameter family of dynamic systems with cosymmetry. *Chaos* **7**(3), 376–386 (1997)
50. Kurakin, L., Yudovich, V.: Branching of 2D tori off an equilibrium of a cosymmetric system (codimension-1 bifurcation). *Chaos* **11**(4), 780–794 (2001)
51. Kuznetsov, Y.: *Elements of applied bifurcation theory*. Appl. Math. Sci., vol. 112. Springer, New York (1995)
52. Liebscher, S.: *Stabilität von Entkopplungsphänomenen in Systemen gekoppelter symmetrischer Oszillatoren*. Diplomarbeit, Freie Universität Berlin (1997)
53. Liebscher, S.: *Stable, oscillatory viscous profiles of weak, non-Lax shocks in systems of stiff balance laws*. Dissertation, Freie Universität Berlin (2000)
54. Liebscher, S.: Dynamics near manifolds of equilibria of codimension one and bifurcation without parameters. *Electron. J. Differ. Equat.* **63**, 1–12 (2011)
55. Liebscher, S., Härterich, J., Webster, K., Georgi, M.: Ancient dynamics in Bianchi models: Approach to periodic cycles. *Commun. Math. Phys.* **305**, 59–83 (2011)
56. Liebscher, S., Rendall, A., Tchaptand, S.: *Oscillatory singularities in bianchi models with magnetic fields* (2012). Preprint
57. Manrubia, S., Mikhailov, A., Zanette, D.: *Emergence of dynamical order. Synchronization Phenomena in Complex Systems*. World Scientific, Singapore (2004)
58. Marchesin, D., Plohr, B., Shter, S.: An organizing center for wave bifurcation in multiphase flow. *SIAM J. Appl. Math.* **57**, 1189–1215 (1997)
59. Marsden, J.E., McCracken, M.: *The Hopf bifurcation and its applications*. Appl. Math. Sci., vol. 19. Springer, New York (1976)
60. Meshalkin, L., Sinai, J.: Investigation of the stability of a stationary solution of a system of equations for the movement of an incompressible viscous liquid. *Prikl. Math. Mech.* **25**, 1700–1705 (1961)
61. Misner, C.: Mixmaster universe. *Phys. Rev. Lett.* **22**, 1071–1074 (1969)
62. Murdock, J.: *Normal forms and unfoldings for local dynamical systems*. Monogr. in Math. Springer, New York (2003)
63. Neishtadt, A.: On the separation of motions in systems with rapidly rotating phase. *J. Appl. Math. Mech.* **48**, 134–139 (1984)
64. Riaz, R.: Manifolds of equilibria and bifurcations without parameters in memristive circuits. *SIAM J. Appl. Math.* **72**, 877–896 (2012)

65. Shoshitaishvili, A.: Bifurcations of topological type of a vector field near a singular point. *Trudy Semin. Im. I. G. Petrovskogo* **1**, 279–309 (1975)
66. Smale, S.: Structurally stable systems are not dense. *Amer. J. Math.* **88**, 491–496 (1966)
67. Smoller, J.: Shock waves and reaction-diffusion equations. *Grundle. math. Wiss.*, vol. 258. Springer, New York (1983, 1994)
68. Smoller, J., Temple, B.: Astrophysical shock-wave solutions of the Einstein equations. *Phys. Rev. D* **51**, 2733–2743 (1995)
69. Takens, F.: Forced oscillations and bifurcations (1973). The Utrecht preprint, reproduced in Broer, H., Krauskopf, B., Vegter, G. (eds.), *Global Analysis of Dynamical Systems*, Festschrift dedicated to Floris Takens for his 60th birthday. IOP, Bristol 2001, pp. 211–259
70. Takens, F.: Singularities of vector fields. *Publ. Math. Inst. Hautes Etud. Sci.* **43**, 47–100 (1974)
71. Turing, A.: The chemical basis of morphogenesis. *Phil. Trans. Roy. Soc. Lond.* **327B**, 37–72 (1952)
72. Vanderbauwhede, A.: Centre manifolds, normal forms and elementary bifurcations. In: Kirchgraber, U., Walther, H.O. (eds.) *Dynamics Reported 2*, pp. 89–169. Teubner & Wiley, Stuttgart (1989)
73. Wainwright, J., Ellis, G. (eds.): *Dynamical Systems in Cosmology*. Cambridge University Press, Cambridge (2005)
74. Wainwright, J., Hsu, L.: A dynamical systems approach to Bianchi cosmologies: orthogonal models of a class A. *Classical Quant. Grav.* **6**(10), 1409–1431 (1989)

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.
Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this "lecture notes" character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.
2. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer's mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.
Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees' recommendations, making further refereeing of a final draft necessary.
Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.
3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped ps-files. Lecture Notes volumes are, as a rule, printed digitally from the authors' files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-server at:

[ftp://ftp.springer.de/pub/tex/latex/svmonot1/](http://ftp.springer.de/pub/tex/latex/svmonot1/) (for monographs) and

[ftp://ftp.springer.de/pub/tex/latex/svmult1/](http://ftp.springer.de/pub/tex/latex/svmult1/) (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from lnm@springer.com.

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,
175 rue du Chevaleret
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the “Mathematical Biosciences Subseries” of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail: maini@maths.ox.ac.uk

Springer, Mathematics Editorial, Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com