

References

- [ACV01] D. Abramovich, A. Corti, A. Vistoli, Twisted bundles and admissible covers. *Commun. Algebra* **31**(8), 3547–3618 (2003)
- [Ale04] V. Alexeev, Compactified Jacobians and Torelli map. *Publ. RIMS, Kyoto Univ.* **40**, 1241–1265 (2004)
- [Alp] J. Alper, Good moduli spaces for Artin stacks. *Annales de l’Institut de Fourier*. Preprint available at arXiv:0804.2242v2 (to appear)
- [Alp2] J. Alper, Adequate moduli spaces and geometrically reductive group schemes. *Algebr. Geom.* Preprint available at arXiv:1005.2398 (to appear)
- [AFS1] J. Alper, M. Fedorchuk, D. Smyth, Singularities with \mathbb{G}_m -action and the log minimal model program for \overline{M}_g . *Journal für die reine und angewandte Mathematik*. Preprint available at arXiv:1010.3751 (to appear)
- [AFS13] J. Alper, M. Fedorchuk, D. Smyth, Finite Hilbert stability of (bi)canonical curves. *Invent. Math.* **191**, 671–718 (2013)
- [AH12] J. Alper, D. Hyeon, GIT construction of log canonical models of \overline{M}_g , in *Compact Moduli Spaces and Vector Bundles*. *Contemporary Mathematics*, vol. 564 (American Mathematical Society, Providence, 2012), pp. 87–106
- [ASvdW] J. Alper, D.I. Smyth, F. van der Wyck, Weakly proper moduli stacks of curves. Preprint available at arXiv:1012.0538
- [AK79] A.B. Altman, S.L. Kleiman, Bertini theorems for hypersurface sections containing a subscheme. *Commun. Algebra* **7**, 775–790 (1979)
- [ACG11] E. Arbarello, M. Cornalba, P.A. Griffiths, *Geometry of Algebraic Curves. Volume II*. With a contribution by Joseph Daniel Harris. *Grundlehren der Mathematischen Wissenschaften*, vol. 268 (Springer, Heidelberg, 2011)
- [Ari13] D. Arinkin, Autoduality of compactified Jacobians for curves with plane singularities. *J. Algebr. Geom.* **22**, 363–388 (2013)
- [Bal09] E. Ballico, Very ampleness of balanced line bundles on stable curves. *Riv. Mat. Univ. Parma* (8) **2**, 81–90 (2009)
- [BFS89] M. Beltrametti, P. Francia, A.J. Sommese, On Reider’s method and higher order embeddings. *Duke Math. J.* **58**, 425–439 (1989)
- [BFV12] G. Bini, C. Fontanari, F. Viviani, On the birational geometry of the universal Picard variety. *Int. Math. Res. Not.* **2012**(4), 740–780 (2012)
- [BMV12] G. Bini, M. Melo, F. Viviani, On GIT quotients of Hilbert and Chow schemes of curves. *Electron. Res. Announc. Math. Sci.* **19**, 33–40 (2012)
- [BLR90] S. Bosch, W. Lütkebohmert, M. Raynaud, *Néron models*. *Ergebnisse der Mathematik und ihrer Grenzgebiete* (3), vol. 21 (Springer, Berlin, 1990)

- [Bou87] J.F. Boutot, Singularités rationnelles et quotients par les groupes réductifs. *Invent. Math.* **88**, 65–68 (1987)
- [Cap94] L. Caporaso, A compactification of the universal Picard variety over the moduli space of stable curves. *J. Am. Math. Soc.* **7**, 589–660 (1994)
- [Cap05] L. Caporaso, Néron models and compactified Picard schemes over the moduli stack of stable curves. *Am. J. Math.* **130**(1), 1–47 (2008)
- [Cap10] L. Caporaso, Linear series on semistable curves. *Int. Math. Res. Not.* (2010). doi:10.1093/imrn/rnq188
- [CCE08] L. Caporaso, J. Coelho, E. Esteves, Abel maps of Gorenstein curves. *Rend. Circ. Mat. Palermo* (2) **57**(1), 33–59 (2008)
- [CMKV] S. Casalaina-Martin, J. Kass, F. Viviani, The local structure of compactified Jacobians. Preprint available at arXiv:1107.4166v2
- [CMKV2] S. Casalaina-Martin, J. Kass, F. Viviani, The singularities and birational geometry of the universal compactified Jacobian (in preparation). Preprint available at arXiv:1408.3494
- [Cat82] F. Catanese, Pluricanonical-Gorenstein-curves, in *Enumerative Geometry and Classical Algebraic Geometry* (Nice, 1981). Progress in Mathematics, vol. 24 (Birkhäuser Boston, Boston, 1982), pp. 51–95
- [CF96] F. Catanese, M. Franciosi, Divisors of small genus on algebraic surfaces and projective embeddings, in *Proceedings of the Hirzebruch 65 Conference on Algebraic Geometry* (Ramat Gan, 1993). Israel Mathematical Conference Proceedings, vol. 9 (Bar-Ilan University, Ramat Gan, 1996), pp. 109–140
- [CFHR99] F. Catanese, M. Franciosi, K. Hulek, M. Reid, Embeddings of curves and surfaces. *Nagoya Math. J.* **154**, 185–220 (1999)
- [Dol03] I. Dolgachev, *Lectures on Invariant Theory*. London Mathematical Society Lecture Note Series, vol. 296 (Cambridge University Press, Cambridge, 2003)
- [DH98] I.V. Dolgachev, Y. Hu, Variation of geometric invariant theory quotients. *Inst. Hautes Études Sci. Publ. Math.* **87**, 5–56 (1998). With an Appendix by Nicolas Ressayre
- [DM69] P. Deligne, D. Mumford, The irreducibility of the space of curves of given genus. *Inst. Hautes Études Sci. Publ. Math.* **36**, 75–109 (1969)
- [Edi00] D. Edidin, Notes on the construction of the moduli space of curves, in *Recent Progress in Intersection Theory* (Bologna, 1997). Trends in Mathematics (Birkhäuser Boston, Boston, 2000), pp. 85–113
- [EK05] E. Esteves, S. Kleiman, The compactified Picard scheme of the compactified Jacobian. *Adv. Math.* **198**, 484–503 (2005)
- [EP] E. Esteves, M. Pacini, Semistable modifications of families of curves and compactified Jacobians. Preprint arXiv:1406.1239
- [FS13] M. Fedorchuk, D.I. Smyth, Alternate compactifications of moduli space of curves, in *Handbook of Moduli: Volume I*, ed. by G. Farkas, I. Morrison, Advanced Lectures in Mathematics, vol. 24 (International Press of Boston, Inc, 2013), pp. 331–414
- [Fel14] F. Felici, GIT for Hilbert and Chow schemes of curves. Ph.D. thesis, Roma Tre University, 2014
- [Fra04] M. Franciosi, Adjoint divisors on algebraic curves (with an Appendix of F. Catanese). *Adv. Math.* **186**, 317–333 (2004)
- [Fra07] M. Franciosi, Arithmetically Cohen-Macaulay algebraic curves. *Int. J. Pure Appl. Math.* **34**, 69–86 (2007)
- [FT14] M. Franciosi, E. Tenni, The canonical ring of a 3-connected curve. *Atti Accad. Naz. Lincei, Rend. Lincei, Mat. Appl.* **25**, 37–51 (2014)
- [Gie82] D. Gieseker, *Lectures on Moduli of Curves*. Tata Institute of Fundamental Research Lectures on Mathematics and Physics, vol. 69 (Tata Institute of Fundamental Research, Bombay, 1982)
- [EGAII] A. Grothendieck, J. Dieudonné, *Éléments de Géométrie Algébrique II*. Publ. Math. Inst. Hautes Études Sci. **8** (1961)
- [EGAI] A. Grothendieck, J. Dieudonné, *Éléments de Géométrie Algébrique III-Part 1*. Publ. Math. Inst. Hautes Études Sci. **11** (1961)

- [Hal] J. Hall, Moduli of singular curves. Preprint (2010). Available at arXiv:1011.6007v1
- [HM98] J. Harris, I. Morrison, *Moduli of Curves*. Graduate Text in Mathematics, vol. 187 (Springer, New York/Heidelberg, 1998)
- [Har77] R. Hartshorne, *Algebraic Geometry*. Graduate Texts in Mathematics, vol. 52 (Springer, New York/Heidelberg, 1977)
- [Har94] R. Hartshorne, Generalized divisors on Gorenstein schemes. *K-theory* **8**, 287–339 (1994)
- [HHL07] B. Hassett, D. Hyeon, Y. Lee, Stability computation via Gröbner basis. *J. Korean Math. Soc.* **47**(1), 1–62 (2010)
- [HH09] B. Hassett, D. Hyeon, Log canonical models for the moduli space of curves: first divisorial contraction. *Trans. Am. Math. Soc.* **361**, 4471–4489 (2009)
- [HH13] B. Hassett, D. Hyeon, Log canonical models for the moduli space of curves: the first flip. *Ann. Math. (2)* **177**, 911–968 (2013)
- [HeHi11] J. Herzog, T. Hibi, *Monomial Ideals*. Graduate Texts in Mathematics, vol. 260 (Springer-Verlag London, London, 2011)
- [HL07] D. Hyeon, Y. Lee, Stability of tri-canonical curves of genus two. *Math. Ann.* **337**, 479–488 (2007)
- [HR74] M. Hochster, J.L. Roberts, Rings of invariants of reductive groups acting on regular rings are Cohen-Macaulay. *Adv. Math.* **13**, 115–175 (1974)
- [HM10] D. Hyeon, I. Morrison, Stability of tails and 4-canonical models. *Math. Res. Lett.* **17**(4), 721–729 (2010)
- [KeM97] S. Keel, S. Mori, Quotients by groupoids. *Ann. Math. (2)* **145**(1), 193–213 (1997)
- [Kle05] S.L. Kleiman, The Picard scheme, in *Fundamental Algebraic Geometry*. Mathematical Surveys and Monographs, vol. 123 (American Mathematical Society, Providence, 2005), pp. 235–321
- [Knu83] F.F. Knudsen, The projectivity of the moduli space of stable curves. II. The stacks $M_{g,n}$. *Math. Scand.* **52**(2), 161–199 (1983)
- [KoM98] J. Kollár, S. Mori, *Birational Geometry of Algebraic Varieties*. With the collaboration of C.H. Clemens, A. Corti. Translated from the 1998 Japanese original. Cambridge Tracts in Mathematics, vol. 134 (Cambridge University Press, Cambridge, 1998)
- [Knu83] F. Knudsen, The projectivity of the moduli space of stable curves. II. The stacks $M_{g,n}$. *Math. Scand.* **52**(2), 161–199 (1983)
- [Kol96] J. Kollár, *Rational Curves on Algebraic Varieties*. *Ergebnisse der Mathematik und ihrer Grenzgebiete*, vol. 32 (Springer, Berlin, 1996)
- [LW] J. Li, X. Wang, Hilbert-Mumford criterion for nodal curves. Preprint available at arXiv: 1108.1727v1
- [Mat89] H. Matsumura, *Commutative Ring Theory*. Translated from the Japanese by M. Reid, 2nd edn. Cambridge Studies in Advanced Mathematics, vol. 8 (Cambridge University Press, Cambridge, 1989)
- [Mel09] M. Melo, Compactified Picard stacks over $\overline{\mathcal{M}}_g$. *Math. Zeit.* **263**(4), 939–957 (2009)
- [Mel11] M. Melo, Compactified Picard stacks over the moduli stack of stable curves with marked points. *Adv. Math.* **226**, 727–763 (2011)
- [MV12] M. Melo, F. Viviani, Fine compactified Jacobians. *Math. Nach.* **285**(8–9), 997–1031 (2012)
- [Mor10] I. Morrison, GIT constructions of moduli spaces of stable curves and maps, in *Geometry of Riemann Surfaces and Their Moduli Spaces*, ed. by L. Ji et al. Surveys in Differential Geometry, vol. 14 (International Press, Somerville, 2010), pp. 315–369
- [MS11] I. Morrison, D. Swinarski, Gröbner techniques for low degree Hilbert stability. *Exp. Math.* **20**(1), 34–56 (2011)
- [MFK94] D. Mumford, J. Fogarty, F. Kirwan, *Geometric Invariant Theory*. *Ergebnisse der Mathematik und ihrer Grenzgebiete (2)*, vol. 34, 3rd edn. (Springer, Berlin, 1994)
- [Mum66] D. Mumford, *Lectures on Curves on an Algebraic Surface*. Annals of Mathematics Studies, vol. 59 (Princeton University Press, Princeton, 1966)

- [Mum77] D. Mumford, Stability of projective varieties. *Enseignement Math.* (2) **23**, 39–110 (1977)
- [Pan96] R. Pandharipande, A compactification over \overline{M}_g of the universal moduli space of slope-semi-stable vector bundles. *J. Am. Math. Soc.* **9**, 425–471 (1996)
- [Ray70] M. Raynaud, *Spécialisation du foncteur de Picard*. *Inst. Hautes Études Sci. Publ. Math.* **38**, 27–76 (1970)
- [Sch91] D. Schubert, A new compactification of the moduli space of curves. *Compositio Math.* **78**, 297–313 (1991)
- [Ser06] E. Sernesi, *Deformations of Algebraic Schemes*. Grundlehren der mathematischen Wissenschaften, vol. 334 (Springer, New York, 2006)
- [Smy13] D.I. Smyth, Towards a classification of modular compactifications of $M_{g,n}$. *Invent. Math.* **192**, 459–503 (2013)
- [Yos90] Y. Yoshino, *Cohen-Macaulay Modules Over Cohen-Macaulay Rings*. London Mathematical Society Lecture Note Series, vol. 146 (Cambridge University Press, Cambridge, 1990)

Index

- $\epsilon(X, L)$, 75
- ω_X -semistable, 182
- $\tau(X)$, 76
- k , 15
- 1ps, 47

- adequate moduli space, 180
- adjunction formula, 198
- automorphism group, 73
- automorphism of a polarized curve, 73

- balanced, 27, 36
- balanced representative, 29
- basic inequality, 27
- basin of attraction, 54
- bubbling of a cusp, 25
- bubbling of a node, 25
- Buchberger's criterion, 56

- canonical compactified Jacobian, 183
- Caporaso's compactified universal Jacobian stack $\overline{\mathcal{J}}_{d,g}$, 172
- Caporaso's compactified universal Jacobian variety $\overline{J}_{d,g}$, 172
- Chow GIT quotient, 155
- Chow polystable, 47
- Chow polystable with respect to 1ps, 49
- Chow scheme, 46
- Chow semistable, 47
- Chow semistable with respect to a 1ps, 49
- Chow stable, 47
- Chow stable with respect to 1ps, 49

- Chow strictly semistable, 47
- Chow strictly semistable with respect to a 1ps, 49
- Clifford's theorem, 66
- closure of orbits, 85
- coarse moduli space, 180
- compactification $\overline{\mathcal{J}}_{d,g}^{\text{ps}}$ of the universal Jacobian stack, 173
- compactification $\overline{\mathcal{J}}_{d,g}^{\text{wp}}$ of the universal Jacobian stack, 173
- compactification $\overline{J}_{d,g}^{\text{ps}}$ of the universal Jacobian variety, 181
- compactification $\overline{J}_{d,g}^{\text{wp}}$ of the universal Jacobian variety, 181
- complementary subcurve, 15
- connected components of GIT quotient, 170
- criterion of stability for non-connected curves, 169
- criterion of stability for tails, 95
- critical values, 8
- curve, 15
- cusp, 16
- cuspidal elliptic tail, 16

- degree, 182
- degree class group, 29
- dual sheaf, 193

- elementary isotrivial specialization, 85
- elliptic locus, 16
- elliptic tails (nodal, cuspidal, reducible nodal, tacnodal), 16
- equivalent multidegrees, 29

exceptional component, 22
 extremes of the basic inequality, 28

family of curves, 16
 filtered Hilbert function, 48
 flat limits, 56

G-quasistable, 198
 G-semistable, 197
 G-stable, 198
 genus, 15
 good moduli space, 180
 Gorenstein, 16
 Gröbner basis, 56
 Grassmannian variety, 46

Hassett-Keel program, 1
 Hilbert GIT quotient, 155
 Hilbert polynomial, 45
 Hilbert polystable, 46
 Hilbert polystable with respect to 1ps, 49
 Hilbert scheme, 45
 Hilbert semistable, 46
 Hilbert semistable with respect to a 1ps, 49
 Hilbert stable, 46
 Hilbert stable with respect to 1ps, 49
 Hilbert strictly semistable, 46
 Hilbert strictly semistable with respect to a 1ps, 49
 Hilbert-Chow morphism, 47
 Hilbert-Mumford index, 48
 Hilbert-Mumford numerical criterion, 48

initial ideal, 55
 isotrivial specialization, 86

k-very ample, 203

locally planar singularities, 16

m-Hilbert semistable, 46
 m-Hilbert stable, 46
 main component, 155
 minimal model of M_g , 1
 monomial order, 55
 multidegree, 27

n-canonically embedded curves, 1
 nodal elliptic tail, 16
 node, 16
 non-exceptional subcurve, 22
 non-special elliptic tails, 75, 191
 normalized leading coefficient, 48
 Numerical criterion for Chow (semi)stability, 49
 Numerical criterion for m -Hilbert (semi)stability, 48

one-parameter subgroup, 47
 orbit, 45
 order relation \leq on curves, 118
 order relation \leq on pairs, 118

p-stable, 17
 p-stable reduction, 20, 26
 parabolic group, 57
 Plücker embedding, 46
 potential pseudo-stability theorem, 61
 potential stability, 59
 pre-p-stable, 22
 pre-stable, 22
 pre-wp-stable, 22
 projective bundle, 187
 properly balanced, 35, 36

quasi-p-stable model, 22, 25
 quasi-stable model, 22, 25
 quasi-wp-stable model, 22, 25

rank-1, 182
 reduced automorphism group, 73
 reducible nodal elliptic tail, 16
 reflexive, 193
 relative sheaf, 182
 rigidification, 176
 rigidified stack, 176

scheme-theoretic intersection, 15
 singular points, 15
 special elliptic tails, 75, 191
 stabilizer subgroup, 73
 stable, 17
 stable reduction, 25
 stably balanced, 35, 36
 stratum, 117
 strictly balanced, 35, 36

subcurve, 15
symmetric algebra, 187

tacnodal elliptic tail, 16
tacnode, 16
tacnode with a line,
16
tautological invertible sheaf,
187
torsion-free, 182
total degree, 27

total order, 55
total weight, 48

universal Jacobian stack, 171
universal Jacobian variety, 171

weighted graded order, 55
weighted lexicographic order, 55
wp-stable, 17
wp-stable reduction, 23

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.

Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this “lecture notes” character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.

2. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer’s mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.

Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees’ recommendations, making further refereeing of a final draft necessary.

Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.

3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped ps-files. Lecture Notes volumes are, as a rule, printed digitally from the authors’ files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer’s web-server at:

<ftp://ftp.springer.de/pub/tex/latex/svmonot1/> (for monographs) and

<ftp://ftp.springer.de/pub/tex/latex/svmult1/> (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from lnm@springer.com.

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,
175 rue du Chevaleret
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the “Mathematical Biosciences Subseries” of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail: maini@maths.ox.ac.uk

Springer, Mathematics Editorial, Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com