

---

## References

- Abrahamson EE, Leak RK, Moore RY (2001) The suprachiasmatic nucleus projects to posterior hypothalamic arousal systems. *Neuroreport* 12:435–440.
- Abrahamson EE, Moore RY (2001) Suprachiasmatic nucleus in the mouse: retinal innervation, intrinsic organization and efferent projections. *Brain Res* 916:172–191.
- Aggelopoulos NC, Meissl H (2000) Responses of neurones of the rat suprachiasmatic nucleus to retinal illumination under photopic and scotopic conditions. *J Physiol (Lond)* 523 Pt 1:211–222.
- Agostino PV, Ferreyra GA, Murad AD, Watanabe Y, Golombek DA (2004) Diurnal, circadian and photic regulation of calcium/calmodulin-dependent kinase II and neuronal nitric oxide synthase in the hamster suprachiasmatic nuclei. *Neurochem Int* 44:617–625.
- Akiyama M, Kouzu Y, Takahashi S, Wakamatsu H, Moriya T, Maetani M, Watanabe S, Tei H, Sakaki Y, Shibata S (1999) Inhibition of light- or glutamate-induced *mPer1* expression represses the phase shifts into the mouse circadian locomotor and suprachiasmatic firing rhythms. *J Neurosci* 19:1115–1121.
- Albers HE, Ferris CF (1984) Neuropeptide Y: role in light-dark cycle entrainment of hamster circadian rhythms. *Neurosci Lett* 50:163–168.
- Albrecht U, Sun ZS, Eichele G, Lee CC (1997) A differential response of two putative mammalian circadian regulators, *mper1* and *mper2*, to light. *Cell* 91:1055–1064.
- Albrecht U, Zheng B, Larkin D, Sun ZS, Lee CC (2001) *MPer1* and *mper2* are essential for normal resetting of the circadian clock. *J Biol Rhythms* 16:100–104.
- Antle MC, Glass JD, Mistlberger RE (2000) 5-HT(1A) autoreceptor antagonist-induced 5-HT release in the hamster suprachiasmatic nuclei: effects on circadian clock resetting. *Neurosci Lett* 282:97–100.
- Antle MC, Mistlberger RE (2000) Circadian clock resetting by sleep deprivation without exercise in the Syrian hamster. *J Neurosci* 20:9326–9332.
- Antoch MP, Song E-J, Chang A-M, Vitaterna MH, Zhao Y, Wilsbacher LD, Sangoram AM, King DP, Pinto LH, Takahashi JS (1997) Functional identification of the mouse circadian *clock* gene by transgenic BAC rescue. *Cell* 89:655–667.
- Arimura A (1998) Perspectives on pituitary adenylate cyclase activating polypeptide (PACAP) in the neuroendocrine, endocrine, and nervous systems. *Jpn J Physiol* 48:301–331.
- Asai M, Yamaguchi S, Isejima H, Jonouchi M, Moriya T, Shibata S, Kobayashi M, Okamura H (2001) Visualization of *mPer1* transcription in vitro. NMDA induces a rapid phase shift of *mPer1* gene in cultured SCN. *Curr Biol* 11:1524–1527.
- Aschoff J (1979) Circadian rhythms: influences of internal and external factors on the period measured in constant conditions. *Z Tierpsychol* 49:225–249.
- Azmitia EC, Segal M (1978) An autoradiographic analysis of the differential ascending projections of the dorsal and median raphe nuclei in the rat. *J Comp Neurol* 179:641–667.

- Barnard AR, Appleford JM, Sekaran S, Chinthapalli K, Jenkins A, Seeliger M, Biel M, Humphries P, Douglas RH, Wenzel A, Foster RG, Hankins MW, Lucas RJ (2004) Residual photosensitivity in mice lacking both rod opsin and cone photoreceptor cyclic nucleotide gated channel 3 alpha subunit. *Vis Neurosci* 21:675–683.
- Belenky MA, Pickard GE (2001) Subcellular distribution of 5-HT(1B) and 5-HT(7) receptors in the mouse suprachiasmatic nucleus. *J Comp Neurol* 432:371–388.
- Belenky MA, Smeraski CA, Provencio I, Sollars PJ, Pickard GE (2003) Melanopsin retinal ganglion cells receive bipolar and amacrine cell synapses. *J Comp Neurol* 460:380–393.
- Bennett MR, Aronin N, Schwartz WJ (1996) In vitro stimulation of c-Fos protein expression in the suprachiasmatic nucleus of hypothalamic slices. *Mol Brain Res* 42:140–144.
- Bergström AL, Hannibal J, Hindersson P, Fahrenkrug J (2003) Light-induced phase shift in the Syrian hamster (*Mesocricetus auratus*) is attenuated by the PACAP receptor antagonist PACAP6–38 or PACAP immunoneutralization. *Eur J Neurosci* 9:2552–2562.
- Berson DM (2003) Strange vision: ganglion cells as circadian photoreceptors. *Trends Neurosci* 26:314–320.
- Berson DM, Dunn FA, Takao M (2002) Phototransduction by retinal ganglion cells that set the circadian clock. *Science* 295:1070–1073.
- Best JD, Maywood ES, Smith KL, Hastings MH (1999) Rapid resetting of the mammalian circadian clock. *J Neurosci* 19:828–835.
- Biello SM (1995) Enhanced photic phase shifting after treatment with antiserum to neuropeptide Y. *Brain Res* 673:25–29.
- Biello SM, Golombek DA, Harrington ME (1997a) Neuropeptide Y and glutamate block each other's phase shifts in the suprachiasmatic nucleus *in vitro*. *Neuroscience* 77:1049–1057.
- Biello SM, Golombek DA, Schak KM, Harrington ME (1997b) Circadian phase shifts to neuropeptide Y in vitro: cellular communication and signal transduction. *J Neurosci* 17:8468–8475.
- Biello SM, Janik D, Mrosovsky N (1994) Neuropeptide Y and behaviorally induced phase shifts. *Neuroscience* 62:273–279.
- Biello SM, Mrosovsky N (1995) Blocking the phase shifting effect of neuropeptide Y with light. *Proc R Soc Lond B: Biol Sci* 259:179–187.
- Biello SM, Mrosovsky N (1996) Phase response curves to neuropeptide Y in wildtype and tau mutant hamsters. *J Biol Rhythms* 11:27–34.
- Bobrzynska KJ, Godfrey MH, Mrosovsky N (1996) Serotonergic stimulation and nonphotic phase shifting in hamsters. *Physiol Behav* 59:221–230.
- Bobrzynska KJ, Mrosovsky N (1998) Phase shifting by novelty-induced running: activity dose-response curves at different circadian times. *J Comp Physiol [A]* 182:251–258.
- Bosler O, Beaudet A (1985) VIP neurons as prime synaptic targets for serotonin afferents in rat suprachiasmatic nucleus: a combined radioautographic and immunocytochemical study. *J Neurocytol* 14:749–763.
- Bradbury MJ, Dement WC, Edgar DM (1997) Serotonin-containing fibers in the suprachiasmatic hypothalamus attenuate light-induced phase delays in mice. *Brain Res* 768:125–134.
- Brainard GC, Hanifin JB, Greeson JM, Byrne B, Glickman G, Gerner E, Rollag MD (2001) Action spectrum for melatonin regulation in humans: evidence for a novel circadian photoreceptor. *J Neurosci* 21:6405–6412.
- Brewer JM, Yannielli PC, Harrington ME (2002) Neuropeptide Y differentially suppresses *per1* and *per2* mRNA induced by light in the suprachiasmatic nuclei of the golden hamster. *J Biol Rhythms* 17:28–39.
- Bridges CD (1959) Visual pigments of some common laboratory mammals. *Nature* 184 (Suppl 22):1727–1728.

- Burgoon PW, Gillette MU (2000) Optic nerve stimulation can cause phase advance in the suprachiasmatic nucleus activity during the daytime and late night. *Soc Neurosci* 469:14.
- Butcher GQ, Dziema H, Collamore M, Burgoon PW, Obrietan K (2002) The p42/44 mitogen-activated protein kinase pathway couples photic input to circadian clock entrainment. *J Biol Chem* 277:29519–29525.
- Cagampang FR, Piggins HD, Sheward WJ, Harmar AJ, Coen CW (1998b) Circadian changes in PACAP type 1 (PAC1) receptor mRNA in the rat suprachiasmatic and supraoptic nuclei. *Brain Res* 813:218–222.
- Cagampang FR, Sheward WJ, Harmar AJ, Piggins HD, Coen CW (1998a) Circadian changes in the expression of vasoactive intestinal peptide 2 receptor mRNA in the rat suprachiasmatic nuclei. *Mol Brain Res* 54:108–112.
- Cajochen C, Zeitzer JM, Czeisler CA, Dijk DJ (2000) Dose-response relationship for light intensity and ocular and electroencephalographic correlates of human alertness. *Behav Brain Res* 115:75–83.
- Card JP, Brecha N, Karten HJ, Moore RY (1981) Immunocytochemical localization of vasoactive intestinal polypeptide-containing cells and processes in the suprachiasmatic nucleus of the rat: light and electron microscopic analysis. *J Neurosci* 1:1289–1303.
- Card JP, Moore RY (1989) Organization of lateral geniculate-hypothalamic connections in the rat. *J Comp Neurol* 284:135–147.
- Castel M, Belenky M, Cohen S, Ottersen OP, Storm-Mathisen J (1993) Glutamate-like immunoreactivity in retinal terminals of the mouse suprachiasmatic nucleus. *Eur J Neurosci* 5:368–381.
- Challet E, Caldelas I, Graff C, Pevet P (2003) Synchronization of the molecular clockwork by light—and food-related cues in mammals. *Biol Chem* 384:711–719.
- Challet E, Pevet P (2003) Interactions between photic and nonphotic stimuli to synchronize the master circadian clock in mammals. *Front Biosci* 8:s246–s257.
- Chen D, Buchanan GE, Ding JM, Hannibal J, Gillette MU (1999) PACAP: a pivotal modulator of glutamatergic regulation of the suprachiasmatic circadian clock. *Proc Natl Acad Sci USA* 96:13409–13414.
- Cheng HY, Obrietan K, Cain SW, Lee BY, Agostino PV, Joza NA, Harrington ME, Ralph MR, Penninger JM (2004) *Dexras1* potentiates photic and suppresses nonphotic responses of the circadian clock. *Neuron* 43:715–728.
- Colwell CS (2005) Bridging the gap: coupling single-cell oscillators in the suprachiasmatic nucleus. *Nat Neurosci* 8:10–12.
- Colwell CS, Foster RG, Menaker M (1991) NMDA receptor antagonists block the effects of light on circadian behavior in the mouse. *Brain Res* 554:105–110.
- Colwell CS, Menaker M (1992) NMDA as well as non-NMDA receptor antagonists can prevent the phase shifting effects of light on the circadian system of the golden hamster. *J Biol Rhythms* 7:125–136.
- Colwell CS, Michel S, Itri J, Rodriguez W, Tam J, Lelievre V, Hu Z, Waschek JA (2004) Selective deficits in the circadian light response in mice lacking PACAP. *Am J Physiol Regul Integr Comp Physiol* 287: R1194–R1201.
- Colwell CS, Ralph MR, Menaker M (1990) Do NMDA receptors mediate the effects of light on circadian behavior? *Brain Res* 523:117–120.
- Coogan AN, Piggins HD (2003) Circadian and photic regulation of phosphorylation of ERK1/2 and Elk-1 in the suprachiasmatic nuclei of the Syrian hamster. *J Neurosci* 23:3085–3093.
- Csaki A, Kocsis K, Halasz B, Kiss J (2000) Localization of glutamatergic/aspartatergic neurons projecting to the hypothalamic paraventricular nucleus studied by retrograde transport of. *Neuroscience* 101:637–655.

- Cutrer RA, Ouarour A, Pevet P (1994) Effects of the 5-HT<sub>1a</sub> receptor agonist 8-OH-DPAT and other non-photoc stimuli on the circadian rhythm of wheel-running activity in hamsters under different constant conditions. *Neurosci Lett* 172:27–30.
- Czeisler CA, Duffy JF, Shanahan TL, Brown EN, Mitchell JF, Rimmer DW, Ronda JM, Silva EJ, Allan JS, Emens JS, Dijk DJ, Kronauer RE (1999) Stability, precision, and near-24-hour period of the human circadian pacemaker. *Science* 284:2177–2181.
- Czeisler CA, Shanahan TL, Klerman EB, Martens H, Brotman DJ, Emens JS, Klein T, Rizzo JF (1995) Suppression of melatonin secretion in some blind patients by exposure to bright light. *N Engl J Med* 332:6–11.
- Daan S (2000) The Colin S. Pittendrigh Lecture. Colin Pittendrigh, Jurgen Aschoff, and the natural entrainment of circadian systems. *J Biol Rhythms* 15:195–207.
- Daan S, Pittendrigh CS (1976b) A functional analysis of the circadian pacemakers in nocturnal rodents. IV. Entrainment: Pacemaker and clock. *J Comp Physiol* 106:253–266.
- Daan S, Pittendrigh CS (1976a) A functional analysis of circadian pacemakers in nocturnal rodents. II. The variability of phase response curves. *J Comp Physiol* 106:253–266.
- Dacey DM, Liao HW, Peterson BB, Robinson FR, Smith VC, Pokorny J, Yau KW, Gamlin PD (2005) Melanopsin-expressing ganglion cells in primate retina signal colour and irradiance and project to the LGN. *Nature* 433:749–754.
- De Vries MJ, Lakke EA (1995) Retrograde labeling of retinal ganglion cells and brain neuronal subsets by [3H]-D-aspartate injection in the Syrian hamster hypothalamus. *Brain Res Bull* 38:349–354.
- De Vries MJ, Nunes Cardozo B, van der Want J, de Wolf A, Meijer JH (1993) Glutamate immunoreactivity in terminals of the retinohypothalamic tract of the brown Norwegian rat. *Brain Res* 612:231–237.
- De Vries MJ, Treep JA, de Pauw ES, Meijer JH (1994) The effects of electrical stimulation of the optic nerves and anterior optic chiasm on the circadian activity rhythm of the Syrian hamster: involvement of excitatory amino acids. *Brain Res* 642:206–212.
- Ding JM, Buchanan GF, Tischkau SA, Chen D, Kuriashkina L, Faiman LE, Alster JM, McPherson PS, Campbell KP, Gillette MU (1998) A neuronal ryanodine receptor mediates light-induced phase delays of the circadian clock. *Nature* 394:381–384.
- Ding JM, Chen D, Weber ET, Faiman LE, Rea MA, Gillette MU (1994) Resetting the biological clock: mediation of nocturnal circadian shifts by glutamate and NO. *Science* 266:1713–1717.
- Ding JM, Faiman LE, Hurst WJ, Kuriashkina LR, Gillette MU (1997) Resetting the biological clock: Mediation of nocturnal CREB phosphorylation via light, glutamate, and nitric oxide. *J Neurosci* 17:667–675.
- Dkhissi-Benyahya O, Sicard B, Cooper HM (2000) Effects of irradiance and stimulus duration on early gene expression (Fos) in the suprachiasmatic nucleus: temporal summation and reciprocity. *J Neurosci* 20:7790–7797.
- Dudley TE, DiNardo LA, Glass JD (1998) Endogenous regulation of serotonin release in the hamster suprachiasmatic nucleus. *J Neurosci* 18:5045–5052.
- Dudley TE, DiNardo LA, Glass JD (1999) In vivo assessment of the midbrain raphe nuclear regulation of serotonin release in the hamster suprachiasmatic nucleus. *J Neurophysiol* 81:1469–1477.
- Duncan MJ, Short J, Wheeler DL (1999) Comparison of the effects of aging on 5-HT<sub>7</sub> and 5-HT<sub>1A</sub> receptors in discrete regions of the circadian timing system in hamsters. *Brain Res* 829:39–45.
- Ebling FJ (1996) The role of glutamate in the photic regulation of the suprachiasmatic nucleus. *Prog Neurobiol* 50:109–132.

- Edgar DM, Miller JD, Prosser RA, Dean RR, Dement WC (1993) Serotonin and the mammalian circadian system: II. Phase shifting rat behavioral rhythms with serotonergic agonists. *J Biol Rhythms* 8:17–31.
- Ehlen JC, Grossman GH, Glass JD (2001) In vivo resetting of the hamster circadian clock by 5-HT<sub>7</sub> receptors in the suprachiasmatic nucleus. *J Neurosci* 21:5351–5357.
- Fahrenkrug J, Hannibal J (1996) Pituitary adenylate cyclase activating polypeptide innervation of the rat female reproductive tract and the associated paracervical ganglia: effect of capsaicin. *Neuroscience* 73:1049–1060.
- Fahrenkrug J, Hannibal J (1998) PACAP immunoreactivity in capsaicin-sensitive nerve fibres supplying the rat urinary tract. *Neuroscience* 83:1261–1272.
- Fahrenkrug J, Nielsen HS, Hannibal J (2004) Expression of melanopsin during development of the rat retina. *Neuroreport* 15:781–784.
- Fang M, Jaffrey SR, Sawa A, Ye K, Luo X, Snyder SH (2000) Dexas1: a G protein specifically coupled to neuronal nitric oxide synthase via CAPON. *Neuron* 28:183–193.
- Field MD, Maywood ES, O'Brien JA, Weaver DR, Reppert SM, Hastings MH (2000) Analysis of clock proteins in mouse SCN demonstrates phylogenetic divergence of the circadian clockwork and resetting mechanisms. *Neuron* 25:437–447.
- Foster RG (2002) Keeping an eye on the time: the Cogan lecture. *Invest Ophthalmol Vis Sci* 43:1286–1298.
- Foster RG, Hankins MW (2002) Non-rod, non-cone photoreception in the vertebrates. *Prog Retin Eye Res* 21:507–527.
- Foster RG, Provencio I, Hudson D, Fiske S, De Grip W, Menaker M (1991) Circadian photoreception in the retinally degenerate mouse (rd/rd). *J Comp Physiol [A]* 169:39–50.
- Francois-Bellan AM, Bosler O (1992) Convergent serotonin and GABA innervation of VIP neurons in the suprachiasmatic nucleus demonstrated by triple labeling in the rat. *Brain Res* 595:149–153.
- Francois-Bellan AM, Kachidian P, Dusticier G, Tonon MC, Vaudry H, Bosler O (1990) GABA neurons in the rat suprachiasmatic nucleus: involvement in chemospecific synaptic circuitry and evidence for GAD-peptide colocalization. *J Neurocytol* 19:937–947.
- Freedman MS, Lucas RJ, Soni B, von Schantz M, Muñoz M, David-Gray Z, Foster RG (1999) Regulation of mammalian circadian behavior by non-rod, non-cone, ocular photoreceptors. *Science* 284:502–504.
- Fukuhara C, Brewer JM, Dirden JC, Bittman EL, Tosini G, Harrington ME (2001) Neuropeptide Y rapidly reduces Period 1 and Period 2 mRNA levels in the hamster suprachiasmatic nucleus. *Neurosci Lett* 314:119–122.
- Gau D, Lemberger T, von Gall C, Kretz O, Le Minh N, Gass P, Schmid W, Schibler U, Korf HW, Schutz G (2002) Phosphorylation of CREB Ser142 regulates light-induced phase shifts of the circadian clock. *Neuron* 34:245–253.
- Gillette MU (1986) The suprachiasmatic nuclei: circadian phase-shifts induced at the time of hypothalamic slice preparation are preserved in vitro. *Brain Res* 379:176–181.
- Gillette MU (1991) SCN electrophysiology in vitro: Rhythmic activity and endogenous clock properties. In: *Suprachiasmatic nucleus: The mind's clock* (Klein DC, Moore RY, Reppert SM, eds), pp 125–143. New York: Oxford University Press.
- Gillette MU, Mitchell JW (2002) Signaling in the suprachiasmatic nucleus: selectively responsive and integrative. *Cell Tissue Res* 309:99–107.
- Ginty DD, Kornhauser JM, Thompson MA, Bading H, Mayo KE, Takahashi JS, Greenberg ME (1993) Regulation of CREB phosphorylation in the suprachiasmatic nucleus by light and a circadian clock. *Science* 260:238–241.
- Glass JD, DiNardo LA, Ehlen JC (2000) Dorsal raphe nuclear stimulation of SCN serotonin release and circadian phase-resetting. *Brain Res* 859:224–232.

- Glass JD, Grossman GH, Farnbauch L, DiNardo L (2003) Midbrain raphe modulation of nonphotic circadian clock resetting and 5-HT release in the mammalian suprachiasmatic nucleus. *J Neurosci* 23:7451–7460.
- Glass JD, Randolph WW, Ferreira SA, Rea MA, Hauser UE, Blank JL, DeVries MJ (1992) Diurnal variation in 5-hydroxyindole-acetic acid output in the suprachiasmatic region of the Siberian hamster assessed by in vivo microdialysis: evidence for nocturnal activation of serotonin release. *Neuroendocrinol* 56:582–590.
- Goel N, Lee TM, Smale L (1999) Suprachiasmatic nucleus and intergeniculate leaflet in the diurnal rodent *Octodon degus*: retinal projections and immunocytochemical characterization. *Neuroscience* 92:1491–1509.
- Golombek DA, Biello SM, Rendon RA, Harrington ME (1996) Neuropeptide Y phase shifts the circadian clock in vitro via a Y2 receptor. *Neuroreport* 7:1315–1319.
- Gooley JJ, Lu J, Chou TC, Scammell TE, Saper CB (2001) Melanopsin in cells of origin of the retinohypothalamic tract. *Nat Neurosci* 12:1165.
- Gooley JJ, Lu J, Fischer D, Saper CB (2003) A broad role for melanopsin in nonvisual photoreception. *J Neurosci* 23:7093–7106.
- Graham TE, Prossnitz ER, Dorin RI (2002) Dexras1/AGS-1 inhibits signal transduction from the Gi-coupled formyl peptide receptor to Erk-1/2 MAP kinases. *J Biol Chem* 277:10876–10882.
- Green DJ, Gillette R (1982) Circadian rhythm of firing rate recorded from single cells in the rat suprachiasmatic brain slice. *Brain Res* 245:198–200.
- Groos G, Hendriks J (1982) Circadian rhythms in electrical discharge of rat suprachiasmatic neurones recorded in vitro. *Neurosci Lett* 34:283–288.
- Groos G, Mason R (1978) Maintained discharge of rat suprachiasmatic neurons at different adaptation levels. *Neurosci Lett* 8:59–64.
- Grossman GH, Mistlberger RE, Antle MC, Ehlen JC, Glass JD (2000) Sleep deprivation stimulates serotonin release in the suprachiasmatic nucleus. *Neuroreport* 11:1929–1932.
- Hamada T, Antle MC, Silver R (2004) The role of *Period1* in non-photic resetting of the hamster circadian pacemaker in the suprachiasmatic nucleus. *Neurosci Lett* 362:87–90.
- Hannibal J (2002a) Neurotransmitters of the retino-hypothalamic tract. *Cell Tissue Res* 309:73–88.
- Hannibal J (2002b) Pituitary adenylate cyclase-activating peptide in the rat central nervous system: An immunohistochemical and in situ hybridization study. *J Comp Neurol* 453:389–417.
- Hannibal J, Brabet P, Jamen F, Nielsen HS, Journot L, Fahrenkrug J (2001b) Dissociation between light induced phase shift of the circadian rhythm and clock gene expression in mice lacking the PACAP type 1 receptor (PAC1). *J Neurosci* 21:4883–4890.
- Hannibal J, Ding JM, Chen D, Fahrenkrug J, Larsen PJ, Gillette MU, Mikkelsen JD (1997) Pituitary adenylate cyclase activating peptide (PACAP) in the retinohypothalamic tract. A daytime regulator of the biological clock. *J Neurosci* 17:2637–2644.
- Hannibal J, Ekblad E, Mulder H, Sundler F, Fahrenkrug J (1998) Pituitary adenylate cyclase activating polypeptide (PACAP) in the gastrointestinal tract of the rat: Distribution and effects of capsaicin or denervation. *Cell Tissue Res* 291:65–79.
- Hannibal J, Fahrenkrug J (2000) Pituitary adenylate cyclase activating polypeptide (PACAP) in intrinsic and extrinsic nerves of the rat pancreas. *Cell Tissue Res* 299:59–70.
- Hannibal J, Fahrenkrug J (2002) Immunoreactive substance P is not part of the retinohypothalamic tract in the rat. *Cell Tissue Res* 309:293–299.
- Hannibal J, Fahrenkrug J (2004) Melanopsin containing retinal ganglion cells are light responsive from birth. *Neuroreport* 15:2317–2320.



- Hannibal J, Fahrenkrug J (2004a) Target areas innervated by PACAP immunoreactive retinal ganglion cells. *Cell Tissue Res* 316:99–113.
- Hannibal J, Hindersson P, Knudsen SM, Georg B, Fahrenkrug J (2002a) The photopigment melanopsin is exclusively present in PACAP containing retinal ganglion cells of the retinohypothalamic tract. *J Neurosci* 22:RC191:1–7.
- Hannibal J, Hindersson P, Nevo E, Fahrenkrug J (2002b) The circadian photopigment melanopsin is expressed in the blind subterranean mole rat, *Spalax*. *Neuroreport* 13:1411–1414.
- Hannibal J, Hindersson P, Ostergaard J, Georg B, Heegaard S, Larsen PJ, Fahrenkrug J (2004) Melanopsin is expressed in PACAP-containing retinal ganglion cells of the human retinohypothalamic tract. *Invest Ophthalmol Vis Sci* 45:4202–4209.
- Hannibal J, Mikkelsen JD, Clausen H, Holst JJ, Wulff BS, Fahrenkrug J (1995) Gene expression of pituitary adenylate cyclase activating polypeptide (PACAP) in the rat hypothalamus. *Regul Pept* 55:133–148.
- Hannibal J, Moller M, Ottersen OP, Fahrenkrug J (2000) PACAP and glutamate are co-stored in the retinohypothalamic tract. *J Comp Neurol* 418:147–155.
- Hannibal J, Vrang N, Card JP, Fahrenkrug J (2001a) Light dependent induction of c-Fos during subjective day and night in PACAP containing retinal ganglion cells of the retinohypothalamic tract. *J Biol Rhythms* 16:457–470.
- Hardie RC, Raghu P (2001) Visual transduction in *Drosophila*. *Nature* 413:186–193.
- Harmar AJ, Arimura A, Gozes I, Journot L, Laburthe M, Pisegna JR, Rawlings SR, Robberecht P, Said SI, Sreedharan SP, Wank SA, Waschek JA (1998) International Union of Pharmacology. XVIII. Nomenclature of receptors for vasoactive intestinal peptide and pituitary adenylate cyclase-activating polypeptide. *Pharmacol Rev* 50:265–270.
- Harrington ME (1997) The ventral lateral geniculate nucleus and the intergeniculate leaflet: interrelated structures in the visual and circadian systems. *Neurosci Biobehav Rev* 21:705–727.
- Harrington ME, Hoque S (1997) NPY opposes PACAP phase shifts via receptors different from those involved in NPY phase shifts. *Neuroreport* 8:2677–2680.
- Harrington ME, Hoque S, Hall A, Golombek D, Biello S (1999) Pituitary adenylate cyclase activating peptide phase shifts circadian rhythms in a manner similar to light. *J Neurosci* 19:6637–6642.
- Harrington ME, Nance DM, Rusak B (1985) Neuropeptide Y immunoreactivity in the hamster geniculo-suprachiasmatic tract. *Brain Res Bull* 15:465–472.
- Harrington ME, Nance DM, Rusak B (1987) Double-labeling of neuropeptide Y-immunoreactive neurons which project from the geniculate to the suprachiasmatic nuclei. *Brain Res* 410:275–282.
- Harrington ME, Rusak B (1986) Lesions of the thalamic intergeniculate leaflet alter hamster circadian rhythms. *J Biol Rhythms* 1:309–325.
- Harrington ME, Schak KM (2000) Neuropeptide Y phase advances the in vitro hamster circadian clock during the subjective day with no effect on phase during the subjective night. *Can J Physiol Pharmacol* 78:87–92.
- Hashimoto H, Nogi H, Mori K, Ohishi H, Shigemoto R, Yamamoto K, Matsuda T, Mizuno N, Nagata S, Baba A (1996) Distribution of the mRNA for a pituitary adenylate cyclase-activating polypeptide receptor in the rat brain: an in situ hybridization study. *J Comp Neurol* 371:567–577.
- Hastings MH, Duffield GE, Ebling FJ, Kidd A, Maywood ES, Schurov I (1998a) Non-photoc signalling in the suprachiasmatic nucleus. *Biol Cell* 89:495–503.
- Hastings MH, Duffield GE, Smith EJ, Maywood ES, Ebling FJ (1998b) Entrainment of the circadian system of mammals by nonphotoc cues. *Chronobiol Int* 15:425–445.

- Hattar S, Liao HW, Takao M, Berson DM, Yau KW (2002) Melanopsin-containing retinal ganglion cells: Architecture, projections, and intrinsic photosensitivity. *Science* 295:1065–1070.
- Hattar S, Lucas RJ, Mrosovsky N, Thompson S, Douglas RH, Hankins MW, Lem J, Biel M, Hofmann F, Foster RG, Yau KW (2003) Melanopsin and rod-cone photoreceptive systems account for all major accessory visual functions in mice. *Nature*.
- Hay-Schmidt A, Vrang N, Larsen PJ, Mikkelsen JD (2003) Projections from the raphe nuclei to the suprachiasmatic nucleus of the rat. *J Chem Neuroanat* 25:293–310.
- Heidmann DE, Szot P, Kohen R, Hamblin MW (1998) Function and distribution of three rat 5-hydroxytryptamine<sub>7</sub> (5-HT<sub>7</sub>) receptor isoforms produced by alternative splicing. *Neuropharmacol* 37:1621–1632.
- Hendrickson AE, Wagoner N, Cowan WM (1972) An autoradiographic and electron microscopic study of retino-hypothalamic connections. *Z Zellforsch Mikrosk Anat* 135:1–26.
- Hickey TL, Spear PD (1976) Retinogeniculate projections in hooded and albino rats: an autoradiographic study. *Exp Brain Res* 24:523–529.
- Hirota T, Fukada Y (2004) Resetting mechanism of central and peripheral circadian clocks in mammals. *Zoolog Sci* 21:359–368.
- Holcombe V, Guillery RW (1984) The organization of retinal maps within the dorsal and ventral lateral geniculate nuclei of the rabbit. *J Comp Neurol* 225:469–491.
- Honrado GI, Johnson RS, Golombek DA, Spiegelman BM, Papaioannou VE, Ralph MR (1996) The circadian system of c-fos deficient mice. *J Comp Physiol [A]* 178:563–570.
- Horikawa K, Yokota S, Fuji K, Akiyama M, Moriya T, Okamura H, Shibata S (2000) Nonphotic entrainment by 5-HT<sub>1A/7</sub> receptor agonists accompanied by reduced Per1 and Per2 mRNA levels in the suprachiasmatic nuclei. *J Neurosci* 20:5867–5873.
- Huhman KL, Gillespie CF, Marvel CL, Albers HE (1996) Neuropeptide Y phase shifts circadian rhythms in vivo via a Y2 receptor. *Neuroreport* 7:1249–1252.
- Inouye ST, Kawamura H (1979) Persistence of circadian rhythmicity in a mammalian hypothalamic “island” containing the suprachiasmatic nucleus. *Proc Natl Acad Sci USA* 76:5962–5966.
- Jacobs GH, Neitz J, Deegan JF (1991) Retinal receptors in rodents maximally sensitive to ultraviolet light. *Nature* 353:655–656.
- Jagota A, de la Iglesia HO, Schwartz WJ (2000) Morning and evening circadian oscillations in the suprachiasmatic nucleus in vitro. *Nat Neurosci* 3:372–376.
- Jenkins A, Munoz M, Tarttelin EE, Bellingham J, Foster RG, Hankins MW (2003) VA opsin, melanopsin, and an inherent light response within retinal interneurons. *Curr Biol* 13:1269–1278.
- Jewett ME, Rimmer DW, Duffy JF, Klerman EB, Kronauer RE, Czeisler CA (1997) Human circadian pacemaker is sensitive to light throughout subjective day without evidence of transients. *Am J Physiol* 273: R1800–R1809.
- Jiao YY, Lee TM, Rusak B (1999) Photic responses of suprachiasmatic area neurons in diurnal degus (*Octodon degus*) and nocturnal rats (*Rattus norvegicus*). *Brain Res* 817:93–103.
- Jiao YY, Rusak B (2003) Electrophysiology of optic nerve input to suprachiasmatic nucleus neurons in rats and degus. *Brain Res* 960:142–151.
- Johnson RE, Moore RY, Morin LP (1989) Lateral geniculate lesions alter circadian activity rhythms in the hamster. *Brain Res Bull* 22:411–422.
- Johnson RE, Morin LP, Moore RY (1988) Retinohypothalamic projections in the hamster and rat demonstrated using cholera toxin. *Brain Res* 462:301–312.
- Jouvet M (1999) Sleep and serotonin: an unfinished story. *Neuropsychopharmacol* 21:24S–27S.



- Kalamatianos T, Kallo I, Piggins HD, Coen CW (2004) Expression of VIP and/or PACAP receptor mRNA in peptide synthesizing cells within the suprachiasmatic nucleus of the rat and in its efferent target sites. *J Comp Neurol* 475:19–35.
- Kallo I, Kalamatianos T, Piggins HD, Coen CW (2004) Ageing and the diurnal expression of mRNAs for vasoactive intestinal peptide and for the VPAC2 and PAC1 receptors in the suprachiasmatic nucleus of male rats. *J Neuroendocrinol* 16:758–766.
- Kas MJ, Edgar DM (2000) Photic phase response curve in *Octodon degus*: assessment as a function of activity phase preference. *Am J Physiol Regul Integr Comp Physiol* 278: R1385–R1389.
- Kawaguchi C, Tanaka K, Isojima Y, Shintani N, Hashimoto H, Baba A, Nagai K (2003) Changes in light-induced phase shift of circadian rhythm in mice lacking PACAP. *Biochem Biophys Res Commun* 310:169–175.
- Kennaway DJ (2004) Resetting the suprachiasmatic nucleus clock. *Front Biosci* 9:56–62.
- Khalsa SB, Jewett ME, Cajochen C, Czeisler CA (2003) A phase response curve to single bright light pulses in human subjects. *J Physiol* 549:945–952.
- King DP, Zhao Y, Sangoram AM, Wilsbacher LD, Tanaka M, Antoch MP, Steeves TDL, Vitaterna MH, Kornhauser JM, Lowry PJ, Turek FW, Takahashi JS (1997) Positional cloning of the mouse circadian *clock* gene. *Cell* 89:641–653.
- Klein DC (2004) The 2004 Aschoff/Pittendrigh lecture: Theory of the origin of the pineal gland—a tale of conflict and resolution. *J Biol Rhythms* 19:264–279.
- Klerman EB, Shanahan TL, Brotman DJ, Rimmer DW, Emens JS, Rizzo JF, III, Czeisler CA (2002) Photic resetting of the human circadian pacemaker in the absence of conscious vision. *J Biol Rhythms* 17:548–555.
- Kopp MD, Meissl H, Dehghani F, Korff HW (2001) The pituitary adenylate cyclase-activating polypeptide modulates glutamatergic calcium signalling: investigations on rat suprachiasmatic nucleus neurons. *J Neurochem* 79:161–171.
- Kornhauser JM, Mayo KE, Takahashi JS (1996) Light, immediate-early genes, and circadian rhythms. *Behav Genet* 26:221–240.
- Kriegsfeld LJ, Leak RK, Yackulic CB, LeSauter J, Silver R (2004) Organization of suprachiasmatic nucleus projections in Syrian hamsters (*Mesocricetus auratus*): an anterograde and retrograde analysis. *J Comp Neurol* 468:361–379.
- Laemle LK, Fugaro C, Bentley T (1993) The geniculohypothalamic pathway in a congenitally anophthalmic mouse. *Brain Res* 618:352–357.
- Lall GS, Biello SM (2002) Attenuation of phase shifts to light by activity or neuropeptide Y: a time course study. *Brain Res* 957:109–116.
- Lall GS, Biello SM (2003) Attenuation of circadian light induced phase advances and delays by neuropeptide Y and a neuropeptide Y Y1/Y5 receptor agonist. *Neuroscience* 119:611–618.
- Larsen PJ, Kristensen P (1998) Distribution of neuropeptide Y receptor expression in the rat suprachiasmatic nucleus. *Mol Brain Res* 60:69–76.
- Leak RK, Moore RY (2001) Topographic organization of suprachiasmatic nucleus projection neurons. *J Comp Neurol* 433:312–334.
- Leander P, Vrang N, Moller M (1998) Neuronal projections from the mesencephalic raphe nuclear complex to the suprachiasmatic nucleus and the deep pineal gland of the golden hamster (*Mesocricetus auratus*). *J Comp Neurol* 399:73–93.
- Leard LE, Macdonald ES, Heller HC, Kilduff TS (1994) Ontogeny of photic-induced *c-fos* mRNA expression in rat suprachiasmatic nuclei. *Neuroreport* 5:2683–2687.
- Lee TM, Labyak SE (1997) Free-running rhythms and light- and dark-pulse phase response curves for diurnal *Octodon degus* (Rodentia). *Am J Physiol* 273: R278–R286.

- Levine JD, Weiss ML, Rosenwasser AM, Miselis RR (1991) Retinohypothalamic tract in the female albino rat: a study using horseradish peroxidase conjugated to cholera toxin. *J Comp Neurol* 306:344–360.
- Liou SY, Shibata S, Iwasaki K, Ueki S (1986) Optic nerve stimulation-induced increase of release of 3H-glutamate and 3H-aspartate but not 3H-GABA from the suprachiasmatic nucleus in slices of rat hypothalamus. *Brain Res Bull* 16:527–531.
- Liu C, Reppert SM (2000) GABA synchronizes clock cells within the suprachiasmatic circadian clock. *Neuron* 25:123–128.
- Lockley SW, Skene DJ, Arendt J, Tabandeh H, Bird AC, DeFrance R (1997) Relationship between melatonin rhythms and visual loss in the blind. *J Clin Endocrinol Metab* 82:3763–3770.
- Long MA, Jutras MJ, Connors BW, Burwell RD (2005) Electrical synapses coordinate activity in the suprachiasmatic nucleus. *Nat Neurosci* 8:61–66.
- Lovenberg TW, Baron BM, de Lecea L, Miller JD, Prosser RA, Rea MA, Foye PE, Racke M, Slone AL, Siegel BW, Danielson PE, Sutcliffe JG, Erlander MG (1993) A novel adenylate cyclase-activating serotonin receptor (5-HT<sub>7</sub>) implicated in regulation of mammalian circadian rhythms. *Neuron* 11:449–458.
- Lowrey PL, Shimomura K, Antoch MP, Yamazaki S, Zemenides PD, Ralph MR, Menaker M, Takahashi JS (2000) Positional syntenic cloning and functional characterization of the mammalian circadian mutation tau. *Science* 288:483–492.
- Lowrey PL, Takahashi JS (2004) Mammalian circadian biology: elucidating genome-wide levels of temporal organization. *Annu Rev Genomics Hum Genet* 5:407–441.
- Lucas RJ, Freedman MS, Munoz M, Garcia-Fernandez JM, Foster RG (1999) Regulation of the mammalian pineal by non-rod, non-cone, ocular photoreceptors. *Science* 284:505–507.
- Lucas RJ, Hattar S, Takao M, Berson DM, Foster RG, Yau KW (2003) Diminished pupillary light reflex at high irradiances in melanopsin-knockout mice. *Science* 299:245–247.
- Lutz EM, Sheward WJ, West KM, Morrow JA, Fink G, Harmor AJ (1993) The VIP2 receptor: molecular characterization of a cDNA encoding a novel receptor for vasoactive intestinal peptide. *FEBS Letters* 334:3–8.
- Manrique C, Hery F, Faudon M, Francois-Bellan AM (1999) Indirect evidence for an association of 5-HT(1B) binding sites with retinal and geniculate axon terminals in the rat suprachiasmatic nucleus. *Synapse* 33:314–323.
- Mantyh PW, Kemp JA (1983) The distribution of putative neurotransmitters in the lateral geniculate nucleus of the rat. *Brain Res* 288:344–348.
- Marchant EG, Mistlberger RE (1995) Morphine phase-shifts circadian rhythms in mice: role of behavioural activation. *Neuroreport* 7:209–212.
- Masana MI, Benloucif S, Dubocovich ML (1996) Light-induced c-fos mRNA expression in the suprachiasmatic nucleus and the retina of C3H/HeN mice. *Mol Brain Res* 42:193–201.
- Maywood ES, Mrosovsky N (2001) A molecular explanation of interactions between photic and non-photoc circadian clock-resetting stimuli. *Brain Res Gene Expr Patterns* 1:27–31.
- Maywood ES, Mrosovsky N, Field MD, Hastings MH (1999) Rapid down-regulation of mammalian period genes during behavioral resetting of the circadian clock. *Proc Natl Acad Sci U S A* 96:15211–15216.
- Maywood ES, Okamura H, Hastings MH (2002) Opposing actions of neuropeptide Y and light on the expression of circadian clock genes in the mouse suprachiasmatic nuclei. *Eur J Neurosci* 15:216–220.
- Medanic M, Gillette MU (1992) Serotonin regulates the phase of the rat suprachiasmatic circadian pacemaker in vitro only during the subjective day. *J Physiol Lond* 450:629–642.
- Meijer JH (2001) Photic entrainment in mammals. In: *Circadian Clocks* (Takahashi JS, Turek FW, Moore RY, eds), pp 183–222. New York: Kluwer Academic/Plenum Publisher.

- Meijer JH, Groos GA, Rusak B (1986) Luminance coding in a circadian pacemaker: the suprachiasmatic nucleus of the rat and the hamster. *Brain Res* 382:109–118.
- Meijer JH, Rietveld WJ (1989) Neurophysiology of the suprachiasmatic circadian pacemaker in rodents. *Physiological Rev* 69:671–707.
- Meijer JH, Schaap J, Watanabe K, Albus H (1997) Multiunit activity recordings in the suprachiasmatic nuclei: in vivo versus in vitro models. *Brain Res* 753:322–327.
- Meijer JH, Schwartz WJ (2003) In search of the pathways for light-induced pacemaker resetting in the suprachiasmatic nucleus. *J Biol Rhythms* 18:235–249.
- Meijer JH, Watanabe K, Detari L, Schaap J (1996) Circadian rhythm in light response in suprachiasmatic nucleus neurons of freely moving rats. *Brain Res* 741:352–355.
- Melyan Z, Tarttelin EE, Bellingham J, Lucas RJ, Hankins MW (2005) Addition of human melanopsin renders mammalian cells photoresponsive. *Nature* 433:741–745.
- Meyer-Bernstein EL, Blanchard JH, Morin LP (1997) The serotonergic projection from the median raphe nucleus to the suprachiasmatic nucleus modulates activity phase onset, but not other circadian rhythm parameters. *Brain Res* 755:112–120.
- Meyer-Bernstein EL, Morin LP (1996) Differential serotonergic innervation of the suprachiasmatic nucleus and the intergeniculate leaflet and its role in circadian rhythm modulation. *J Neurosci* 16:2097–2111.
- Meyer-Bernstein EL, Morin LP (1998) Destruction of serotonergic neurons in the median raphe nucleus blocks circadian rhythm phase shifts to triazolam but not to novel wheel access. *J Biol Rhythms* 13:494–505.
- Meyer-Bernstein EL, Morin LP (1999) Electrical stimulation of the median or dorsal raphe nuclei reduces light-induced FOS protein in the suprachiasmatic nucleus and causes circadian activity rhythm phase shifts. *Neuroscience* 92:267–279.
- Mikkelsen JD (1990) Projections from the lateral geniculate nucleus to the hypothalamus of the Mongolian gerbil (*Meriones unguiculatus*): an anterograde and retrograde tracing study. *J Comp Neurol* 299:493–508.
- Mikkelsen JD (1992b) The organization of the crossed geniculogeniculate pathway of the rat: a *Phaseolus vulgaris*-leucoagglutinin study. *Neuroscience* 48:953–962.
- Mikkelsen JD (1992a) Visualization of efferent retinal projections by immunohistochemical identification of cholera toxin subunit B. *Brain Res Bull* 28:619–623.
- Mikkelsen JD (1994) Analysis of the efferent projections of the lateral geniculate nucleus with special reference to the innervation of the subcommissural organ and related areas. *Cell Tissue Res* 277:437–445.
- Mikkelsen JD, Larsen PJ (1993) Substance P in the suprachiasmatic nucleus of the rat: an immunohistochemical and in situ hybridization study. *Histochemistry* 100:3–16.
- Minami Y, Furuno K, Akiyama M, Moriya T, Shibata S (2002) Pituitary adenylate cyclase-activating polypeptide produces a phase shift associated with induction of mPer expression in the mouse suprachiasmatic nucleus. *Neuroscience* 113:37–45.
- Mintz EM, Albers HE (1997) Microinjection of NMDA into the SCN region mimics the phase shifting effect of light in hamsters. *Brain Res* 758:245–249.
- Mintz EM, Gillespie CF, Marvel CL, Huhman KL, Albers HE (1997) Serotonergic regulation of circadian rhythms in Syrian hamsters. *Neuroscience* 79:563–569.
- Mintz EM, Marvel CL, Gillespie CF, Price KM, Albers HE (1999) Activation of NMDA receptors in the suprachiasmatic nucleus produces light-like phase shifts of the circadian clock in vivo. *J Neurosci* 19:5124–5130.
- Mistlberger RE, Antle MC (1998) Behavioral inhibition of light-induced circadian phase resetting is phase and serotonin dependent. *Brain Res* 786:31–38.
- Mistlberger RE, Antle MC, Glass JD, Miller JD (2000) Behavioral and serotonergic regulation of circadian rhythms. *Biological Rhythm Res* 31: 240–283.

- Mistlberger RE, Belcourt J, Antle MC (2002) Circadian clock resetting by sleep deprivation without exercise in Syrian hamsters: dark pulses revisited. *J Biol Rhythms* 17:227–237.
- Moffett JR, Williamson L, Palkovits M, Namboodiri MA (1990) N-acetylaspartylglutamate: a transmitter candidate for the retinohypothalamic tract. *Proc Nat Acad Sci USA* 87:8065–8069.
- Moga MM, Moore RY (1997) Organization of neural inputs to the suprachiasmatic nucleus in the rat. *J Comp Neurol* 389:508–534.
- Moore RY (1989) The geniculohypothalamic tract in monkey and man. *Brain Res* 486:190–194.
- Moore RY (1995) Organization of the mammalian circadian system. *Ciba Found Symp* 183:88–99.
- Moore RY, Card JP (1994) Intergeniculate leaflet: an anatomically and functionally distinct subdivision of the lateral geniculate complex. *J Comp Neurol* 344:403–430.
- Moore RY, Gustafson EL, Card JP (1984) Identical immunoreactivity of afferents to the rat suprachiasmatic nucleus with antisera against avian pancreatic polypeptide, molluscan cardioexcitatory peptide and neuropeptide Y. *Cell Tissue Res* 236:41–46.
- Moore RY, Halaris AE, Jones BE (1978) Serotonin neurons of the midbrain raphe: ascending projections. *J Comp Neurol* 180:417–438.
- Moore RY, Leak RK (2001) Suprachiasmatic nucleus. In: *Circadian Clocks* (Takahashi JS, Turek FW, Moore RY, eds), pp 141–179. New York: Kluwer Academic/Plenum Publisher.
- Moore RY, Lenn NJ (1972) A retinohypothalamic projection in the rat. *J Comp Neurol* 146:1–14.
- Moore RY, Speh JC (1993) GABA is the principal neurotransmitter of the circadian system. *Neurosci Lett* 150:112–116.
- Moore RY, Speh JC (2004) Serotonin innervation of the primate suprachiasmatic nucleus. *Brain Res* 1010:169–173.
- Moore RY, Speh JC, Card JP (1995) The retinohypothalamic tract originates from a distinct subset of retinal ganglion cells. *J Comp Neurol* 352:351–366.
- Moore RY, Speh JC, Leak RK (2002) Suprachiasmatic nucleus organization. *Cell Tissue Res* 309:89–98.
- Morin LP (1994) The circadian visual system. *Brain Res Rev* 19:102–127.
- Morin LP (1999) Serotonin and the regulation of mammalian circadian rhythmicity. *Ann Med* 31:12–33.
- Morin LP, Blanchard J (1991) Depletion of brain serotonin by 5,7-DHT modifies hamster circadian rhythm response to light. *Brain Res* 566:173–185.
- Morin LP, Blanchard J, Moore RY (1992) Intergeniculate leaflet and suprachiasmatic nucleus organization and connections in the golden hamster. *Visual Neurosci* 8:219–230.
- Morin LP, Blanchard JH, Provencio I (2003) Retinal ganglion cells projections to the hamster suprachiasmatic nucleus, intergeniculate leaflet and visual midbrain: bifurcation and melanopsin immunoreactivity. *J Comp Neurol* 465:401–416.
- Morin LP, Meyer-Bernstein EL (1999) The ascending serotonergic system in the hamster: comparison with projections of the dorsal and median raphe nuclei. *Neuroscience* 91:81–105.
- Moriya T, Horikawa K, Akiyama M, Shibata S (2000) Correlative association between N-methyl-D-aspartate receptor-mediated expression of period genes in the suprachiasmatic nucleus and phase shifts in behavior with photic entrainment of clock in hamsters. *Mol Pharmacol* 58:1554–1562.
- Moriya T, Yoshinobu Y, Ikeda M, Yokota S, Akiyama M, Shibata S (1998) Potentiating action of MKC-242, a selective 5-HT<sub>1A</sub> receptor agonist, on the photic entrainment of the circadian activity rhythm in hamsters. *Br J Pharmacol* 125:1281–1287.

- Mrosovsky N (1988) Phase response curves for social entrainment. *J Comp Physiol [A]* 162:35–46.
- Mrosovsky N (1996) Locomotor activity and non-photoc influences on circadian clocks. *Biol Rev Camb Philos Soc* 71:343–372.
- Mrosovsky N, Hattar S (2003) Impaired masking responses to light in melanopsin-knockout mice. *Chronobiol Int* 20:989–999.
- Munoz LM, Huerta JJ, Cernuda-Cernuda R, Garcia-Fernandez JM (2000) Ontogeny of a photic response in the retina and suprachiasmatic nucleus in the mouse. *Brain Res Dev Brain Res* 120:1–6.
- Murakami DM, Fuller CA (1990) The retinohypothalamic projection and oxidative metabolism in the suprachiasmatic nucleus of primates and tree shrews. *Brain Behav Evolut* 35:302–312.
- Murakami DM, Miller JD, Fuller CA (1989) The retinohypothalamic tract in the cat: retinal ganglion cell morphology and pattern of projection. *Brain Res* 482:283–296.
- Muscat L, Huberman AD, Jordan CL, Morin LP (2003) Crossed and uncrossed retinal projections to the hamster circadian system. *J Comp Neurol* 466:513–524.
- Nakamura TJ, Fujimura K, Ebihara S, Shinohara K (2004) Light response of the neuronal firing activity in the suprachiasmatic nucleus of mice. *Neurosci Lett* 371:244–248.
- Nelson DE, Takahashi JS (1991) Sensitivity and integration in a visual pathway for circadian entrainment in the hamster (*Mesocricetus auratus*). *J Physiol* 439:115–145.
- Nevo E, Ivaniskaya I, Beiles A (2001) Adaptive radiation of blind subterranean mole rats: naming and revisiting the four siblings species of the *Spalax ehrenbergi* superspecies in Israel: *Spalax gallili* (2n=52), *S. golani* (2n=54), *S. carmeli* (2n=58) and *S. judaei* (2n=60). Leiden, The Netherlands: Backhuys Publisher.
- Nielsen HS, Hannibal J, Moller-Knudsen S, Fahrenkrug J (2001) Pituitary adenylate cyclase activating polypeptide induces *period 1* and *period 2* gene expression in the rat suprachiasmatic nucleus (SCN) during late night. *Neuroscience* 103:433–441.
- Nielsen HS, Georg B, Hannibal J, Fahrenkrug J (2002) Homer-1 mRNA in the rat suprachiasmatic nucleus is regulated differentially by the retinohypothalamic tract transmitters pituitary adenylate cyclase activating polypeptide and glutamate at time points where light phase-shifts the endogenous rhythm. *Mol Brain Res* 105:79–85.
- Nomura K, Takeuchi Y, Yamaguchi S, Okamura H, Fukunaga K (2003) Involvement of calcium/calmodulin-dependent protein kinase II in the induction of *mPer1*. *J Neurosci Res* 72:384–392.
- Obrietan K, Impey S, Smith D, Athos J, Storm DR (1999) Circadian regulation of cAMP response element-mediated gene expression in the suprachiasmatic nuclei. *J Biol Chem* 274:17748–17756.
- Obrietan K, Impey S, Storm DR (1998) Light and circadian rhythmicity regulate MAP kinase activation in the suprachiasmatic nuclei. *Nat Neurosci* 1:693–700.
- Ohara PT, Lieberman AR, Hunt SP, Wu JY (1983) Neural elements containing glutamic acid decarboxylase (GAD) in the dorsal lateral geniculate nucleus of the rat; immunohistochemical studies by light and electron microscopy. *Neuroscience* 8:189–211.
- Okamura H, Yamaguchi S, Yagita K (2002) Molecular machinery of the circadian clock in mammals. *Cell Tissue Res* 309:47–56.
- Oster H, Maronde E, Albrecht U (2002) The circadian clock as a molecular calendar. *Chronobiol Int* 19:507–516.
- Panda S, Nayak SK, Campo B, Walker JR, Hogenesch JB, Jegla T (2005) Illumination of the melanopsin signaling pathway. *Science* 307:600–604.

- Panda S, Provencio I, Tu DC, Pires SS, Rollag MD, Castrucci AM, Pletcher MT, Sato TK, Wiltshire T, Andahazy M, Kay SA, Van Gelder RN, Hogenesch JB (2003) Melanopsin is required for non-image-forming photic responses in blind mice. *Science* 301:525–527.
- Panda S, Sato TK, Castrucci AM, Rollag MD, DeGrip WJ, Hogenesch JB, Provencio I, Kay SA (2002) Melanopsin (Opn4) requirement for normal light-induced circadian phase shifting. *Science* 298:2213–2216.
- Park HT, Kang EK, Bae KW (1997) Light regulates Homer mRNA expression in the rat suprachiasmatic nucleus. *Mol Brain Res* 52:318–322.
- Perry VH (1979) The ganglion cell layer of the retina of the rat: a Golgi study. *Proc R Soc Lond B* 204:363–375.
- Pickard GE (1980) Morphological characteristics of retinal ganglion cells projecting to the suprachiasmatic nucleus: a horseradish peroxidase study. *Brain Res* 183:458–465.
- Pickard GE (1982) The afferent connections of the suprachiasmatic nucleus of the golden hamster with emphasis on the retinohypothalamic projection. *J Comp Neurol* 211:65–83.
- Pickard GE (1985) Bifurcating axons of retinal ganglion cells terminate in the hypothalamic suprachiasmatic nucleus and the intergeniculate leaflet of the thalamus. *Neurosci Lett* 55:211–217.
- Pickard GE, Ralph MR, Menaker M (1987) The intergeniculate leaflet partially mediates effects of light on circadian rhythms. *J Biol Rhythms* 2:35–56.
- Pickard GE, Silverman AJ (1981) Direct retinal projections to the hypothalamus, piriform cortex, and accessory optic nuclei in the golden hamster as demonstrated by a sensitive anterograde horseradish peroxidase technique. *J Comp Neurol* 196:155–172.
- Pickard GE, Smith BN, Belenky M, Rea MA, Dudek FE, Sollars PJ (1999) 5-HT<sub>1B</sub> receptor-mediated presynaptic inhibition of retinal input to the suprachiasmatic nucleus. *J Neurosci* 19:4034–4045.
- Pickard GE, Weber ET, Scott PA, Riberdy AF, Rea MA (1996) 5HT<sub>1B</sub> receptor agonists inhibit light-induced phase shifts of behavioral circadian rhythms and expression of the immediate-early gene *c-fos* in the suprachiasmatic nucleus. *J Neurosci* 16:8208–8220.
- Piggins HD, Marchant EG, Goguen D, Rusak B (2001) Phase shifting effects of pituitary adenylate cyclase activating polypeptide on hamster wheel-running rhythms. *Neurosci Lett* 305:25–28.
- Pittendrigh CS, Daan S (1976) A functional analysis of circadian pacemakers in nocturnal rodents. I. The stability and lability of spontaneous frequency. *J Comp Physiol* 106:223–252.
- Prabakar C, Brewer JM, Harrington ME (2004) Reduced light-induced *per2* mRNA in NPY knockout mice. SRBR, 9th meeting, Whisler, BC, Canada 326.
- Prosser RA (1998) Neuropeptide Y blocks serotonergic phase shifts of the suprachiasmatic circadian clock in vitro. *Brain Res* 808:31–41.
- Prosser RA (2000) Serotonergic actions and interactions on the SCN circadian pacemaker: in vitro investigations. *Biol Rhythm Res* 31:315–339.
- Prosser RA (2001) Glutamate blocks serotonergic phase advances of the mammalian circadian pacemaker through AMPA and NMDA receptors. *J Neurosci* 21:7815–7822.
- Prosser RA (2003) Serotonin phase-shifts the mouse suprachiasmatic circadian clock in vitro. *Brain Res* 966:110–115.
- Prosser RA, Dean RR, Edgar DM, Heller HC, Miller JD (1993) Serotonin and the mammalian circadian system: I. In vitro phase shifts by serotonergic agonists and antagonists. *J Biol Rhyth* 8:1–16.
- Prosser RA, Gillette MU (1989) The mammalian circadian clock in the suprachiasmatic nuclei is reset in vitro by cAMP. *J Neurosci* 9:1073–1081.



- Prosser RA, Heller HC, Miller JD (1994) Serotonergic phase advances of the mammalian circadian clock involve protein kinase A and K<sup>+</sup> channel opening. *Brain Res* 644:67–73.
- Prosser RA, McArthur AJ, Gillette MU (1989) cGMP induces phase shifts of a mammalian circadian pacemaker at night, in antiphase to cAMP effects. *Proc Natl Acad Sci USA* 86:6812–6815.
- Prosser RA, Miller JD, Heller HC (1990) A serotonin agonist phase-shifts the circadian clock in the suprachiasmatic nuclei in vitro. *Brain Res* 534:336–339.
- Provencio I, Jiang G, De Grip WJ, Hayes WP, Rollag MD (1998) Melanopsin: An opsin in melanophores, brain, and eye. *Proc Natl Acad Sci USA* 95:340–345.
- Provencio I, Rodriguez IR, Jiang G, Hayes WP, Moreira EF, Rollag MD (2000) A novel human opsin in the inner retina. *J Neurosci* 20:600–605.
- Provencio I, Rollag MD, Castrucci AM (2002) Photoreceptive net in the mammalian retina. This mesh of cells may explain how some blind mice can still tell day from night. *Nature* 415:493.
- Qiu X, Kumbalasiri T, Carlson SM, Wong KY, Krishna V, Provencio I, Berson DM (2005) Induction of photosensitivity by heterologous expression of melanopsin. *Nature* 433:745–749.
- Quintero JE, McMahon DG (1999b) Serotonin modulates glutamate responses in isolated suprachiasmatic nucleus neurons. *J Neurophysiol* 82:533–539.
- Ralph MR, Menaker M (1988) A mutation of the circadian system in golden hamsters. *Science* 241:1225–1227.
- Ratto GM, Robinson DW, Yan B, McNaughton PA (1991) Development of the light response in neonatal mammalian rods. *Nature* 351:654–657.
- Rea MA (1998) Photic entrainment of circadian rhythms in rodents. *Chronobiol Int* 15:395–423.
- Rea MA, Buckley B, Lutton LM (1993) Local administration of EAA antagonists blocks light-induced phase shifts and c-fos expression in hamster SCN. *Am J Physiol* 265:R1191–R1198.
- Rea MA, Glass JD, Colwell CS (1994) Serotonin modulates photic responses in the hamster suprachiasmatic nuclei. *J Neurosci* 14:3635–3642.
- Rea MA, Pickard GE (2000) Serotonergic modulation of photic entrainment in the Syrian hamster. *Biol Rhythm Res* 31:284–314.
- Reebs SG, Mrosovsky N (1989) Effects of induced wheel running on the circadian activity rhythms of Syrian hamsters: entrainment and phase response curve. *J Biol Rhythms* 4:39–48.
- Refinetti R (2001) Dark adaptation in the circadian system of the mouse. *Physiol Behav* 74:101–107.
- Refinetti R (2003) Effects of prolonged exposure to darkness on circadian photic responsiveness in the mouse. *Chronobiol Int* 20:417–440.
- Reppert SM, Weaver DR (2001) Molecular analysis of mammalian circadian rhythms. *Annu Rev Physiol* 63:647–676.
- Reppert SM, Weaver DR (2002) Coordination of circadian timing in mammals. *Nature* 418:935–941.
- Ribak CE, Peters A (1975) An autoradiographic study of the projections from the lateral geniculate body of the rat. *Brain Res* 92:341–368.
- Roca AL, Weaver DR, Reppert SM (1993) Serotonin receptor gene expression in the rat suprachiasmatic nuclei. *Brain Res* 608:159–165.
- Roenneberg T, Foster RG (1997) Twilight times: light and the circadian system. *Photochem Photobiol* 66:549–561.

- Ruby NF, Brennan TJ, Xie X, Cao V, Franken P, Heller HC, O'Hara BF (2002) Role of melanopsin in circadian responses to light. *Science* 298:2211–2213.
- Rueter LE, Jacobs BL (1996) A microdialysis examination of serotonin release in the rat forebrain induced by behavioral/environmental manipulations. *Brain Res* 739:57–69.
- Sanggaard KM, Hannibal J, Fahrenkrug J (2003) Serotonin inhibits glutamate—but not PACAP-induced per gene expression in the rat suprachiasmatic nucleus at night. *Eur J Neurosci* 17:1245–1252.
- Schwartz DH, McClane S, Hernandez L, Hoebel BG (1989) Feeding increases extracellular serotonin in the lateral hypothalamus of the rat as measured by microdialysis. *Brain Res* 479:349–354.
- Selim M, Glass JD, Hauser UE, Rea MA (1993) Serotonergic inhibition of light-induced fos protein expression and extracellular glutamate in the suprachiasmatic nuclei. *Brain Res* 621:181–188.
- Sheward WJ, Lutz EM, Harmar AJ (1995) The distribution of vasoactive intestinal peptide2 receptor messenger RNA in the rat brain and pituitary gland as assessed by in situ hybridization. *Neuroscience* 67:409–418.
- Shibata S, Liou SY, Ueki S (1986) Influence of excitatory amino acid receptor antagonists and of baclofen on synaptic transmission in the optic nerve to the suprachiasmatic nucleus in slices of rat hypothalamus. *Neuropharmacol* 25:403–409.
- Shibata S, Oomura Y, Hattori K, Kita H (1984) Responses of suprachiasmatic nucleus neurons to optic nerve stimulation in rat hypothalamic slice preparation. *Brain Res* 302:83–89.
- Shibata S, Watanabe A, Hamada T, Ono M, Watanabe S (1994) N-methyl-D-aspartate induces phase shifts in circadian rhythm of neuronal activity of rat SCN in vitro. *Am J Physiol* 267:R360–4.
- Shigeyoshi Y, Taguchi K, Yamamoto S, Takekida S, Yan L, Tei H, Moriya T, Shibata S, Loros JJ, Dunlap JC, Okamura H (1997) Light-induced resetting of a mammalian circadian clock is associated with rapid induction of the *mPer1* transcript. *Cell* 91:1043–1053.
- Shimomura K, Menaker M (1994) Light-induced phase shifts in *tau* mutant hamsters. *J Biol Rhythms* 9:97–110.
- Shioda S, Shuto Y, Somogyavari-Vigh A, Legradi G, Onda H, Coy DH, Nakajo S, Arimura A (1997) Localization and gene expression of the receptor for pituitary adenylate cyclase-activating polypeptide in the rat brain. *Neurosci Res* 28:345–354.
- Shioiri T, Takahashi K, Yamada N, Takahashi S (1991) Motor activity correlates negatively with free-running period, while positively with serotonin contents in SCN in free-running rats. *Physiol Behav* 49:779–786.
- Smale L, Lee T, Nunez AA (2003) Mammalian diurnality: some facts and gaps. *J Biol Rhythms* 18:356–366.
- Smart CM, Biello SM (2001) WAY-100635, a specific 5-HT<sub>1A</sub> antagonist, can increase the responsiveness of the mammalian circadian pacemaker to photic stimuli. *Neurosci Lett* 305:33–36.
- Smith BN, Banfield BW, Smeraski CA, Wilcox CL, Dudek FE, Enquist LW, Pickard GE (2000) Pseudorabies virus expressing enhanced green fluorescent protein: A tool for in vitro electrophysiological analysis of transsynaptically labeled neurons in identified central nervous system circuits. *Proc Natl Acad Sci USA* 97:9264–9269.
- Smith BN, Sollars PJ, Dudek FE, Pickard GE (2001) Serotonergic modulation of retinal input to the mouse suprachiasmatic nucleus mediated by 5-HT<sub>1B</sub> and 5-HT<sub>7</sub> receptors. *J Biol Rhythms* 16:25–38.
- Sollars PJ, Ogilvie MD, Rea MA, Pickard GE (2002) 5-HT<sub>1B</sub> receptor knockout mice exhibit an enhanced response to constant light. *J Biol Rhythms* 17:428–437.

- Sollars PJ, Smeraski CA, Kaufman JD, Ogilvie MD, Provencio I, Pickard GE (2003) Melanopsin and non-melanopsin expressing retinal ganglion cells innervate the hypothalamic suprachiasmatic nucleus. *Vis Neurosci* 20:601–610.
- Soscia SJ, Harrington ME (2005) Neuropeptide Y does not reset the circadian clock in NPY  $Y2^{-/-}$  mice. *Neurosci Lett* 373:175–178.
- Summers TL, Ferraro JS, McCormack CE (1984) *Am J Physiol* 246:R299.
- Sumova A, Bendova Z, Sladek M, Kovacicova Z, Illnerova H (2004) Seasonal molecular timekeeping within the rat circadian clock. *Physiol Res* 53 Suppl 1:S167–S176.
- Swanson LW, Cowan WM, Jones EG (1974) An autoradiographic study of the efferent connections of the ventral lateral geniculate nucleus in the albino rat and the cat. *J Comp Neurol* 156:143–163.
- Takahashi JS, DeCoursey PJ, Bauman L, Menaker M (1984) Spectral sensitivity of a novel photoreceptive system mediating entrainment of mammalian circadian rhythms. *Nature* 308:186–188.
- Takahashi S, Yoshinobu Y, Aida R, Shimomura H, Akiyama M, Moriya T, Shibata S (2002) Extended action of MKC-242, a selective 5-HT(1A) receptor agonist, on light-induced Per gene expression in the suprachiasmatic nucleus in mice. *J Neurosci Res* 68:470–478.
- Takatsuji K, Miguel-Hidalgo JJ, Tohyama M (1991b) Retinal fibers make synaptic contact with neuropeptide Y and enkephalin immunoreactive neurons in the intergeniculate leaflet of the rat. *Neurosci Lett* 125:73–76.
- Takatsuji K, Miguel-Hidalgo JJ, Tohyama M (1991a) Substance P-immunoreactive innervation from the retina to the suprachiasmatic nucleus in the rat. *Brain Res* 568:223–229.
- Tarttelin EE, Bellingham J, Bibb LC, Foster RG, Hankins MW, Gregory-Evans K, Gregory-Evans CY, Wells DJ, Lucas RJ (2003) Expression of opsin genes early in ocular development of humans and mice. *Exp Eye Res* 76:393–396.
- Tessonnaud A, Cooper HM, Caldani M, Locatelli A, Viguier-Martinez MC (1994) The suprachiasmatic nucleus in the sheep: retinal projections and cytoarchitectural organization. *Cell Tissue Res* 278:65–84.
- Thapan K, Arendt J, Skene DJ (2001) An action spectrum for melatonin suppression: evidence for a novel non-rod, non-cone photoreceptor system in humans. *J Physiol* 535:261–267.
- Thresher RJ, Vitaterna MH, Miyamoto Y, Kazantsev A, Hsu DS, Petit C, Selby CP, Dawut L, Smithies O, Takahashi JS, Sancar A (1998) Role of mouse cryptochrome blue-light photoreceptor in circadian photoresponses. *Science* 282:1490–1494.
- Tischkau SA, Mitchell JW, Tyan SH, Buchanan GF, Gillette MU (2003) CREB-dependent activation of *Per1* is required for light-induced signaling in the suprachiasmatic nucleus circadian clock. *J Biol Chem*. 278:718–723.
- Toh KL, Jones CR, He Y, Eide EJ, Hinz WA, Virshup DM, Ptacek LJ, Fu YH (2001) An *hPer2* phosphorylation site mutation in familial advanced sleep phase syndrome. *Science* 291:1040–1043.
- Tominaga K, Shibata S, Ueki S, Watanabe S (1992) Effects of 5-HT1A receptor agonists on the circadian rhythm of wheel-running activity in hamsters. *Eur J Pharmacol* 214:79–84.
- Travnickova Z, Sumova A, Peters R, Schwartz WJ, Illnerova H (1996) Photoperiod-dependent correlation between light-induced SCN c-fos expression and resetting of circadian phase. *Am J Physiol* 271:R825–R831.
- Ueda S, Kawata M, Sano Y (1983) Identification of serotonin- and vasopressin immunoreactivities in the suprachiasmatic nucleus of four mammalian species. *Cell Tissue Res* 234:237–248.
- Usdin TB, Bonner TI, Mezey E (1994) Two receptors for vasoactive intestinal polypeptide with similar specificity and complementary distribution. *Endocrinol* 135:2662–2680.

- van de Kar LD, Lorens SA (1979) Differential serotonergic innervation of individual hypothalamic nuclei and other forebrain regions by the dorsal and median midbrain raphe nuclei. *Brain Res* 162:45–54.
- van den Pol AN (1991) Glutamate and aspartate immunoreactivity in hypothalamic presynaptic axons. *J Neurosci* 11:2087–2101.
- van den Pol AN, Tsujimoto KL (1985) Neurotransmitters of the hypothalamic supra-chiasmatic nucleus: immunocytochemical analysis of 25 neuronal antigens. *Neuroscience* 15:1049–1086.
- Vaudry D, Gonzalez BJ, Basille M, Yon L, Fournier A, Vaudry H (2000) Pituitary adenylate cyclase-activating polypeptide and its receptors: from structure to functions. *Pharmacol Rev* 52:269–324.
- Vitaterna MH, Selby CP, Todo T, Niwa H, Thompson C, Fruechte EM, Hitomi K, Thresher RJ, Ishikawa T, Miyazaki J, Takahashi JS, Sancar A (1999) Differential regulation of mammalian period genes and circadian rhythmicity by cryptochromes 1 and 2. *Proc Natl Acad Sci USA* 96:12114–12119.
- Wadhwa S, Rath S, Jotwani G, Bijlani V (1990) Development of substance P, Leu-enkephalin and serotonin profiles in the lateral geniculate nuclear complex of albino rat. *Neurosci Lett* 120:146–150.
- Wakamatsu H, Takahashi S, Moriya T, Inouye ST, Okamura H, Akiyama M, Shibata S (2001) Additive effect of mPer1 and mPer2 antisense oligonucleotides on light-induced phase shift. *Neuroreport* 12:127–131.
- Warren EJ, Allen CN, Brown RL, Robinson DW (2003) Intrinsic light responses of retinal ganglion cells projecting to the circadian system. *Eur J Neurosci* 17:1727–1735.
- Watanabe K, Deboer T, Meijer JH (2001) Light-Induced resetting of the circadian pacemaker: quantitative analysis of transient versus steady-state phase shifts. *J Biol Rhythms* 16:564–573.
- Weaver DR, Reppert SM (1995) Definition of the developmental transition from dopaminergic to photic regulation of c-fos gene expression in the rat suprachiasmatic nucleus. *Mol Brain Res* 33:136–148.
- Weber ET, Gannon RL, Rea MA (1995) cGMP-dependent protein kinase inhibitor blocks light-induced phase advances of circadian rhythms in vivo. *Neurosci Lett* 197:227–230.
- Weber ET, Rea MA (1997) Neuropeptide Y blocks light-induced phase advances but not delays of the circadian activity rhythm in hamsters. *Neurosci Lett* 231:159–162.
- Welsh DK, Logothetis DE, Meister M, Reppert SM (1995) Individual neurons dissociated from rat suprachiasmatic nucleus express independently phased circadian firing rhythms. *Neuron* 14:697–706.
- Wright KP, Jr., Hughes RJ, Kronauer RE, Dijk DJ, Czeisler CA (2001) Intrinsic near-24-h pacemaker period determines limits of circadian entrainment to a weak synchronizer in humans. *Proc Natl Acad Sci U S A* 98:14027–14032.
- Xiao B, Tu JC, Worley PF (2000) Homer: a link between neural activity and glutamate receptor function. *Curr Opin Neurobiol* 10:370–374.
- Yamaguchi S, Isejima H, Matsuo T, Okura R, Yagita K, Kobayashi M, Okamura H (2003) Synchronization of cellular clocks in the suprachiasmatic nucleus. *Science* 302:1408–1412.
- Yan L, Takekida S, Shigeyoshi Y, Okamura H (1999) Per1 and Per2 gene expression in the rat suprachiasmatic nucleus: circadian profile and the compartment-specific response to light. *Neuroscience* 94:141–150.
- Yannielli P, Harrington ME (2004) Let there be “more” light: enhancement of light actions on the circadian system through non-photoc pathways. *Prog Neurobiol* 74:59–76.

- Yannielli PC, Brewer JM, Harrington ME (2004) Blockade of the NPY Y5 receptor potentiates circadian responses to light: complementary in vivo and in vitro studies. *Eur J Neurosci* 19:891–897.
- Yannielli PC, Harrington ME (2000) Neuropeptide Y applied in vitro can block the phase shifts induced by light in vivo. *Neuroreport* 11:1587–1591.
- Yannielli PC, Harrington ME (2001a) The neuropeptide Y Y5 receptor mediates the blockade of “photic-like” NMDA-induced phase shifts in the golden hamster. *J Neurosci* 21:5367–5373.
- Yannielli PC, Harrington ME (2001b) Neuropeptide Y in the mammalian circadian system: effects on light-induced circadian responses. *Peptides* 22:547–556.
- Ying SW, Rusak B (1997) 5-HT7 receptors mediate serotonergic effects on light-sensitive suprachiasmatic nucleus neurons. *Brain Res* 755:246–254.
- Zhang Y, Van Reeth O, Zee PC, Takahashi JS, Turek FW (1993) Fos protein expression in the circadian clock is not associated with phase shifts induced by a nonphotic stimulus, triazolam. *Neurosci Lett* 164:203–208.
- Zheng B, Albrecht U, Kaasik K, Sage M, Lu W, Vaishnav S, Li Q, Sun ZS, Eichele G, Bradley A, Lee CC (2001) Nonredundant roles of the *mPer1* and *mPer2* genes in the mammalian circadian clock. *Cell* 105:683–694.
- Zheng B, Larkin DW, Albrecht U, Sun ZS, Sage M, Eichele G, Lee CC, Bradley A (1999) The *mPer2* gene encodes a functional component of the mammalian circadian clock. *Nature* 400:169–173.
- Zylka MJ, Shearman LP, Weaver DR, Reppert SM (1998) Three period homologs in mammals: differential light responses in the suprachiasmatic circadian clock and oscillating transcripts outside of brain. *Neuron* 20:1103–1110.

---

# Subject Index

- 5,7-dihydroxytryptamin (5,7-DHT)
  - 20, 22–24
- 5-HT *see* serotonin
- 5-carboxamidotryptamine (5-CT) 24
- 8-OH-DPAT 21, 22, 24–27
  
- adenylate cyclase 9
- arginine-vasopressin (AVP) 21
- arousal *see* non-photoc regulation
  
- blind mole rat 7
- BMAL1 *see* clock genes
- brain slice 4, 18, 24, 25, 27
  
- c-fos* 13, 16, 18, 27
- casein kinase  $\epsilon$  (CKI $\epsilon$ ) *see* clock genes
- CGS 12066 25
- cholera toxin subunit B (CTb) 6, 8, 21
- CKI $\epsilon$  *see* clock genes
- CLOCK *see* clock genes
- clock genes 4, 5
  - antisense oligodeoxynucleotides 26
  - BMAL1 4
  - casein kinase  $\epsilon$  (CKI $\epsilon$ ) 4, 5
  - CLOCK 4
  - cryptochromes (CRY1, CRY1) 4
  - DEC1, DEC2 4
  - PERIOD (*per1*, *per2*) 4, 16–18, 26, 27, 30, 31
  - REV-ERB 5
  - TIMELESS (TIM) 4
- cones 1, 7, 10, 13, 14
- cryptochromes (CRY1, CRY1) *see* clock genes
- cyclic AMP (cAMP) 16, 26, 29
  
- dark adaptation 12
- DEC1, DEC2 *see* clockgenes
- Dexas1 16, 29
- diurnal animal
  - electrophysiology 15
  - PRC 11, 12
- DOI 24
- dorsal raphe nucleus (DRN) *see* non-photoc regulation
  
- endogenous period ( $\tau$ ) 1, 3, 11
- endogenous rhythm 3
- enhanced green fluorescent protein (EGFP) 8
- enkephalin 19, 28, 29
- entrainment 1, 12, 14, 31
- excitatory postsynaptic currents (EPSCs) 25
  
- feeding *see* non-photoc regulation
- FluoroGold 7
  
- gamma aminobutyric acid (GABA) 3, 4, 19, 21, 28, 29
- gastrin releasing peptide (GRP) 2
- geniculo-hypothalamic tract (GHT) 1, 19, 20
- glutamate
  - glutamate receptors (NMDA, AMPA/kainate, metabotropic) 9, 13, 16, 17, 30
  - neurotransmitter in RHT 2, 9, 13, 15, 17
  - signal transduction 16, 26, 29
  
- Homer-1a* 17
  
- intergeniculate leaflet (IGL)
  - neurotransmitters 29
  - projections 6, 20, 21
  - receptors 29
- intrinsic photosensitive retinal ganglion cells (ipRGCs) *see* melanopsin
  
- median raphe nucleus (MRN) *see* non-photoc regulation



- melanopsin 1, 7, 8, 10, 11  
 – absorption spectrum 11  
 – intrinsic photosensitive retinal ganglion cells (ipRGCs) 1, 7, 10, 11, 14  
 melatonin 12  
 MKC-242 25, 27  
 N-acetylasparthylglutamate (NAAG) 9  
 neuropeptide Y (NPY) 3, 19, 27–30  
 nocturnal animal 3  
 – electrophysiology 15  
 – PRC 11, 12  
 non-photoc regulation  
 – arousal 1, 19, 23, 31  
 – feeding 1, 19, 31  
 – hypertonic saline 19, 23  
 – neuronal pathways  
   dorsal raphe nucleus (DRN) 20, 22–24  
   geniculo-hypothalamic tract (GHT) 1, 29, 31  
   midbrain raphe projection 20, 31  
 – neurotransmitters 29  
 – novelty-induced wheel running 19, 23, 24, 26  
 – phase shift 19, 27, 29  
 – serotonin *see* serotonin (5-HT)  
 – sleep deprivation 1, 19, 23, 31  
 – triazolam 19, 23  
 p-chloroamphetamine 23  
 PACAP *see* pituitary adenylate cyclase activating polypeptide  
 PACAP receptors *see* PACAP  
 PERIOD genes (per1, per2) *see* clock genes  
 phase response curve (PRC)  
 – non-photoc 19  
 – photic 11  
 phospholipase C 9  
 photoentrainment 1  
 photopigment 1  
 photoreceptor 1, 10, 13, 31  
 pindolol 21, 24  
 pituitary adenylate cyclase activating polypeptide (PACAP) 2, 6, 8, 13, 15  
 – receptors (PAC1, VPAC1, VPAC2) 9, 17  
 – signal transduction 16, 26, 29  
 protein kinase A (PKA) 26  
 protein kinase C 29  
 PRV-Bartha virus 8  
 quipazine 26  
 raphe nuclei 1, 20, 22  
 receptors  
 – glutamate receptors *see* glutamate (NMDA, AMPA/kainate, metabotropic)  
 retinohypothalamic tract (RHT) 6  
 – intrinsic photosensitive retinal ganglion cells (ipRGCs) 7, 10, 14  
 – neurotransmitters 8, 9, 13, 15, 17  
 – projections 6, 7  
 – receptors 9, 10, 17, 18  
 – signal transduction 16, 26, 29  
 REV-ERB *see* clock genes  
 RHT 2  
 ritanserin 21, 25  
 rods 1, 10, 13, 14  
 serotonin (5-HT) 3, 20, 22  
 – 5-HT receptors 21  
   5-HT<sub>1A</sub> 21, 22, 24, 25, 27  
   5-HT<sub>1B</sub> 21, 25  
   5-HT<sub>1C</sub> 21  
   5-HT<sub>2</sub> 21, 24, 25  
   5-HT<sub>7</sub> 21, 24, 25  
 – circadian release 22  
 – light-induced phase 24, 25  
 – signal transduction 26, 29  
 sleep deprivation *see* non-photoc regulation  
 subfamily C (TRPC) cation channel 14  
 substance P (SP) 9  
 suprachiasmatic nucleus (SCN)  
 – AVP 2, 10, 21  
 – clock genes 4, 5  
 – core and shell 2, 3  
 – electrical firing rhythm 4, 13  
 – GRP 2  
 – VIP 2, 9, 10, 20, 21, 28  
 $\tau$  1, 3–5, 11, 12, 26  
 TFMPP 25  
 TIMELESS (TIM) *see* clock genes  
 tracing, anterograde, retrograde  
 – cholera toxin subunit B (CTb) 6–8, 21

- 
- enhanced green fluorescent protein (EGFP) 8
  - PRV-Bartha 8
  - transient receptor potential (TRP) subfamily C (TRPC) cation channel 14
  - vasoactive intestinal polypeptide (VIP) 2, 8-10, 20, 21
  - WAY 100635 22
  - zeitgeber 1, 3