

Bibliography

- [1] D. Abramovich, *Subvarieties of abelian varieties and Jacobians of curves*, PhD-Thesis, Harvard University, April 1991.
- [2] D. Abramovich, *Subvarieties of semiabelian varieties*, Preprint, March 1992.
- [3] D. Abramovich, *Addendum to "Curves and abelian varieties on $W_d(C)$ "*, (sic) December 1991.
- [4] D. Abramovich, J. Harris, *Abelian varieties and curves in $W_d(C)$* , *Compositio Math.* 78, 227–238 (1991).
- [5] E. Arbarello, M. Cornalba, P.A. Griffith and J. Harris, *Geometry of Algebraic Curves, Vol. I*, Grundlehren der Mathematische Wissenschaften 267, Springer.
- [6] A. Alzati and G. Pirola, *On curves in $C^{(2)}$ generating proper abelian subvarieties of $J(C)$* , Preprint 1992.
- [7] A. Baker, *The theory of linear forms in logarithms*, In: *Transcendence Theory: Advances and Applications*, Academic Press, 1977, pp. 1–27.
- [8] A. Baker, *Transcendental Number Theory*, Cambridge University Press, 1975.
- [9] E. Bombieri, *The Mordell Conjecture revisited*, *Ann. Scu. Sup. Pisa* (1991), 615–640.
- [10] E. Bombieri and W.M. Schmidt, *On Thue's equation*, *Inv. Math.* 88 (1987), 69–81.
- [11] S. Bosch, W. Lütkebohmert and M. Raynaud, *Néron models*, *Ergebnisse der Mathematik und Ihre Grenzgebiete 3. Folge, Band 21*, Springer (1990).
- [12] S. Chowla, *Proof of a conjecture of Julia Robinson*, *Norske Vid. Selsk. Forh. (Trondheim)* 34 (1961), 100–101.
- [13] R. Coleman, *Effective Chabauty*, *Duke Math. J.* 52 (1985), 765–770.
- [14] G. Cornell, J.H. Silverman, *Arithmetic geometry*, Springer 1986.
- [15] M. Coppins, *A remark on curves covered by coverings*, Preprint.
- [16] O. Debarre and R. Fahlouai, *Abelian varieties in $W_d^r(C)$ and rational points on algebraic curves*, To appear in *Compos. Math.* (1993).
- [17] O. Debarre and M.J. Klassen, *Points of low degree on smooth plane curves*, Preprint 1993.
- [18] J.H. Evertse, *On sums of S -units and linear recurrences*, *Compos. Math.* 53 (1984), 225–244.

- [19] J.H. Evertse, *On equations in S -units and the Thue-Mahler equation*, Invent. Math. 75 (1984), 561–584.
- [20] J.H. Evertse, K. Györy, C.L. Stewart and R. Tijdeman, *S -unit equations and their applications*, In: New Advances in Transcendence Theory, Cambridge Univ. Press, 1988, pp. 110–174.
- [21] G. Faltings, *Endlichkeitssätze für abelsche Varietäten über Zahlkörpern*, Inv. Math. 73 (1983), 349–366.
- [22] G. Faltings, *Diophantine approximation on abelian varieties*, Annals of Mathematics 133 (1991), 549–576.
- [23] G. Faltings, *The general case of S. Lang's conjecture*, Manuscript, 1991, 14 pages.
- [24] G. Faltings and G. Wüstholz, *Rational points*, Seminar Bonn/Wuppertal 1983/84, Aspetcs Math. E6, Vieweg 1984.
- [25] A. Grothendieck and J. Dieudonné, *Eléments de Géométrie Algébrique*, Ch. I, II, III, IV, Publications Mathématiques de l'I.H.E.S. 4, 8, 11, 17, 20, 24, 28, 32.
- [26] G.H. Hardy & E.M. Wright, *An Introduction to the Theory of Numbers*, Oxford Univ. Press, 4th ed., 1960.
- [27] R. Hartshorne, *Algebraic geometry*, Graduate Texts in Mathematics 52, Springer 1977.
- [28] R. Hartshorne, *Ample subvarieties of algebraic varieties*, Lecture Notes in Mathematics 156, Springer 1970.
- [29] M. Hindry, *Autour d'une conjecture de Serge Lang*, Inv. Math. 94 (1988), 575–603.
- [30] M. Hindry, *Sur les conjectures de Mordell et Lang (d'après Vojta, Faltings et Bombieri)*, Astérisque 209, Société Mathématique de France (1992).
- [31] R. Kannan, *Algorithmic geometry of numbers*, Ann. Rev. Comput. Sci. 1987, 2: 231–267.
- [32] S. Kawamata, *On Bloch's conjecture*, Inv. Math. 57 (1980), 97–100.
- [33] L. Lafforgue, *Faltings's "Diophantine approximation on abelian varieties"*, manuscript, not published.
- [34] L. Lafforgue, *Une version en Géométrie Diophantienne du "Lemme de l'Indice"*, preprint LMENS-90-6 (1990), Ecole Normale Supérieure, 45 Rue d'Ulm, Paris.
- [35] L. Lafforgue, *Le "Lemme de l'Indice" dans le Cas des Polynômes*, preprint LMENS-90-7 (1990), Ecole Normale Supérieure, 45 Rue d'Ulm, Paris.
- [36] S. Lang, *Fundamentals of diophantine geometry*, Springer 1983.
- [37] S. Lang, *Integral points on curves*, Publ. Math. I.H.E.S. 6 (1960), 27–43.

- [38] S. Lang, *Number theory III*, Encyclop. Math. Sc., Vol. 60 (1991), Springer-Verlag.
- [39] S. Lang, *Hyperbolic and diophantine analysis*, Bull. A.M.S. 14 (1986), 159–205.
- [40] S. Lang, *Abelian varieties*, Intersc. Tracts Math. 7, Intersc. Publ. (1959).
- [41] M. Laurent, *Equations diophantiennes exponentielles*, Inv. Math. 78 (1984), 299–327.
- [42] D.H. Lehmer, *On the diophantine equation $x^3 + y^3 + z^3 = 1$* , J. London Math.Soc. 31 (1956), 275–280.
- [43] A.K. Lenstra, H.W. Lenstra Jr. and L. Lovász, *Factoring polynomials with rational coefficients*, Math. Ann. 261 (1982), 515–534.
- [44] K. Mahler, *Über die rational Punkte auf Kurven vom Geschlecht Eins*, Journ. reine angew. Math. (Crelle) 170 (1934), 168–178.
- [45] Yu. I. Manin, *Rational points of algebraic curves over number fields*, Izv. Akad. Nauk 27 (1963), 1395–1440 [AMS Translat. 50 (1966), 189–234].
- [46] D. Masser, *Elliptic Functions and Transcendence*, Lecture Notes in Math. 437, Springer.
- [47] H. Matsumura, *Commutative algebra*, W.A. Benjamin Co., New York (1970).
- [48] H. Minkowski, *Geometrie der Zahlen*, New York, Chelsea (1953).
- [49] L.J. Mordell, *Diophantine Equations*, Academic Press, 1969.
- [50] L. Moret-Bailly, *Pinceaux de variétés abéliennes*, Astérisque 129, Société Mathématique de France (1985).
- [51] S. Mori and S. Mukai, *The Uniruledness of the moduli space of curves of genus 11*, Appendix: Mumford's theorem on curves on K3 surfaces. Algebraic Geometry, Tokyo/Kyoto 1982 (Ed. M. Raynaud and T. Shioda). Lecture Notes in Math. 1016, pp. 334–353, Appendix pp.351–353.
- [52] D. Mumford, *Abelian varieties*, Tata Inst. of Fund. Res. and Oxford Univ. Press 1974.
- [53] D. Mumford, *A remark on Mordell's conjecture*, Amer. J. Math., 87 (1965), 1007–1016.
- [54] A. Neeman, *Weierstrass points in characteristic p* , Inv. Math. 75 (1984), 359–376.
- [55] J. Noguchi, *A higher dimensional analogue of Mordell's conjecture over function fields*, Math. Ann. 258 (1981), 207–212.
- [56] J. Noguchi, *Lemma on logarithmic derivatives and holomorphic curves in algebraic varieties*, Nagoya Math. J. 83 (1981), 213–233.
- [57] T. Ochiai, *On holomorphic curves in algebraic varieties with ample irregularity*, Invent. Math. 43 (1977), 83–96.

- [58] O. Perron, *Die Lehre von den Kettenbrüchen*, Teubner, 3. Auflage, 1954.
- [59] A.J. v.d. Poorten and H.P. Schlickewei, *Additive relations in fields*, J. Austral. Math. Soc., Series A, 51 (1991), 154–170.
- [60] M. Raynaud, *Courbes sur une variété abélienne et points de torsion*, Invent. Math. 71 (1983), 207–233.
- [61] K.F. Roth, *Rational approximations to algebraic numbers*, Mathematika 2, 1–20, Corr. 168 (1955).
- [62] P. Samuel, *Théorie algébrique des nombres*, Collection Méthodes, Hermann (1967).
- [63] H.P. Schlickewei, *An explicit upper bound for the number of solutions of the S -unit equations*, J. reine angew. Math. 406 (1990), 109–120.
- [64] H.P. Schlickewei, *The p -adic Thue-Siegel-Roth-Schmidt theorem*, Arch. Math. 29 (1977), 267–270.
- [65] W.M. Schmidt, *Diophantine Approximation*, Lecture Notes in Math. 785.
- [66] W.M. Schmidt, *The subspace theorem in diophantine approximations*, Compos. Math. 69 (1989), 121–173.
- [67] W.M. Schmidt, *Diophantine Approximations and Diophantine Equations*, Lecture Notes in Math. 1467.
- [68] W.M. Schmidt, *Simultaneous approximation to algebraic numbers by rationals*, Acta Math. 125 (1970), 189–201.
- [69] W.M. Schmidt, *Norm form equations*, Annals of Math. 96 (1972), 526–551.
- [70] J-P. Serre, *Lectures on the Mordell-Weil theorem*, Asp. Math. E15, Vieweg 1989.
- [71] J-P. Serre, *Groupes Algébriques et Corps de Classes*, 2ème édition, Hermann, Paris.
- [72] T.N. Shorey and R. Tijdeman, *Exponential Diophantine Equations*, Cambridge Univ. Press, 1986.
- [73] C.L. Siegel, *Lectures on the Geometry of Numbers*, Springer Verlag, 1989.
- [74] C.L. Siegel, *Über einige Anwendungen Diophantischer Approximationen*, Abh. Preuss. Akad. Wissensch. Phys. Math. Kl. (1929), 41–69.
- [75] J. H. Silverman, *Integral points on abelian surfaces are widely spaced*, Compos. Math. 61 (1987), 253–266.
- [76] C. Soulé et al., *Lectures on Arakelov geometry*, Cambridge studies in advanced mathematics 33, Cambridge University Press 1992.
- [77] N. Tzanakis and B.M.M. de Weger, *On the practical solution of the Thue equation*, J. Number Th. 31 (1989), 99–132.

- [78] N. Tzanakis and B.M.M. de Weger, *How to solve explicitly a Thue-Mahler equation*, Memorandum No. 905, Univ. Twente, Nov. 1990.
- [79] K. Ueno, *Classification theory of algebraic varieties and compact complex spaces*, Lecture Notes in Math. 439.
- [80] P. Vojta, *Diophantine approximations and value distribution theory*, Lecture Notes in Math. 1239.
- [81] P. Vojta, *Applications of arithmetic algebraic geometry to Diophantine approximations*, Lectures given at a CIME summer school in Trento, Italy (1991), Preprint, to appear in a Lecture Notes in Mathematics.
- [82] P. Vojta, *A refinement of Schmidt's Subspace Theorem*, Am. J. Math. 111 (1989), 489–518.
- [83] P. Vojta, *Integral points on subvarieties of semi-abelian varieties*, Manuscript December 1991, 26 pp.
- [84] P. Vojta, *Arithmetic discriminants and quadratic points on curves*, In: Arithmetic Algebraic Geometry. Eds. G. van der Geer, F. Oort, J. Steenbrink. Progress in Math. 89 (1991).
- [85] B.L. van der Waerden, *Geometry and Algebra in Ancient Civilizations*, Springer, 1983.
- [86] B.M.M. de Weger, *Algorithms for Diophantine Equations*, C.W.I. Tract No. 65, Centr. Math. Comp. Sci., Amsterdam, 1989.
- [87] A. Weil, *Basic number theory*, Springer 1967.
- [88] A. Weil, *Variétés Abéliennes et Courbes Algébriques*, Hermann, Paris (1948).
- [89] E. Wirsing, *On approximations of algebraic numbers by algebraic numbers of bounded degree*, Proc. Symp. Pure Math. 20, Number Theory Institute, D.J. Lewis ed., AMS, Providence R.I., 1971, pp. 213–247.