

References

- [AIL] L. Avramov, S. Iyengar, J. Lipman, Reflexivity and rigidity for complexes, preprint.
- [AJL] L. Alonso Tarrío, A. Jeremías López, J. Lipman, Local homology and cohomology on schemes, *Ann. Scient. Éc. Norm. Sup.*, 30 (1997), pp. 1–39.
- [AJL'] ———, A. Jeremías López, J. Lipman, Duality and flat base change on formal schemes, *Contemporary Math.*, 244 (1999), pp. 3–90.
- [AJS] L. Alonso Tarrío, A. Jeremías López, M. J. Souto Salorio, Localization in categories of complexes and unbounded resolutions, *Canadian Math. J.*, 52 (2000), pp. 225–247.
- [AHK] A. Altman, R. Hoobler, S. L. Kleiman, A note on the base change map for cohomology, *Compositio Math.*, 27 (1973), pp. 25–37.
- [Ay] J. Ayoub, *Les six opérations de Grothendieck et le formalisme des cycles évanescents dans le monde motivique*, Astérisque, Soc. Math. de France, 2007. <<http://www.math.uiuc.edu/K-theory/0761/THESE.pdf>>.
- [B] N. Bourbaki, *Algèbre, Chap. 10, Algèbre Homologique*, Masson, Paris, 1980.
- [B'] ———, *Algèbre Commutative, Chap. 1, Modules Plats*, Hermann, Paris, 1961.
- [BB] A. Bondal, M. van den Bergh, Generators and representability of functors in commutative and noncommutative geometry, *Moscow Math. J.*, 3 (2003), pp. 1–36.
- [BN] M. Bökstedt, A. Neeman, Homotopy limits in triangulated categories, *Compositio Math.*, 86 (1993), pp. 209–234.
- [Bt] P. Berthelot, Immersions régulières et calcul du K^\bullet d'un schéma éclaté, in *Théorie des Intersections et Théorème de Riemann-Roch (SGA 6)*, Lecture Notes in Math., no. 225, Springer-Verlag, New York, 1971, pp. 416–465.
- [C] B. Conrad, *Grothendieck Duality and Base Change*, Lecture Notes in Math., no. 1750, Springer-Verlag, New York, 2000.
- [C'] B. Conrad, Deligne's notes on Nagata compactifications, *J. Ramanujan Math. Soc.* 22 (2007), 250–257.
- [De] P. Deligne, Cohomologie à supports propres, in *Théorie des Topos et Cohomologie Étale des Schémas (SGA 4) Tome 3*, Lecture Notes in Math., no. 305, Springer-Verlag, New York, 1973, pp. 250–461.
- [De'] ———, Cohomologie à support propre et construction du foncteur $f^!$, in *Residues and Duality*, Lecture Notes in Math., no. 20, Springer-Verlag, New York, 1966, pp. 404–421.
- [Do] A. Dold, Zur Homotopie theorie der Kettenkomplexe, *Math. Annalen*, 140 (1960), pp. 278–298.

- [EK] S. Eilenberg, G. M. Kelly, Closed categories, in *Proceedings of the Conference on Categorical Algebra, La Jolla 1965*, edited by S. Eilenberg, D. K. Harrison, S. Mac Lane and H. Röhrl, Springer-Verlag, New York, 1966, pp. 421–562.
- [E] F. Elzein, Complexe dualisant et applications à la classe fondamentale d'un cycle, *Bull. Soc. Math. France*, Mémoire 58 (1978).
- [G] R. Godement, *Théorie des faisceaux*, Act. Sci. et Industrielles no. 1252, Hermann, Paris, 1964.
- [Gl] P.-P. Grivel, Catégories dérivées et foncteurs dérivées, in *Algebraic D-modules*, by A. Borel et al., Academic Press, Orlando, Florida, 1987, pp. 1–108.
- [Gl'] ———, Une démonstration du théorème de dualité de Verdier, *L'Enseignement Math.*, 31, 1985, pp. 227–247.
- [Gr] A. Grothendieck, Sur quelques points d'algèbre homologique, *Tôhoku Math. Journal*, 9 (1957), pp. 119–221.
- [Gr'] ———, The cohomology theory of abstract algebraic varieties, in *Proceedings of the International Congress of Mathematicians (Edinburgh, 1958)*, Cambridge Univ. Press, New York, 1960, pp. 103–118.
- [EGA] A. Grothendieck, J. Dieudonné, *Éléments de Géométrie Algébrique*, **II**, Publ. Math. IHES, 8 (1961); **III**, *ibid.*, 11 (1961), 17 (1963); **IV**, *ibid.*, 20 (1964), 24 (1965), 28 (1966), 32 (1967).
- [GD] ———, *Éléments de Géométrie Algébrique I*, Springer-Verlag, New York, 1971.
- [GV] A. Grothendieck, J.-L. Verdier, Préfaisceaux, in *Théorie des Topos et Cohomologie Étale des Schémas (SGA 4)*, Lecture Notes in Math., no. 269, Springer-Verlag, New York, 1972, pp. 1–184.
- [H] R. Hartshorne, *Residues and Duality*, Lecture Notes in Math., no. 20, Springer-Verlag, New York, 1966.
- [HS] R. Hübl, P. Sastry, Regular differential forms and relative duality, *Amer. J. Math.*, 115 (1993), pp. 749–787.
- [Hsh] M. Hashimoto, Equivariant twisted inverses, in *Foundations of Grothendieck Duality for Diagrams of Schemes*, Lecture Notes in Math., no. 1960, Springer-Verlag, New York, 2009, 263–474.
- [I] L. Illusie, Généralités sur les conditions de finitude dans les catégories dérivées, etc., in *Théorie des Intersections et Théorème de Riemann-Roch (SGA 6)*, Lecture Notes in Math., no. 225, Springer-Verlag, New York, 1971, pp. 78–273.
- [I'] ———, Catégories dérivées et dualité, travaux de J.-L. Verdier, *L'Enseignement Math.*, 36 (1990), pp. 369–391.
- [Iv] B. Iversen, *Cohomology of Sheaves*, Springer-Verlag, New York, 1986.
- [K] G. M. Kelly, *Basic Concepts of Enriched Category Theory*, Cambridge Univ. Press, 1982.
- [K'] ———, Coherence theorems for lax algebras and for distributive laws, in *Category Seminar, Sydney 1972/73*, Lecture Notes in Math., no. 420, Springer-Verlag, New York, 1974.
- [Kf] G. R. Kempf, Some elementary proofs of basic theorems in the cohomology of quasi-coherent sheaves, *Rocky Mountain J. Math.*, 10 (1980), pp. 637–645.
- [Kl] R. Kiehl, Ein “Descente”-Lemma und Grothendiecks Projektionssatz für nichtnoethersche Schemata, *Math. Annalen*, 198 (1972), pp. 287–316.
- [Kn] S. L. Kleiman, Relative duality for quasi-coherent sheaves, *Compositio Math.*, 41 (1980), pp. 39–60.
- [KS] M. Kashiwara, P. Schapira, *Sheaves on Manifolds*, Springer-Verlag, New York, 1990.
- [L] M. Laplaza, Coherence for distributivity, in *Coherence in Categories*, Lecture Notes in Math., no. 281, Springer-Verlag, New York, 1972, pp. 29–65.

- [L'] ———, A new result of coherence for distributivity, *ibid.*, pp. 214–235.
- [LN] J. Lipman, A. Neeman, Quasi-perfect scheme-maps and boundedness of the twisted inverse image functor, *Illinois J. Math.*, 51 (2007), pp. 209–236.
- [LNS] J. Lipman, S. Nayak, P. Sastry, Pseudofunctorial behavior of Cousin complexes on formal schemes, *Contemporary Math.*, 375 (2005), pp. 3–133.
- [Lp] J. Lipman, *Dualizing sheaves, Differentials, and Residues on Algebraic Varieties*, Astérisque, vol. 117, Soc. Math. de France, 1984.
- [Lp'] ———, Residues and Traces of Differential Forms via Hochschild Homology, *Contemporary Math.*, vol. 61, Amer. Math. Soc., 1987.
- [LO] Y. Laszlo, M. Olsson, The six operations for sheaves on Artin stacks I: finite coefficients, preprint, arXiv:math.AG/0512097 v1, 5 Dec 2005.
- [Lt] W. Lütkebohmert, On compactification of schemes, *Manuscr. Math.*, 80 (1993), pp. 95–111.
- [Lw] G. Lewis, Coherence for a closed functor, in *Coherence in Categories*, Lecture Notes in Math., no. 281, Springer-Verlag, New York, 1972, pp. 148–195.
- [M] S. Mac Lane, *Categories for the Working Mathematician*, Second Edition, Springer-Verlag, New York, 1998.
- [Mb] Z. Mebkhout, *Le formalisme des six opérations de Grothendieck pour les \mathcal{D}_X -modules cohérents*, Travaux en Cours 35, Hermann, Paris, 1989.
- [N] A. Neeman, The Grothendieck duality theorem via Bousfield's techniques and Brown representability, *J. Amer. Math. Soc.*, 9 (1996), pp. 205–236.
- [N'] ———, *Triangulated Categories*, Princeton Univ. Press, Princeton NJ, 2001.
- [N''] ———, *Derived Categories and Grothendieck Duality*, preprint.
- [Nk] S. Nayak, Pasting pseudofunctors, *Contemporary Math.* 375 (2005), pp. 195–271.
- [Nk'] ———, Compactification for essentially finite-type maps, arXiv:0809.1201.
- [R] M. Raussen, C. Skau, Interview with Jean-Pierre Serre, *Notices Amer. Math. Soc.*, 51 (2004), pp. 210–214.
- [S] P. Sastry, Base change and Grothendieck duality for Cohen-Macaulay maps, *Compositio Math.*, 140 (2004), pp. 729–777.
- [S'] P. Sastry, Duality for Cousin complexes, *Contemporary Math.*, 375 (2005), pp. 137–192.
- [Sc] H. Schubert, *Categories*, Springer-Verlag, New York, 1972.
- [Sm] C. Simpson, Explaining Gabriel-Zisman localization to the computer. *J. Automat. Reason.*, 36 (2006), pp. 259–285.
- [Sp] N. Spaltenstein, Resolutions of unbounded complexes, *Compositio Math.*, 65 (1988), pp. 121–154.
- [Sv] S. V. Soloviev, On the conditions of full coherence in closed categories, *J. Pure and Applied Algebra*, 69 (1990), pp. 301–329.
- [TT] R. W. Thomason, T. Trobaugh, Higher algebraic K-theory of schemes and of derived categories, in *The Grothendieck Festschrift*, Vol. III, Progr. Math., 88, Birkhäuser Boston, Boston, MA, 1990, pp. 247–435.
- [V] J.-L. Verdier, Catégories dérivées, état 0, in *Cohomologie Étale (SGA 4 $\frac{1}{2}$)*, Lecture Notes in Math., no. 569, Springer-Verlag, New York, 1977, pp. 262–311.
- [V'] ———, Base change for twisted inverse image of coherent sheaves, in *Algebraic Geometry (Bombay, 1968)*, Oxford Univ. Press, London, 1969, pp. 393–408.
- [Vj] P. Vojta, Nagata's embedding theorem, arXiv:0706.1907v1.
- [W] C. Weibel, *An introduction to homological algebra*, Cambridge Univ. Press, Cambridge, 1994.
- [YZ] A. Yekutieli, J. Zhang, Rigid dualizing complexes on schemes, (preliminary version of a series of papers), arXiv:math.AG/0405570 v3, 7 Apr 2005.

Index

- $\bullet^!$ (twisted inverse image), 203
- \otimes (left-derived tensor product), 63
- \bullet^\times (right adjoint of $\mathbf{R}\bullet_*$), 161
 - $\bullet^!(\bullet^\times$ for quasi-proper \bullet), 177
- $\mathcal{A}^\#$ (plump subcategory), 36
- \mathcal{A}_X (\mathcal{O}_X -modules), 160
- $\mathcal{A}_X^{\text{qc}}$ (quasi-coherent \mathcal{O}_X -modules), 160
- abstract vs concrete duality, 9
- adjoint Δ -functors, 97
- adjoint pair of pseudofunctors, 122
 - of monoidal pseudofunctors, 122
 - of monoidal Δ -pseudofunctors, 122
 - main example : $(\mathbf{L}f^*, \mathbf{R}f_*)$, 124
- adjointness: derived inverse and
 - direct images, 89
- adjointness: derived tensor and hom, 65
- admissible square, 208
- base-change setup, 204
 - enlarging, 220
- Base Change theorem (for \bullet^\times), 178
 - better for quasi-perfect maps, 197
- base of a triangle, 16
- Base Change theorem (for $\bullet^!$), 208
- bounded functor, 39
- boundeness conditions on complexes
 - or on their homology, 30
- $\chi_{E,F}^f : f^!E \otimes f^*F \rightarrow f^!(E \otimes F)$, 230–233
- closed category, 110
- coherence in categories, 9, 102
- concentrated (= quasi-compact and quasi-separated), 132
- cone, 15
- conjugate base change, 157
- conjugate functorial morphisms, 99
- cylinder, 19
- \mathbf{D} (derived category), 13
 - $\mathbf{D}^*, \overline{\mathbf{D}}^*$, 33
 - $\mathbf{D}_\#, \mathbf{D}_\#^*, \overline{\mathbf{D}}_\#^*$, 35
 - triangulated structure, 22
- \mathbf{D}_{qc} and variants (objects have
 - quasi-coherent homology), 133
 - and $\mathbf{L}f^*$, 133
 - and $\mathbf{R}f_*$, 134
- Δ - (related to triangles), 16
 - Δ -category, 18
 - Δ -subcategory, 29
 - Δ -functor, 25
 - covariant, 25
 - contravariant, 26
 - morphism, 25
 - Δ -adjoint pair of functors, 97
 - Δ -equivalence of categories, 31
 - Δ -pseudofunctor, 121
- \dim^+ (upper dimension), 39
- \dim^- (lower dimension), 39
- Deligne, Pierre, 6, 159, 161, 203, 211
- derived category, 13
- derived tensor product, 63
- dimension of a map, 78
- direct image, 73, 85
 - right-derived, 74, 85
- direct sums in \mathbf{K} and \mathbf{D} , 131
 - compatibility with \otimes and $\mathbf{L}f^*$, 131
- distinguished squares, 204
- duality principle, 106
- duality principle II, 123
- duality, global, 160
- duality, sheafified, 178

- Dualizing Complex, 241
 - uniqueness, 244
 - leading to restricted
 - twisted inverse image, 248
- dualizing complex, 240
 - and $f^!$, 240
- $\mathbf{E}_{\leq n}$, $\mathbf{E}_{\geq n}$ (truncated subcategory), 39
- flasque (flabby), 74
- flat amplitude, 79, 142
- Global Duality theorem, 160
- Godement resolution, 138
- Grothendieck, Alexandre, 5, 6, 79, 83, 159, 239, 249
- H^n (homology functor), 12, 14
- Hartshorne, Robin, 6, 7, 84
- Hashimoto, Mitsuyasu, 7
- homology sequence of a triangle, 24
- homotopy category, 12
- Illusie, Luc, 172
- independent square, 150
 - '-independent, 150
 - Künneth-independent, 150
 - tor-independent, 150
 - equivalence of the above, 153
- internal hom, 110
- inverse image, 73, 85
 - left-derived, 73, 85
- isofaithful map, 151
- \mathbf{K} (homotopy category), 12
 - $\mathbf{K}_\#$, \mathbf{K}^* , $\mathbf{K}_\#^*$, $\overline{\mathbf{K}}^*$, $\overline{\mathbf{K}}_\#^*$, 35
 - triangulated structure, 18
- Künneth map, 145
- Kiehl, Reinhardt, 172
- \mathbf{L} (left-derived functor of), 44
 - $\mathbf{L}f^*$ (derived inverse image), 85
- left-acyclic, 49
 - and derivability, 51
- left-derived functor, 44
- local hypertor, 63
- localizing subcategory, 30
- lower dimension, 39
- Lucier, Bradley, 5
- monoidal category (symmetric), 102
- monoidal Δ -category, 122
- monoidal Δ -pseudofunctor, 122
- morphism of Δ -functors, 25
- Nagata's compactification theorem, 203
- Nayak, Suresh, 6, 203, 240, 249
- Neeman, Amnon, 7, 161, 178, 191, 202, 239, 240
- orientation of a commutative square, 144
 - reversed, 145
- pasting of base-change setups, 211
- pasting of pseudofunctors, 209
- perfect complex, 191, 234
 - perfect amplitude, 191
- perfect map, 191, 231
- plump subcategory, 35
- projection morphisms, 107
 - isomorphisms, 139
- pseudo-coherent (complexes, maps), 172
 - and $\mathbf{L}f^*$, 173
 - and $\mathbf{R}f_*$, 172, 173
 - and $\mathbf{R}\mathcal{H}\text{om}$, 174
 - and projective maps, 175
- pseudofunctor, 120
 - covariant, 120
 - contravariant, 120
 - morphism, 120
 - monoidal, 121
- $Q: \mathbf{K} \rightarrow \mathbf{D}$ (canonical functor), 14
- q-flat, 60
 - q-flat resolution, 61
- q-injective, 52
 - q-injective resolution, 53
- quasi-isomorphism, 13
- quasi-perfect map, 190–198
- quasi-proper, 173
- \mathbf{R} (right-derived functor of), 44
 - $\mathbf{R}f_*$ (derived direct image), 85
 - $\mathbf{R}\mathcal{H}\text{om}^\bullet$ (derived global-hom), 57
 - $\mathbf{R}\mathcal{H}\text{om}^\bullet$ (derived sheaf-hom), 59
 - \mathbf{R}^if_* (higher direct image), 138
 - and \varinjlim , 138
- relative dualizing sheaf, 168
- right-acyclic, 49
 - and derivability, 50
- right-derived functor, 44
- ringed space, 73
 - morphism (map), 73

- Sastry, Pramathanath, 249
- Serre, Jean-Pierre, 6, 8
 - Serre Duality, 9
- Sheafified Duality theorem, 178
- special map, 218
- special subcategory, 217
- summit of a triangle, 16
- symmetric monoidal category, 102
 - dual, 106
- symmetric monoidal closed category, 110
- symmetric monoidal functor, 103

- τ^+ , τ^- (truncation operators), 33
- $\tau_{\leq n}$, $\tau_{\geq n}$ (truncation functors), 37
- θ (base-change for adjoint pair), 127

- tordim (tor-dimension, or flat dimension), 79
 - flat amplitude, 142, 191
- translation functor, 16
- triangle, 16
 - triangulation, 16
 - triangulated category, 18
- truncation functors, 37
- twisted inverse image pseudofunctor, 203

- upper dimension, 39

- van den Bergh, Michel, 239
- Verdier, Jean-Louis, 6, 7, 9, 11, 159, 161

- way-out, 38, 39