

References

1. S. Abramsky and A. Jung, *Domain theory*. Handbook of logic in computer science, Vol. **3**, 1–168, Handb. Log. Comput. Sci., **3**, Oxford University Press, New York, 1994.
2. J. Adámek and J. Rosický, “Locally Presentable and Accessible Categories”. London Mathematical Society Lecture Note Series **189**. Cambridge University Press, Cambridge, 1994. xiv+316 p. ISBN: 0-521-42261-2
3. P. Ara, *The realization problem for von Neumann regular rings*. Ring theory 2007, 21–37, World Sci. Publ., Hackensack, NJ, 2009.
4. P. Ara and K.R. Goodearl, *Leavitt path algebras of separated graphs*, preprint. Available online at <http://arxiv.org/abs/1004.4979>.
5. G.M. Bergman, *Coproducts and some universal ring constructions*, Trans. Amer. Math. Soc. **200** (1974), 33–88.
6. G.M. Bergman and W. Dicks, *Universal derivations and universal ring constructions*, Pacific J. Math. **79** (1978), 293–337.
7. G. Birkhoff, “Lattice Theory”. Corrected reprint of the 1967 third edition. American Mathematical Society Colloquium Publications, Vol. **25**. American Mathematical Society, Providence, R.I., 1979. vi+418 p. ISBN: 0-8218-1025-1
8. C.C. Chang and H.J. Keisler, “Model Theory. Third edition”. Studies in Logic and the Foundations of Mathematics **73**. North-Holland Publishing Co., Amsterdam, 1990. xvi+650 p. ISBN: 0-444-88054-2
9. K.J. Devlin and J.B. Paris, *More on the free subset problem*, Ann. Math. Logic **5** (1972-1973), 327–336.
10. P. Erdős, A. Hajnal, A. Máté, and R. Rado, “Combinatorial Set Theory: Partition Relations for Cardinals”. Studies in Logic and the Foundations of Mathematics **106**. North-Holland Publishing Co., Amsterdam, 1984. 347 p. ISBN: 0-444-86157-2
11. C. Faith and Y. Utumi, *On a new proof of Litoff’s theorem*, Acta Math. Acad. Sci. Hungar. **14** (1963), 369–371.
12. R. Freese, W.A. Lampe, and W. Taylor, *Congruence lattices of algebras of fixed similarity type. I*, Pacific J. Math. **82** (1979), 59–68.
13. R. Freese and R.N. McKenzie, “Commutator Theory for Congruence Modular Varieties”. London Mathematical Society Lecture Note Series, **125**. Cambridge University Press, Cambridge, 1987. iv+227 p. ISBN: 0-521-34832-3. Out of print, available online at <http://www.math.hawaii.edu/~ralph/Commutator/>
14. K.D. Fryer and I. Halperin, *The von Neumann coordinatization theorem for complemented modular lattices*, Acta Sci. Math. (Szeged) **17** (1956), 203–249.
15. P. Gabriel and F. Ulmer, “Lokal Präsentierbare Kategorien” (German). Lecture Notes in Mathematics **221**. Springer-Verlag, Berlin - New York, 1971. v+200 p.

16. G. Gierz, K. H. Hofmann, K. Keimel, J. D. Lawson, M. Mislove, and D. S. Scott, "Continuous Lattices and Domains." Encyclopedia of Mathematics and its Applications, **93**. Cambridge University Press, Cambridge, 2003. xxxvi+591 p. ISBN: 0-521-80338-1
17. P. Gillibert, "Points critiques de couples de variétés d'algèbres" (French). Doctorat de l'Université de Caen, December 8, 2008. Available online at <http://tel.archives-ouvertes.fr/tel-00345793>.
18. P. Gillibert, *Critical points of pairs of varieties of algebras*, Internat. J. Algebra Comput. **19**, no. 1 (2009), 1–40.
19. P. Gillibert, *Critical points between varieties generated by subspace lattices of vector spaces*, J. Pure Appl. Algebra **214**, no. 8 (2010), 1306–1318.
20. P. Gillibert, *The possible values of critical points between varieties of lattices*, preprint 2010. Available online at <http://hal.archives-ouvertes.fr/hal-00468048>.
21. P. Gillibert, *Categories of partial algebras for critical points between varieties of algebras*, preprint 2010. Available online at <http://hal.archives-ouvertes.fr/hal-00544601>.
22. P. Gillibert, *The possible values of critical points between strongly congruence-proper varieties of algebras*, preprint 2011. Available online at <http://hal.archives-ouvertes.fr/hal-00587671>.
23. P. Gillibert and F. Wehrung, *An infinite combinatorial statement with a poset parameter*, Combinatorica, to appear. Available online at <http://hal.archives-ouvertes.fr/hal-00364329>.
24. K. R. Goodearl, "Von Neumann Regular Rings". Second edition. Robert E. Krieger Publishing Co., Inc., Malabar, FL, 1991. xviii+412 p. ISBN: 0-89464-632-X
25. K. R. Goodearl, *Von Neumann regular rings and direct sum decomposition problems*, Abelian groups and modules (Padova, 1994), Math. Appl. **343**, 249–255, Kluwer Acad. Publ., Dordrecht, 1995.
26. V. A. Gorbunov, "Algebraic Theory of Quasivarieties". Translated from the Russian. Siberian School of Algebra and Logic. Consultants Bureau, New York, 1998. xii+298 p. ISBN: 0-306-11063-6
27. G. Grätzer, "Universal Algebra". D. Van Nostrand Co., Inc., Princeton, N.J.-Toronto, Ont.-London 1968, xvi+368 p.
28. G. Grätzer, "General Lattice Theory. Second edition". New appendices by the author with B. A. Davey, R. Freese, B. Ganter, M. Greferath, P. Jipsen, H. A. Priestley, H. Rose, E. T. Schmidt, S. E. Schmidt, F. Wehrung, and R. Wille. Birkhäuser Verlag, Basel, 1998. xx+663 p. ISBN: 3-7643-5239-6 (Basel), 0-8176-5239-6 (Boston).
29. G. Grätzer, "Lattice Theory: Foundation". Birkhäuser Verlag, Basel, 2011. xxix+613 p. ISBN: 978-3-0348-0017-4
30. G. Grätzer, H. Lakser, and F. Wehrung, *Congruence amalgamation of lattices*, Acta Sci. Math. (Szeged) **66**, no. 1-2 (2000), 3–22.
31. G. Grätzer and E. T. Schmidt, *Characterizations of congruence lattices of abstract algebras*, Acta Sci. Math. (Szeged) **24** (1963), 34–59.
32. G. Grätzer and E. T. Schmidt, *Congruence-preserving extensions of finite lattices to sectionally complemented lattices*, Proc. Amer. Math. Soc. **127**, no. 7 (1999), 1903–1915.
33. D. Hobby and R. N. McKenzie, "The Structure of Finite Algebras". Contemporary Mathematics, **76**. American Mathematical Society, Providence, RI, 1988. xii+203 p. ISBN: 0-8218-5073-3 .
34. P. T. Johnstone, "Stone Spaces". Reprint of the 1982 edition. Cambridge Studies in Advanced Mathematics **3**. Cambridge University Press, Cambridge, 1986. xxii+370 p. ISBN: 0-521-33779-8
35. P. T. Johnstone, "Sketches of an Elephant: a Topos Theory Compendium. Vol. 1". Oxford Logic Guides **43**. The Clarendon Press, Oxford University Press, New York, 2002. xxii+468+71 p. ISBN: 0-19-853425-6
36. B. Jónsson, *On the representation of lattices*, Math. Scand. **1** (1953), 193–206.

37. B. Jónsson, *Representations of relatively complemented modular lattices*, Trans. Amer. Math. Soc. **103** (1962), 272–303.
38. P. Koepke, *The consistency strength of the free-subset property for ω_ω* , J. Symbolic Logic **49** (1984), no. 4, 1198–1204.
39. P. Koepke, *On the free subset property at singular cardinals*, Arch. Math. Logic **28** (1989), no. 1, 43–55.
40. P. Komjáth and S. Shelah, *Two consistency results on set mappings*, J. Symbolic Logic **65** (2000), 333–338.
41. C. Kuratowski, *Sur une caractérisation des alephs*, Fund. Math. **38** (1951), 14–17.
42. W. A. Lampe, *Congruence lattices of algebras of fixed similarity type. II*, Pacific J. Math. **103** (1982), 475–508.
43. W. A. Lampe, *Simultaneous congruence representations: a special case*, Algebra Universalis **54**, no. 2 (2005), 249–255.
44. S. Mac Lane, “Categories for the Working Mathematician”. 2nd ed. Graduate Texts in Mathematics **5**, Springer-Verlag, New York - Berlin - Heidelberg, 1998. xii+314 p. ISBN: 0-387-98403-8
45. F. Maeda, “Kontinuierliche Geometrien”. (German) Die Grundlehren der mathematischen Wissenschaften in Einzeldarstellungen mit besonderer Berücksichtigung der Anwendungsgebiete, Bd. **95**. Springer-Verlag, Berlin-Göttingen-Heidelberg, 1958. x+244 p. ISBN: 978-1-114-52944-1
46. F. Micol, “On representability of \ast -regular rings and modular ortholattices”. PhD thesis, TU Darmstadt, January 2003. Available online at <http://elib.tu-darmstadt.de/diss/000303/diss.pdf>.
47. H. Neumann, “Varieties of Groups”. Springer-Verlag New York, Inc., New York 1967. x+192 p.
48. M. Ploščica, *Congruence lattices of lattices with m -permutable congruences*, Acta Sci. Math. (Szeged) **74**, no. 1-2 (2008), 23–36.
49. M. Ploščica, J. Tůma, and F. Wehrung, *Congruence lattices of free lattices in nondistributive varieties*, Colloq. Math. **76**, no. 2 (1998), 269–278.
50. P. Pudlák, *On congruence lattices of lattices*, Algebra Universalis **20**, no. 1 (1985), 96–114.
51. P. Pudlák and J. Tůma, *Every finite lattice can be embedded in a finite partition lattice*, Algebra Universalis **10**, no. 1 (1980), 74–95.
52. P. Růžička, *Lattices of two-sided ideals of locally matricial algebras and the Γ -invariant problem*, Israel J. Math. **142** (2004), 1–28.
53. P. Růžička, *Liftings of distributive lattices by locally matricial algebras with respect to the Id_c functor*, Algebra Universalis **55**, no. 2-3 (2006), 239–257.
54. P. Růžička, *Free trees and the optimal bound in Wehrung’s theorem*, Fund. Math. **198**, no. 3 (2008), 217–228.
55. P. Růžička, J. Tůma, and F. Wehrung, *Distributive congruence lattices of congruence-permutable algebras*, J. Algebra **311**, no. 1 (2007), 96–116.
56. E. T. Schmidt, *The ideal lattice of a distributive lattice with 0 is the congruence lattice of a lattice*, Acta Sci. Math. (Szeged) **43**, no. 1-2 (1981), 153–168.
57. M. Tischendorf, *The representation problem for algebraic distributive lattices*. PhD thesis, Darmstadt, 1992.
58. J. Tůma, *On the existence of simultaneous representations*, Acta Sci. Math. (Szeged) **64** (1998), 357–371.
59. J. Tůma and F. Wehrung, *A survey of recent results on congruence lattices of lattices*, Algebra Universalis **48**, no. 4 (2002), 439–471.
60. J. Tůma and F. Wehrung, *Congruence lifting of diagrams of finite Boolean semilattices requires large congruence varieties*, Internat. J. Algebra Comput. **16**, no. 3 (2006), 541–550.
61. F. Wehrung, *Non-measurability properties of interpolation vector spaces*, Israel J. Math. **103**, no. 1 (1998), 177–206.

- 62. F. Wehrung, *A uniform refinement property for congruence lattices*, Proc. Amer. Math. Soc. **127**, no. 2 (1999), 363–370.
- 63. F. Wehrung, *Representation of algebraic distributive lattices with \aleph_1 compact elements as ideal lattices of regular rings*, Publ. Mat. (Barcelona) **44**, no. 2 (2000), 419–435.
- 64. F. Wehrung, *Distributive semilattices as retracts of ultraboolean ones: functorial inverses without adjunction*, J. Pure Appl. Algebra **202**, no. 1–3 (2005), 201–229.
- 65. F. Wehrung, *Lifting retracted diagrams with respect to projectable functors*, Algebra Universalis **54**, no. 3 (2005), 349–371.
- 66. F. Wehrung, *Von Neumann coordinatization is not first-order*, J. Math. Log. **6**, no. 1 (2006), 1–24.
- 67. F. Wehrung, *A solution to Dilworth’s congruence lattice problem*, Adv. Math. **216**, no. 2 (2007), 610–625.
- 68. F. Wehrung, *Poset representations of distributive semilattices*, Internat. J. Algebra Comput. **18**, no. 2 (2008), 321–356.
- 69. F. Wehrung, *A non-coordinatizable sectionally complemented modular lattice with a large Jónsson four-frame*, Adv. in Appl. Math. **47**, no. 1 (2011), 173–193. Available online at <http://hal.archives-ouvertes.fr/hal-00462951>.
- 70. F. Wehrung, *Infinite combinatorial issues raised by lifting problems in universal algebra*, preprint 2010. Order, to appear. Available online at <http://hal.archives-ouvertes.fr/hal-00509814>.
- 71. F. Wehrung, *Lifting defects for nonstable K_0 -theory of exchange rings and C^* -algebras*, preprint 2011. Available online at <http://hal.archives-ouvertes.fr/hal-00559268>.

List of Figures

1.1	A few categories and functors	2
1.2	Proving that $\bar{\Phi}$ is a functor	29
1.3	A commutative square in \mathcal{A}	30
1.4	(a, ε) is a projectability witness for $\varphi: \Psi(A) \rightarrow B$	33
1.5	The functor \mathbf{E} created from projectability witnesses	34
2.1	A few posets that are not almost join-semilattices.....	37
3.1	The morphism $\varphi \otimes \vec{S}$	52
3.2	The morphisms $\psi_{\mathbf{x}}$	56
3.3	The morphisms $\psi_{\sigma(p)}$	57
3.4	Getting the desired natural transformation	57
3.5	Proving the naturality of $\vec{\chi}$	76
4.1	A commutative diagram in a generalized quasivariety \mathcal{V}	95
4.2	Proving that $\varphi \circ \text{Con}_c^{\mathcal{V}} v$ is ideal-induced	106
5.1	A square in the category Metr	121
5.2	A square in Metr unliftable with respect to Ψ and Metr $^{\Rightarrow}$	121
5.3	Squares in the categories Metr * and Metr	122
5.4	A cube of semilattice-metric spaces	122
5.5	Labeling the lattices \mathbf{M}_3 and \mathbf{N}_5	127
5.6	Two squares of finite lattices	128

Symbol Index

$A^{(p)}$, 38
 \mathbf{A}^b, f^b , 119, 121, 122, 126, 127
 $\mathbf{A}^{\flat}, f^{\flat}$, 124, 125–128
 \aleph_{α} , v–vii, 4–11, 14, 15, 24, 54, 55, 61, 63, 64, 71–74, 76, 77, 81, 88, 102, 104, 105, 108, 109, 111–117, 119, 127–129, 131, 138–141, 146
 \mathbf{A}/I (I ideal of $\mathbf{A} \in \mathbf{Bool}_P$), 46
 \mathbf{A}/I ($\mathbf{A} \in \mathbf{Metr}$, I ideal of $\hat{\mathbf{A}}$), 125
 \mathbf{A}/θ , where $\theta \in \text{Con } \mathbf{A}$, 83
 $\text{ar}(s)$, 21, 82–85, 89, 91, 92, 95, 98
 $(\kappa, <\omega, \lambda) \rightarrow \rho$, 12, 64, 74, 75, 76, 102
 $\kappa \rightarrow (\theta)_2^{<\omega}$, 74
 $x \rightarrow (y, z)^5$, 64
 $(\kappa, <\lambda) \leadsto P$, 12, 13, 63, 64, 66, 69, 70, 74, 77, 109, 127
 $Q \Downarrow X$, 16
 $Q \downarrow X$, 16
 $Q \Downarrow X$, 16
 $Q \uparrow X$, 16
 $Q \uparrow X$, 16
 $Q \uparrow X$, 16
 $C' \downarrow C$, 18
 $\text{At } \mathbf{A}$, 15
 $f: A \hookrightarrow B$, 18, 47, 55, 56, 67–69, 72, 103, 105, 106, 113, 115, 126, 127, 137
 $f: A \mapsto B$, 18, 54, 58, 59, 61, 63, 66, 67, 69, 72, 78, 137
 $f: A \rightarrow B$, 18, 33, 34, 46, 47, 62, 83–85, 91, 92, 94, 96, 97, 105, 124, 125, 134–138
 $f: A \Rightarrow B$, vi, 18, 20, 22, 58, 61, 62, 75–78, 98, 102, 115, 120, 122, 126–128
 $f: \mathbf{A} \Rrightarrow \mathbf{B}$, 18, 20, 75, 103, 121, 122
 $f: \mathbf{A} \dot{\rightarrow} \mathbf{B}$, 18, 34, 62, 110, 111

β/α , 84
 $B_m(\leq r)$, 64
 \mathbf{Bool} , 15
 \mathbf{Bool}_P , 11, 32, 33, 38, 39–47, 49, 52, 53
 \mathbf{BTop}_P , 11, 38, 40, 46
 \mathbf{BTop} , 15
 $\|x = y\|_{\mathbf{A}}^v$, 91
 $\|R(x_1, \dots, x_n)\|_{\mathbf{A}}^v, \|R\overline{x}\|_{\mathbf{A}}^v$, 91
 $\mathcal{C}(\lambda)$, 136
 $\text{Clop } X, \text{Clop } \mathbf{X}, \text{Clop } f$, 15, 40, 41
 $(\text{CLOS}(\mathcal{A}))$, 55, 60, 62, 78, 125
 $(\text{CLOS}_{\lambda}(\mathcal{B}^{\dagger}, \mathcal{B}))$, 58, 59, 61, 78
 $(\text{CLOS}_{\lambda}^{\dagger}(\mathcal{S}^{\Rightarrow}))$, 59, 61, 78
 $\text{cf}(\alpha)$, 14
 $C' \downarrow C$, 18
 Conc functor, 93, 102–104
 $\text{Conc } \mathbf{A}$, $\text{Conc } f$, 2–4, 6–9, 90, 101–103, 109, 124–127, 129
 $\text{Conc } \mathcal{A}$, 7, 8, 81
 Conc^v functor, v, 13, 92, 93, 94, 97, 105, 109, 111, 113, 115, 116
 $\text{Conc}^v \mathbf{A}, \text{Conc}^v f$, 90, 91–98, 105, 106, 108, 109, 111–113, 115, 116, 140
 $\text{Conc}_{\mathcal{C}, r} \mathcal{V}$, v, 108, 111, 114, 140
 $\text{Con } \mathbf{A}$, 6, 83, 85, 89–91, 93, 97, 114, 126, 127
 $\text{Con}^v \mathbf{A}, \text{Con}^v f$, 90, 91–93, 96, 97, 105–107, 109
 $\mathbf{1}_{\mathbf{A}}$, 83, 90, 91
 $\mathbf{0}_{\mathbf{A}}$, 83, 91, 97
 \mathbb{A} , 23, 90
 $(\text{CONT}(\Phi))$, 55, 61, 78, 125
 $(\text{CONT}_{\lambda}(\Psi))$, 59, 61, 78

$\text{crit}(\mathcal{A}; \mathcal{B})$, 7, 8, 81, 109, 140
 $\text{crit}_r(\mathcal{A}; \mathcal{B})$, v, vi, 108, 109, 111, 112, 114, 140
 $\text{Cst}(\mathbf{A})$, 20

\mathcal{D}_{ac} , 6
 $\delta_{\mathbf{A}}^u$, 52
 $\dim(P)$, 63
 $\text{dom } f$, 14

ε_p^q , 47, 52, 53, 56

$f^{\leftarrow}(X)$, $f^{\leftarrow}X$, 14
 $f^{-1}X$, 14
 $\text{FL}(X)$, 6
 $\text{F}(X)$, 47, 48–50
 $\mathbf{F}(X)$, 10–13, 36, 47, 48, 49, 51, 54–56, 61, 62, 74, 103, 109, 112, 116, 128, 129
 f_X^Y , 48, 49, 55–57

$\text{Id}_c R$, R ring, 3, 6
 $\text{NId } L$, L lattice, 134
 $\text{Id } P$, P poset, 11, 16, 35, 38–40, 44, 73
 $\text{Id } R$, R ring, 14, 134
 $\text{Id}_s X$, X norm-covering, 48, 54, 71

$J(P)$, P poset, 16

κ^+ , $\kappa^{+\alpha}$, 14
 $\text{Ker } \varphi$, 83, 84, 89–91, 94, 95, 98, 106, 135
 $\ker f$, 134
 $\text{kur}(P)$, 63, 64, 70, 127
 $\text{kur}_0(P)$, 63, 64, 109, 111, 112, 140

$[X]^\kappa$, 15
 $[X]^{<\kappa}$, 15
 $[X]^{\leq \kappa}$, 15
 $[X]_{\nabla}^{<\lambda}$, 55
 $\text{Lg}(\mathbf{A})$, 20
 $\text{Lift}(\overrightarrow{S})$, 75, 77
 \mathbb{L} functor, 131, 133, 135, 137–139
 $\mathbb{L}(R)$, $\mathbb{L}(f)$, 6, 10, 14, 131, 132, 133, 134–137
 $\text{LocMat}_{\mathbb{R}}$, 138
 $\text{LocMat}_{\mathbb{R}}^{(\lambda)}$, 138
 $(\text{LS}_\mu(B))$, 9, 61, 78

$(\text{LS}_\mu^b(B))$, 58, 59, 60
 $(\text{LS}_\mu^r(B))$, 9, 78, 102, 105, 115, 120, 137

\mathbf{MAlg} , 124, 125, 126, 128
 \mathbf{MAlg}_1 , 14, 101, 102–104
 $\mathbf{MAlg}_1^{(\lambda)}$, 102, 103
 $\mathbf{MAlg}^{\text{fin}}$, 128
 $\text{M}_n(R)$, $\text{M}_\infty(R)$, 3
 $\text{Max } P$, 16
 \mathbf{Metr} , 118, 119–121, 124–126, 128, 140
 $\mathbf{Metr}^{\Rightarrow}$, 119, 120–122
 $\mathbf{Metr}^{\text{fin}}$, 119, 140
 \mathbf{Metr}^* , 119, 120, 128
 $\mathbf{Metr}^{*\text{fin}}$, 119, 120, 128
 \mathbf{MInd} , 9, 13, 81, 82, 83, 84, 86–89, 91, 94, 95, 98, 101, 104, 124, 125, 141
 $\mathbf{MInd}_{\mathcal{C}}$, 90
 $\nabla_{i < n} a_i$, ∇X , $\nabla_P X$, 36
 $a_0 \nabla \cdots \nabla a_{n-1}$, $X_0 \nabla \cdots \nabla X_{n-1}$, 36
 Z^∇ , 55
 $\text{Min } P$, 16
 $\mathbf{Mod}_{\mathcal{C}}$, 21, 22
 $\mathbf{Mod}(\mathcal{T})$, 22
 \mathbf{M}_ω , 6, 131
 \mathbf{M}/I , 96
 $\text{Mor } \mathcal{A}$, 18

$|a|$, a atom, 39, 43, 52
 $\|a\|$, $\|a\|_{\mathbf{A}}$, a atom, 39, 43, 44, 47, 52, 53
 $\|\mathbf{a}\|$, $\|\mathbf{a}\|_{\mathbf{A}}$, \mathbf{a} ultrafilter, 39, 40, 46
 $\|x\|$, $\|x\|_{\mathbf{X}}$, x point, 38, 40, 41, 43, 46

$\text{Ob } \mathcal{A}$, 18
 ω , 14
 $(\omega + 1)^{\text{op}}$, 11, 71–74, 77, 141
 $\text{Op}(\mathbf{A})$, 20
 $y = x \oplus z$, 17
 $\mathbf{A} \otimes \overrightarrow{S}$, $\varphi \otimes \overrightarrow{S}$, 10–13, 35, 36, 38, 45, 47, 51, 52, 53–57, 61, 62, 74, 103, 109, 112, 116, 128, 129

π_I , I ideal, 46, 47
 π_u^X , 49, 50, 54–57, 62
 P^{op} , 17
 $\mathfrak{P}(X)$, 15
 $x \prec y$, 15
 $(\text{PRES}_\lambda(\mathcal{B}^\dagger, \Psi))$, 61, 62, 78, 102, 105, 115, 120, 137
 $(\text{PROD}(\mathcal{A}))$, 55, 60, 62, 78, 125
 $(\text{PROJ}(\Phi, \mathcal{S}^{\Rightarrow}))$, 61, 62, 78, 102, 125

Reg, 133, 135, 137

Reg^(λ), 137

Rel(**A**), 20

Res φ , 89, 91–95, 105, 106

S[⇒], vi, 10–12, 18, 20, 57–61, 75–79, 109

rng f , 14

SCML, 133, 137, 138

SCML^(λ), 137, 138

SCML[⇒], 137, 138

Sem_{∨,0}, 92, 94, 101–103, 105, 109, 115, 116, 118

Sem_{∨,0}^{fin}, 105, 140

Sem_{∨,0}^{idl}, 101, 102, 103, 105, 115, 116

Sem_{∨,0}^(λ), 102, 103, 115, 116

Sem_{∨,0}^{fin,inj}, 140

Sem_{∨,0}^{surj}, 101

Sem_{∨,0}^{wd}, 101

Set, 21, 22, 86, 118

Σ_{**A**}, 44

$x \sim y$, 17

$x \trianglelefteq y$, 18

2, 19, 47, 52, 53, 62

2[p], 47, 49, 50, 52, 53

2[p]^(a), 47

Ult B , **Ult** **B**, **Ult** φ , 15, 39, 40, 41, 46

\tilde{u} , \tilde{u}^X , 47, 48, 49, 56

Var(**A**), 114

\overrightarrow{x} (notation for tuples), 82

\mathcal{V}^{fin} , 105

$\mathcal{V}^{(\lambda)}$, \mathcal{V} quasivariety, 115, 116

\mathbb{V} functor, 4, 139

X⁼, 54

\mathbb{Z}^+ , 4

Subject Index

- algebra
 - Boolean, 11, 15, 35, 38–41, 43, 46–49
 - congruence-permutable, 6, 9, 11, 14, 117, 127, 129
 - locally matricial, 3
 - majority, 139
 - matricial, 3
 - monotone-indexed unary, 101, 102, 104
 - nonindexed, 82
 - over a field, 3
 - P -scaled Boolean, 11, 13, 35, 36, 38, 39, 40, 42–44, 46–48, 51–53
 - unary, 90, 101, 102, 104
 - universal, v, vi, 7–9, 14, 90, 101, 104, 108, 114, 124–128
- algebraic lattice, *see* lattice, algebraic
- algebraic preordering, 96
- algebraic subset, 17, 83, 91
- algebraic system, 9, 33, 81, 94, 108
 - locally finite, 105, 113
- almost join-semilattice, 11–13, 36, 37, 38, 51, 60, 63–67, 69–71, 73, 74, 76, 77, 109, 116, 139–141
- antitone, 15
- Armature Lemma, 8, 13, 51, 53, 54, 56, 60, 62
- buttruss, 58, 59, 60
- Buttruss Lemma, 8, 13, 51, 54, 57, 58, 60, 62
- C^* -algebra, 7
- closed (left, right-) under λ -small \lim , 20, 75, 76
- closed under λ -small \lim , 19
- ∇ -closed, 36
- ∇ -closure, 36
- cofinality, 14
- comma category, 18
- commutator theory, 9, 114
- compact
 - element in a lattice, 17
 - member of **Bool** _{P} , 43
- condensate, 10–13, 35, 38, 41, 47, 51, 53, 54, 55, 74, 75, 128, 131
- Condensate Lifting Lemma (CLL), vi, 1, 8–13, 35, 36, 38, 42, 45, 47, 51, 54, 60, 61, 73–77, 81, 103, 109, 114, 116–119, 128, 139
- Congruence Lattice Problem (CLP), 3, 7, 140, 146
- congruence-preserving extension, v–vii, 9, 10, 11, 14, 117, 124, 127, 129, 141
- congruence-proper, 14, 105, 109, 114
- \mathcal{V} -congruences, 89, 90, 91, 93, 94, 96, 105
- \mathcal{V} -congruences (principal $-$), 91, 93, 94
- continuous domain, 11, 36
- cover
 - lower, 15
 - upper, 15
- CP-extension, 126, 127
- CPCP-extension, 126, 127
- CPCP-retract, 12, 126, 127, 128
- critical point, vi, 7, 8, 9, 81, 109, 140
 - relative, v, 108, 140
- cube (shape of a diagram), 6, 122
- diagram
 - σ -continuous, 19, 98–100
 - continuous, 18, 24, 25, 87, 88, 102–104, 115

- λ -directed, 18, 24
- liftable, 18, 108
- lifted, 6, 7, 9, 18, 102–104, 111, 112, 116
- lifting, vi, 2, 10, 18, 34, 109, 110, 112, 117, 140, 145
- poset-indexed, 18
- sub-, 18
- Dichotomy Theorem, 13, 111, 113, 114, 140
- distance
 - semilattice-valued, 4, 118, 119, 121, 125, 126, 140
 - semilattice-valued V -, 5
 - semilattice-valued V - of type n , 5
- distributive
 - ideal, 17
 - lattice, *see* lattice, distributive
 - non- variety, v, 10, 127, 129, 141, 145
 - semilattice, 2, 3, 5–7, 23, 146
- double arrow, vi, 10–12, 18, 20, 33, 58, 59, 61, 62, 75–78, 98, 102, 106, 115, 122, 125, 126, 128
- dual P -normed space, 39
- equivalence of idempotents, 3
- Erdős cardinal, vi, 9, 74, 104
- exchange ring, 7
- extended projection (in a category), 19
- filtered category, 19, 31
- finitely generated
 - lower subset, 16, 102
 - upper subset, vi, 16, 36, 37, 68
- free map (wrt. set-mapping, poset), 54, 70, 71
- free set (wrt. set-mapping), 74
- generalized quasivariety, 13, 81, 89, 90–94, 96, 97, 101, 103, 104, 108
- groupoid, 4, 104
- having all λ -small directed colimits
 - within \mathcal{C} , 19, 58
- homomorphism
 - ideal-induced, 95, 96, 97, 100–103, 105, 106, 109, 115
 - weakly distributive, 96, 100, 101
- ideal
 - distributive, *see* distributive, ideal
 - extreme, 66, 67, 141
 - neutral, 17, 133–136
 - α -, 96, 125
 - of a poset, vi, 11, 12, 16, 17, 35, 36, 38–40, 42–50, 54, 64, 65, 67–70, 76, 92, 96, 109, 125, 126, 133
 - principal –, of a poset, vi, 11, 12, 16, 36, 43, 64, 65, 67, 69, 70, 109
 - sharp, 48, 49, 66, 67, 71
- ideal (in a ring)
 - right, 6, 10, 131–133
 - two-sided, 3, 132, 134–137, 145
- irreducible
 - completely meet-, 107
 - join-, 16
 - meet-, 16, 107
- Isomorphism Theorem (First –), 33, 84, 96, 106
- Isomorphism Theorem (Second –), 33, 85, 92, 125, 126
- isotone, 15
- κ -small
 - completely – first-order structure, 87
 - first-order structure, 87
 - set, 15
- Kuratowski
 - index, 63
 - restricted – index, 63, 108, 109, 111
- larder, vi, 9, 13, 14, 51, 60, 61, 76, 79, 103, 109, 114, 116, 128, 131
- left, 13, 51, 77, 79, 102, 109, 116, 124
- projectable, 61, 62, 77
- right, 9, 13, 14, 51, 78, 79, 104, 105, 119, 136
- projectable, 78, 102, 105, 109, 115, 137, 138
- strong, 78
- strong, 61, 63
- lattice
 - 2-distributive, 6, 131
 - algebraic, 17, 83, 89, 91, 92, 107, 139, 145, 146
 - complemented, 6, 131, 143
 - coordinatizable, 6, 10, 131, 133, 138, 146
 - distributive, 2, 3, 17, 139, 145, 146
 - locally congruence-finite, 117
 - locally finite, 117
 - modular, vii, 5, 6, 10, 12, 17, 112, 114, 127, 131–133, 136–138, 143, 145, 146

- relatively complemented, 6, 117, [145](#)
- sectionally complemented, vii, 6, 10, 12, 17, 117, 131–138, [144](#), [146](#)
- liftable
 - λ - poset, 54, 67, 70, 71, 73, 74, 77, 141
 - diagram, *see* diagram, liftable
- lifter (λ -), 1, 11–13, 35, 51, 53, 54, 55, 56, 60, 61, 63–72, 74–77, 103, 109, 112, 116, 128, 139, 141
- Löwenheim–Skolem Condition, 9, 58, 98, 104
- Löwenheim–Skolem Theorem, 8, 58
- lower subset, 11, 16, 39, 42, 102
- measure (semilattice-valued), 5
- monoid
 - conical, 4, 23, 96, 139
 - refinement, 23, 139
- monomorphic colimit, 19, 43, 45, 47, 118, 119
- morphism
 - compact, 46, 52
 - normal, 46, 47, 49, 52, 53, 62
- nonstable K- (or K_0 -) theory, 4, 6, 7, 139
- norm-covering, 47, 48, 49, 54, 61, 64, 65, 71, 109
- normed (Boolean) space, 11, 35, 38, 39–41, 43, 47
- order-dimension, 63
- orthogonal, 120, 121, 123, 129
- Parallelogram Rule, 119, 122
- m -permutable congruence lattice, 104, 129, 141
- P -normed Boolean space, *see* Boolean space, normed
- poset
 - directed, 16, 18, 19, 21, 24, 26–31, 40, 41, 43–45, 49, 91, 93
 - λ -directed, 16, 18, 98–100
 - lower λ -small, 16, 54, 58, 66, 67, 71
 - lower finite, 12, 16, 59–61, 63–67, 69, 70, 72–74, 77, 109, 116, 141
 - monotone σ -complete, 16, 17, 98, 99
 - supported, 11, 12, 36, 38, 54, 55
 - well-founded, 16, 58–61, 63, 66, 71–73, 141
- presented
 - λ -, 24, 87
 - finitely, 24, 26–28, 30, 31, 35, 43, 45, 88, 118, 119
 - weakly λ -, 24, 25, 26, 54, 55, 61, 62, 78, 81, 87, 88, 102, 115, 137
- projectability witness, 33, 34, 61, 62, 78, 96, 97, 136
- projection (in a category), 19
- pseudo join-semilattice, 11, 12, 36, 37, 38, 47, 48, 50, 55, 65, 67, 68, 73
- pseudo-retraction, 73, 75
- quasi-inverse, 131, 132, 134
- quasivariety, 90
 - finitely generated, 105, 106, 107, 108, 111, 113, 114, 140
 - locally finite, vi, 9, 14, 105, 108, 109, 111–114
- quaternion group, 107
- Ramsey cardinal, 74
- Ramsey’s Theorem, 64
- regular epimorphism, 46
- regular ring, 6, 7, 10, 14, 23, 131, 132–137, 139, [143–146](#)
- relative
 - compact congruence class, 108
 - compact congruence semilattice functor, 13, 14, 81, 108
- semilattice-metric
 - cover, 119, 120–122, 126–128
 - space, 14, 118, 119, 120, 124–127, 129, 140
- spanning (sublattice), 6, 131
- square (shape of a diagram), 6, 7, 12, 30, 117, 120, 121, 122, 127–129
- Stone duality, 15, 40
- strongly congruence-proper, 105, 107, 108, 111–114, 139
- subdirectly irreducible (within a quasivariety), 106
- subset
 - σ -closed cofinal, 16, 17, 98–100, 103, 115
 - cofinal, 16
- tame congruence theory, 9, 114
- unliftable diagram, 117, 120
- upper subset, vi, 16, 75

V-distance, *see* distance, semilattice-
valued V-
variety
congruence-distributive, 7, 81, 107, 139

congruence-modular, vi, 9, 114
finitely generated, vi, 7, 81, 107, 108,
114, 140
locally finite, vi, 7–9, 81

Author Index

- Abramsky, S., 12, 36, [143](#)
Adámek, J., 10, 17, 19, 24, 27, 31, 87, [143](#)
Ara, P., 4, 139, [143](#)
- Bergman, G. M., 4, [143](#)
Birkhoff, G., 17, 107, [143](#)
- Chang, C. C., 20, 22, 99, [143](#)
- Devlin, K. J., 74, [143](#)
Dicks, W., 4, [143](#)
- Erdős, P., vi, 9, 12, 64, 74, 77, 104, 128, [143](#)
- Faith, C., 134, [143](#)
Freese, R., 9, 114, [143](#)
Fryer, K. D., 132, [143](#)
- Gabriel, P., 24, [143](#)
Gierz, G., 92, 107, [144](#)
Gillibert, P., vi, vii, 7, 8, 12, 13, 36, 48, 51, 54, 60, 63, 64, 66, 67, 69, 72, 74, 75, 77, 81, 104, 107–113, 127, 139–141, [144](#)
Goodearl, K. R., 4, 131, 139, [143](#), [144](#)
Gorbunov, V. A., 13, 17, 21, 22, 82–86, 89–91, 94, 106, 107, [144](#)
Grätzer, G., v, vi, 6–9, 13, 17, 75, 81, 85, 89, 101, 103, 117, 134, 135, 141, [144](#)
- Hajnal, A., 12, 64, 74, 77, 128, [143](#)
Halperin, I., 132, [143](#)
Hobby, D., 8, 9, 114, [144](#)
Hofmann, K. H., 92, 107, [144](#)
- Johnstone, P. T., 17, 19, [144](#)
Jónsson, B., vii, 5, 10, 107, 131, 138, 140, [144](#), [145](#)
Jung, A., 12, 36, [143](#)
- Keimel, K., 92, 107, [144](#)
Keisler, H. J., 20, 22, 99, [143](#)
Koepeke, P., 74, [145](#)
Komjáth, P., 64, [145](#)
Kuratowski, C., 11, 128, [145](#)
- Lakser, H., vi, 6, 7, 117, [144](#)
Lampe, W. A., 4, 9, 104, [143](#), [145](#)
Lawson, J. D., 92, 107, [144](#)
- Mac Lane, S., 17, [145](#)
Maeda, F., 131, [145](#)
Máté, A., 12, 64, 74, 77, 128, [143](#)
McKenzie, R. N., 8, 9, 114, [143](#), [144](#)
Micol, F., 133, [145](#)
Mislove, M., 92, 107, [144](#)
- Neumann, H., 107, [145](#)
- Paris, J. B., 74, [143](#)

Ploščica, M., 6, 117, 140, [145](#)
Pudlák, P., 3, 26, 28, 140, [145](#)

Rado, R., 12, 64, 74, 77, 128, [143](#)
Rosický, J., 10, 17, 19, 24, 27, 31, 87, [143](#)
Růžicka, P., 3, 5–7, 140, [145](#)

Schmidt, E. T., v, vi, 3, 8, 9, 13, 75, 81, 89,
101, 103, 117, 141, [144](#), [145](#)
Scott, D. S., 92, 107, [144](#)
Shallon, C., 114
Shelah, S., 64, [145](#)

Taylor, W., 9, [143](#)
Tischendorf, M., 117, [145](#)
Tůma, J., 3, 5–7, 117, 139–141, [145](#)

Ulmer, F., 24, [143](#)
Utumi, Y., 134, [143](#)

Wehrung, F., vi, vii, 3–7, 10, 12, 13, 18, 33,
63, 64, 72, 74, 75, 77, 117, 127,
131, 133, 134, 138–141, [144–146](#)

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.
Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this "lecture notes" character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.
2. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer's mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.
Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees' recommendations, making further refereeing of a final draft necessary.
Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.
3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped psfiles. Lecture Notes volumes are, as a rule, printed digitally from the authors' files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-server at:

[ftp://ftp.springer.de/pub/tex/latex/svmonot1/](http://ftp.springer.de/pub/tex/latex/svmonot1/) (for monographs) and
[ftp://ftp.springer.de/pub/tex/latex/svmultt1/](http://ftp.springer.de/pub/tex/latex/svmultt1/) (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from lnm@springer.com.

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,
175 rue du Chevaleret
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the “Mathematical Biosciences Subseries” of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail : maini@maths.ox.ac.uk

Springer, Mathematics Editorial, Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 487-8259

Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com