

References

- [AE05] S.T.ALI and M.ENGLIS. Quantization methods: a guide for physicists and analysts, *Rev. Math. Phys.* **17** (2005), No 4, 391–490.
- [Arn66] V. I. ARNOLD. Sur la géométrie différentielle des groupes de Lie de dimension infinie et ses applications à l’hydrodynamique des fluides parfaits. *Ann. Inst. Fourier (Grenoble)*, 16(fasc. 1):319–361, 1966.
- [AM01] K. ASTALA and G.J. MARTIN Holomorphic motions; *in* Papers on analysis, 27–40, Rep. Univ. Jyväskylä Dep. Math. Stat., 83, Univ. Jyväskylä, Jyväskylä, 2001.
- [Aub70] T. AUBIN. Métriques Riemanniennes et courbure. *J. Diff. Geom.* **4** (1970), 383–424.
- [Aub76] T. AUBIN. Equations du type de Monge–Ampère sur les variétés Kähleriennes compactes. *C.R. Acad. Sci. Paris* **283** (1976), 119–121.
- [Aub84] T. AUBIN. Réduction du cas positif de l’équation de Monge–Ampère sur les variétés kähleriennes compactes à la démonstration d’une inégalité. *J. Funct. Anal.* **57** (1984), 143–153.
- [Aub98] T. AUBIN. Some Nonlinear Problems in Riemannian Geometry. Springer-Verlag (1998).
- [BM85] S.BANDO, T.MABUCHI. Uniqueness of Einstein Kähler metrics modulo connected group actions. *Algebraic geometry, Sendai, 1985*, 11–40, Adv. Stud. Pure Math., 10, North-Holland, Amsterdam, 1987.
- [Ba94] G.BARLES. Solutions de viscosité des équations de Hamilton–Jacobi. *Mathématiques & Applications (Berlin)*, 17. Springer-Verlag, Paris, 1994.
- [B88] E. BEDFORD: Survey of pluri-potential theory; *in* Several complex variables (Stockholm, 1987/1988), 48–97, Math. Notes, 38, Princeton Univ. Press, Princeton, NJ, 1993.
- [BF79] E. BEDFORD and J.E. FORNAESS: Counterexamples to regularity fo the complex Monge–Ampère equation. *Inventiones Math.* **50** (1979), 129–134.
- [BK77] E. BEDFORD and M. KALKA: Foliations and complex Monge–Ampère equations. *Comm. Pure Appl. Math.* **30** (1977), no. 5, 543–571.
- [BLS93] E. BEDFORD, M. LYUBICH and J. SMILLIE: Polynomial diffeomorphisms of \mathbb{C}^2 . IV. The measure of maximal entropy and laminar currents. *Invent. Math.* **112** (1993), 77–125.
- [BS98] E. BEDFORD and J. SMILLIE: Polynomial diffeomorphisms of \mathbb{C}^2 . V. Critical points and Lyapunov exponents. *J. Geom. Anal.* **8** (1998), 349–383.
- [BT76] E. BEDFORD and B. A. TAYLOR: The Dirichlet problem for a complex Monge–Ampère equation. *Invent. Math.* **37** (1976), no. 1, 1–44.

- [BT78] E. BEDFORD and B. A. TAYLOR: Variational properties of the complex Monge–Ampère equation. I. Dirichlet principle. *Duke Math. J.* **45** (1978), no. 2, 375–403.
- [BT82] E. BEDFORD and B. A. TAYLOR: A new capacity for plurisubharmonic functions. *Acta Math.* **149** (1982), no. 1-2, 1–40.
- [BT87] E. BEDFORD and B. A. TAYLOR: Fine topology, Silov boundary, and $(dd^c)^n$. *J. Funct. Anal.* **72** (1987), no. 2, 225–251.
- [BT89] E. BEDFORD, B. A. TAYLOR. Uniqueness for the complex Monge–Ampère equation for functions of logarithmic growth. *Indiana Univ. Math. J.* **38** (1989), 455–469.
- [Berm06] R. BERMAN. Super Toeplitz operators on line bundles. *J. Geom. Anal.* **16** (2006), no 1, 1–22.
- [BBGZ09] R. BERMAN, S. BOUCKSOM, V. GUEDJ, A. ZERIAHI. A variational approach to complex Monge–Ampère equations. arXiv:0907.4490
- [BD09] R. BERMAN, J.-P. DEMAILLY. Regularity of plurisubharmonic upper envelopes in big cohomology classes, arXiv 0905.1246.
- [Bern09] B. BERNDTSSON. Curvature of vector bundles associated to holomorphic fibrations. *Ann. of Math. (2)* **169** (2009), no. 2, 531–560.
- [Bern09b] B. BERNDTSSON. Positivity of direct image bundles and convexity on the space of Kähler metrics, *J. Differential Geom.* **81** (2009), no. 3, 457–482.
- [Bern09c] B. BERNDTSSON. Probability measures related to geodesics in the space of Kähler metrics. arXiv:0907.1806
- [Bl96] Z. BLOCKI. The complex Monge–Ampère operator in hyperconvex domains. *Ann. Scuola Norm. Sup. Pisa* **23** (1996), 721–747.
- [Blobook] Z. BLOCKI. The complex Monge–Ampère operator in pluripotential theory. Unpublished lecture notes, <http://www.im.uj.edu.pl/blocki/publ/>.
- [Bl00] Z. BLOCKI: Interior regularity of the complex Monge–Ampère equation in convex domains. *Duke Math. J.* **105** (2000), no. 1, 167–181.
- [Bl03] Z. BLOCKI. Regularity of the degenerate Monge–Ampère equation on compact Kähler manifolds. *Math. Z.* **244** (2003), 153–161.
- [Bl03b] Z. BLOCKI. Uniqueness and stability for the Monge–Ampère equation on compact Kähler manifolds. *Indiana Univ. Math. J.* **52** (2003), 1697–1702.
- [Bl04] Z. BLOCKI: On the definition of the Monge–Ampère operator in \mathbb{C}^2 . *Math. Ann.* **328** (2004), no 3, 415–423.
- [Bl05] Z. BLOCKI. On the uniform estimate in the Calabi–Yau theorem. *Proceedings of SCV2004, Beijing, Science in China Series A Mathematics* **48** supp. (2005), 244–247.
- [Bl05b] Z. BLOCKI: The complex Monge–Ampère equation on compact Kähler manifolds. Course given at a Winterschool In Complex Analysis and Geometry, Toulouse (France), january 2005. This volume.
- [Bl09a] Z. BLOCKI: A gradient estimate in the Calabi–Yau theorem. *Math. Ann.* **344** (2009), no. 2, 317–327.
- [Bl09b] Z. BLOCKI. On geodesics in the space of Kähler metrics, Preprint available on the website of the author 2009.
- [Bou09] S. BOUCKSOM. Monge–Ampère equations on complex manifolds with boundary. Notes of seminar talks, Marseille, march 2009.
- [Bou90] T. BOUCHE. Convergence de la métrique de Fubini–Study d’un fibré linéaire positif, *Ann. Inst. Fourier (Grenoble)* **40** (1990), 117–130
- [BG81] L. BOUTET DE MONVEL and V. GUILLEMIN. The spectral theory of Toeplitz operators, *Annals of Mathematics Studies* **99** Princeton University Press, (1981),
- [Bre59] H. BREMERMAN: On a generalized Dirichlet problem for plurisubharmonic functions and pseudo-convex domains. Characterization of Silov boundaries. *Trans. Amer. Math. Soc.* **91** (1959), 246–276.

- [Bry08] J. L. BRYLINSKI. *Loop spaces, characteristic classes and geometric quantization*. Modern Birkhäuser Classics. Birkhäuser Boston Inc., Boston, MA, 2008. Reprint of the 1993 edition.
- [CKNS85] L.CAFFARELLI, J.J.KOHN, L.NIRENBERG, J.SPRUCK: The Dirichlet problem for nonlinear second-order elliptic equations. II. Complex Monge–Ampère, and uniformly elliptic, equations. *C.P.A.M.* **38** (1985), no. 2, 209–252.
- [CNS86] L.CAFFARELLI, L.NIRENBERG, J.SPRUCK: The Dirichlet problem for the degenerate Monge–Ampère equation. *Rev. Mat. Iberoamericana* **2** (1986), 19–27.
- [Cal56] E. CALABI. The space of Kähler metrics. In *Proc. Internat. Congr. Math. (Amsterdam 1954)*, volume 2, pages 206–207, Amsterdam, 1956. Noordhoff, Groningen and North-Holland.
- [Cal55] E.CALABI. On Kähler manifolds with vanishing canonical class. *Algebraic Geometry and Topology, A Symposium in Honor of Lefschetz*. Princeton Univ. Press (1955), 78–89.
- [Cal58] E.CALABI. Improper affine hypersurfaces and generalization of a theorem of K. Jörgens. *Michigan Math. J.* **5** (1958), 105–126.
- [Cal82] E. CALABI. Extremal Kähler metrics. In *Seminar on Differential Geometry*, volume 102 of *Ann. of Math. Stud.*, pages 259–290. Princeton Univ. Press, Princeton, N.J., 1982.
- [CC02] E. CALABI and X. CHEN. The space of Kähler metrics. II. *J. Differential Geom.*, **61** (2) (2002), 173–193.
- [Cat99] D.CATLIN. The Bergman kernel and a theorem of Tian. *Analysis and geom. in several complex var. (Katata, 1997)*, Trends Math., Birkhäuser (1999).
- [Ceg88] U.CEGRELL. Capacities in Complex Analysis. *Aspects of Math.* E14, Vieweg (1988).
- [CP92] U.CEGRELL, L.PERSSON. The Dirichlet problem for the complex Monge–Ampère operator: Stability in L^2 . *Michigan Math. J.* **39** (1992), 145–151.
- [Che00] X. CHEN. The space of Kähler metrics. *J. Differential Geom.*, **56** (2) (2000), 189–234.
- [CT08] X.X.CHEN, G.TIAN. Geometry of Kähler metrics and foliations by holomorphic discs. *Publ. Math. Inst. Hautes études Sci.* No. **107** (2008), 1–107.
- [Cla10] B. CLARKE. The Riemannian L^2 topology on the manifold of Riemannian metrics. *arXiv:1001.2532*, 2010.
- [CS93] R.COIFMAN, S.SEMMES. Interpolation of Banach spaces, Perron processes, and Yang–Mills. *Amer. J. Math.* **115** (1993), 243–278.
- [Co97] D.COMAN. Domains of finite type and Hölder continuity of the Perron–Bremermann function. *Proc. Amer. Math. Soc.* **125** (1997), no. 12, 3569–3574.
- [Del03] F.DELARUE. Estimates of the Solutions of a System of Quasi-Linear PDEs. A probabilistic Scheme. *Séminaire de Probabilités XXXVII* (2003), pp. 290–332.
- [Del09] F.DELARUE. Stochastic analysis for the complex Monge–Ampère equation. Notes of seminar talks, Marseille, december 2009.
- [Dem82] J.-P. DEMAILLY: Courants positifs extrémaux et conjecture de Hodge. *Invent. Math.* **69** (1982), 347–374.
- [Dem93] J.-P. DEMAILLY: Monge–Ampère operators, Lelong numbers and intersection theory. *Complex analysis and geometry*, 115–193, Univ. Ser. Math., Plenum, New York (1993).
- [Dem99] J.-P.DEMAILLY. Pseudoconvex-concave duality and regularization of currents, Several complex variables (Berkeley, CA, 1995–1996), *Math. Sci. Res. Inst. Publ.* **37**, 233–271. Cambridge Univ. Press, Cambridge, 1999.
- [Dembook] J.-P. DEMAILLY: Complex analytic and algebraic geometry. Book available online at <http://www-fourier.ujf-grenoble.fr/~demailly/books.html>.

- [Don92] S. K. DONALDSON. Boundary value problems for Yang-Mills fields. *J. Geom. Phys.*, **8** (1992), 89–122.
- [Don97] S. K. DONALDSON. Remarks on gauge theory, complex geometry and 4-manifold topology. In *Fields Medalists' lectures*, volume 5 of *World Sci. Ser. 20th Century Math.*, pages 384–403. World Sci. Publ., River Edge, NJ, 1997.
- [Don99] S. K. DONALDSON. Symmetric spaces, Kähler geometry and Hamiltonian dynamics. In *Northern California Symplectic Geometry Seminar*, volume 196 of *Amer. Math. Soc. Transl. Ser. 2*, pages 13–33. Amer. Math. Soc., Providence, RI, 1999.
- [Don01] S. K. DONALDSON. Scalar curvature and projective embeddings. I, *J. Differential Geom.*, **59**, (2001), 479–522.
- [Don02] S. K. DONALDSON. Holomorphic discs and the complex Monge-Ampère equation, *J. Symplectic Geom.* **1** (2002), 171–196.
- [Don09] S. K. DONALDSON. Constant scalar curvature metrics on toric surfaces. *Geom. Funct. Anal.* **19** (2009), no. 1, 83–136.
- [Duj06] R. DUJARDIN: Approximation des fonctions lisses sur certaines laminations. *Indiana. Univ. Math. J.* **55** (2006), 579–592
- [Duj09] R. DUJARDIN: Wermer examples and currents. *Geom. Funct. Anal.* **20** (2010), no. 2, 398–415.
- [DG09] R. DUJARDIN and V. GUEDJ: Homogeneous Monge-Ampère equations and foliations by holomorphic disks. Notes of a seminar talk, Marseille, march 2009.
- [DS95] J. DUVAL and N. SIBONY: Polynomial convexity, rational convexity, and currents. *Duke Math. J.* **79** (1995), no. 2, 487–513.
- [EM70] D. G. EBIN and J. MARDSEN. Groups of diffeomorphisms and the notion of an incompressible fluid. *Ann. of Math. (2)*, **92** (1970), 102–163.
- [Eng02] M. ENGLIS: Weighted Bergman kernels and quantization. *Comm. Math. Phys.* **227** (2002), no. 2, 211–241.
- [Eps70] D. B. A. EPSTEIN. The simplicity of certain groups of homeomorphisms. *Compositio Math.*, **22** (1970), 165–173.
- [Eps84] D. B. A. EPSTEIN. Commutators of C^∞ -diffeomorphisms. Appendix to: “A curious remark concerning the geometric transfer map” by John N. Mather. *Comment. Math. Helv.* **59** (1984), no. 1, 86–110.
- [Ev82] L. C. EVANS. Classical solutions of fully nonlinear, convex, second order elliptic equations. *Comm. Pure Appl. Math.* **25** (1982), 333–363.
- [Ev83] L. C. EVANS. Classical solutions of the Hamilton-Jacobi-Bellman equation for uniformly elliptic operators. *Trans. Amer. Math. Soc.* **275** (1983), 245–255.
- [GHL] S. GALLOT, D. HULIN and J. LAFONTAINE: *Riemannian Geometry*. Third edition. Universitext. Springer-Verlag, Berlin, 2004.
- [Gau10] P. GAUDUCHON: *Calabi's extremal metrics: an elementary introduction*. Book (in preparation).
- [Gav77] B. GAVEAU: Méthodes de contrôle optimal en analyse complexe. I. Résolution d'équations de Monge Ampère. *J. Functional Analysis* **25** (1977), no. 4, 391–411.
- [GT83] D. GILBARG and N. TRUDINGER: *Elliptic partial differential equations of second order*. Second edition. Grundlehren der Mathematischen Wissenschaften **224**. Springer-Verlag, Berlin, 1983. xiii+513 pp.
- [GH78] P. GRIFFITHS, J. HARRIS: *Principles of algebraic geometry*. Wiley Classics Library. John Wiley & Sons, Inc., New York, 1978.
- [Gua98] B. GUAN: The Dirichlet problem for complex Monge-Ampère equations and regularity of the pluri-complex Green function. *Comm. Anal. Geom.* **6** (1998), no. 4, 687–703.
- [G99] D. GUAN. On modified Mabuchi functional and Mabuchi moduli space of Kähler metrics on toric bundles. *Math. Res. Lett.*, **6** (1999), 547–555.

- [Gua97] P.GUAN. C^2 a priori estimates for degenerate Monge–Ampère equations. *Duke Math. J.* **86** (1997), 323–346.
- [Guan02] P.GUAN: The extremal function associated to intrinsic norms. *Ann. of Math.* **156** (2002), 197–211.
- [GTW99] P. GUAN, N.S. TRUDINGER, X.-J. WANG. On the Dirichlet problem for degenerate Monge–Ampère equations. *Acta Math.* **182** (1999), 87–104.
- [GZ09] V. GUEDJ and A. ZERIAHI: Dirichlet problem for the complex Monge–Ampère operator. Notes of a seminar talk, Marseille, march 2009.
- [Gut00] S.GUTT: Variations on deformation quantization. *Conférence Moshé Flato 1999*, Vol. I (Dijon), *Math. Phys. Stud.*, **21**, 217–254, Kluwer Acad. Publ., Dordrecht, (2000).
- [Hel01] S. HELGASON. *Differential geometry, Lie groups, and symmetric spaces*, volume 34 of *Graduate Studies in Mathematics*. American Mathematical Society, Providence, RI, 2001. Corrected reprint of the 1978 original.
- [Her71] M. R. HERMAN. Simplicité du groupe des difféomorphismes de classe C^∞ , isotopes à l'identité, du tore de dimension n . *C. R. Acad. Sci. Paris*, 273:232–234, 1971.
- [Kaz78] J.L.KAZDAN. A remark on the preceding paper of Yau. *Comm. Pure Appl. Math.* **31** (1978), 413–414.
- [Kis83] C.KISELMAN: Sur la définition de l'opérateur de Monge–Ampère complexe. *Complex analysis* (Toulouse, 1983), 139–150, L.N.M. **1094**, Springer, 1984.
- [Klimbook] M.KLIMEK. *Pluripotential Theory*. Clarendon Press (1991).
- [KN69] S.KOBAYASHI, K.NOMIZU. *Foundations of Differential Geometry II*. Interscience (1969).
- [Kol] B.KOLEV: The Riemannian space of Kähler metrics. This volume.
- [Kol96] S.KOŁODZIEJ. Some sufficient conditions for solvability of the Dirichlet problem for the complex Monge–Ampère operator. *Ann. Pol. Math.* **65** (1996), 11–21.
- [Kol98] S.KOŁODZIEJ. The complex Monge–Ampère equation. *Acta Math.* **180** (1998), 69–117.
- [Kol03] S.KOŁODZIEJ. Stability of solutions to the complex Monge–Ampère equation on compact Kähler manifolds. *Indiana Univ. Math. J.* **52** (2003), 667–686.
- [Kol05] S.KOŁODZIEJ. The complex Monge–Ampère equation and pluripotential theory. *Memoirs Amer. Math. Soc.* **840** (2005).
- [Kos70] B. KOSTANT. Quantization and unitary representations. I. Prequantization. In *Lectures in modern analysis and applications, III*, pages 87–208. Lecture Notes in Math., Vol. 170. Springer, Berlin, 1970.
- [Kr84] N.G. KRUSHILIN: Foliations connected with the Monge–Ampère equation in Hartogs domains. (Russian) *Izv. Akad. Nauk SSSR Ser. Mat.* **48** (1984), no. 5, 1109–1118. Transl. in *Math. USSR Izvestiya* **25** (1985), 419–427.
- [Kry80] N.V.KRYLOV: *Controlled diffusion processes*. Springer-Verlag, New-York, 1980.
- [Kry82] N.V.KRYLOV. Boundedly inhomogeneous elliptic and parabolic equations. *Izv. Akad. Nauk SSSR* **46** (1982), 487–523. English translation: *Math. USSR-Izv.* **20** (1983), 459–492.
- [Kry87] N.V.KRYLOV: *Nonlinear elliptic and parabolic equations of the second order. Mathematics and its Applications (Soviet Series)*, 7. D. Reidel Publishing Co., Dordrecht, 1987.
- [Kry89] N.V.KRYLOV: Smoothness of the payoff function for a controllable diffusion process in a domain. *Izv. Akad. Nauk SSSR Ser. Mat.* **53** (1989), no. 1, 66–96; translation in *Math. USSR-Izv.* **34** (1990), no. 1, 65–95.
- [Kry89b] N.V.KRYLOV: Moment estimates for the quasiderivatives, with respect to the initial data, of solutions of stochastic equations and their application. *Math. USSR-Sb.* **64** (1989), 505–526.

- [Kry90] N.V.KRYLOV: On control of diffusion processes on a surface in Euclidean space. *Math. USSR-Sb.* 65 (1990), 185–203.
- [Kry04] N.V.KRYLOV: Probabilistic methods of investigating interior smoothness of harmonic functions associated with degenerate elliptic operators. *Pubblicazioni del Centro di Ricerca Matematica Ennio de Giorgi*. [Publications of the Ennio de Giorgi Mathematical Research Center] Scuola Normale Superiore, Pisa, 2004.
- [Kun90] H.KUNITA. Stochastic flows and stochastic differential equations. Cambridge Studies in Advanced Mathematics, 24. Cambridge University Press, Cambridge, 1990.
- [L72] P. LELONG: Éléments extrémaux sur le cne des courants positifs fermes. *Sminaire Pierre Lelong (Analyse)*, Anne 1971–1972, pp. 112–131. *Lecture Notes in Math.*, Vol. **332**, Springer, Berlin, 1973.
- [Li04] S.Y.LI: On the existence and regularity of Dirichlet problem for complex Monge–Ampère equations on weakly pseudoconvex domains. *Calc. Var. Partial Differential Equations* **20** (2004), no. 2, 119–132.
- [MM06] X.MA, G.MARINESCU: Holomorphic Morse inequalities and Bergman kernels. *Progress in Mathematics*, **254**, Birkhäuser Verlag, Basel, (2007), xiv+422.
- [MZ07] X.MA, W.ZHANG: Superconnection and family Bergman kernels. *C. R. Math. Acad. Sci. Paris*, **344**, (2007), 41–44.
- [Mal76] P.MALLIAVIN. Stochastic calculus of variation and hypoelliptic operators, In: *Proceedings of the International Symposium on Stochastic Differential Equations* (Res. Inst. Math. Sci., Kyoto Univ., Kyoto, 1976), Wiley, New York–Chichester–Brisbane, 1978, 195–263.
- [Mal78] P.MALLIAVIN. C^k -hypoellipticity with degeneracy, In: *Stochastic analysis* (Proc. Internat. Conf., Northwestern Univ., Evanston, Ill., 1978), Academic Press, New York–London, 1978, 199–214.
- [Mal97] P.MALLIAVIN. *Stochastic analysis*. Springer-Verlag, Berlin Heidelberg New-York, 1997.
- [Mab87] T. MABUCHI. Some symplectic geometry on compact Kähler manifolds. I. *Osaka J. Math.*, 24(2):227–252, 1987.
- [MSS83] R. MANE and P. SAD and D. SULLIVAN: On the dynamics of rational maps. *Ann. Sci. Ecole Norm. Sup.* (4) **16** (1983), no. 2, 193–217.
- [Mat74] J. N. MATHER. Commutators of diffeomorphisms. *Comment. Math. Helv.*, 49:512–528, 1974.
- [MM05] P. W. MICHOR and D. MUMFORD. Vanishing geodesic distance on spaces of submanifolds and diffeomorphisms. *Doc. Math.*, 10:217–245 (electronic), 2005.
- [Mil84] J. MILNOR. Remarks on infinite-dimensional Lie groups. In *Relativity, groups and topology, II (Les Houches, 1983)*, pages 1007–1057. North-Holland, Amsterdam, 1984.
- [Mor07] A. MOROIANU. *Lectures on Kähler geometry*, volume 69 of *London Mathematical Society Student Texts*. Cambridge University Press, Cambridge, 2007.
- [Mos60] J.MOSER. A new proof of de Giorgi’s theorem concerning the regularity problem for elliptic differential equations. *Comm. Pure Appl. Math.* **13** (1960), 457–468.
- [Per23] O.PERRON: Eine neue Behandlung der ersten Randwertaufgabe für $\Delta u = 0$. *Math. Z.* **18** (1923), no. 1, 42–54.
- [PS05] D.H.PHONG, J.STURM: Monge–Ampère equations, Geodesics and Geometric Invariant Theory, *Journées Equations aux dérivées partielles* (2005), GDR 2434.
- [PS06] D.H.PHONG, J.STURM: The Monge–Ampère operator and geodesics in the space of Kähler potentials, *Invent. Math.* **166** (2006), 125–149.

- [PS07] D.H.PHONG, J.STURM: On the regularity of geodesic rays associated to test configurations. Preprint (2007) arXiv:07073965.
- [PS08] D.H. Phong and Sturm, Jacob, Lectures on stability and constant scalar curvature, Handbook of geometric analysis, No. 3, Adv. Lect. Math. (ALM), 14, 357–436, Int. Press, Somerville, MA, 2010
- [PS09] D.H. Phong and Sturm, Jacob, The Dirichlet problem for degenerate complex Monge-Ampere equations, Comm. Anal. Geom., Communications in Analysis and Geometry, 18, 2010, 1, 145–170. ISSN 1019–8385
- [Pog71] A.V.POGORELOV. On the regularity of generalized solutions of the equation $\det(\partial^2 u / \partial x^i \partial x^j) = \varphi(x^1, x^2, \dots, x^n) > 0$. Dokl. Akad. Nauk SSSR **200** (1971), 534–537. English translation: Soviet Math. Dokl. **12** (1971), 1436–1440.
- [Pro90] P.PROTTER. Stochastic integration and differential equations. A new approach. Applications of Mathematics (New York), 21. Springer-Verlag, Berlin, 1990.
- [RW87] L.C.G.ROGERS, D.WILLIAMS. Markov processes, and martingales, Vol. 2. Itô calculus. John Wiley & Sons, Inc., New York, 1987.
- [Ru98] W.-D.RUAN. Canonical coordinates and Bergman metrics. Comm. Anal. Geom. **6** (1998).
- [Ru80] W.RUDIN: Function theory in the unit ball of C^n . Grundlehren der Mathematischen Wissenschaften 241. Springer-Verlag, New York-Berlin, 1980. 436 pp
- [Sad81] A.SADULLAEV: Plurisubharmonic measures and capacities on complex manifolds. Uspekhi Mat. Nauk **36** (1981), no. 4 (220), 53–105.
- [Sad82] A.SADULLAEV: Solution of the Dirichlet problem in a polydisc for the complex Monge–Ampère equation. Dokl. Akad. Nauk SSSR **267** (1982), no. 3, 563–566.
- [Sch100] M.SCHLICHTENMAIER: Deformation quantization of compact Kähler manifolds by Berezin-Toeplitz quantization, Conférence Moshé Flato 1999, Vol. II (Dijon), Math. Phys. Stud., **22**, 289–306. Kluwer Acad. Publ., Dordrecht, (2000).
- [Sch86] F.SCHULZ. Über nichtlineare, konkave elliptische Differentialgleichungen. Math. Z. **191** (1986), 429–448.
- [Sem92] S. SEMMES. Complex Monge-Ampère and symplectic manifolds. *Amer. J. Math.*, 114(3):495–550, 1992.
- [Siu87] Y.-T.SIU. Lectures on Hermitian-Einstein metrics for stable bundles and Kähler-Einstein metrics. Birkhäuser (1987).
- [Slod91] Z. SLODKOWSKI: Holomorphic motions and polynomial hulls. Proc. Amer. Math. Soc. **111** (1991), no. 2, 347–355.
- [St63] G. STOLZENBERG: A hull with no analytic structure. J. Math. Mech. **12** 1963 103–111.
- [StroV79] D.W.STROOCK, S.R.S.VARADHAN. Multidimensional diffusion processes. Springer-Verlag, Berlin-New York, 1979.
- [Su76] D. SULLIVAN: Cycles for the dynamical study of foliated manifolds and complex manifolds. Invent. Math. **36** (1976), 225–255.
- [Thu74] W. THURSTON. Foliations and groups of diffeomorphisms. *Bull. Amer. Math. Soc.*, 80:304–307, 1974.
- [Tian90] G.TIAN. On a set of polarized Kähler metrics on algebraic manifolds, J. Diff. Geom 32 (1990).
- [Tianbook] G. TIAN. Canonical metrics in Kähler geometry. Birkhäuser (2000).
- [TZ00] G.TIAN, X.ZHU. Uniqueness of Kähler-Ricci solitons. Acta Math. **184** (2000), 271–305.
- [Trud83] N.TRUDINGER. Fully nonlinear, uniformly elliptic equations under natural structure conditions. Trans. Amer. Math. Soc. **278** (1983), 751–769.

- [Wa68] R. WALSH: Continuity of envelopes of plurisubharmonic functions. *J. Math. Mech.* **18** (1968) 143–148.
- [WJ85] R. WANG, J. JIANG. Another approach to the Dirichlet problem for equations of Monge–Ampère type. *Northeastern Math. J.* **1** (1985), 27–40.
- [Wei58] A. WEIL. *Introduction à l'étude des variétés kählériennes*. Publications de l'Institut de Mathématique de l'Université de Nancago, VI. Actualités Sci. Ind. no. 1267. Hermann, Paris, 1958.
- [We82] J. WERMER: Polynomially convex hulls and analyticity. *Ark. för Math.* **20** (1982), 129–135.
- [Woo92] N. M. J. WOODHOUSE. *Geometric quantization*. Oxford Mathematical Monographs. The Clarendon Press Oxford University Press, New York, second edition, 1992. Oxford Science Publications.
- [Yau78] S. T. YAU. On the Ricci curvature of a compact Kähler manifold and the complex Monge–Ampère equation. I. *Comm. Pure Appl. Math.*, 31(3):339–411, 1978.
- [Yau87] S. T. YAU. Nonlinear analysis in geometry, *Enseign. Math. (2)* **33**, (1987), 109–158.
- [Ze98] S. ZELDITCH. Asymptotics of holomorphic sections of powers of a positive line bundle. *Séminaire sur les Équations aux Dérivées Partielles*, 1997–1998, Exp. No. XXII, 12, École Polytech., Palaiseau, (1998).
- [Ze09] S. ZELDITCH. Book review of “Holomorphic Morse inequalities and Bergman kernels Journal” (by Xiaonan Ma and George Marinescu) in *Bull. Amer. Math. Soc.* **46** (2009), 349–361.

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for Multi-Author Publications: Summer Schools / Intensive Courses)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome. Manuscripts should be reasonably selfcontained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They should provide sufficient motivation, examples and applications. There should also be an introduction making the text comprehensible to a wider audience. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this "lecture notes" character.

2. In general SUMMER SCHOOLS and other similar INTENSIVE COURSES are held to present mathematical topics that are close to the frontiers of recent research to an audience at the beginning or intermediate graduate level, who may want to continue with this area of work, for a thesis or later. This makes demands on the didactic aspects of the presentation. Because the subjects of such schools are advanced, there often exists no textbook, and so ideally, the publication resulting from such a school could be a first approximation to such a textbook. Usually several authors are involved in the writing, so it is not always simple to obtain a unified approach to the presentation.

For prospective publication in LNM, the resulting manuscript should not be just a collection of course notes, each of which has been developed by an individual author with little or no coordination with the others, and with little or no common concept. The subject matter should dictate the structure of the book, and the authorship of each part or chapter should take secondary importance. Of course the choice of authors is crucial to the quality of the material at the school and in the book, and the intention here is not to belittle their impact, but simply to say that the book should be planned to be written by these authors jointly, and not just assembled as a result of what these authors happen to submit.

This represents considerable preparatory work (as it is imperative to ensure that the authors know these criteria before they invest work on a manuscript), and also considerable editing work afterwards, to get the book into final shape. Still it is the form that holds the most promise of a successful book that will be used by its intended audience, rather than yet another volume of proceedings for the library shelf.

3. Manuscripts should be submitted either online at www.editorialmanager.com/lnm/ to Springer's mathematics editorial, or to one of the series editors. Volume editors are expected to arrange for the refereeing, to the usual scientific standards, of the individual contributions. If the resulting reports can be forwarded to us (series editors or Springer) this is very helpful. If no reports are forwarded or if other questions remain unclear in respect of homogeneity etc, the series editors may wish to consult external referees for an overall evaluation of the volume. A final decision to publish can be made only on the basis of the complete manuscript; however a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter.

Volume editors and authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer evaluation times. They should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.

4. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a general table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a global subject index: as a rule this is genuinely helpful for the reader.

Lecture Notes volumes are, as a rule, printed digitally from the authors' files. We strongly recommend that all contributions in a volume be written in the same LaTeX version, preferably LaTeX2e. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-server at

<ftp://ftp.springer.de/pub/tex/latex/svmonot1/> (for monographs) and

<ftp://ftp.springer.de/pub/tex/latex/svmultt1/> (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from:

lnm@springer.com.

5. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book. For the existing online volumes of LNM see:

<http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434>.

The actual production of a Lecture Notes volume takes approximately 12 weeks.

6. Volume editors receive a total of 50 free copies of their volume to be shared with the authors, but no royalties. They and the authors are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
7. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe "Géométrie et Dynamique",
175 rue du Chevaleret,
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the "Mathematical Biosciences Subseries" of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail : maini@maths.ox.ac.uk

Springer, Mathematics Editorial I,
Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 4876-8259
Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com