

References

1. R.A. Adams, J.J.F. Fournier, in *Sobolev Spaces*. Pure and Applied Mathematics, vol. 140, 2nd edn. (Academic, New York, 2003)
2. V. Adolfsson, J. Pipher, The inhomogeneous Dirichlet problem for Δ^2 in Lipschitz domains. *J. Funct. Anal.* **159**(1), 137–190 (1998)
3. S. Agmon, Multiple layer potentials and the Dirichlet problem for higher order elliptic equations in the plane, I. *Comm. Pure Appl. Math.* **10**, 179–239 (1957)
4. S. Agmon, Remarks on self-adjoint and semi-bounded elliptic boundary value problems, in *Proceedings of the International Symposium on Linear Spaces*, Jerusalem, 1960 (Jerusalem Academic, Jerusalem, 1960), pp. 1–13
5. S. Agmon, A. Douglis, L. Nirenberg, Estimates near the boundary for solutions of elliptic partial differential equations satisfying general boundary conditions, II. *Comm. Pure Appl. Math.* **17**, 35–92 (1964)
6. R. Alvarado, I. Mitrea, M. Mitrea, Whitney-type extensions in geometrically doubling quasi-metric spaces, in *Communications in Pure and Applied Analysis* **12**(1) (2013)
7. I. Asekritova, N. Krugljak, Real interpolation of vector-valued spaces in non-diagonal case. *Proc. Am. Math. Soc.* **133**(6), 1665–1675 (2005) (electronic)
8. J. Bergh, J. Löfström, *Interpolation Spaces. An introduction* (Springer, Berlin, 1976)
9. C. Bourgeois, S. Nicaise, Prewavelet approximations for a system of boundary integral equations for plates with free edges on polygons. *Math. Meth. Appl. Sci.* **21**, 1233–1267 (1998)
10. M. Boulard, S. Nicaise, Abstract Green formula and applications to boundary integral equations. *Numer. Funct. Anal. Optim.* **18**, 667–689 (1997)
11. M. Bownik, Boundedness of operators on Hardy spaces via atomic decompositions. *Proc. Am. Math. Soc.* **133**(12), 3535–3542 (2005)
12. F. Brackx, R. Delanghe, F. Sommen, in *Clifford Analysis*. Research Notes in Mathematics, vol. 76 (Pitman, Boston, 1982)
13. K. Brewster, I. Mitrea, M. Mitrea, Stein’s extension operator on weighted Sobolev spaces on Lipschitz domains and applications to interpolation, in *Contemporary Mathematics* **581**, 13–38 (2012)
14. R.M. Brown, W. Hu, Boundary value problems for higher order parabolic equations. *Trans. Am. Math. Soc.* **353**(2), 809–838 (2001) (electronic)
15. V.I. Burenkov, Extension theory for Sobolev spaces on open sets with Lipschitz boundaries, in *Nonlinear Analysis, Function Spaces and Applications*, vol. 6 (Acad. Sci. Czech Repub., Prague, 1999), pp. 1–49
16. A. Calderón, Lebesgue spaces of differentiable functions and distributions, in *Proceedings of the Symposium on Pure Mathematics*, vol. IV (1961), pp. 33–49

17. A.P. Calderón, Intermediate spaces and interpolation, the complex method. *Studia Math.* **24**, 113–190 (1964)
18. A.P. Calderón, Cauchy integrals on Lipschitz curves and related operators. *Proc. Natl. Acad. Sci. USA* **74**(4), 1324–1327 (1977)
19. A.P. Calderón, Commutators, singular integrals on Lipschitz curves and applications, in *Proceedings of the International Congress of Mathematicians*, Helsinki, 1978 (Acad. Sci. Fennica, Helsinki, 1980), pp. 85–96
20. A.P. Calderón, C.P. Calderón, E. Fabes, M. Jodeit, N.M. Rivière, Applications of the Cauchy integral on Lipschitz curves. *Bull. Am. Math. Soc.* **84**(2), 287–290 (1978)
21. M. Christ, in *Lectures on Singular Integral Operators*. CBMS Regional Conference Series in Mathematics, vol. 77 (American Mathematical Society, Providence, 1990)
22. D.-C. Chang, S.G. Krantz, E.M. Stein, H^p theory on a smooth domain in \mathbb{R}^N and elliptic boundary value problems. *J. Funct. Anal.* **114**(2), 286–347 (1993)
23. D.-C. Chang, S.G. Krantz, E.M. Stein, Hardy spaces and elliptic boundary value problems, in *The Madison Symposium on Complex Analysis*, Madison, WI, 1991. Contemporary Mathematics, vol. 137 (American Mathematical Society, Providence, 1992), pp. 119–131
24. J. Cohen, BMO estimates for biharmonic multiple layer potentials. *Studia Math.* **91**(2), 109–123 (1988)
25. J. Cohen, J. Gosselin, The Dirichlet problem for the biharmonic equation in a C^1 domain in the plane. *Indiana Univ. Math. J.* **32**(5), 635–685 (1983)
26. J. Cohen, J. Gosselin, Adjoint boundary value problems for the biharmonic equation on C^1 domains in the plane. *Arkiv för Math.* **23**(2), 217–240 (1985)
27. R.R. Coifman, A. McIntosh, Y. Meyer, L'intégrale de Cauchy définit un opérateur borné sur L^2 pour les courbes lipschitziennes. *Ann. Math.* **116**, 361–387 (1982)
28. R. Coifman, G. Weiss, Extensions of Hardy spaces and their use in analysis. *Bull. Am. Math. Soc.* **83**(4), 569–645 (1977)
29. M. Cwikel, Real and complex interpolation and extrapolation of compact operators. *Duke Math. J.* **65**(2), 333–343 (1992)
30. B.E. Dahlberg, C.E. Kenig, G.C. Verchota, The Dirichlet problem for the biharmonic equation in a Lipschitz domain. *Ann. Inst. Fourier (Grenoble)* **36**(3), 109–135 (1986)
31. B.E. Dahlberg, C.E. Kenig, J. Pipher, G.C. Verchota, Area integral estimates for higher order elliptic equations and systems. *Ann. Inst. Fourier (Grenoble)* **47**(5), 1425–1461 (1997)
32. R. Dautray, J.-L. Lions, in *Mathematical Analysis and Numerical Methods for Science and Technology*, Vol. 2: *Functional and Variational Methods* (Springer, Berlin, 2000)
33. G. David, S. Semmes, Singular Integrals and rectifiable sets in \mathbb{R}^n : Beyond Lipschitz graphs. *Astérisque* **193**, 152 (1991)
34. G. David, S. Semmes, in *Analysis of and on Uniformly Rectifiable Sets*. Mathematical Surveys and Monographs (AMS Series, Providence, 1993)
35. R.A. DeVore, R.C. Sharpley, Maximal Functions Measuring Smoothness. *Mem. Am. Math. Soc.* **47**, 293 (1984)
36. M. Dindoš, M. Mitrea, Semilinear Poisson problems in Sobolev-Besov spaces on Lipschitz domains. *Publ. Math.* **46**(2), 353–403 (2002)
37. L. Diomedea, B. Lisena, Boundary problems for the biharmonic operator in a square with L^p -data. *SIAM J. Math. Anal.* **15**(6), 1153–1168 (1984)
38. L. Diomedea, B. Lisena, Dirichlet and oblique derivative problems for the Δ^2 -operator in a plane sector. (Italian) *Rend. Math. (7)* **2**(1), 189–217 (1982)
39. S. Dispa, Intrinsic characterizations of Besov spaces on Lipschitz domains. *Math. Nachr.* **260**, 21–33 (2003)
40. E.B. Fabes, M. Jodeit Jr., N.M. Rivière, Potential techniques for boundary value problems on C^1 -domains. *Acta Math.* **141**(3–4), 165–186 (1978)
41. E. Fabes, O. Mendez, M. Mitrea, Boundary layers on Sobolev-Besov spaces and Poisson's equation for the Laplacian in Lipschitz domains. *J. Funct. Anal.* **159**(2), 323–368 (1998)
42. E.B. Fabes, C.E. Kenig, On the Hardy space H^1 of a C^1 domain. *Ark. Math.* **19**(1), 1–22 (1981)

43. C. Fefferman, E.M. Stein, H^p spaces of several variables. *Acta Math.* **129**(3–4), 137–193 (1972)
44. J. Franke, T. Runst, Regular elliptic boundary value problems in Besov-Triebel-Lizorkin spaces. *Math. Nachr.* **174**, 113–149 (1995)
45. M. Frazier, B. Jawerth, Decomposition of Besov spaces. *Indiana Univ. Math. J.* **34**(4), 777–799 (1985)
46. M. Frazier, B. Jawerth, A discrete transform and decompositions of distribution spaces. *J. Funct. Anal.* **93** (1), 34–170 (1990)
47. M. Frazier, B. Jawerth, G. Weiss, in *Littlewood-Paley Theory and the Study of Function Spaces*. CBMS Regional Conference Series in Mathematics, vol. 79 (American Mathematical Society, Providence, 1991)
48. I. Fredholm, Sur l'intégrale fondamentale d'une équation différentielle elliptique à coefficients constants. *Rend. Circ. Math. Palermo* **25**, 346–351 (1908)
49. S.J. Fromm, Potential space estimates for Green potentials in convex domains. *Proc. Am. Math. Soc.* **119**(1), 225–233 (1993)
50. F. Gazzola, H.-C. Grunau, G. Sweers, in *Polyharmonic Boundary Value Problems*. Lecture Notes in Mathematics, vol. 1991 (Springer, Berlin, 2010)
51. J. Giroire, J.-C. Nédélec, A new system of boundary integral equations for plates with free edges. *Math. Meth. Appl. Sci.* **18**(10), 755–772 (1995)
52. D. Goldberg, A local version of real Hardy spaces. *Duke Math. J.* **46**, 27–42 (1979)
53. P. Grisvard, *Elliptic Problems in Nonsmooth Domains, Monographs and Studies in Mathematics*, vol. 24 (Pitman, Boston, 1985)
54. L.I. Hedberg, Spectral synthesis in Sobolev spaces, and uniqueness of solutions of the Dirichlet problem. *Acta Math.* **147**, 237–264 (1981)
55. S. Hofmann, D. Mitrea, M. Mitrea, A.J. Morris, *L^p -Square Function Estimates on Spaces of Homogeneous Type and on Uniformly Rectifiable Sets*, book manuscript (2012)
56. S. Hofmann, M. Mitrea, M. Taylor, Singular integrals and elliptic boundary problems on regular Semmes-Kenig-Toro domains. *Int. Math. Res. Not.* **2010**, 2567–2865 (2010)
57. L. Hörmander, in *The Analysis of Linear Partial Differential Operators. I. Distribution Theory and Fourier Analysis*. Classics in Mathematics, Reprint of the second (1990) edition (Springer, Berlin, 2003)
58. D. Jerison, C. Kenig, The inhomogeneous Dirichlet problem in Lipschitz domains. *J. Funct. Anal.* **130**(1), 161–219 (1995)
59. D. Jerison, C.E. Kenig, Boundary behavior of harmonic functions in nontangentially accessible domains. *Adv. Math.* **46**(1), 80–147 (1982)
60. F. John, *Plane Waves and Spherical Means Applied to Partial Differential Equations* (Interscience Publishers, New York, 1955)
61. P.W. Jones, Quasiconformal mappings and extendability of functions in Sobolev spaces. *Acta Math.* **147**(1–2), 71–88 (1981)
62. A. Jonsson, H. Wallin, *Function Spaces on Subsets of \mathbb{R}^n* (Harwood Academic, New York, 1984)
63. N. Kalton, M. Mitrea, Stability results on interpolation scales of quasi-Banach spaces and applications. *Trans. Am. Math. Soc.* **350**(10), 3903–3922 (1998)
64. N. Kalton, S. Mayboroda, M. Mitrea, Interpolation of Hardy-Sobolev-Besov-Triebel-Lizorkin spaces and applications to problems in partial differential equations, in *Interpolation Theory and Applications*. Contemporary Mathematics, vol. 445 (American Mathematical Society, Providence, 2007), pp. 121–177
65. N. Kalton, N.T. Peck, J. Roberts, in *An F -Space Sampler*. London Mathematical Society Lecture Notes, vol. 89 (Cambridge University Press, Cambridge, 1984)
66. G.A. Kalyabin, Theorems on extension, multipliers and diffeomorphisms for generalized Sobolev-Liouville classes in domains with a Lipschitz boundary. *Proc. Steklov Inst. Math.* **3**, 191–205 (1985)
67. T. Kato, *Perturbation Theory for Linear Operators*, Reprint of the 1980 edition (Springer, Berlin, 1995)

68. C.E. Kenig, in *Harmonic Analysis Techniques for Second Order Elliptic Boundary Value Problems*. CBMS Regional Conference Series in Mathematics, vol. 83 (American Mathematical Society, Providence, 1994)
69. J. Kilty, Z. Shen, A bilinear estimate for biharmonic functions in Lipschitz domains. *Math. Ann.* **349**, 367–394 (2011)
70. V.A. Kozlov, V.G. Maz'ya, J. Rossmann, in *Spectral Problems Associated with Corner Singularities of Solutions to Elliptic Equations*. Mathematical Surveys and Monographs, vol. 85 (American Mathematical Society, Providence, 2001)
71. P. Koskela, E. Saksman, Pointwise characterizations of Hardy-Sobolev functions, *Math. Res. Lett.* **15**(4), 727–744 (2008)
72. J.-L. Lions, E. Magenes, in *Problèmes aux limites non homogènes et applications*, vol. 1. Travaux et Recherches Mathématiques, vol. 17 (Dunod, Paris, 1968)
73. S. Mayboroda, M. Mitrea, Sharp estimates for Green potentials on non-smooth domains. *Math. Res. Lett.* **11**(4), 481–492 (2004)
74. V. Maz'ya, *Sobolev Spaces* (Springer, Berlin, 1985)
75. S. Mayboroda, V. Maz'ya, Boundedness of the gradient of a solution and Wiener test of order one for the biharmonic equation. *Inventiones. Math.* **175**(2), 287–334 (2009)
76. V. Maz'ya, M. Mitrea, T. Shaposhnikova, The Dirichlet problem in Lipschitz domains with boundary data in Besov spaces for higher order elliptic systems with rough coefficients. *J. d'Analyse Math.* **110**(1), 167–239 (2010)
77. O. Mendez, M. Mitrea, The Banach envelopes of Besov and Triebel-Lizorkin spaces and applications to partial differential equations. *J. Fourier Anal. Appl.* **6**, 503–531 (2000)
78. Y. Meyer, in *Ondelettes et opérateurs, II, Opérateurs de Calderón-Zygmund*. Actualités Mathématiques (Hermann, Paris, 1990)
79. A. Miyachi, H^p spaces over open subsets of \mathbb{R}^n . *Studia Math.* **95**(3), 205–228 (1990)
80. A. Miyachi, Extension theorems for real variable Hardy and Hardy-Sobolev spaces, in *Harmonic Analysis* (Sendai, 1990). ICM-90 Satellite Conference Proceedings (Springer, Tokyo, 1991), pp. 170–182
81. N. Miller, Weighted Sobolev spaces and pseudodifferential operators with smooth symbols. *Trans. Am. Math. Soc.* **269**(1), 91–109 (1982)
82. D. Mitrea, I. Mitrea, On the Besov regularity of conformal maps and layer potentials on nonsmooth domains. *J. Funct. Anal.* **201**(2), 380–429 (2003)
83. D. Mitrea, M. Mitrea, S. Monniaux, The Poisson problem for the exterior derivative operator with Dirichlet boundary condition on nonsmooth domains. *Comm. Pure Appl. Anal.* **7**(6), 1295–1333 (2008)
84. D. Mitrea, I. Mitrea, M. Mitrea, The Divergence Theorem with non-tangential pointwise traces on the boundary, preprint (2012)
85. D. Mitrea, I. Mitrea, M. Mitrea, *A Treatise on the Theory of Elliptic Boundary Value Problems, Singular Integral Operators, and Smoothness Spaces in Rough Domains*, book manuscript (2012)
86. D. Mitrea, I. Mitrea, M. Mitrea, L. Yan, *On the Geometry of Domains satisfying Uniform Ball Conditions*, book manuscript (2012)
87. I. Mitrea, M. Mitrea, Higher order elliptic boundary value problems in two-dimensional chord-arc domains, preprint (2012)
88. I. Mitrea, M. Mitrea, M. Wright, Optimal estimates for the inhomogeneous problem for the bi-Laplacian in three-dimensional Lipschitz domains. *J. Math. Sci.* **172**(1), 24–134 (2011)
89. I. Mitrea, G. Verchota, *The Spectrum of Biharmonic Layer Potentials on Curvilinear Polygons* (in preparation)
90. M. Mitrea, in *Clifford Wavelets, Singular Integrals, and Hardy Spaces*. Lecture Notes in Mathematics, vol. 1575 (Springer, Berlin, 1994)
91. M. Mitrea, M. Taylor, Potential theory on Lipschitz domains in Riemannian manifolds: Sobolev-Besov space results and the Poisson problem. *J. Funct. Anal.* **176**(1), 1–79 (2000)
92. M. Mitrea, M. Taylor, Sobolev and Besov space estimates for solutions to second-order PDE on Lipschitz domains in manifolds with Dini or Hölder continuous metric tensors. *Comm. Partial Differ. Equat.* **30**, 1–37 (2005)

93. M. Mitrea, M. Taylor, The Poisson problem in weighted Sobolev spaces on Lipschitz domains. *Indiana Univ. Math. J.* **55**(3), 1063–1089 (2006)
94. M. Mitrea, M. Wright, Boundary value problems for the Stokes system in arbitrary Lipschitz domains, in *Astérisque*, vol. 344 (Société Mathématique de France, 2012)
95. C.B. Morrey, Second order elliptic systems of differential equations. Contributions to the theory of partial differential equations. *Ann. Math. Stud.* **33**, 101–159 (1954)
96. A. Nadai, *Theory of Flow and Fracture of Solids*, vol. II (McGraw-Hill, New York, 1963)
97. C. Nazaret, A system of boundary integral equations for polygonal plates with free edges. *Math. Meth. Appl. Sci.* **21** (2), 165–185 (1998)
98. J. Nečas, in *Les Méthodes Directes en Théorie des Équations Elliptiques*, Masson et Cie, Éditeurs, Paris (Academia, Éditeurs, Prague, 1967)
99. S. Nicaise, Polygonal interface problems for the biharmonic operator. *Math. Meth. Appl. Sci.* **17**, 21–39 (1994)
100. N. Ortner, P. Wagner, A short proof of the Malgrange-Ehrenpreis theorem, in *Functional Analysis*, ed. by S. Dierolf, S. Dineen, P. Dománski. Proceedings of the 1st International Workshop, September 1994, University of Trier (de Gruyter, Berlin, 1996), pp. 343–352
101. A. Pelczyński, M. Wojciechowski, Sobolev spaces, in *Handbook of the Geometry of Banach Spaces*, ed. by W.B. Johnson, J. Lindenstrauss, vol. 2 (Elsevier, Amsterdam, 2003), pp. 1362–1423
102. J. Pipher, G.C. Verchota, Maximum principles for the polyharmonic equation on Lipschitz domains. *Potential Anal.* **4** (6), 615–636 (1995)
103. J. Pipher, G. Verchota, A maximum principle for biharmonic functions in Lipschitz and C^1 domains. *Comment. Math. Helv.* **68**(3), 385–414 (1993)
104. J. Pipher, G.C. Verchota, Dilation invariant estimates and the boundary Gårding inequality for higher order elliptic operators. *Ann. Math. (2)* **142**(1), 1–38 (1995)
105. R. Pisani, M. Tucci, Dirichlet problem for the operator Δ^N in a plane sector. (Italian) *Rend. Acad. Sci. Fis. Mat. Napoli* (4) **48**, 317–327 (1982) (1980/1981)
106. N. Rivière, Some open questions. *Proc. Symp. Pure Appl. Math.* **XXXV**(Part 1), xvii (1978)
107. T. Runst, W. Sickel, *Sobolev Spaces of Fractional Order, Nemytskij Operators, and Nonlinear Partial Differential Operators* (de Gruyter, Berlin, 1996)
108. V. Rychkov, On restrictions and extensions of the Besov and Triebel-Lizorkin spaces with respect to Lipschitz domains. *J. London Math. Soc. (2)* **60**(1), 237–257 (1999)
109. G. Schmidt, Boundary integral operators for plate bending in domains with corners, *Zeitschrift für Analysis und ihre Anwendungen. J. Anal. Appl.* **20** (1), 131–154 (2001)
110. A. Seeger, A note on Triebel-Lizorkin spaces, in *Approximation and Function Spaces*, Banach Center Publ., No. 22 (PWN, Warsaw, 1989), pp. 391–400
111. R. Selvaggi, I. Sisto, An existence theorem for the Dirichlet problem with respect to the operator Δ^2 in certain domains of class C^1 . (Italian) *Boll. Un. Mat. Ital. B* (5) **18** (2), 473–483 (1981)
112. S.W. Semmes, A criterion for the boundedness of singular integrals on hypersurfaces. *Trans. Am. Math. Soc.* **311**(2), 501–513 (1989)
113. J.K. Seo, Regularity for solutions of biharmonic equation on Lipschitz domain. *Bull. Korean Math. Soc.* **33**(1), 17–28 (1996)
114. Z. Shapiro, On elliptical systems of partial differential equations. *C. R. (Doklady) Acad. Sci. URSS (N. S.)* **46**, 133–135 (1945)
115. Z. Shen, The L^p Dirichlet problem for elliptic systems on Lipschitz domains. *Math. Res. Lett.* **13**, 143–159 (2006)
116. Z. Shen, Necessary and sufficient conditions for the solvability of the L^p Dirichlet problem on Lipschitz domains. *Math. Ann.* **336**, 697–725 (2006)
117. Z. Shen, The L^p Dirichlet problem for elliptic systems on Lipschitz domains. *Math. Res. Lett.* **13**(1), 143–159 (2006)
118. Z. Shen, The L^p Boundary value problems on Lipschitz domains. *Adv. Math.* **216**, 212–254 (2007)

119. E.M. Stein, in *Singular Integrals and Differentiability Properties of Functions*. Princeton Mathematical Series, vol. 30 (Princeton University Press, Princeton, 1970)
120. E. Straube, Interpolation between Sobolev and between Lipschitz spaces of analytic functions on star-shaped domains. *Trans. Am. Math. Soc.* **316**(2), 653–671 (1989)
121. M.H. Taibleson, G. Weiss, The molecular characterization of certain Hardy spaces. Representation theorems for Hardy spaces, in *Astérisque*, vol. 77 (Soc. Math. France, Paris, 1980), pp. 67–149
122. H. Tanabe, in *Functional Analytic Methods for Partial Differential Equations*. Monographs and Textbooks in Pure and Applied Mathematics, vol. 204 (Marcel Dekker, New York, 1997)
123. H. Triebel, Function spaces on Lipschitz domains and on Lipschitz manifolds. Characteristic functions as pointwise multipliers. *Rev. Mat. Complut.* **15**, 475–524 (2002)
124. H. Triebel, in *Theory of Function Spaces, II*. Monographs in Mathematics, vol. 84 (Birkhäuser, Basel, 1992)
125. G. Verchota, Layer potentials and regularity for the Dirichlet problem for Laplace's equation in Lipschitz domains. *J. Funct. Anal.* **59**(3), 572–611 (1984)
126. G. Verchota, The Dirichlet problem for the biharmonic equation in C^1 domains. *Indiana Univ. Math. J.* **36**(4), 867–895 (1987)
127. G. Verchota, The Dirichlet problem for the polyharmonic equation in Lipschitz domains. *Indiana Univ. Math. J.* **39**(3), 671–702 (1990)
128. G.C. Verchota, Potentials for the Dirichlet problem in Lipschitz domains, in *Potential Theory - ICPT 94* (de Gruyter, Berlin, 1996), pp. 167–187
129. G. Verchota, The biharmonic Neumann problem in Lipschitz domains. *Acta Math.* **194**, 217–279 (2005)
130. P. Wagner, On the fundamental solutions of a class of elliptic quartic operators in dimension 3. *J. Math. Pures Appl.* **81**, 1191–1206 (2002)
131. H. Whitney, Analytic extensions of differentiable functions defined in closed sets. *Trans. Am. Math. Soc.* **36**(1), 63–89 (1934)

Symbol Index

- \mathcal{A} , 75
 $A_{\alpha\beta}(\theta)$, 356
 $\mathcal{A}(\cdot)$, 173
 \mathcal{A}_m , 75
 $[\cdot]_{A_p}$, 82
 $(a)_+$, 51
 $\overset{\circ}{A}_s^{p,q}(\Omega)$, 56
 $A_s^{p,q}(\mathbb{R}^n)$, 46
 $A_{s,0}^{p,q}(\Omega)$, 55
 $A_{s,z}^{p,q}(\Omega)$, 55
 A_γ^* , 24
- $\mathcal{B}_A(\cdot, \cdot)$, 12
 $\mathcal{B}_\eta(\cdot, \cdot)$, 271
 $\text{bmo}_{-1}(\partial\Omega)$, 96
 $\text{bmo}(\partial\Omega)$, 95
 $\text{BMO}_{m-1}(\partial\Omega)$, 192
 $\text{bmo}(\Omega)$, 48
 $\text{BMO}(\mathbb{R}^n)$, 43
 $\text{bmo}(\mathbb{R}^n)$, 43
 $B_{s-1}^{p,q}(\partial\Omega)$, 88
 $B_s^{p,q}(\partial\Omega)$, 88
 $\overset{\circ}{B}_s^{p,q}(\Omega)$, 56
 $\dot{B}_{m-1,s}^{p,q}(\partial\Omega)$, 138
 $B_{\dot{s}}^{p,q}(\Omega)$, 48
 $B_s^{p,q}(\mathbb{R}^n)$, 44
 $B_{s,0}^{p,q}(\Omega)$, 55
 $B_{s,z}^{p,q}(\Omega)$, 55
 $\mathcal{B}_\theta(\cdot, \cdot)$, 357
 $\mathcal{B}(\cdot, \cdot)$, 208
- CC , 125
 $C^{k+s}(\Omega)$, 51
 $\mathcal{C}\ell_n$, 114
- $[A, B]$, 295
 $\text{Comp}(\mathcal{X})$, 390
 $\text{Comp}(\mathcal{X} \rightarrow \mathcal{Y})$, 390
 $C^s(\partial\Omega)$, 88
 $C^s(\mathbb{R}^n)$, 42
 $\mathcal{C}_t(\Delta)$, 29
- D , 114
 \mathcal{D}_Δ , 1
 $\dot{\mathcal{D}}$, 4, 210
 $\dot{\mathcal{D}}_{\Delta^2}$, 348
 $\dot{\mathcal{D}}_\theta$, 364
 \mathcal{D}_θ , 365
 δ , 74
 $\text{dist}_{\text{bmo}(\partial\Omega)}$, 316
 D_L , 114
 Δ_h^M , 51
 D_R , 114
 $\Delta(X, r)$, 23, 24
- E , 76
 \mathcal{E} , 144
 \mathcal{E}_{m-1} , 8
 E_{Ω^\pm} , 144
 Ex , 90
- \dot{f} , 2, 125
 $\dot{f}^\#$, 191
 $F_{-1}^{p,q}(\partial\Omega)$, 92
 $F_s^{p,q}(\partial\Omega)$, 91
 $\overset{\circ}{F}_s^{p,q}(\Omega)$, 56
 $\dot{F}_{m-1,s}^{p,q}(\partial\Omega)$, 170
 $F_s^{p,q}(\Omega)$, 48

$F_s^{p,q}(\mathbb{R}^n)$, 44
 $F_{s,0}^{p,q}(\Omega)$, 55
 $F_{s,c}^{p,q}(\Omega)$, 55
 $f^\#$, 118
 \underline{f}_{S_r} , 95
 f , 55

Γ_θ , 24
 G_p , 333

$\mathbb{H}_s^p(\Omega; L)$, 62
 \mathcal{H}^{n-1} , 22
 $H_{at}^{1,p}(\partial\Omega)$, 93
 $h_{at}^{1,p}(\partial\Omega)$, 94, 96
 $\widetilde{H}_{at}^{1,p}(\partial\Omega)$, 94
 $h_1^p(\partial\Omega)$, 92
 $\dot{h}_{m-1,1}^p(\partial\Omega)$, 169
 $H_{at}^p(\partial\Omega)$, 93
 $h_{at}^p(\partial\Omega)$, 94
 $h^p(\partial\Omega)$, 92
 $h_k^p(\Omega)$, 50
 $h^p(\Omega)$, 48
 $H^p(\mathbb{R}^n)$, 43
 $h^p(\mathbb{R}^n)$, 43

I_ε , 378
 I'_ε , 378
 $I_{M \times M}$, 205
 \int , 63

K_Δ , 1, 363
 \dot{K} , 4, 233
 \dot{K}_{Δ^2} , 332
 $\underline{\dot{K}}_\theta$, 364
 \dot{K}_θ , 374
 $\text{Ker } L$, 58

\underline{L} , 1, 62, 199, 207
 \overline{L} , 200
 $\dot{L}_{m-1,0}^p(\partial\Omega)$, 125
 $L_1^p(\partial\Omega)$, 32
 $\dot{L}_{m-1,1}^p(\partial\Omega)$, 126
 $L^p(\partial\Omega)$, 22
 $L_{comp}^p(\partial\Omega)$, 22
 $L_{loc}^p(\partial\Omega)$, 22
 $L_{-1}^p(\partial\Omega)$, 38

$L_s^p(\partial\Omega)$, 169
 $\dot{L}_{m-1,s}^p(\partial\Omega)$, 169
 $L_s^p(\Omega)$, 48
 $L_s^p(\mathbb{R}^n)$, 42
 $L_{s,0}^p(\Omega)$, 55
 $L_{s,c}^p(\Omega)$, 55
 L^* , 200
 L^t , 199
 \tilde{L} , 237
 $\mathcal{L}(\mathcal{X})$, 390
 $\mathcal{L}(\mathcal{X} \rightarrow \mathcal{Y})$, 108
 $L_{X,Y}$, 74

\mathcal{M} , 23
 M_A , 11
 M_ψ , 295
 M_θ , 11, 358

N_A , 11
 ∇_{tan} , 36
 \mathcal{N}^\pm , 23
 \mathcal{N}_κ , 23
 \widetilde{N}_θ , 11, 358
 \mathcal{N}_θ , 24
 $\cdot \Big|_{\partial\Omega}$, 30
 $\cdot \Big|_{\partial\Omega}^{m-1}$, 171
 ν , 22

\odot , 114
 \mathcal{O}_κ , 24
 Ω_- , 23
 $\underline{\Omega}_+$, 23
 $\underline{\mathcal{O}}$, 142
 \mathcal{O}_θ , 24

P_α , 140
 $\partial_{\tau_{jk}}$, 31
 ∂_v^2 , 358
 ∂_v^A , 271
 $\partial_{v\pm}^A$, 276
 $\partial_v^{A_\theta}$, 361
 $\partial_v^A(\cdot, \cdot)$, 279
 π , 325, 352
 Π_Ω , 273
 π^* , 325, 352
 \mathcal{P}_{m-1} , 191
 \mathcal{P}_{m-1} , 191
 Ψ , 137

$\|\cdot\|_{A_{s,0}^{p,q}(\Omega)}, 55$
 $\|\cdot\|_{\mathbf{bmo}(\partial\Omega)}, 95$
 $\|\cdot\|_{\mathbf{BMO}_{m-1}(\partial\Omega)}, 192$
 $\|\cdot\|_{\mathbf{BMO}(\mathbb{R}^n)}, 43$
 $\|\cdot\|_{\mathbf{bmo}(\mathbb{R}^n)}, 43$
 $\|\cdot\|_{B_s^{p,q}(\partial\Omega)}, 88$
 $\|\cdot\|_{B_s^{p,q}(\partial\Omega)}, 88$
 $\|\cdot\|_{\hat{B}_{m-1,s}^{p,q}(\partial\Omega)}, 138$
 $\|\cdot\|_{B_s^{p,q}(\Omega)}, 48$
 $\|\cdot\|_{B_s^{p,q}(\mathbb{R}^n)}, 44$
 $\|\cdot\|_{Car}, 28$
 $\|\cdot\|_{C^{k+s}(\Omega)}, 51$
 $\|\cdot\|_{C^s(\partial\Omega)}, 88$
 $\|\cdot\|_{C^s(\mathbb{R}^n)}, 42$
 $\|\cdot\|_{F_{s-1}^{p,q}(\partial\Omega)}, 92$
 $\|\cdot\|_{F_s^{p,q}(\partial\Omega)}, 91$
 $\|\cdot\|_{\hat{F}_{m-1,s}^{p,q}(\partial\Omega)}, 170$
 $\|\cdot\|_{F_s^{p,q}(\mathbb{R}^n)}, 44$
 $\|\cdot\|_{\mathbb{H}_s^p(\Omega;L)}, 62$
 $\|\cdot\|_{h_{-k}^p(\Omega)}, 50$
 $\|\cdot\|_{H_{ai}^{1,p}(\partial\Omega)}, 93$
 $\|\cdot\|_{\tilde{h}_{m-1,1}^p(\partial\Omega)}, 170$
 $\|\cdot\|_{h_k^p(\Omega)}, 50$
 $\|\cdot\|_{L_{m-1,0}^p(\partial\Omega)}, 126$
 $\|\cdot\|_{\tilde{L}_{m-1,1}^p(\partial\Omega)}, 126$
 $\|\cdot\|_{L_{-1}^p(\partial\Omega)}, 39$
 $\|\cdot\|_{L_1^p(\partial\Omega)}, 32$
 $\|\cdot\|_{\tilde{L}_{m-1,s}^p(\partial\Omega)}, 169$
 $\|\cdot\|_{L_s^p(\mathbb{R}^n)}, 42$
 $\|\cdot\|_{W_a^{k,p}(\Omega)}, 61$
 $\|\cdot\|_{W^{k,p}(\Omega)}, 54$
 $\|\cdot\|_{W^{k,p}(\mathbb{R}^n)}, 42$
 $\|\cdot\|_{W_a^{m,p}(\Omega)}, 84$
 $\|\cdot\|_{W_a^{m,p}(\mathbb{R}^n)}, 78, 84$
 $\|\cdot\|_{\dot{X}_{m-1}(\partial\Omega)}, 3$

$R_\alpha(\cdot, \cdot), 139$

$r_\alpha, 139$

$\rho(\cdot), 30$

$\rho_{reg}, 74$

$\mathcal{R}_{k,A}, 75$

$\mathcal{R}_{k,A}, 78$

$R_{\ell,X}, 206$

$\mathcal{R}_\Omega, 53$

$R_\kappa^\pm(X), 23$

$\langle s \rangle, 62$

$\mathcal{S}_\Delta, 363$

$\mathcal{S}, 8, 253$

$\mathcal{S}^\pm, 253$

$\dot{S}, 9, 257$

$\sigma, 22$

$S_r(X), 23$

$(\cdot)^*, 84$

$T_\varepsilon, 108$

$T_\kappa(\mathcal{O}), 28$

$\mathrm{Tr}, 90, 107$

$\mathrm{tr}_{m-1}, 142$

$\mathrm{Tr}_{m-1}, 156$

$\mathrm{tr}_{m-1}, 7$

$T_*, 108$

$\Theta_\tau^{\sigma,a}, 131$

$u^+, 43$

$u^+, 49$

$u^{++}, 43$

$\vee, 120$

$\mathbf{vmo}(\partial\Omega), 96$

$\mathbf{VMO}_{m-1}(\partial\Omega), 196$

$W_a^{k,p}(\Omega), 61$

$W^{k,p}(\Omega), 54$

$W^{k,p}(\mathbb{R}^n), 42$

$\overset{\circ}{W}_a^{m,p}(\Omega), 161$

$W_a^{m,p}(\Omega), 84$

$W_a^{m,p}(\mathbb{R}^n), 78, 84$

$\omega_r(\cdot), 220$

Subject Index

atom

- definition of, 93
- regular, definition of, 93

best fit polynomial

- definition of, 220

bilinear form

- associated with Δ^2 , 10, 11, 357
- associated with homogeneous differential operators, 208, 269
- relationship with conormal, 272, 358

boundary behavior

- conormal derivative of the single multi-layer, 286
- double multi-layer, 233
- double multi-layer on Whitney-Besov spaces, 250
- single multi-layer on duals of Whitney-Besov spaces, 262
- single multi-layer on duals of Whitney-Lebesgue spaces, 257

boundary value problem

- Dirichlet problem with data in Whitney-Hölder spaces, 15
- Dirichlet, for Δ^2 , 341, 385, 391
- Dirichlet, for Δ^2 , with Whitney-Besov data, 16, 396
- inhomogeneous Dirichlet, 344, 345
- inhomogeneous Dirichlet, for Δ^2 , 348, 355
- inhomogeneous Dirichlet, with Whitney-Besov data, 314
- inhomogeneous Neumann, 350
- inhomogeneous Neumann, for Δ^2 , 354
- inhomogeneous Neumann, for Δ^2 , with Whitney-Besov data, 18, 402
- Neumann, for Δ^2 , 388, 391
- Regularity, for Δ^2 , 386, 391

compatibility condition

- definition of, 125

compactness

- biharmonic double multi-layer on the Whitney-Besov scale, 332
- criterion, 390
- Cwikel's extrapolation property for the complex method of interpolation, 327
- extrapolation property for the double multi-layer acting on Whitney-Besov, 330
- extrapolation property for the double multi-layer acting on Whitney-Lebesgue spaces, 331

conormal derivative

- Besov space context, 278
- weighted Sobolev space context, 283
- associated with Δ^2 , 361
- definition of, 271
- for null solutions of higher-order operators, 280, 281
- of fundamental solution, 272
- of Newtonian potentials, 276
- of the single multi-layer, 284

double layer

- harmonic principal-value, definition of, 1
- harmonic, definition of, 1

double multi-layer

- biharmonic, 366
- biharmonic case, invertibility, Whitney-Besov context, 333
- biharmonic case, invertibility, Whitney-Lebesgue and Whitney-Sobolev contexts, 377
- biharmonic, compactness on the Whitney-Besov scale, 332

- biharmonic, definition of, 364
- biharmonic, invertibility in the Whitney-Lebesgue and Whitney-Sobolev contexts, 387
- biharmonic, invertibility, Whitney-Besov context, 395
- biharmonic, invertibility, Whitney-Lebesgue and Whitney-Sobolev contexts, 391
- definition of, 209
- harmonic, definition of, 363
- invertibility, Whitney-Besov context, 307
- principal-value, definition of, 233
- ellipticity condition**
 - S -ellipticity, definition of, 201
 - W -ellipticity, definition of, 201
 - Legendre-Hadamard, definition of, 201
- embedding of**
 - atomic Hardy spaces, 99
 - Besov and Triebel-Lizorkin spaces in \mathbb{R}^n , 46
 - Whitney-Besov spaces, 142
- estimates**
 - Carleson measure, for single multi-layer, 260
 - non-tangential maximal function, for double multi-layer, 211
 - non-tangential maximal function, for single multi-layer, 254
- function space of Whitney arrays**
 - polynomials, definition of, 191
 - Whitney-Besov, definition of, 138
 - Whitney-BMO, definition of, 191
 - Whitney-Hardy, definition of, 169
 - Whitney-Lebesgue, definition of, 126
 - Whitney-Sobolev, definition of, 126
- function space on $\partial\Omega$**
 - Besov, definition of, 88
 - Besov, 2
 - Besov type (p, s) , definition of, 187
 - BMO, 2
 - Hölder, 2
 - Hardy-Sobolev, 2
 - homogeneous atomic Hardy, definition of, 93
 - homogeneous atomic Hardy-based Sobolev, definition of, 93
 - inhomogeneous atomic Hardy, definition of, 94
 - inhomogeneous atomic Hardy-based Sobolev, definition of, 94
 - inhomogeneous Hardy, definition of, 92
 - inhomogeneous Hardy-based Sobolev, definition of, 92
- Lebesgue, 2
- local BMO, definition of, 95
- local VMO, definition of, 96
- non-homogeneous Hölder, definition of, 88
- Sobolev, 2
- Triebel-Lizorkin, 2
- Triebel-Lizorkin, definition of, 91
- VMO, 2
- Whitney-VMO, definition of, 196
- function space in Ω**
 - L^p -based Sobolev, definition of, 54
 - bmo, definition of, 48
 - Besov, definition of, 48
 - Bessel, definition of, 48
 - Hardy, definition of, 48
 - Triebel-Lizorkin, definition of, 48
 - weighted Sobolev $p \in (0, 1)$, definition of, 84
 - weighted Sobolev, definition of, 78
- function space in \mathbb{R}^n**
 - Besov, definition of, 44
 - Bessel potential, definition of, 42
 - BMO, definition of, 43
 - Hölder, definition of, 42
 - homogeneous Hardy, definition of, 43
 - local Hardy, definition of, 43
 - Sobolev, definition of, 42
 - Triebel-Lizorkin, definition of, 44
 - weighted Sobolev $p \in (0, 1)$, definition of, 84
- fundamental solution**
 - bi-Laplacian, 363
 - of elliptic homogeneous differential operators, 203
- Green operator**
 - for the Dirichlet problem for Δ^2 on Besov and Triebel-Lizorkin spaces, 399
- injectivity**
 - of boundary single multi-layer, 308
 - of principal-value double multi-layer, 303
- interpolation of**
 - spaces of Besov type, real method, 188
 - weighted Sobolev spaces, 63
 - Whitney-Besov spaces, 180
 - Whitney-Lebesgue and Whitney-Sobolev spaces, 185
 - Whitney-Triebel-Lizorkin, 181, 189, 191
 - Whitney-Triebel-Lizorkin spaces, 186
- invertibility of**
 - biharmonic double multi-layer, Whitney-Besov context, 333, 395
 - biharmonic double multi-layer, Whitney-Lebesgue and Whitney-Sobolev contexts, 377, 387, 391

- biharmonic single multi-layer, Whitney-Besov context, 395
- biharmonic single multi-layer, Whitney-Lebesgue and Whitney-Sobolev contexts, 387, 391
- differential operator in Besov and Triebel-Lizorkin contexts, 342
- double multi-layer, Whitney-Besov context, 307
- single multi-layer, Whitney-Besov context, 313, 316
- Lipschitz domain**
 - bounded, definition of, 21
 - unbounded, definition of, 21
- mapping properties of**
 - boundary double multi-layer on Whitney-Besov spaces, 251
 - boundary double multi-layer on Whitney-VMO spaces, 252
 - double layer on Whitney-Besov spaces, 245
 - double multi-layer on Whitney-Besov spaces, 250
 - double multi-layer on Whitney-Lebesgue and Whitney-Sobolev spaces, 252
 - principal-value double multi-layer on Whitney-Besov spaces, 250
 - principal-value double multi-layer on Whitney-BMO spaces, 241
 - principal-value double multi-layer on Whitney-Hardy spaces, 237
 - single multi-layer on duals of Whitney-Besov spaces, 262, 269
 - single multi-layer on duals of Whitney-Hölder spaces, 265
 - single multi-layer on duals of Whitney-Hardy spaces, 260
 - single multi-layer on duals of Whitney-Lebesgue and Whitney-Sobolev spaces, 257
- maximal function**
 - sharp, definition of, 191
 - radial, definition of, 49, 84
- multi-trace**
 - with values in Whitney-Triebel-Lizorkin spaces, 178
- multiplication of Whitney arrays by smooth functions**
 - definition of, 126
- operator**
 - boundary double multi-layer potential, definition of, 233
 - boundary single multi-layer potential, definition of, 257
 - boundary single multi-layer, definition of, 257
 - double multi-layer and conormal derivative of fundamental solution, 273
 - double multi-layer potential, definition of, 209
 - Green formula in the higher-order case, 272
 - homogeneous differential of order $2m$, definition of, 199
 - Newtonian potential, definition of, 273
 - single multi-layer potential, definition of, 253
- single multi-layer**
 - invertibility, Whitney-Besov context, 313
 - biharmonic, definition of, 372
 - biharmonic, invertibility in the Whitney-Lebesgue and Whitney-Sobolev contexts, 387
 - biharmonic, invertibility, Whitney-Besov context, 395
 - biharmonic, invertibility, Whitney-Lebesgue and Whitney-Sobolev contexts, 391
 - boundary version, definition of, 257
 - definition of, 253
 - global regularity, 269
 - harmonic, definition of, 363
 - invertibility, Whitney-Besov context, 313, 316
- trace operator**
 - compressed higher-order version, definition of, 156
- transformation law**
 - of Besov type, 188
- well-posedness of BVP**
 - Dirichlet, for Δ^2 , 341, 385, 391
 - Dirichlet, for Δ^2 , with Whitney-Besov data, 16, 396
 - Dirichlet, with Whitney-Hölder data, 15
 - inhomogeneous Dirichlet, 344, 345
 - inhomogeneous Dirichlet, for Δ^2 , 348, 355
 - inhomogeneous Dirichlet, with Whitney-Besov data, 314
 - inhomogeneous Neumann, 350
 - inhomogeneous Neumann, for Δ^2 , 354
 - inhomogeneous Neumann, for Δ^2 , with Whitney-Besov data, 18, 402
 - Neumann, for Δ^2 , 388, 391
 - Regularity, for Δ^2 , 386, 391

Theorem Index

- a characterization of weighted Sobolev spaces, 162
- BMO-to-Carleson mapping property for the double multi-layer, 6
- Carleson measure estimates for singular integrals, 117
- Carleson measure estimates for the double multi-layer, 227
- Carleson measure estimates for the single multi-layer, 260
- characterization of the null-space of $-\frac{1}{2}I + \tilde{K}$, 317, 324
- close to compact criterion, 390
- compactness of a principal-value double multi-layer associated with Δ^2 on the entire Whitney-Besov scale, 332
- complex interpolation of weighted Sobolev spaces, 86
- Cwikel's compactness extrapolation property for the complex method of interpolation, 327
- Cwikel's one-sided compactness property for the real method of interpolation, 327
- embedding of Besov and Triebel-Lizorkin spaces in \mathbb{R}^n , 46
- equivalent characterization of membership in Hardy spaces, 49
- extrapolating compactness for the principal-value double multi-layer on one Whitney-Lebesgue space
 - to its compactness on the entire Whitney-Besov scale, 331
 - extrapolation compactness property for the double multi-layer acting on Whitney-Besov spaces, 330
 - extrapolation compactness property for the scale of Besov spaces in \mathbb{R}^n , 327
- Fredholm properties for the boundary single multi-layer, 297
- fundamental solution for weakly elliptic homogeneous differential operators with constant coefficients, 203
- Green representation formula in the context of Besov spaces, 282
- higher-order smoothness identification, 50
- injectivity properties for the boundary single multi-layer, 308
- injectivity properties for the principal-value double multi-layer, 303
- weighted Sobolev spaces, 63
- interpolation of Besov and Triebel-Lizorkin spaces on Lipschitz domains, 57, 165
- interpolation of Whitney-Besov spaces, 180
- interpolation of Whitney-Triebel-Lizorkin spaces, 181, 191
- invertibility of a principal-value biharmonic double multi-layer potential on Whitney-Besov spaces, 333

- invertibility of multi layers and well-posedness of BVPs for the bi-Laplacian in domains with unit normal close to VMO, 391
- invertibility of the boundary single multi-layer, 313, 316
- invertibility properties for the principal-value double multi-layer, 307
- invertibility properties of L on Besov and Triebel-Lizorkin spaces, 342
- invertibility results for biharmonic multi-layers on Whitney-Besov spaces, 395
- invertibility results for principal-value biharmonic double multi-layers, 377

- jump relations for the double multi-layer, 233

- mapping properties for the conormal derivative of the biharmonic double multi-layer, 369
- mapping properties for the double multi-layer on Whitney-Besov spaces, 245
- mapping properties for the double multi-layer on Whitney-Besov spaces taking values in weighted Sobolev spaces, 250
- mapping properties for the double multi-layer on Whitney-Lebesgue and Whitney-Sobolev spaces, 252
- mapping properties for the principal-value double multi-layer and jump relations for the double layer on Whitney-Besov spaces, 250
- mapping properties for the principal-value double multi-layer on Whitney-BMO spaces, 241
- mapping properties for the principal-value double multi-layer on Whitney-Hardy spaces, 237
- mapping properties for the principal-value double multi-layer on Whitney-VMO spaces, 252
- mapping properties for the single multi-layer acting on duals of Whitney-Lebesgue and Whitney-Sobolev spaces, 257
- mapping properties for the single multi-layer on duals of Whitney-Besov spaces, 262
- mapping properties for the single multi-layer on duals of Whitney-Hölder spaces, 265

- mapping properties of the double multi-layer on Whitney-Besov and Whitney-Triebel-Lizorkin spaces, 7
- multi-trace and extensions from Whitney array spaces, 142
- multi-trace and extensions from Whitney array spaces; the weighted case, 145
- multi-trace theory, 7
- multi-trace theory on Lipschitz domains satisfying a uniform exterior ball condition, 177
- multi-trace theory; limiting cases of smoothness, 176

- non-tangential maximal function estimates for the double multi-layer on Whitney-Hardy spaces, 219
- non-tangential maximal function estimates for the double multi-layer on Whitney-Lebesgue spaces, 5, 211

- on the components of the principal-value double multi-layer, 237
- on the nature of the compatibility conditions, 133
- on the null space of the higher-order trace operator, 146
- on the null space of the higher-order trace operator; the weighted case, 154

- preservation of the null-solution property under interpolation on Besov and Triebel-Lizorkin scales, 58
- principal-value boundary integral operators and jump relations, 6
- properties of the compressed higher-order trace operator, 157

- relationship between $\mathbb{H}_s^p(\Omega; L)$ and the classical Triebel-Lizorkin scale, 65
- review of Caderón-Zygmund theory, 108
- Rychkov's extension, 53

- spectral theory results for the principal-value double multi-layer, 297
- Stein's extension operator on weighted Sobolev spaces; the $p \geq 1$ case, 83
- Stein's extension operator on weighted Sobolev spaces; the $p \in (0, 1)$ case, 85

- traces to and extensions from Lipschitz boundaries, 90
- uniqueness for the Dirichlet problem with Whitney-Lebesgue data, 335
- vanishing Carleson measure properties for the double multi-layer, 232
- well-posedness for the inhomogeneous Dirichlet problem, 344, 345
- well-posedness of inhomogeneous Dirichlet problem for Δ^2 with Whitney-Besov data, 16, 396
- well-posedness of inhomogeneous Neumann problems for Δ^2 with Whitney-Besov data, 18, 402
- well-posedness of the Dirichlet problem for Δ^2 with Whitney-Lebesgue data, 341
- well-posedness of the inhomogeneous Dirichlet problem for Δ^2 , 348, 355
- well-posedness of the inhomogeneous Neumann problem for Δ^2 , 354
- well-posedness of the inhomogeneous Neumann problem for general operators, 350
- well-posedness of the Neumann problem for Δ^2 with data from duals of Whitney-Lebesgue spaces, 388
- well-posedness of the Regularity problem for the bi-Laplacian, 386

Author Index

- Adams, R.A., 82
 Adolfsson, V., 15, 16, 65, 138
 Agmon, S., 2, 3, 5, 15, 16, 331, 356
 Alvarado, R., 32
 Asekritova, I., 181
- Bergh, J., 59, 87, 182
 Bourgeois, C., 356
 Bourlard, M., 356–358
 Bownik, M., 102
 Brackx, F., 115
 Brewster, K., 73
 Brown, R., 14
 Burenkov, V., 73
- Calderón, A.P., 57
 Calderón, A., 1, 2, 73
 Chang, D., 18
 Chang, D.-C., 74
 Christ, M., 28
 Cohen, J., 3, 13, 15, 241, 331–334, 340, 341
 Coifman, R., 1, 23, 96, 109
 Cwikel, M., 327
- Dahlberg, B.E., 13, 173, 175, 176
 Dautray, R., 356
 David, G., 109, 118
 Delanghe, R., 115
 DeVore, R., 70
 Dindoš, M., 27
 Diomeda, L., 14
 Dispa, S., 51
 Douglis, N., 15
- Fabes, E., 1, 2, 5, 13, 15, 17
 Fefferman, C., 24, 43
 Fournier, J.J.F., 82
 Franke, J., 15
 Frazier, M., 45, 107, 328
 Fredholm, I., 202
 Fromm, S.J., 177
- Gazzola, F., 356, 357
 Giroire, J., 356
 Goldberg, D., 43, 44
 Gosselin, J., 3, 13, 331–334, 340, 341
 Grisvard, P., 62
 Grunau, H.-C., 356, 357
- Hedberg, L., 16
 Hofmann, S., 32, 109, 118, 332, 390, 393
 Hörmander, L., 74, 203, 207
 Hu, W., 14
- Jawerth, B., 45, 107, 328
 Jerison, D., 7, 15, 17, 40, 50, 55, 59, 62, 65, 73, 164, 177
 Jodeit, M., 1, 2, 5, 13
 John, F., 203, 204
 Jones, P., 73
 Jonsson, A., 7, 73, 138, 178
- Kalton, N., 47, 48, 50, 57, 58, 63, 65, 67, 152, 180, 297, 301, 308, 313, 316, 326, 333, 343
 Kalyabin, G.A., 73
 Kato, T., 297

- Kenig, C., 2, 7, 13, 15, 17, 40, 50, 55, 59, 62, 65, 73, 164, 173, 175–178
- Kilty, J., 14, 386
- Koskela, P., 105
- Kozlov, V., 14
- Krantz, S., 18
- Krantz, S.G., 74
- Krugljak, N., 181
- Lions, J.-L., 164, 356
- Lisena, B., 14
- Löfström, J., 59, 87, 182
- Magenes, E., 164
- Mayboroda, S., 7, 15, 18, 47, 48, 50, 57, 58, 63, 65, 67, 90, 180
- Maz'ya, V., 3, 14, 15, 138, 139, 146, 314, 317
- Maz'ya, V.G., 73
- McIntosh, A., 1, 109
- Mendez, O., 17, 329
- Meyer, Y., 1, 108, 109
- Miller, N., 87, 155
- Mitrea, D., 31, 41, 50, 60, 63, 110, 115, 118, 164, 393
- Mitrea, I., 15, 16, 31, 32, 41, 60, 63, 73, 110, 115, 164, 335, 355, 393
- Mitrea, M., 3, 7, 15, 17, 18, 27, 31, 32, 41, 47, 48, 50, 57, 58, 60, 63, 65, 67, 73, 82, 90, 109, 110, 115, 118, 120, 138, 139, 146, 164, 180, 262, 297, 301, 308, 313, 314, 316, 317, 326, 327, 329, 332, 333, 335, 343, 355, 386, 390, 393
- Miyachi, A., 49
- Monniaux, S., 31, 50, 63, 110, 164, 393
- Morrey, C.B., 203
- Morris, A.J., 118
- Nadai, A., 356
- Nazaret, C., 356
- Nečas, J., 14, 161, 356
- Nédélec, J.-C., 356
- Nicaise, S., 356–358
- Nirenberg, L., 15
- Ortner, N., 203
- Peck, N., 152
- Pelczyński, A., 74
- Pipher, J., 2, 3, 14–16, 65, 138, 172, 173, 175, 176, 401
- Pisani, R., 14
- Rivière, N., 1, 2, 5, 13
- Roberts, J., 152
- Rossmann, J., 14
- Runst, T., 15, 44–46, 51, 52, 161
- Rychkov, V., 8, 53, 73
- Saksman, E., 105
- Schmidt, G., 356
- Seeger, A., 53, 69
- Selvaggi, R., 14
- Semmes, S., 109, 115, 118
- Seo, J., 15
- Shapiro, Z., 203
- Shaposhnikova, T., 3, 15, 138, 139, 146, 314, 317
- Sharples, R., 70
- Shen, Z., 14, 16, 377, 379, 385, 386, 388
- Sickel, W., 15, 44–46, 51, 52, 161
- Sisto, I., 14
- Sommen, F., 115
- Stein, E., 18, 24, 43, 66, 73, 74, 76, 78, 80, 83, 108, 140, 247, 335
- Straube, E., 66
- Sweers, G., 356, 357
- Taibleson, M.H., 221
- Tanabe, H., 205
- Taylor, M., 17, 32, 63, 82, 109, 120, 262, 332, 390, 393
- Triebel, H., 44, 45, 47, 56, 57, 149
- Tuci, M., 14
- Verchota, G., 2, 3, 13–16, 41, 120, 172, 173, 175, 176, 357, 358, 377, 379, 385, 386, 388, 393, 401
- Wagner, P., 202, 203
- Wallin, H., 7, 73, 138, 178
- Weiss, G., 23, 45, 96, 221
- Whitney, H., 2
- Wojciechowski, M., 74
- Wright, M., 15, 327, 355, 386
- Yan, L., 41, 60

Edited by J.-M. Morel, B. Teissier; P.K. Maini

Editorial Policy (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.

Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this “lecture notes” character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.

2. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer’s mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.

Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees’ recommendations, making further refereeing of a final draft necessary.

Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.

3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped psfiles. Lecture Notes volumes are, as a rule, printed digitally from the authors’ files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer’s web-server at:

<ftp://ftp.springer.de/pub/tex/latex/svmonot1/> (for monographs) and

<ftp://ftp.springer.de/pub/tex/latex/svmultt1/> (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from lnm@springer.com.

4. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
5. Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
6. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor J.-M. Morel, CMLA,
École Normale Supérieure de Cachan,
61 Avenue du Président Wilson, 94235 Cachan Cedex, France
E-mail: morel@cmla.ens-cachan.fr

Professor B. Teissier, Institut Mathématique de Jussieu,
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,
175 rue du Chevaleret
75013 Paris, France
E-mail: teissier@math.jussieu.fr

For the “Mathematical Biosciences Subseries” of LNM:

Professor P. K. Maini, Center for Mathematical Biology,
Mathematical Institute, 24-29 St Giles,
Oxford OX1 3LP, UK
E-mail: maini@maths.ox.ac.uk

Springer, Mathematics Editorial, Tiergartenstr. 17,
69121 Heidelberg, Germany,
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259
E-mail: lnm@springer.com