Functional Condensation Polymers

Functional Condensation Polymers

Edited by

Charles E. Carraher, Jr.

*Florida Atlantic University
Boca Raton, Florida and
Florida Center for Environmental Studies
Palm Beach Gardens, Florida*

Graham G. Swift

*G.S.P.C., Inc.
Chapel Hill, North Carolina*

KLUWER ACADEMIC PUBLISHERS
NEW YORK, BOSTON, DORDRECHT, LONDON, MOSCOW

eBook ISBN: 0-306-47563-4
Print ISBN: 0-306-47245-7

©2002 Kluwer Academic Publishers
New York, Boston, Dordrecht, London, Moscow

Print ©2002 Kluwer Academic/Plenum Publishers
New York

All rights reserved

No part of this eBook may be reproduced or transmitted in any form or by any means, electronic, mechanical, recording, or otherwise, without written consent from the Publisher

Created in the United States of America

Visit Kluwer Online at: <http://kluweronline.com>
and Kluwer's eBookstore at: <http://ebooks.kluweronline.com>

Contributors

- Kumudi Abey**, Florida Atlantic University, Boca Raton, Florida
- Stephen Andrasik**, University of Central Florida, Orlando, Florida
- R. Scott Armentrout**, Eastman Chemical Company, Kingsport, Tennessee
- Grant D. Barber**, University of Southern Mississippi, Hattiesburg, Mississippi
- T. Beck**, Pharmacia Corporation, Chesterfield, Missouri
- Kevin D. Belfield**, University of Central Florida, Orlando, Florida
- Carl E. Bonner**, Norfolk State University, Norfolk, Virginia
- K. Botwin**, Pharmacia Corporation, Chesterfield, Missouri
- Timothy L. Boykin**, Bayer Corporation, Pittsburgh, Pennsylvania
- Charles E. Carraher, Jr.**, Florida Atlantic University, Boca Raton, Florida and Florida Center for Environmental Studies, Palm Beach Gardens, Florida
- Shawn M. Carraher**, Texas A&M University, Commerce, Texas
- Donna M. Chamely**, Florida Atlantic University, Boca Raton, Florida
- Victor M. Chapela**, Beremerita Universidad Autonoma de Puebla, Puebla, Mexico
- David M. Collard**, Georgia Institute of Technology, Atlanta, Georgia
- Ann-Marie Francis**, Florida Atlantic University, Boca Raton, Florida
- Holger Frey**, Albert-Ludwigs Universität, Freiburg, Germany
- Sakuntala Chatterjee Ganguly**, Indian Institute of Technology, Kharagpur, India and SAKCHEM, Mowbray, Tasmania, Australia
- Jerome E. Haky**, Florida Atlantic University, Boca Raton, Florida
- Shiro Hamamoto**, Toyobo Research Center Company, Ohtsu, Japan
- Mason K. Harrup**, Idaho National Engineering and Environmental Laboratory, Idaho Falls, Idaho
- James Helmy**, Florida Atlantic University, Boca Raton, Florida
- Samuel J. Huang**, University of Connecticut, Storrs, Connecticut

R. Jansson, Pharmacia Corporation, Chesterfield, Missouri

Michael G. Jones, Idaho National Engineering and Environmental Laboratory, Idaho Falls, Idaho

Huaiying Kang, Virginia Polytechnic Institute and State University, Blacksburg, Virginia

Kota Kitamura, Toyobo Research Center Company, Ohtsu, Japan

D. Kunneman, Pharmacia Corporation, Chesterfield, Missouri

G. Lange, Pharmacia Corporation, Chesterfield, Missouri

Wesley W. Learned, Flying L Ranch, Billings, Oklahoma

Stephen C. Lee, Pharmacia Corporation, Chesterfield, Missouri and Department of Chemical Engineering and the Biomedical Engineering Center, Ohio State University, Columbus, Ohio

Timothy E. Long, Virginia Polytechnic Institute and State University, Blacksburg, Virginia

Shahin Maaref, Norfolk State University, Norfolk, Virginia

Joseph M. Mabry, University of Southern California, Los Angeles, California

T. Miller, Pharmacia Corporation, Chesterfield, Missouri

Robert B. Moore, University of Southern Mississippi, Hattiesburg, Mississippi

Alma R. Morales, University of Central Florida, Orlando, Florida

Rolf Mulhaupt, Albert-Ludwigs Universität, Freiburg, Germany

David Nagy, Florida Atlantic University, Boca Raton, Florida

Junko Nakao, Toyobo Research Center Company, Ohtsu, Japan

Rei Nishio, Teijin Ltd., Iwakuni, Yamaguchi, Japan

R. Parthasarathy, Pharmacia Corporation, Chesterfield, Missouri

Zhonghua Peng, University of Missouri-Kansas City, Kansas City Missouri

Judith Percino, Benemerita Universidad Autonoma de Puebla, Puebla, Mexico

Fred Pflueger, Florida Atlantic University, Boca Raton, Florida

Dirk Poppe, Albert-Ludwigs Universität, Freiburg, Germany

Monica Ramos, University of Connecticut, Storrs, Connecticut

Alberto Rivalta, Florida Atlantic University, Boca Raton, Florida

John R. Ross, Florida Atlantic University, Boca Raton, Florida

CONTRIBUTORS

vii

E. Rowold, Pharmacia Corporation, Boca Raton, Florida

Jiro Sadanobu, Teijin Ltd., Iwakuni, Yamaguchi, Japan

Yoshimitsu Sakaguchi, Toyobo Research Center Company, Ohtsu, Japan

Alicia R. Salamone, Florida Atlantic University, Boca Raton, Florida

Katherine J. Schafer, University of Central Florida, Orlando, Florida

David A. Schiraldi, Next Generation Polymer Research, Spartanburg, South Carolina

Jianmin Shi, Eastman Kodak, Rochester, New York

Deborah W. Siegmann-Louda, Florida Atlantic University, Boca Raton, Florida

Robin E. Southward, College of William and Mary, Williamsburg, Virginia

Herbert Stewart, Florida Atlantic University, Boca Raton, Florida

Sam-Shajing Sun, Norfolk State University, Norfolk, Virginia

Hiroshi Tachimori, Toyoba Research Center Company, Ohtsu, Japan

Satoshi Takase, Toyoba Research Center Company, Ohtsu, Japan

D. Scott Thompson, College of William and Mary, Williamsburg, Virginia

D. W. Thompson, College of William and Mary, Williamsburg, Virginia

C. F. Voliva, Pharmacia Corporation, Chesterfield, Missouri

Jianli Wang, Virginia Polytechnic Institute and State University, Blacksburg, Virginia

William P. Weber, University of Southern California, Los Angeles, California

Alan Wertsching, Idaho National Engineering and Environmental Laboratory, Idaho Falls, Idaho

Ozlem Yavuz, University of Central Florida, Orlando, Florida

Torsten Zerfaß, Albert-Ludwigs Universität, Freiburg, Germany

Shiying Zheng, Eastman Kodak, Rochester New York

J. Zobell, Pharmacia Corporation, Chesterfield, Missouri

Preface

Most synthetic and natural polymers can be divided according to whether they are condensation or vinyl polymers. While much publicity has focused on functionalized vinyl polymers, little has been done to bring together material dealing with functionalized condensation polymers. Yet, functionalized condensation polymers form an ever increasingly important, but diverse, group of materials that are important in our search for new materials for the 21st century. They form a major part of the important basis for the new and explosive nanotechnology, drug delivery systems, specific multi-site catalysts, communication technology, etc.

For synthetic polymers, on a bulk basis, vinyl polymers are present in about a two to three times basis. By comparison, in nature, the vast majority of polymers are of the condensation variety.

Functionalized or functional condensation polymers are condensation polymers that contain functional groups that are either present prior to polymer formation, introduced during polymerization, or introduced subsequent to the formation of the polymer. The polymers can be linear, branched, hyper-branched, dendritic, etc. They are important reagents in the formation of ordered polymer assemblies and new architectural dendritic-like materials.

Condensation polymers offer advantages not offered by vinyl polymers including offering different kinds of binding sites; the potential for easy biodegradability; offering different reactivities undergoing reaction with different reagents under different reaction conditions; offering better tailoring of end-products; offering different tendencies (such as fiber formation); and offering different physical and chemical properties.

This book is based, in part, on an international symposium given in April 2001 as part of the national American Chemical Society meeting in San Diego, California, which was sponsored by the Division of Polymeric Materials: Science and Engineering. About forty presentations were made at the meeting.

Sample areas emphasized included dendrimers, control release of drugs, nanostructural materials, controlled biomedical recognition, and controllable electrolyte and electrical properties.

Of these presentations, about half were chosen to be included in this volume. Areas chosen for this book are those where functional condensation polymers play an especially critical role. These are nanomaterials, light and energy, bioactivity and biomaterials, and enhanced physical properties.

The book is not comprehensive, but illustrative, with the authors selected to reflect the broadness and wealth of materials that are functional condensation polymers in the areas chosen for emphasis in this book. The authors were encouraged to place their particular contribution in perspective and to make predictions of where their particular area is going.

Contents

A. Nano Materials

1. Lanthanide (III) Oxide Nanocomposites with Hexafluoroisopropylidene-Based Polyimides	3
<i>D. Scott Thompson, D. W. Thompson, Robin E. Southward</i>	
1. Introduction	3
1.1 Hexafluoroisopropylidene-containing polyimides	3
1.2 Potential applications of fluorinated polyimides	5
1.3 Oxo-metal-polyimide composites	5
1.4 Research focus of paper	6
2. Experimental	7
2.1 Materials	7
2.2 Preparation of diquotris(2,4-pentanedionato)-lanthanum(III) and diaquotris(2,4-pentadionato)gadolinium(III) monohydrate	7
2.3 Preparation of polyimides	8
2.4 Preparation and characterization of oxo-lanthanum-polyimide composite films	8
3. Results and Discussion	8
3.1 Film synthesis	8
3.2 Film properties: linear coefficients of thermal expansion and thermal and mechanical properties	9
3.3 Rationale for the use of lanthanide(III)-based inorganic phases ..	13
3.4 Conclusions	13
4. References	13
 2. Fumaryl Chloride and Maleic Anhydride Derived Crosslinked Functional Polymers and Nano Structures	17
<i>Sam-Shajing Sun, Shahin Maaref, Carl E. Bonner</i>	
1. Introduction	17
1.1 Need for functional polymer nano structures	17
1.2 Polymer NLO waveguide	20
2. A Brief Survey of Crosslinked NLO Polymers	22
2.1 Thermally crosslinked systems	23

2.2 Photo crosslinked systems	24
3. Fumaryl Chloride and Maleic Anhydride Derived Crosslinked NLO Polymers	24
3.1 Fumarate type crosslinkable polymers	24
3.2 NLO Polymers from fumarate type crosslinked polymers	26
4. Summary and Future Research	28
5. References and Notes	29
 3. Humeral Immune Response to Polymeric Nanomaterials	31
<i>Stephen C. Lee, R. Parthasarathy, K. Botwin, D. Kunneman, E. Rowold, G. Lange, J. Zobell, T. Beck, T. Miller, R. Jansson, C. F. Voliva</i>	
1. Introduction	31
1.1 General	31
1.2 Antigens, immunization and antibodies	32
1.3 Current studies	35
2. Experimental	35
3. Results and Discussion	36
3.1 Immune responses to PAMMAN dendrimers	36
3.2 Antibody recognition to PAMAN dendrimers	37
4. Summary and Prospects	39
5. References	40
 4. Preparation and Characterization of Novel Polymer/Silicate Nanocomposites	43
<i>Mason K. Harrup, Alan K. Wertsching, Michael G. Jones</i>	
1. Introduction	43
1.1 Nanocomposite classification system	43
2. Experimental	46
2.1 Synthesis	46
2.2 Mechanical analysis	46
2.3 ESEM Measurements	47
3. Results and Discussion	47
3.1 Polyphosphazone nanocomposites	47
3.2 Organic polymer nanocomposites	50
4. Applications	51
5. Acknowledgments	53
6. References	53

5. Metallocene Hematoporphyrins as Analytical Reagents—Nickel (II) Metal Adsorption Studies of Group IVB Metallocene Polymers Derived from Hematoporphyrin IX	55
<i>Charles E. Carraher, Jr., Jerome E. Haky, Alberto Rivalta</i>	
1. Introduction	55
2. Experimental	57
3. Results and Discussion	58
4. References	61
 6. Polyester Ionomers as Functional Compatibilizers for Blends with Condensation Polymers and Nanocomposites	63
<i>Robert B. Moore, Timothy L. Boykin, and Grant D. Barber</i>	
1. Introduction	63
2. Experimental	66
2.1 Materials	66
2.2 Preparation of blend samples	66
2.3 Blend characterization	67
2.4 Preparation of nanocomposite samples	68
2.5 Nanocomposite characterization	68
3. Results and Discussion	69
3.1 AQ/PET Blends	69
3.2 AQ/N66 Blends	70
3.3 NaSPET/PBT Binary blends	71
3.4 NaSPET/N66 Binary blends	72
3.5 NaSPET/PET/N66 Compatibilized blends	73
3.6 PET Nanocomposites	75
3.7 PA Nanocomposites	76
4. Conclusions	77
5. Acknowledgments	78
6. References	78

B. Light and Energy

7. Sulfonated and Carboxylated Copoly(Arylenesulfone)s for Fuel Cell Applications	83
<i>Dirk Poppe, Torsten Zerfaß, Rolf Mulhaupt, Holger Frey</i>	
1. Introduction	83
2. Polyarylene Synthesis	86

2.1 Polyarylenesulfones with SO ₃ H groups	87
2.2 Polyarylenes with COOH groups	89
2.3 COOH/SO ₃ H-Blends	91
3. Membrane Properties	91
4. Summary	93
5. Acknowledgment	93
6. References	93
 8. Preparation and Properties of Sulfonated or Phosphonated Polybenzimidazoles and Polybenzoxazoles	 95
<i>Yoshimitsu Sakaguchi, Kota Kitamura, Junko Nakao, Shiro Hamamoto, Hiroshi Tochimori, Satoshi Takase</i>	
1. Introduction	95
2. Experimental	97
3. Results and Discussion	98
4. Conclusions	103
5. References	103
 9. Design of Conjugated Polymers for Single Layer Light Emitting Diodes	 105
<i>Zhonghua Peng</i>	
1. Introduction	105
2. Conjugated Polymers Exhibiting High Solid State PL Efficiencies ..	106
3. Exploring Approaches Toward Balanced Charge Injection and Transport	109
4. Polymers with Both High PL Efficiency and Balanced Charge-Injection Properties	116
5. Conclusions	118
6. References	119
 10. Synthesis and Characterization of Novel Blue Light-Emitting Polymers Containing Dinaphthylanthracene	 121
<i>Shiying Zheng, Jianmin Shi</i>	
1. Introduction	121
2. Experimental	123
3. Results and Discussion	128
4. References	133

11. Novel Two-Photon Absorbing Polymers	135
<i>Kevin D. Belfield, Alma R. Morales, Stephen Andrasik, Katherine J. Schaefer, Ozlem Yavuz, Victor M. Chapela, Judith Percino</i>	
1. Introduction	135
2. Results and Discussion	137
3. Experimental	143
3.1 Measurements	143
3.2 Synthesis	143
3.2.1 General	143
3.2.2 2,7-Dicyclo-9,9-didecylfluorene(3)	144
3.2.3 Poly(benzo[1,2-d:4,5-d']bisthiazole-9,9-didecylfluorene)(5)	144
3.2.4 7-Benzothiazol-2-yl-9,9-didecylfluorene-2-ylamine-modified poly(styrene-co-maleic anhydride)(7)	145
3.2.5 7-Benzothiazol-2-yl-9,9-didecylfluorene-2-ylamine- modified poly(ethylene-g-maleic anhydride)(8)	146
4. Conclusions	146
5. Acknowledgments	146
6. References	147

C. Bioactivity and Biomaterials

12. Natural Functional Condensation Polymer Feedstocks	151
<i>Charles E. Carraher, Jr.</i>	
1. Introduction	151
2. Polysaccharides	153
2.1 Inorganic esters	155
2.2 Organic esters	156
2.3 Other polysaccharides	160
2.3.1 Homopolysaccharides	160
2.3.2 Chitin and chitosan	162
2.5 Heteropolysaccharides	165
3. Nucleic Acids	169
3.1 Primary structure	170
3.2 Secondary structure	172
3.3 Higher structures	173
3.3.1 Supercoiling	173
3.3.2 Compaction	173
3.3.3 Replication	175
4. Proteins	175
4.1 General structures	175
4.2 Secondary structure	177

4.3 Keratines	177
4.4 Collagen	179
4.5 Tertiary structure	180
4.6 Globular proteins	180
5. Lignin	181
6. Readings	183
 13. Functional Polymers Derived from Condensation of Itaconic Andydride with Poly(ϵ-Caprolactone)diol and with Poly(Ethylene glycol)	 185
<i>Monica Ramos and Samuel J. Huang</i>	
1. Introduction	185
2. Experimental	186
2.1 Materials	186
2.2 Instrumentation	187
2.3 Synthesis of polycaprolactone diitaconates	187
2.4 Synthesis of poly(ethylene glycol) diitaconates	187
2.5 Crosslinkning procedure	188
2.6 Gel swelling	189
3. Results and Discussion	189
3.1 Spectral characteristics of PCLDIs and PEGDIs macromonomers	189
3.2 Characterization of the hydrogels	191
4. Conclusions	195
5. Acknowledgments	196
6. References	196
 14. Organometallic Condensation Polymers as Anticancer Drugs	 199
<i>Deborah W. Siegmann-Louda, Charles E. Carraher, Jr., Fred Pflueger, David Nagy, John R. Ross</i>	
1. Introduction	199
2. Experimental	201
3. Results and Discussion	202
4. References	205
 15. Synthesis and Structural Characterization of Chelation Products Between Chitosan and Tetrachloroplatinate Towards the Synthesis of Water Soluble Cancer Drugs	 207
<i>Charles E. Carraher, Jr., Ann-Marie Francis, Deborah W. Siegmann-Louda</i>	
1. Introduction	207
1.1 Chitosan	207

CONTENTS

xvii

1.2 Platinum-containing anticancer drugs	208
2. Experimental	213
3. Results and Discussion	214
3.1 Synthesis	214
3.2 Structural characterization	216
4. References	221

16. Condensation Polymers as Controlled Release Materials for Enhanced Plant and Food Production: Influences of Gibberellic Acid and Gibberellic Acid-Containing Polymers on Food Crop Production

223

Charles E. Carraher, Jr., Herbert Stewart, Shawn M. Carraher, Donna M. Chamely, Wesley W. Learned, James Helmy, Kumudi Abey, Alicia R. Salamone

1. Introduction	223
1.1 General	223
1.2 Gibberellins	226
1.3 Auxins	228
1.4 Cytokinetins	229
1.5 Current study	230
2. Experimental	231
3. Results and Discussion	231
4. References	233

D. Enhanced Physical Properties

17. 2,6-Anthracenedicarboxylate-Containing Polyesters and Copolyesters

237

David M. Collard, David A. Schiraldi

1. Introduction	237
2. Monomer Synthesis and Polymerization	238
2.1 Monomer synthesis	238
2.2 Polymerization	240
3. Poly(alkylene anthracene 2,6-dicarboxylate)s, PnA	241
4. Poly(ethylene 2,6-anthracenedicarboxylate-co-terephthalate)s, PET-A	242
5. Diels-Alder Crosslinking and Grafting Reactions of PET-A	242
6. Photocrosslinking of PET-A	243
7. Chain Extension of Anthracene-terminated PET	245
8. Conclusions	247
9. References	248

18. Synthesis and Characterization of Ionic and Non-ionic Terminated Amorphous Poly(Ethylene isophthalate)	249
<i>Huaiying Kang, R. Scott Armentrout, Jianli Wang, Timothy E. Long</i>	
1. Introduction	249
2. Experimental	250
2.1 Materials	250
2.2 Preparation of catalyst solutions	251
2.3 Synthesis of non-terminated high molecular weight poly(ethylene isophthalate) (PEI)	251
2.4 Synthesis of sulfonate terminated PEI ionomers (PEI-SSBA) ...	251
2.5 Synthesis of dodecanol terminated poly(ethylene isophthalate) (PEI-Dode-OH)	252
2.6 Polymer characterization	253
3. Results and Discussion	254
3.1 GPC and NMR Analysis	254
3.2 FTIR Analysis	256
3.3 DSC and TGA Analysis	256
3.4 Solution viscometry study	258
3.5 Melt rheology study	259
4. Conclusions	260
5. References	261
 19. Synthesis, Characterization and Application of Functional Condensation Polymers from Anhydride Modified Polystyrene and Their Sulfonic Acid Resins	263
<i>Sakuntala Chatterjee Ganguly</i>	
1. Introduction	263
1.1 Functional condensation polymer	263
1.1.1 Synthesis and chemical modification of a polymer in bulk	263
1.1.2 Surface modification of a polymer by chemical modification	266
1.1.3 Surface modification of a polymer by interpenetrating network (IPN) formation	268
2. Experimental	268
2.1 Material	268
2.2 Synthesis	269
2.2.1 Preparation of PSPA, PSTM, PSTHPA, PSPMDA	269
2.2.2 Synthesis of sulfonic acid resins PSPAS, PSTMAS, PSTHPAS, PSPMDAS and their sodium salts	269
2.2.3 Preparation of PSNTDA, PSPTDA and PS6FDA	269
2.2.4 Preparation of PSPMDA film	270

CONTENTS

xix

2.2.5 Preparation of dianhydride coated Teflon membrane	270
2.3 Characterization	270
3. Results and Discussion	271
3.1 Characterization of PSPA, PSTMA, PSTHPA, PSPMDA	271
3.2 Novel membrane from pyromellitic dianhydride modified polystyrene with controlled pore size on micro- and macrolevels	276
3.3 Structural characterization of sulfonic acids resins PSPAS, PSTMAS, PSTHPAS and PSPMDAS	276
3.4 Structural characterization of PSPTDA, PS6FDA and PSNTDA	280
3.5 Low voltage scanning electron microscopy of a surface modified K-100 teflon membrane and thermal analysis studies of several anhydride modified Nafioin 417 membranes	283
4. Conclusion	285
5. References	286

20. Condensation Copolymerization via Ru-Catalyzed Reaction of o-Quinones or α -Diketones with α,ω -Dihydrido- oligodimethylsiloxanes 287

Joseph M. Mabry, William P. Weber

1. Introduction	287
1.1 Poly(silyl ether)s	287
1.2 Transition metal catalysis	287
1.3 Poly (silyl enol ether)s	288
2. Experimental	288
3. Results	292
3.1 Results	292
3.2 NMR Spectra	293
3.3 Mechanism	295
3.4 Luminescence	296
4. References	297

21. Gel-Drawn Poly(p-phenylenepyromellitimide) 299

Jim Sadanobu, Rei Nishio

1. Introduction	299
1.1 History	299
1.2 New procedure	300
2. Experimental	301
2.1 Preparation of polyamic acid solution	301
2.2 Film fabrication	302
2.3 Characterization of polymer	302

3. Results and Discussion	302
3.1 Effects of gel-drawing	302
3.2 Microstructure developed in imidized film	305
4. Properties of PPPI film	307
5. Conclusions	309
6. References	309
 Subject Index	 311