

---

## **INVERSE PROBLEMS**

MATHEMATICAL AND ANALYTICAL TECHNIQUES  
WITH APPLICATIONS TO ENGINEERING

---

**MATHEMATICAL AND ANALYTICAL TECHNIQUES  
WITH APPLICATIONS TO ENGINEERING**

Alan Jeffrey, *Consulting Editor*

---

Published:

*Inverse Problems*

A. G. Ramm

*Singular Perturbation Theory*

R. S. Johnson

Forthcoming:

*Methods for Constructing Exact Solutions of Partial Differential Equations  
with Applications*

S. V. Meleshko

*The Fast Solution of Boundary Integral Equations*

S. Rjasanow and O. Steinbach

*Stochastic Differential Equations with Applications*

R. Situ

---

# **INVERSE PROBLEMS**

MATHEMATICAL AND ANALYTICAL TECHNIQUES WITH  
APPLICATIONS TO ENGINEERING

---

ALEXANDER G. RAMM

---

---

Library of Congress Cataloging-in-Publication Data

Ramm, A. G. (Alexander G.)

Inverse problems : mathematical and analytical techniques with applications to engineering/Alexander G. Ramm.

p. cm.

Includes bibliographical references and index.

ISBN 0-387-23195-1 E-ISBN 0-387-23218-4

1. Engineering mathematics. 2. Inverse problems (Differential equations). I. Title.

TA347.D45R36 2004

620'001'515357—dc22

2004057800

© 2005 Springer Science+Business Media, Inc.

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer Science+Business Media, Inc., 233 Spring Street, New York, NY 10013, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use in this publication of trade names, trademarks, service marks and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

Printed in the United States of America.

9 8 7 6 5 4 3 2 1 SPIN 11324485

springeronline.com

---

To Luba and Olga

---

## CONTENTS

Foreword	xv
Preface	xvii
1. Introduction	1
1.1 Why are inverse problems interesting and practically important?	1
1.2 Examples of inverse problems	2
1.2.1 Inverse problems of potential theory	2
1.2.2 Inverse spectral problems	2
1.2.3 Inverse scattering problems in quantum physics; finding the potential from the impedance function	2
1.2.4 Inverse problems of interest in geophysics	3
1.2.5 Inverse problems for the heat and wave equations	3
1.2.6 Inverse obstacle scattering	4
1.2.7 Finding small subsurface inhomogeneities from the measurements of the scattered field on the surface	5
1.2.8 Inverse problem of radiomeasurements	5
1.2.9 Impedance tomography (inverse conductivity) problem	5
1.2.10 Tomography and other integral geometry problems	5
1.2.11 Inverse problems with “incomplete data”	6
1.2.12 The Pompeiu problem, Schiffer’s conjecture, and inverse problem of plasma theory	7
1.2.13 Multidimensional inverse potential scattering	8
1.2.14 Ground-penetrating radar	8
1.2.15 A geometrical inverse problem	9
1.2.16 Inverse source problems	10

1.2.17	Identification problems for integral–differential equations	12
1.2.18	Inverse problem for an abstract evolution equation	12
1.2.19	Inverse gravimetry problem	12
1.2.20	Phase retrieval problem (PRP)	12
1.2.21	Non-overdetermined inverse problems	12
1.2.22	Image processing, deconvolution	13
1.2.23	Inverse problem of electrodynamics, recovery of layered medium from the surface scattering data	13
1.2.24	Finding ODE from a trajectory	13
1.3	Ill-posed problems	14
1.4	Examples of Ill-posed problems	15
1.4.1	Stable numerical differentiation of noisy data	15
1.4.2	Stable summation of the Fourier series and integrals with randomly perturbed coefficients	15
1.4.3	Solving ill-conditioned linear algebraic systems	15
1.4.4	Fredholm and Volterra integral equations of the first kind	16
1.4.5	Deconvolution problems	16
1.4.6	Minimization problems	16
1.4.7	The Cauchy problem for Laplace’s equation	16
1.4.8	The backwards heat equation	17
2.	Methods of solving ill-posed problems	19
2.1	Variational regularization	19
2.1.1	Pseudoinverse. Singular values decomposition	19
2.1.2	Variational (Phillips–Tikhonov) regularization	20
2.1.3	Discrepancy principle	22
2.1.4	Nonlinear ill-posed problems	23
2.1.5	Regularization of nonlinear, possibly unbounded, operator	24
2.1.6	Regularization based on spectral theory	25
2.1.7	On the notion of ill-posedness for nonlinear equations	26
2.1.8	Discrepancy principle for nonlinear ill-posed problems with monotone operators	26
2.1.9	Regularizers for Ill-posed problems must depend on the noise level	29
2.2	Quasisolutions, quasinversion, and Backus–Gilbert method	30
2.2.1	Quasisolutions for continuous operator	30
2.2.2	Quasisolution for unbounded operators	31
2.2.3	Quasiinversion	32
2.2.4	A Backus–Gilbert–type method: Recovery of signals from discrete and noisy data	32
2.3	Iterative methods	40
2.4	Dynamical system method (DSM)	41
2.4.1	The idea of the DSM	41
2.4.2	DSM for well-posed problems	42
2.4.3	Linear ill-posed problems	45
2.4.4	Nonlinear ill-posed problems with monotone operators	49
2.4.5	Nonlinear ill-posed problems with non-monotone operators	57
2.4.6	Nonlinear ill-posed problems: avoiding inverting of operators in the Newton-type continuous schemes	59
2.4.7	Iterative schemes	62

- 2.4.8 A spectral assumption 64
- 2.4.9 Nonlinear integral inequality 65
- 2.4.10 Riccati equation 70
- 2.5 Examples of solutions of ill-posed problems 71
  - 2.5.1 Stable numerical differentiation: when is it possible? 71
  - 2.5.2 Stable summation of the Fourier series and integrals with perturbed coefficients 85
  - 2.5.3 Stable solution of some Volterra equations of the first kind 87
  - 2.5.4 Deconvolution problems 87
  - 2.5.5 Ill-conditioned linear algebraic systems 88
- 2.6 Projection methods for ill-posed problems 89
- 3. One-dimensional inverse scattering and spectral problems 91
  - 3.1 Introduction 92
    - 3.1.1 What is new in this chapter? 92
    - 3.1.2 Auxiliary results 92
    - 3.1.3 Statement of the inverse scattering and inverse spectral problems 97
    - 3.1.4 Property C for ODE 98
    - 3.1.5 A brief description of the basic results 99
  - 3.2 Property C for ODE 104
    - 3.2.1 Property  $C_+$  104
    - 3.2.2 Properties  $C_\varphi$  and  $C_\theta$  105
  - 3.3 Inverse problem with I-function as the data 108
    - 3.3.1 Uniqueness theorem 108
    - 3.3.2 Characterization of the I-functions 110
    - 3.3.3 Inversion procedures 112
    - 3.3.4 Properties of  $I(k)$  112
  - 3.4 Inverse spectral problem 122
    - 3.4.1 Auxiliary results 122
    - 3.4.2 Uniqueness theorem 124
    - 3.4.3 Reconstruction procedure 126
    - 3.4.4 Invertibility of the reconstruction steps 128
    - 3.4.5 Characterization of the class of spectral functions of the Sturm-Liouville operators 130
    - 3.4.6 Relation to the inverse scattering problem 130
  - 3.5 Inverse scattering on half-line 132
    - 3.5.1 Auxiliary material 132
    - 3.5.2 Statement of the inverse scattering problem on the half-line. Uniqueness theorem 137
    - 3.5.3 Reconstruction procedure 139
    - 3.5.4 Invertibility of the steps of the reconstruction procedure 143
    - 3.5.5 Characterization of the scattering data 145
    - 3.5.6 A new Marchenko-type equation 147
    - 3.5.7 Inequalities for the transformation operators and applications 148
  - 3.6 Inverse scattering problem with fixed-energy phase shifts as the data 156
    - 3.6.1 Introduction 156
    - 3.6.2 Existence and uniqueness of the transformation operators independent of angular momentum 157

3.6.3	Uniqueness theorem	165
3.6.4	Why is the Newton-Sabatier (NS) procedure fundamentally wrong?	166
3.6.5	Formula for the radius of the support of the potential in terms of scattering data	172
3.7	Inverse scattering with “incomplete data”	176
3.7.1	Uniqueness results	176
3.7.2	Uniqueness results: compactly supported potentials	180
3.7.3	Inverse scattering on the full line by a potential vanishing on a half-line	181
3.8	Recovery of quarkonium systems	181
3.8.1	Statement of the inverse problem	181
3.8.2	Proof	183
3.8.3	Reconstruction method	185
3.9	Krein’s method in inverse scattering	186
3.9.1	Introduction and description of the method	186
3.9.2	Proofs	192
3.9.3	Numerical aspects of the Krein inversion procedure	200
3.9.4	Discussion of the ISP when the bound states are present	201
3.9.5	Relation between Krein’s and GL’s methods	201
3.10	Inverse problems for the heat and wave equations	202
3.10.1	Inverse problem for the heat equation	202
3.10.2	What are the “correct” measurements?	203
3.10.3	Inverse problem for the wave equation	204
3.11	Inverse problem for an inhomogeneous Schrödinger equation	204
3.12	An inverse problem of ocean acoustics	208
3.12.1	The problem	208
3.12.2	Introduction	209
3.12.3	Proofs: uniqueness theorem and inversion algorithm	212
3.13	Theory of ground-penetrating radars	216
3.13.1	Introduction	216
3.13.2	Derivation of the basic equations	217
3.13.3	Basic analytical results	219
3.13.4	Numerical results	221
3.13.5	The case of a source which is a loop of current	222
3.13.6	Basic analytical results	225
4.	Inverse obstacle scattering	227
4.1	Statement of the problem	227
4.2	Inverse obstacle scattering problems	234
4.3	Stability estimates for the solution to IOSP	240
4.4	High-frequency asymptotics of the scattering amplitude and inverse scattering problem	243
4.5	Remarks about numerical methods for finding $S$ from the scattering data	245
4.6	Analysis of a method for identification of obstacles	247

- 5. Stability of the solutions to  $3D$  Inverse scattering problems with fixed-energy data 255
  - 5.1 Introduction 255
    - 5.1.1 The direct potential scattering problem 256
    - 5.1.2 Review of the known results 256
  - 5.2 Inverse potential scattering problem with fixed-energy data 264
    - 5.2.1 Uniqueness theorem 264
    - 5.2.2 Reconstruction formula for exact data 264
    - 5.2.3 Stability estimate for inversion of the exact data 267
    - 5.2.4 Stability estimate for inversion of noisy data 270
    - 5.2.5 Stability estimate for the scattering solutions 273
    - 5.2.6 Spherically symmetric potentials 274
  - 5.3 Inverse geophysical scattering with fixed-frequency data 275
  - 5.4 Proofs of some estimates 277
    - 5.4.1 Proof of (5.1.18) 277
    - 5.4.2 Proof of (5.1.20) and (5.1.21) 278
    - 5.4.3 Proof of (5.2.17) 283
    - 5.4.4 Proof of (5.4.49) 285
    - 5.4.5 Proof of (5.4.51) 286
    - 5.4.6 Proof of (5.2.13) 287
    - 5.4.7 Proof of (5.2.23) 289
    - 5.4.8 Proof of (5.1.30) 292
  - 5.5 Construction of the Dirichlet-to-Neumann map from the scattering data and vice versa 293
  - 5.6 Property C 298
  - 5.7 Necessary and sufficient condition for scatterers to be spherically symmetric 300
  - 5.8 The Born inversion 307
  - 5.9 Uniqueness theorems for inverse spectral problems 312
- 6. Non-uniqueness and uniqueness results 317
  - 6.1 Examples of nonuniqueness for an inverse problem of geophysics 317
    - 6.1.1 Statement of the problem 317
    - 6.1.2 Example of nonuniqueness of the solution to IP 318
  - 6.2 A uniqueness theorem for inverse boundary value problems for parabolic equations 319
  - 6.3 Property C and an inverse problem for a hyperbolic equation 321
    - 6.3.1 Introduction 321
    - 6.3.2 Statement of the result. Proofs 321
  - 6.4 Continuation of the data 330
- 7. Inverse problems of potential theory and other inverse source problems 333
  - 7.1 Inverse problem of potential theory 333
  - 7.2 Antenna synthesis problems 336
  - 7.3 Inverse source problem for hyperbolic equations 337

8. Non-overdetermined inverse problems	339
8.1 Introduction	339
8.2 Assumptions	340
8.3 The problem and the result	340
8.4 Finding $\varphi_j(s)$ from $\varphi_j^2(s)$	342
8.5 Appendix	347
9. Low-frequency inversion	349
9.1 Derivation of the basic equation. Uniqueness results	349
9.2 Analytical solution of the basic equation	353
9.3 Characterization of the low-frequency data	355
9.4 Problems of numerical implementation	355
9.5 Half-spaces with different properties	356
9.6 Inversion of the data given on a sphere	357
9.7 Inversion of the data given on a cylinder	358
9.8 Two-dimensional inverse problems	359
9.9 One-dimensional inversion	362
9.10 Inversion of the backscattering data and a problem of integral geometry	363
9.11 Inversion of the well-to-well data	364
9.12 Induction logging problems	366
9.13 Examples of non-uniqueness of the solution to an inverse problem of geophysics	369
9.14 Scattering in absorptive medium	371
9.15 A geometrical inverse problem	371
9.16 An inverse problem for a biharmonic equation	373
9.17 Inverse scattering when the background is variable	375
9.18 Remarks concerning the basic equation	377
10. Wave scattering by small bodies of arbitrary shapes	379
10.1 Wave scattering by small bodies	379
10.1.1 Introduction	379
10.1.2 Scalar wave scattering by a single body	380
10.1.3 Electromagnetic wave scattering by a single body	383
10.1.4 Many-body wave scattering	385
10.2 Equations for the self-consistent field in media consisting of many small particles	388
10.2.1 Introduction	388
10.2.2 Acoustic fields in random media	390
10.2.3 Electromagnetic waves in random media	394

10.3 Finding small subsurface inhomogeneities from scattering data	395
10.3.1 Introduction	396
10.3.2 Basic equations	397
10.3.3 Justification of the proposed method	398
10.4 Inverse problem of radiomeasurements	401
11. The Pompeiu problem	405
11.1 The Pompeiu problem	405
11.1.1 Introduction	405
11.1.2 Proofs	407
11.2 Necessary and sufficient condition for a domain, which fails to have Pompeiu property, to be a ball	414
11.2.1 Introduction	414
11.2.2 Proof	416
Bibliographical Notes	421
References	425
Index	441

---

## FOREWORD

The importance of mathematics in the study of problems arising from the real world, and the increasing success with which it has been used to model situations ranging from the purely deterministic to the stochastic, is well established. The purpose of the set of volumes to which the present one belongs is to make available authoritative, up to date, and self-contained accounts of some of the most important and useful of these analytical approaches and techniques. Each volume provides a detailed introduction to a specific subject area of current importance that is summarized below, and then goes beyond this by reviewing recent contributions, and so serving as a valuable reference source.

The progress in applicable mathematics has been brought about by the extension and development of many important analytical approaches and techniques, in areas both old and new, frequently aided by the use of computers without which the solution of realistic problems would otherwise have been impossible.

A case in point is the analytical technique of singular perturbation theory which has a long history. In recent years it has been used in many different ways, and its importance has been enhanced by it having been used in various fields to derive sequences of asymptotic approximations, each with a higher order of accuracy than its predecessor. These approximations have, in turn, provided a better understanding of the subject and stimulated the development of new methods for the numerical solution of the higher order approximations. A typical example of this type is to be found in the general study of nonlinear wave propagation phenomena as typified by the study of water waves.

Elsewhere, as with the identification and emergence of the study of inverse problems, new analytical approaches have stimulated the development of numerical techniques for the solution of this major class of practical problems. Such work divides naturally into two parts, the first being the identification and formulation of inverse problems, the theory of ill-posed problems and the class of one-dimensional inverse problems, and the second being the study and theory of multidimensional inverse problems.

On occasions the development of analytical results and their implementation by computer have proceeded in parallel, as with the development of the fast boundary element methods necessary for the numerical solution of partial differential equations in several dimensions. This work has been stimulated by the study of boundary integral equations, which in turn has involved the study of boundary elements, collocation methods, Galerkin methods, iterative methods and others, and then on to their implementation in the case of the Helmholtz equation, the Lamé equations, the Stokes equations, and various other equations of physical significance.

A major development in the theory of partial differential equations has been the use of group theoretic methods when seeking solutions, and in the introduction of the comparatively new method of differential constraints. In addition to the useful contributions made by such studies to the understanding of the properties of solutions, and to the identification and construction of new analytical solutions for well established equations, the approach has also been of value when seeking numerical solutions. This is mainly because of the way in many special cases, as with similarity solutions, a group theoretic approach can enable the number of dimensions occurring in a physical problem to be reduced, thereby resulting in a significant simplification when seeking a numerical solution in several dimensions. Special analytical solutions found in this way are also of value when testing the accuracy and efficiency of new numerical schemes.

A different area in which significant analytical advances have been achieved is in the field of stochastic differential equations. These equations are finding an increasing number of applications in physical problems involving random phenomena, and others that are only now beginning to emerge, as is happening with the current use of stochastic models in the financial world. The methods used in the study of stochastic differential equations differ somewhat from those employed in the applications mentioned so far, since they depend for their success on the Ito calculus, martingale theory and the Doob-Meyer decomposition theorem, the details of which are developed as necessary in the volume on stochastic differential equations.

There are, of course, other topics in addition to those mentioned above that are of considerable practical importance, and which have experienced significant developments in recent years, but accounts of these must wait until later.

Alan Jeffrey  
*University of Newcastle*  
*Newcastle upon Tyne*  
*United Kingdom*

---

## PREFACE

This book can be used for courses at various levels in ill-posed problems and inverse problems. The bibliography of the subject is enormous. It is not possible to compile a complete bibliography and no attempt was made to do this. The bibliography contains some books where the reader will find additional references. The author has used extensively his earlier published papers, and referenced these, as well as the papers of other authors that were used or mentioned.

Let us outline some of the novel features in this book.

In Chapter 1 the statement of various inverse problems is given.

In Chapter 2 the presentation of the theory of ill-posed problems is shorter and sometimes simpler than that published earlier, and quite a few new results are included. Regularization for ill-posed operator equations with unbounded nonlinear operators is studied. A novel version of the discrepancy principle is formulated for nonlinear operator equations. Convergence rate estimates are given for Backus-Gilbert-type methods. The DSM (Dynamical systems method) in ill-posed problems is presented in detail. The presentation is based on the author's papers and the joint papers of the author and his students. These results appear for the first time in book form. Papers [R216], [R217], [R218], [R220], [ARS3], [AR1] have been used in this Chapter.

In Chapter 3 the presentation of one-dimensional inverse problems is based mostly on the author's papers, especially on [R221]. It contains many novel results, which are described at the beginning of the Chapter. The presentation of the classical results, for example, Gel'fand-Levitan's theory, and Marchenko's theory, contains many novel points. The presentation of M. G. Krein's inversion theory with complete proofs is

given for the first time. The Newton–Sabatier inversion theory, which has been in the literature for more than 40 years, and was presented in two monographs [CS], [N], is analyzed and shown to be fundamentally wrong in the sense that its foundations are wrong (cf. [R206]). This Chapter is based on the papers [R221], [R199], [R197], [R196], [R195], [R192], [R185]. One of the first papers on inverse spectral problems was Ambartsumian’s paper (1929) [Am], where it was proved that one spectrum determines the one-dimensional Neumann Schrödinger’s operator uniquely. This result is an exceptional one: in general one spectrum does not determine the potential uniquely (see Section 3.7 and [PT]). Only 63 years later a multidimensional analog of Ambartsumian’s result was obtained ([RSt1]). The main technical tool in this Chapter and in Chapter 5 is Property C, that is, completeness of the set of products of solutions to homogeneous differential equations. For partial differential equations this tool has been introduced in [R87] and developed in many papers and in the monograph [R139]. For ordinary differential equations completeness of the products of solutions to homogeneous ordinary equations has been used in different forms in [B], [L1]. In our book Property C for ODE is presented in the form introduced and developed by the author in [R196].

In Chapter 4 the presentation of inverse obstacle scattering problems contains many novel points. The requirements on the smoothness of the boundary are minimal, stability estimates for the inversion procedure corresponding to fixed-frequency data are given, the high-frequency inversion formulas are discussed and the error of the inversion from noisy data is estimated. Analysis of the currently used numerical methods is given. This Chapter is based on [R83], [R155], [R162], [R164], [R167], [R167], [R171], [RSa].

In Chapter 5 a presentation of the solution of the 3D inverse potential scattering problem with fixed-energy noisy data is given. This Chapter is based on the series of the author’s papers, especially on the paper [R203]. The basic concept used in the analysis of the inverse scattering problem in Chapter 5 is the concept of Property C, i.e., completeness of the set of products of solutions to homogeneous partial differential equations. This concept was introduced by the author ([R87]) and applied to many inverse problems (see [R139] and references therein). An important part of the theory consists of obtaining stability estimates for the potential, reconstructed from fixed-energy noisy data (and from exact data). Error estimates for the Born inversion are given under suitable assumptions. It is shown that the Born inversion may fail while the Born approximation works well. In other words, the Born approximation may be applicable for solving the direct scattering problem, while the Born inversion, that is, inversion based on the Born approximation, may fail. The Born inversion is still popular in applications, therefore these error estimates will hopefully be useful for practitioners.

The author’s inversion method for fixed-energy scattering data, is compared with that based on the usage of the Dirichlet-to-Neumann map. The author shows why the difficulties in numerical implementation of his method are less formidable than the difficulties in implementing the inversion method based on the Dirichlet-to-Neumann map.

A necessary and sufficient condition for a scatterer to be spherically symmetric is given ([R128]).

In Chapter 6 an example of non-uniqueness of the solution to a 3D problem of geophysics is given. It illustrates the crucial role of the uniqueness theorems in a study of inverse problems. One may try to solve numerically such a problem, by a parameter-fitting, which is very popular among practitioners. But if the uniqueness result is not established, the numerical results may be meaningless. Some uniqueness theorems for inverse boundary value problem and for an inverse problem for hyperbolic equations are established in this Chapter.

In Chapter 7, inverse problems of potential theory and antenna synthesis are briefly discussed. The presentation of the theory on this topic is not complete: there are books and many papers on antenna synthesis (e.g., [MJ], [ZK], [AVST], [R21], [R26]) including nonlinear problems of antenna synthesis [R23], [R27]).

Chapter 8 contains a discussion of non-overdetermined problems. These are, roughly speaking, the inverse problems in which the unknown function depends on the same number of variables as the data function. Examples of such problems are given. Most of these problems are open: even uniqueness theorems are not available. Such a problem, namely, recovery of an unknown coefficient in a Schrödinger equation in a bounded domain from the knowledge of the values of the spectral function  $\rho(s, s, \lambda)$  on the boundary is discussed under the assumption that all the eigenvalues are simple, that is, the corresponding eigenspaces are one-dimensional. The presentation follows [R198].

In Chapter 9 the theory of the inversion of low-frequency data is presented. This theory is based on the series of author's papers, starting with [R68], [R77], and uses the presentation in [R83] and [R139]. Almost all of the results in this Chapter are from the above papers and books.

Chapter 10 is a summary of the author's results regarding the theory of wave scattering by small bodies of arbitrary shapes. These results have been obtained in a series of the author's papers and are summarized in [R65], [R50]. The solution of inverse radiomeasurements problem ([R33], [R65]) is based on these results. Also, these results are used in the solution of the problem of finding small subsurface inhomogeneities from the scattering data, measured on the surface. The solution to this problem can be used in modeling ultrasound mammography, in finding small holes in metallic objects, and in many other applied problems.

In Chapter 11 the classical Pompeiu problem is presented following the papers [R177], [R186].

The author thanks several publishers of his papers, mentioned above, for the permission to use these papers in the book.

There are many questions that the author did not discuss in this book: inverse scattering for periodic potentials and other periodic objects, such as gratings, periodic objects, (see, e.g., [L] for one-dimensional scattering problems for periodic potentials), the Carleman estimates and their applications to inverse problems ([Bu2], [H], [LRS]), the inverse problems for elasticity and Maxwell's equations ([RK], [Ya]), the methods based on controllability results ([Bel]), problems of tomography and integral geometry ([RKa], [R139]), etc. Numerous parameter-fitting schemes for solving various

engineering problems are not discussed. There are many papers published, which use parameter-fitting for solving inverse problems. However, in most cases there are no error estimates for parameter-fitting schemes for solving inverse problems, and one cannot guarantee any accuracy of the inversion result. In [GRS] the concept of stability index is introduced and applied to a parameter-fitting scheme for solving a one-dimensional inverse scattering problem in quantum physics. This concept allows one to get some idea about the error estimate in a parameter-fitting scheme.

The applications of inverse scattering to integration of nonlinear evolution equations are not discussed as there are many books on this topic (see e.g., [M], [FT] and references therein).