

# **Applied Mathematical Sciences**

Volume 147

*Editors*

S.S. Antman J.E. Marsden L. Sirovich

*Advisors*

J.K. Hale P. Holmes J. Keener

J. Keller B.J. Matkowsky A. Mielke

C.S. Peskin K.R. Sreenivasan

# Applied Mathematical Sciences

---

1. *John*: Partial Differential Equations, 4th ed.
2. *Sirovich*: Techniques of Asymptotic Analysis.
3. *Hale*: Theory of Functional Differential Equations, 2nd ed.
4. *Percus*: Combinatorial Methods.
5. *von Mises/Friedrichs*: Fluid Dynamics.
6. *Freiberger/Grenander*: A Short Course in Computational Probability and Statistics.
7. *Pipkin*: Lectures on Viscoelasticity Theory.
8. *Giacaglia*: Perturbation Methods in Non-linear Systems.
9. *Friedrichs*: Spectral Theory of Operators in Hilbert Space.
10. *Stroud*: Numerical Quadrature and Solution of Ordinary Differential Equations.
11. *Wolovich*: Linear Multivariable Systems.
12. *Berkovitz*: Optimal Control Theory.
13. *Bluman/Cole*: Similarity Methods for Differential Equations.
14. *Yoshizawa*: Stability Theory and the Existence of Periodic Solution and Almost Periodic Solutions.
15. *Braun*: Differential Equations and Their Applications, Fourth Edition.
16. *Lefschetz*: Applications of Algebraic Topology.
17. *Collatz/Wetterling*: Optimization Problems.
18. *Grenander*: Pattern Synthesis: Lectures in Pattern Theory, Vol. I.
19. *Marsden/McCracken*: Hopf Bifurcation and Its Applications.
20. *Driver*: Ordinary and Delay Differential Equations.
21. *Courant/Friedrichs*: Supersonic Flow and Shock Waves.
22. *Rouche/Habets/Laloy*: Stability Theory by Liapunov's Direct Method.
23. *Lamperti*: Stochastic Processes: A Survey of the Mathematical Theory.
24. *Grenander*: Pattern Analysis: Lectures in Pattern Theory, Vol. II.
25. *Davies*: Integral Transforms and Their Applications, Third Edition.
26. *Kushner/Clark*: Stochastic Approximation Methods for Constrained and Unconstrained Systems.
27. *de Boor*: A Practical Guide to Splines, Revised Edition.
28. *Keilson*: Markov Chain Models-Rarity and Exponentiality.
29. *de Veubeke*: A Course in Elasticity.
30. *Sniatycki*: Geometric Quantization and Quantum Mechanics.
31. *Reid*: Sturmian Theory for Ordinary Differential Equations.
32. *Meis/Markowitz*: Numerical Solution of Partial Differential Equations.
33. *Grenander*: Regular Structures: Lectures in Pattern Theory, Vol. III.
34. *Kevorkian/Cole*: Perturbation Methods in Applied Mathematics.
35. *Carr*: Applications of Centre Manifold Theory.
36. *Bengtsson/Ghil/Källén*: Dynamic Meteorology: Data Assimilation Methods.
37. *Saperstone*: Semidynamical Systems in Infinite Dimensional Spaces.
38. *Lichtenberg/Lieberman*: Regular and Chaotic Dynamics, 2nd ed.
39. *Piccini/Stampacchia/Vidossich*: Ordinary Differential Equations in  $\mathbb{R}^n$ .
40. *Naylor/Sell*: Linear Operator Theory in Engineering and Science.
41. *Sparrow*: The Lorenz Equations: Bifurcations, Chaos, and Strange Attractors.
42. *Guckenheimer/Holmes*: Nonlinear Oscillations, Dynamical Systems, and Bifurcations of Vector Fields.
43. *Ockendon/Taylor*: Inviscid Fluid Flows.
44. *Pazy*: Semigroups of Linear Operators and Applications to Partial Differential Equations.
45. *Glashoff/Gustafson*: Linear Operations and Approximation: An Introduction to the Theoretical Analysis and Numerical Treatment of Semi-Infinite Programs.
46. *Wilcox*: Scattering Theory for Diffraction Gratings.
47. *Hale et al.*: Dynamics in Infinite Dimensions.
48. *Murray*: Asymptotic Analysis.
49. *Ladyzhenskaya*: The Boundary-Value Problems of Mathematical Physics.
50. *Wilcox*: Sound Propagation in Stratified Fluids.
51. *Golubitsky/Schaeffer*: Bifurcation and Groups in Bifurcation Theory, Vol. I.
52. *Chipot*: Variational Inequalities and Flow in Porous Media.
53. *Majda*: Compressible Fluid Flow and System of Conservation Laws in Several Space Variables.
54. *Wasow*: Linear Turning Point Theory.
55. *Yosida*: Operational Calculus: A Theory of Hyperfunctions.
56. *Chang/Howes*: Nonlinear Singular Perturbation Phenomena: Theory and Applications.
57. *Reinhardt*: Analysis of Approximation Methods for Differential and Integral Equations.
58. *Dwoyer/Hussain/Voigt (eds)*: Theoretical Approaches to Turbulence.

(continued after index)

Gilles Aubert   Pierre Kornprobst

# Mathematical Problems in Image Processing

Partial Differential Equations and the  
Calculus of Variations

Second Edition

 Springer

Gilles Aubert  
Université de Nice Sophia-Antipolis  
CNRS UMR 6621  
Laboratoire J.A. Dieudonné  
Parc Valrose  
06108 NICE CX 2  
France  
gaubert@math.unice.fr

Pierre Kornprobst  
INRIA, Projet Odyssée  
2004 route des lucioles - BP 93  
06902 SOPHIA ANTIPOLIS  
France  
Pierre.Kornprobst@sophia.inria.fr

*Editors:*

S.S. Antman  
Department of Mathematics  
*and*  
Institute for Physical Science  
and Technology  
University of Maryland  
College Park, MD 20742-4015  
USA  
ssa@math.umd.edu

J.E. Marsden  
Control and Dynamical  
Systems, 107-81  
California Institute of  
Technology  
Pasadena, CA 91125  
USA  
marsden@cds.caltech.edu

L. Sirovic  
Laboratory of Applied  
Mathematics  
Department of  
Biomathematical  
Sciences  
Mount Sinai School  
of Medicine  
New York, NY 10029-6574  
USA  
chico@camelot.mssm.edu

Mathematics Subject Classification (2000): 35J, 35L, 35Q, 49J, 49N

Library of Congress Control Number: 2006926450

ISBN-10: 0-387-32200-0  
ISBN-13: 978-0387-32200-1

e-ISBN 0-387-21766-5

Printed on acid-free paper.

© 2006 Springer Science+Business Media, LLC

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer Science+Business Media, LLC, 233 Spring Street, New York, NY 10013, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use in this publication of trade names, trademarks, service marks, and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

Printed in the United States of America. (EB)

9 8 7 6 5 4 3 2 1

springer.com

*To Jean-Michel Morel, whose ideas  
have deeply influenced the mathematical  
vision of image processing.*

# Foreword

Image processing, image analysis, computer vision, robot vision, and machine vision are terms that refer to some aspects of the process of computing with images. This process has been made possible by the advent of computers powerful enough to cope with the large dimensionality of image data and the complexity of the algorithms that operate on them.

In brief, these terms differ according to what kind of information is used and output by the process. In image processing the information is mostly the intensity values at the pixels, and the output is itself an image; in image analysis, the intensity values are enriched with some computed parameters, e.g., texture or optical flow, and by labels indicating such things as a region number or the presence of an edge; the output is usually some symbolic description of the content of the image, for example the objects present in the scene. Computer, robot, and machine vision very often use three-dimensional information such as depth and three-dimensional velocity and perform some sort of abstract reasoning (as opposed to purely numerical processing) followed by decision-making and action.

According to this rough classification this book deals with image processing and some image analysis.

These disciplines have a long history that can be traced back at least to the early 1960s. For more than two decades, the field was occupied mostly by computer scientists and electrical engineers and did not attract much interest from mathematicians. Its rather low level of mathematical sophistication reflected the kind of mathematical training that computer scientists and electrical engineers were exposed to and, unfortunately, still are: It is roughly limited to a subset of nineteenth-century mathematics.

This is one reason. Another reason stems from the fact that simple heuristic methods, e.g., histogram equalization, can produce apparently startling results; but these ad hoc approaches suffer from significant limitations, the main one being that there is no precise characterization of why and when they work or don't work. The idea of the proof of correctness of an algorithm under a well-defined set of hypotheses has long been almost unheard of in image processing and analysis despite the strong connection with computer science.

It is clear that things have been changing at a regular pace for some time now. These changes are in my view due to two facts: First, the level of mathematical sophistication of researchers in computer vision has been steadily growing in the last twenty-five years or so, and second, the number of professional mathematicians who develop an interest in this field of application has been regularly increasing, thanks maybe to the examples set by two Fields medallists, David Mumford and Pierre-Louis Lions. As a result of these facts the field of computer vision is going through a crucial mutation analogous to the one that turned alchemy into modern chemistry.

If we now wonder as to the mathematics relevant to image processing and analysis, we come up with a surprisingly long list: Differential and Riemannian geometry, geometric algebra, functional analysis (calculus of variations and partial differential equations), probability theory (probabilistic inference, Bayesian probability theory), statistics (performance bounds, sampling algorithms), and singularity theory (generic properties of solutions to partial differential equations) are all being successfully applied to image processing. It should be apparent that it is, in fact, the whole set of twentieth-century mathematics that is relevant to image processing and computer vision.

In what sense are those branches of mathematics relevant? As I said earlier, many of the original algorithms were heuristic in nature: No proof was in general given of their correctness, and no attempt was made at defining the hypotheses under which they would work or not. Mathematics can clearly contribute to change this state of affairs by posing the problems in somewhat more abstract terms with the benefit of a clarification of the underlying concepts, e.g., what are the relevant functional spaces, and what is the possibility of proving the existence and uniqueness of solutions to these problems under a set of well-defined hypotheses and the correctness of algorithms for computing these solutions? A further benefit of the increase of mathematical sophistication in machine vision may come out of the fact that the mathematical methods developed to analyze images with computers may be important for building a formal theory of biological vision: This was the hope of the late David Marr and should be considered as another challenge to mathematicians, computer-vision scientists, psychophysicists, and neurophysiologists.

Conversely, image processing and computer vision bring to mathematics a host of very challenging new problems and fascinating applications; they contribute to grounding them in the real world just as physics does.

This book is a brilliant “tour de force” that shows the interest of using some of the most recent techniques of functional analysis and the theory of partial differential equations to study several fundamental questions in image processing, such as how to restore a degraded image and how to segment it into meaningful regions. The reader will find early in the book a summary of the mathematical prerequisites as well as pointers to some specialized textbooks. These prerequisites are quite broad, ranging from direct methods in the calculus of variations (relaxation, Gamma convergence) to the theory of viscosity solutions for Hamilton–Jacobi equations and include the space of functions of bounded variations. Lebesgue theory of integration as well as Sobolev spaces are assumed to be part of the reader’s culture, but pointers to some relevant textbooks are also provided.

The book can be read by professional mathematicians (who are, I think, its prime target) as an example of the application of different parts of modern functional analysis to some attractive problems in image processing. These readers will find in the book most of the proofs of the main theorems (or pointers to these in the literature) and get a clear idea of the mathematical difficulty of these apparently simple problems. The proofs are well detailed, very clearly written, and, as a result, easy to follow. Moreover, since most theorems can also be turned into algorithms and computer programs, their conclusions are illustrated with spectacular results of processing performed on real images. Furthermore, since the authors provide examples of several open mathematical questions, my hope is that this book will attract more mathematicians to their study.

It can also be read by the mathematically inclined computer-vision researcher. I do not want to convey the idea that I underestimate the amount of work necessary for such a person to grasp all the details of all the proofs, but I think that it is possible at a first reading to get a general idea of the methods and the main results. Hopefully, this person will then want to learn in more detail the relevant mathematics, and this can be done by alternating reading the textbooks that are cited and studying the proofs in the book. My hope is that this will convince more image-processing scientists that this mathematics must become part of the tools they use.

This book, written by two mathematicians with a strong interest in images, is a wonderful contribution to the mutation I was alluding to above, the transformation of image processing and analysis as well as computer, robot, and machine vision into formalized fields, based on sets of competing scientific theories within which predictions can be performed and methods (algorithms) can be compared and evaluated. This is hopefully a step in the direction of understanding what it means to see.



# Preface to the Second Edition

During the four years since the publication of the first edition of this book there has been substantial progress in the range of image processing applications covered by the PDE framework. The main purposes of this second edition are to update the first edition by giving a coherent account of some of the recent challenging applications, to give the opportunity to the reader to make his own simulations easily, to update the existing material, and naturally to correct errors.

## **Review of Recent Challenging Applications**\_\_\_\_\_

In Chapter 5, devoted to applications, we present four new topics.

**Section 5.1 Reinventing some image parts by inpainting.** Inpainting has broad applications in photo restoration, superresolution, primal-sketch-based perceptual image compression and coding, and the error concealment of image transmission.

**Section 5.2 Decomposing an image into geometry and texture.** The aim is to characterize strongly oscillating patterns (e.g., textures) so that an image may be decomposed as the sum of a geometric part and an oscillating one. Besides a better understanding of the nature of images and especially texture, this framework has direct applications in image compression and inpainting.

**Section 5.3.4 Sequence restoration.** In this section, we address the problem of video inpainting. We show that the simple extension of image inpainting methods (Section 5.1) to image sequences sequences is not sufficient: appropriate methods are needed. The film industry is the natural field of application: old movies need restoration and removal of scratches, rays, etc. In new movies one may require the removal of some visible objects out of the scene.

**Section 5.5 Vector-valued images.** In the first edition, we essentially considered gray-scale images, i.e., scalar images. In this new section we would like to give some elements to deal with vector-valued images. We present a framework that can be adapted and used in many applications such as color image restoration, inpainting, interpolation, and vector field visualization.

### Make Your Own Simulations Easily

---

In the first edition, we proposed in the Appendix A an overview on finite difference approaches, to transform a continuous equation into a discretized one. As a further step, we would like to provide readers with the opportunity to make their own simulations with a minimal effort. To this end, we propose in this second edition a new Appendix B, where we present the programming tools that will allow the reader to implement and test easily some of the approaches presented in this book.

A web site is associated with this second edition. This web site contains some related links, complementary of information, and also source code that allow the reader to test easily some variational and PDE-based approaches.

<http://www-sop.inria.fr/books/imath>

### Update the Existing Material

---

The core of the first edition, i.e., Chapters 2–4, was preserved. It is complemented with some recent contributions about algorithms, models, and theoretical studies.

**Section 3.2.4 The projection algorithm by Chambolle** is a convergent restoration algorithm to minimize the total variation with a quadratic fidelity attach term. This algorithm comes directly from the definition of the total variation and is based on duality arguments. It is an nice alter-

native to the half-quadratic approach.

**Section 3.3.4 Neighborhood filters and nonlocal means filters.** As a complement to Chapter 3, about image restoration, we describe how to extend the notion of Gaussian filtering. Interestingly, it is shown how these filters are indeed related to well-known PDEs.

**Section 4.3.4 Theoretical justification of the reinitialization equation for the distance function.** This equation is widely used when a curve evolution is implemented with a level set formulation, in order to avoid numerical problems. We prove in this section the existence and uniqueness of the solution in the framework of viscosity solutions, with a discontinuous Hamiltonian.

We welcome corrections and comments, which can be sent to our electronic mail address: [gaubert@math.unice.fr](mailto:gaubert@math.unice.fr). In due course, corrections will be placed on the book web site <http://www-sop.inria.fr/books/imath>.

For this second edition, we would like to express our deep gratitude to the following people for their various contributions:

- Antoni Buades, Marcelo Bertalmio, Vincent Caselles, Rachid Deriche, Gloria Haro Ortega, François Lauze, Patrick Perez, and David Tschumperlé for providing us with their experimental results.
- All the readers who sent us their comments and corrections.
- Gunnar Aronsson and Eli Shechtman for their valuable feedback on the first edition: They read the first edition thoroughly, used it in their classes, and provided many useful suggestions.

Sophia Antipolis, France

GILLES AUBERT  
PIERRE KORNPBST

# Preface to the First Edition

It is surprising when we realize just how much we are surrounded by images. Images allow us not only to perform complex tasks on a daily basis, but also to communicate, transmit information, and represent and understand the world around us. Just think, for instance, about digital television, medical imagery, and video surveillance. The tremendous development in information technology accounts for most of this. We are now able to handle more and more data. Many day-to-day tasks are now fully or partially accomplished with the help of computers. Whenever images are involved we are entering the domains of computer vision and image processing. The requirements for this are reliability and speed. Efficient algorithms have to be proposed to process these digital data. It is also important to rely on a well-established theory to justify the well-founded nature of the methodology.

Among the numerous approaches that have been suggested, we focus on partial differential equations (PDEs), and variational approaches in this book. Traditionally applied in physics, these methods have been successfully and widely transferred to computer vision over the last decade. One of the main interests in using PDEs is that the theory behind the concept is well established. Of course, PDEs are written in a continuous setting referring to analogue images, and once the existence and the uniqueness have been proven, we need to discretize them in order to find a numerical solution. It is our conviction that reasoning within a continuous framework makes the understanding of physical realities easier and stimulates the intuition necessary to propose new models. We hope that this book will illustrate this idea effectively.

The message we wish to convey is that the intuition that leads to certain formulations and the underlying theoretical study are often complementary. Developing a theoretical justification of a problem is not simply “art for art’s sake.” In particular, a deep understanding of the theoretical difficulties may lead to the development of suitable numerical schemes or different models.

This book is concerned with the mathematical study of certain image-processing problems. Thus we target two audiences:

- The first is the mathematical community, and we show the contribution of mathematics to this domain by studying classical and challenging problems that come from computer vision. It is also the occasion to highlight some difficult and unsolved theoretical questions.
- The second is the computer vision community: we present a clear, self-contained, and global overview of the mathematics involved for the problems of image restoration, image segmentation, sequence analysis, and image classification.

We hope that this work will serve as a useful source of reference and inspiration for fellow researchers in applied mathematics and computer vision, as well as being a basis for advanced courses within these fields.

This book is divided into seven main parts. Chapter 1 introduces the subject and gives a *detailed plan of the book*. In Chapter 2, most of the mathematical notions used therein are recalled in an educative fashion and illustrated in detail. In Chapters 3 and 4 we examine how PDEs and variational methods can be successfully applied in the restoration and segmentation of one image. Chapter 5 is more applied, and some challenging computer vision problems are described, such as inpainting, sequence analysis, classification or vector-valued image processing. Since the final goal of any approach is to compute a numerical solution, we propose an introduction to the method of finite differences in the Appendix.

We would like to express our deep gratitude to the following people for their various contributions:

- The ARIANA group (joint project CNRS–INRIA–UNSA) from INRIA Sophia Antipolis and in particular Jean-Franis Aujol, Laure Blanc-Féraud and Christophe Samson for providing results regarding the classification problem.
- The ODYSSEE group (joint project INRIA–Ecole Normale Supieure–Ecole Nationale des Ponts et Chaussées) from INRIA Sophia Antipolis and especially Olivier Faugeras and Bertrand Thirion for their subsequent valuable comments.

- Agnés Desolneux, François Helt, Ron Kimmel, Etienne Mémin, Nikos Paragios, Luminita Vese, and Joachim Weickert for providing us with their experimental results.

Sophia Antipolis, France

GILLES AUBERT  
PIERRE KORNPORST

# Contents

<b>Foreword</b>	<b>vii</b>
<b>Preface to the Second Edition</b>	<b>xi</b>
<b>Preface to the First Edition</b>	<b>xv</b>
<b>Guide to the Main Mathematical Concepts and Their Application</b>	<b>xxv</b>
<b>Notation and Symbols</b>	<b>xxvii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 The Image Society . . . . .	1
1.2 What Is a Digital Image? . . . . .	3
1.3 About Partial Differential Equations (PDEs) . . . . .	5
1.4 Detailed Plan . . . . .	5
<b>2 Mathematical Preliminaries</b>	<b>29</b>
How to Read This Chapter . . . . .	29
2.1 The Direct Method in the Calculus of Variations . . . . .	30
2.1.1 Topologies on Banach Spaces . . . . .	30
2.1.2 Convexity and Lower Semicontinuity . . . . .	32
2.1.3 Relaxation . . . . .	37
2.1.4 About $\Gamma$ -Convergence . . . . .	40
2.2 The Space of Functions of Bounded Variation . . . . .	42

2.2.1	Basic Definitions on Measures . . . . .	43
2.2.2	Definition of $BV(\Omega)$ . . . . .	45
2.2.3	Properties of $BV(\Omega)$ . . . . .	46
2.2.4	Convex Functions of Measures . . . . .	50
2.3	Viscosity Solutions in PDEs . . . . .	50
2.3.1	About the Eikonal Equation . . . . .	50
2.3.2	Definition of Viscosity Solutions . . . . .	52
2.3.3	About the Existence . . . . .	54
2.3.4	About the Uniqueness . . . . .	55
2.4	Elements of Differential Geometry: Curvature . . . . .	57
2.4.1	Parametrized Curves . . . . .	58
2.4.2	Curves as Isolevel of a Function $u$ . . . . .	58
2.4.3	Images as Surfaces . . . . .	59
2.5	Other Classical Results Used in This Book . . . . .	60
2.5.1	Inequalities . . . . .	60
2.5.2	Calculus Facts . . . . .	62
2.5.3	About Convolution and Smoothing . . . . .	62
2.5.4	Uniform Convergence . . . . .	63
2.5.5	Dominated Convergence Theorem . . . . .	64
2.5.6	Well-Posed Problems . . . . .	64
<b>3</b>	<b>Image Restoration</b> . . . . .	<b>65</b>
	How to Read This Chapter . . . . .	65
3.1	Image Degradation . . . . .	66
3.2	The Energy Method . . . . .	68
3.2.1	An Inverse Problem . . . . .	68
3.2.2	Regularization of the Problem . . . . .	69
3.2.3	Existence and Uniqueness of a Solution for the Minimization Problem . . . . .	72
3.2.4	Toward the Numerical Approximation . . . . .	76
	The Projection Approach . . . . .	76
	The Half-Quadratic Minimization Approach . . . . .	79
3.2.5	Some Invariances and the Role of $\lambda$ . . . . .	87
3.2.6	Some Remarks on the Nonconvex Case . . . . .	90
3.3	PDE-Based Methods . . . . .	94
3.3.1	Smoothing PDEs . . . . .	95
	The Heat Equation . . . . .	95
	Nonlinear Diffusion . . . . .	98
	The Alvarez–Guichard–Lions–Morel Scale Space Theory . . . . .	107
	Weickert’s Approach . . . . .	113
	Surface Based Approaches . . . . .	117
3.3.2	Smoothing–Enhancing PDEs . . . . .	121
	The Perona and Malik Model . . . . .	121



	Regularization of the Perona and Malik Model: Catté et al. . . . .	123
3.3.3	Enhancing PDEs . . . . .	128
	The Osher and Rudin Shock Filters . . . . .	128
	A Case Study: Construction of a Solution by the Method of Characteristics . . . . .	130
	Comments on the Shock-Filter Equation . . . . .	134
3.3.4	Neighborhood Filters, Nonlocal Means Algorithm, and PDEs . . . . .	137
	Neighborhood Filters . . . . .	138
	How to Suppress the Staircase Effect? . . . . .	143
	Nonlocal Means Filter (NL-Means) . . . . .	146
<b>4</b>	<b>The Segmentation Problem</b>	<b>149</b>
	How to Read This Chapter . . . . .	149
4.1	Definition and Objectives . . . . .	150
4.2	The Mumford and Shah Functional . . . . .	153
4.2.1	A Minimization Problem . . . . .	153
4.2.2	The Mathematical Framework for the Existence of a Solution . . . . .	154
4.2.3	Regularity of the Edge Set . . . . .	162
4.2.4	Approximations of the Mumford and Shah Functional . . . . .	166
4.2.5	Experimental Results . . . . .	171
4.3	Geodesic Active Contours and the Level-Set Method . . . . .	173
4.3.1	The Kass–Witkin–Terzopoulos model . . . . .	173
4.3.2	The Geodesic Active Contours Model . . . . .	175
4.3.3	The Level-Set Method . . . . .	182
4.3.4	The Reinitialization Equation . . . . .	194
	Characterization of the Distance Function . . . . .	195
	Existence and Uniqueness . . . . .	198
4.3.5	Experimental Results . . . . .	206
4.3.6	About Some Recent Advances . . . . .	208
	Global Stopping Criterion . . . . .	208
	Toward More General Shape Representation . . . . .	211
<b>5</b>	<b>Other Challenging Applications</b>	<b>213</b>
	How to Read This Chapter . . . . .	213
5.1	Reinventing Some Image Parts by Inpainting . . . . .	215
5.1.1	Introduction . . . . .	215
5.1.2	Variational Models . . . . .	216
	The Masnou and Morel Approach . . . . .	216
	The Ballester et al. Approach . . . . .	218
	The Chan and Shen Total Variation Minimization Approach . . . . .	220

5.1.3	PDE-Based Approaches . . . . .	222
	The Bertalmio et al. Approach . . . . .	223
	The Chan and Shen Curvature-Driven Diffusion Approach . . . . .	224
5.1.4	Discussion . . . . .	225
5.2	Decomposing an Image into Geometry and Texture . . . . .	228
5.2.1	Introduction . . . . .	228
5.2.2	A Space for Modeling Oscillating Patterns . . . . .	229
5.2.3	Meyer's Model . . . . .	232
5.2.4	An Algorithm to Solve Meyer's Model . . . . .	233
	Prior Numerical Contribution . . . . .	234
	The Aujol et al. Approach . . . . .	234
	Study of the Asymptotic Case . . . . .	241
	Back to Meyer's Model . . . . .	242
5.2.5	Experimental Results . . . . .	245
	Denoising Capabilities . . . . .	245
	Dealing With Texture . . . . .	248
5.2.6	About Some Recent Advances . . . . .	248
5.3	Sequence Analysis . . . . .	249
5.3.1	Introduction . . . . .	249
5.3.2	The Optical Flow: An Apparent Motion . . . . .	250
	The Optical Flow Constraint (OFC) . . . . .	252
	Solving the Aperture Problem . . . . .	253
	Overview of a Discontinuity-Preserving Variational Approach . . . . .	256
	Alternatives to the OFC . . . . .	260
5.3.3	Sequence Segmentation . . . . .	261
	Introduction . . . . .	261
	A Variational Formulation . . . . .	264
	Mathematical Study of the Time-Sampled Energy . . . . .	265
	Experiments . . . . .	269
5.3.4	Sequence Restoration . . . . .	271
	Principles of Video Inpainting . . . . .	276
	Total Variation (TV) Minimization Approach . . . . .	277
	Motion Compensated (MC) Inpainting . . . . .	277
5.4	Image Classification . . . . .	281
5.4.1	Introduction . . . . .	281
5.4.2	A Level-Set Approach for Image Classification . . . . .	282
5.4.3	A Variational Model for Image Classification and Restoration . . . . .	290
5.5	Vector-Valued Images . . . . .	299
5.5.1	Introduction . . . . .	299
5.5.2	An Extended Notion of Gradient . . . . .	300

5.5.3	The Energy Method . . . . .	300
5.5.4	PDE-Based Methods . . . . .	302
<b>A</b>	<b>Introduction to Finite Difference Methods</b>	<b>307</b>
	How to Read This Chapter . . . . .	307
A.1	Definitions and Theoretical Considerations Illustrated by the 1-D Parabolic Heat Equation . . . . .	308
A.1.1	Getting Started . . . . .	308
A.1.2	Convergence . . . . .	311
A.1.3	The Lax Theorem . . . . .	313
A.1.4	Consistency . . . . .	313
A.1.5	Stability . . . . .	315
A.2	Hyperbolic Equations . . . . .	320
A.3	Difference Schemes in Image Analysis . . . . .	329
A.3.1	Getting Started . . . . .	329
A.3.2	Image Restoration by Energy Minimization . . . . .	333
A.3.3	Image Enhancement by the Osher and Rudin Shock Filters . . . . .	336
A.3.4	Curve Evolution with the Level-Set Method . . . . .	338
	Mean Curvature Motion . . . . .	339
	Constant Speed Evolution . . . . .	340
	The Pure Advection Equation . . . . .	341
	Image Segmentation by the Geodesic Active Contour Model . . . . .	342
<b>B</b>	<b>Experiment Yourself!</b>	<b>343</b>
	How to Read This Chapter . . . . .	343
B.1	The CImg Library . . . . .	344
B.2	What Is Available Online? . . . . .	344
	<b>References</b>	<b>349</b>
	<b>Index</b>	<b>373</b>

# Guide to the Main Mathematical Concepts and Their Application

This book is principally organized by image processing problems and not by mathematical concepts. The aim of this guide is to highlight the different concepts used and especially to indicate where they are applied.

## *Direct Method in the Calculus of Variations (Section 2.1.2)*

This terminology is used when the problem is to minimize an integral functional, for example

$$\inf \left\{ F(u) = \int_{\Omega} f(x, u(x), \nabla u(x)) \, dx, \, u \in V \right\}. \quad (\mathcal{F})$$

The classical (or direct) method consists in defining a minimizing sequence  $u_n \in V$ , bounding  $u_n$  uniformly in  $V$ , and extracting a subsequence converging to an element  $u \in V$  (compactness property, Section 2.1.1) and proving that  $u$  is a minimizer (lower semicontinuity property, Section 2.1.2). This technique has been applied in two cases:

- Image restoration (Section 3.2.3, Theorem 3.2.2)
- Sequence segmentation (Section 5.3.3)

## *Relaxation (Section 2.1.3)*

When the direct method does not apply to a minimization problem ( $\mathcal{F}$ ) (because the energy is not lower semicontinuous (l.s.c.) or the space is not

reflexive, for example) it is then a classical approach to associate with  $(\mathcal{F})$  another problem called  $(R\mathcal{F})$  (relaxed problem), that is, another functional  $RF$  (relaxed functional). Then  $(R\mathcal{F})$  is related to  $(\mathcal{F})$  thanks to the following two properties: The first is that  $(R\mathcal{F})$  is well posed that is  $(R\mathcal{F})$  has solutions and  $\min\{RF\} = \inf\{F\}$ . The second is that we can extract from minimizing sequences of  $(\mathcal{F})$  subsequences converging to a solution of  $(R\mathcal{F})$ . We have used this concept for the following:

- Image restoration for which the initial formulation was mathematically ill posed (Section 3.2.3, Theorem 3.2.1 and Section 3.3.1, Proposition 3.56).

### $\Gamma$ -convergence (Section 2.1.4)

The notion of  $\Gamma$ -convergence relates to convergence for functionals. It is particularly well adapted to deal with free discontinuity problems. Roughly speaking, if the sequence of functionals  $F_h$   $\Gamma$ -converges to another functional  $F$ , and if  $u_h$  is a sequence of minimizers of  $F_h$  and  $u$  a minimizer of  $F$ , then (up to sequence)  $\lim_{h \rightarrow 0} F_h(u_h) = F(u)$  and  $\lim_{h \rightarrow 0} u_h = u$ . This notion is illustrated in the following two cases:

- Approximation of the Mumford–Shah segmentation functional (Section 4.2.4, Theorem 4.2.8).
- Image classification (Section 5.4.1).

### Viscosity Solutions (Section 2.3)

The theory of viscosity solutions aims at proving the existence and uniqueness of a solution for fully nonlinear PDEs of the form

$$\frac{\partial u}{\partial t} + F(x, u(x), \nabla u(x), \nabla^2 u(x)) = 0.$$

This is a very weak notion because solutions are expected to be only continuous. We have used this theory for the following:

- The Alvarez–Guichard–Lions–Morel scale space theory (Section 3.3.1, Theorem 3.3.2).
- Geodesic active contours and level set methods (Section 4.3.3, Theorem 4.3.2).

# Notation and Symbols

## *About Functionals*

For  $\Omega$  an open subset of  $R^N$  we define the following real-valued function spaces:

$\mathcal{B}(\Omega)$	Borel subset of $\Omega$ .
$S^{N-1}$	Unit sphere in $R^N$ .
$dx$	Lebesgue measure in $R^N$ .
$\mathcal{H}^{N-1}$	Hausdorff measure of dimension $N - 1$ .
$BV(\Omega)$	Space of bounded variation.
$BV-w^*$	The weak* topology of $BV(\Omega)$ .
$C_0^p(\Omega)$	Space of real-valued functions, $p$ continuously differentiable with compact support.
$C_0^\infty(\Omega)$	Space of real-valued functions, infinitely continuously differentiable with compact support.
$C^{0,\gamma}(\Omega)$	For $0 < \gamma \leq 1$ : space of continuous functions $f$ on $\Omega$ such that $ f(x) - f(y)  \leq C x - y ^\gamma$ , for some constant $C$ , $x, y \in \Omega$ . It is called the space of Hölder continuous functions with exponent $\gamma$ .
$C^{k,\gamma}(\Omega)$	Space of $k$ -times continuously differentiable functions whose $k$ th partial derivatives belong to $C^{0,\gamma}(\Omega)$ .

$(\mathcal{C}_0^\infty(\Omega))'$	Dual of $\mathcal{C}_0^\infty(\Omega)$ , i.e. the space of distributions on $\Omega$ .
$L^p(\Omega)$	Space of Lebesgue measurable functions $f$ such that $\int_\Omega  f ^p dx < \infty$ .
$L^\infty(\Omega)$	Space of Lebesgue measurable functions $f$ such that there exists a constant $c$ with $ f(x)  \leq c$ , a.e. $x \in \Omega$ .
$\mathcal{M}(\Omega)$	Space of Radon measures.
$SBV(\Omega)$	Space of special functions of bounded variation.
$LSC(\Omega)$	Space of lower semicontinuous functions on $\Omega$ .
$USC(\Omega)$	Space of upper semicontinuous functions on $\Omega$ .
$W^{1,p}(\Omega)$	With $1 \leq p \leq \infty$ : Sobolev space of functions $f \in L^p(\Omega)$ such that all derivatives up to order 1 belong to $L^p(\Omega)$ . $W^{1,\infty}(\Omega)$ is identified with the space of locally Lipschitz functions.
$W_0^{1,p}(\Omega)$	$\{u \in W^{1,p}(\Omega) : u _{\partial\Omega} = 0\}$ .

(Vector-valued spaces will be written in boldface:  $\mathbf{BV}(\Omega)$ ,  $\mathbf{C}_0^p(\Omega)$ ,  $\mathbf{L}^p(\Omega)$ ,  $\mathbf{M}(\Omega)$ ,  $\mathbf{W}^{1,p}(\Omega)$ ,  $\mathbf{SBV}(\Omega)$ ).

For  $X$  a Banach space with a norm  $|\cdot|_X$  and  $v : (0, T) \rightarrow X$ :

$C^m(0, T; X)$	With $m \geq 0$ , $0 < T < \infty$ : space of functions from $[0, T]$ to $X$ $m$ -times continuously differentiable. It is a Banach space with the norm
	$ v _{C^m(0,T;X)} = \max_{0 \leq l \leq m} \left( \sup_{0 \leq t \leq T} \left  \frac{\partial^l v}{\partial t^l}(t) \right _X \right)$ .
$L^p(0, T; X)$	With $1 \leq p < \infty$ : space of functions $v \rightarrow v(t)$ measurable on $(0, T)$ for the measure $dt$ (i.e., the scalar functions $t \rightarrow  v _X$ are $dt$ -measurable). It is a Banach space with the norm
	$ v _{L^p(0,T;X)} = \left( \int_0^T  v _X^p dt \right)^{1/p} < +\infty$ .
$L^\infty(0, T; X)$	Space of functions $v$ such that
	$ v _{L^\infty(0,T;X)} = \inf_c \{  v _X \leq c, \text{ a.e. } t \}$ .

For a functional  $F : X \rightarrow ]-\infty, +\infty]$  where  $X$  is a Banach space:

$\text{Argmin } F$	$\{u \in X : F(u) = \inf_X F\}$ .
$R_\tau(F), RF, \overline{F}$	Relaxed functional of $F$ (for the $\tau$ -topology).

l.s.c.(sequentially)	Lower semicontinuous: $F$ is called l.s.c. if for every sequence $(u^n)$ converging to $u$ we have $\varliminf_{n \rightarrow +\infty} F(u^n) \geq F(u).$
u.s.c.(sequentially)	Upper semicontinuous: $F$ is called u.s.c. if for every sequence $(u^n)$ converging to $u$ we have $\varlimsup_{n \rightarrow +\infty} F(u^n) \leq F(u).$

### About Measures

For  $\mu$  and  $\nu$  two Radon measures:

$ \mu $	Total variation of the measure $\mu$ . If $\mu$ is vector-valued, we also denote $ \mu  =  \mu_1  + \dots +  \mu_N $ .
$\nu \ll \mu$	$\nu$ is absolutely continuous with respect to $\mu$ if $\mu(A) = 0 \Rightarrow \nu(A) = 0$ for all Borel set $A \in R^N$ .
$\nu \perp \mu$	$\nu$ is singular with respect to $\mu$ if there exists a Borel set $B \subset R^N$ such that $\mu(R^N - B) = \nu(B) = 0$ .

### About Functions

For a function  $f : \Omega \subset R^N \rightarrow R$  and a sequence of functions  $(f^n)_{n \in N}$  belonging to a Banach space  $X$ :

$f^n \xrightarrow[X]{} f$	The sequence $(f^n)$ converges strongly to $f$ in $X$ .
$f^n \xrightarrow[X]{} f$	The sequence $(f^n)$ converges weakly to $f$ in $X$ .
$f^n \xrightarrow[X]{*} f$	The sequence $(f^n)$ converges to $f$ for the weak* topology of $X$ .
$\varlimsup_{n \rightarrow +\infty} f^n$	$\varlimsup_{n \rightarrow +\infty} f^n(x) = \inf_k \sup \{f^k(x), f^{k+1}(x), \dots\}.$
$\varliminf_{n \rightarrow +\infty} f^n$	$\begin{aligned} \varliminf_{n \rightarrow +\infty} f^n(x) &= - \varlimsup_{n \rightarrow +\infty} f^n(x) \\ &= \sup_k \inf \{f^k(x), f^{k+1}(x), \dots\}. \end{aligned}$
$ f _X$	Norm of $f$ in $X$ .
$\text{spt}(f)$	For a measurable function $f : \Omega \subset R^N \rightarrow R$ , let $(w_i)_{i \in I}$ be the family of all open subsets such that $w_i \in \Omega$ and for each $i \in I$ , $f = 0$ a.e. on $w_i$ . Then $\text{spt}(f)$ (the support of $f$ ) is defined by $\text{spt} f = \Omega - \bigcup_i w_i$ .
$Df$	Distributional gradient of $f$ .
$D^2 f$	Hessian matrix of $f$ (in the distributional sense).
$\nabla f$	Gradient of $f$ in the classical sense. It corresponds to the absolutely continuous part of $Df$ with respect to the Lebesgue measure $dx$ .



$\operatorname{div}(f)$	Divergence operator: $\operatorname{div}(f) = \sum_{i=1}^N \frac{\partial f}{\partial x_i}$ .
$\nabla^2 f$	Hessian matrix of $f$ in the classical sense: $(\nabla^2 f)_{i,j} = \frac{\partial^2 f}{\partial x_i \partial x_j}$ .
$\Delta f$	Laplacian operator: $\Delta f = \sum_{i=1}^N \frac{\partial^2 f}{\partial x_i^2}$ .
$\int_{\Omega} f \, dx$	Mean value of $f$ over $\Omega$ : $\int_{\Omega} f \, dx = \frac{1}{ \Omega } \int_{\Omega} f \, dx$ .
$\dot{f}$	Precise representation of $f$ .
$\mathcal{P}_{\Omega}^{\pm}$	“superjets.”

For a function  $\phi : R^N \rightarrow R$ :

$\phi^*(\cdot)$	The Fenchel–Legendre conjugate.
$\phi^{\infty}(\cdot)$	The recession function defined by $\phi^{\infty}(z) = \lim_{s \rightarrow +\infty} \phi(sz)/s$ .

### Miscellaneous notation

$A \xrightarrow{\text{strong}} B$	$A$ is relatively compact in $B$ .
$A \xrightarrow{\text{weak}} B$	$A$ is weakly relatively compact in $B$ .
$O^*$	The adjoint operator of $O$ .
$ \cdot $	Euclidean norm in $R^N$ .
$G_{\sigma}$	The Gaussian kernel defined by $G_{\sigma}(x) = 1/(2\pi\sigma^2) \exp(- x ^2/(2\sigma^2))$ .
$B(x, r) \subset R^N$	Ball of center $x$ and radius $r$ .
$\mathcal{S}(N)$	Subset of $N \times N$ symmetric matrices.
$SNR(I_1/I_2)$	<i>Signal-to-noise ratio</i> : used to estimate the quality of an image $I_2$ with respect to a reference image $I_1$ . It is defined by $SNR(I_1/I_2) = 10 \log_{10} \left[ \frac{\sigma^2(I_2)}{\sigma^2(I_1 - I_2)} \right]$ , where $\sigma$ is the variance.
$\alpha \vee s \wedge \beta$	Truncature function equal to $\alpha$ if $s \leq \alpha$ , $\beta$ if $s \geq \beta$ , $s$ otherwise.
$\operatorname{sign}(s)$	Sign function equal to 1 if $s > 0$ , 0 if $s = 0$ , and $-1$ if $s < 0$ .
$\chi_R$	Characteristic function of $R$ : $\chi_R(x) = \begin{cases} 1 & \text{if } x \in R, \\ 0 & \text{otherwise.} \end{cases}$
$\operatorname{Per}_{\Omega}(R)$	Perimeter of $R$ in $\Omega$ defined as the total variation of $\chi_R$ .

*Symbols for the Reader's Convenience*

Indicates general references, books, reviews, or other parts of the book where related information can be found.



Summary of an *important idea*.



Symbol marking the *end* of a proof, example or remark.



Symbol indicating *unsolved or challenging unsolved problems* that need to be investigated further.



Symbol indicating that some C++ code is available (see Appendix B for more information).