Springer Series in Statistics

Advisors:

P. Bickel, P. Diggle, S. Feinberg, U. Gather,
I. Olkin, S. Zeger

For other titles published in this series, go to
<http://www.springer.com/series/692>

Christiane Lemieux

Monte Carlo and Quasi-Monte Carlo Sampling

Christiane Lemieux
University of Waterloo
Department of Statistics & Actuarial Science
200 University Avenue W.
Waterloo ON N2L 3G1
Canada
clemieux@math.uwaterloo.ca

ISSN: 0172-7397

ISBN: 978-0-387-78164-8

e-ISBN: 978-0-387-78165-5

DOI: 10.1007/978-0-387-78165-5

Library of Congress Control Number: 2008942366

© Springer Science+Business Media, LLC 2009

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer Science+Business Media, LLC, 233 Spring Street, New York, NY 10013, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use in this publication of trade names, trademarks, service marks, and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

Printed on acid-free paper

springer.com

A mes parents, Lise et Vincent Lemieux

Preface

The goal of this text is to provide a self-contained guide to Monte Carlo and quasi-Monte Carlo sampling methods. These two classes of methods are based on the idea of using sampling to study mathematical problems for which analytical solutions are unavailable. More precisely, the idea is to create samples that can be used to derive approximations about a quantity of interest and its probability distribution. In the former case, random sampling is used, while in the latter, *low-discrepancy sampling* is used.

Quasi-Monte Carlo sampling methods are typically used to provide approximations for multivariate integration problems defined over the unit hypercube. They do so by creating sets or sequences of vectors $(u_1, \dots, u_s)$, with each u_j taking values between 0 and 1, that sample the s -dimensional unit hypercube more regularly than random samples do, hence mimicking in a better way — with less *discrepancy* — the uniform distribution over that space. For this reason, most of the theory that underlies these constructions has been developed for problems that can be described as integration problems over the s -dimensional unit hypercube.

On the other hand, random sampling — via the use of Monte Carlo methods — has been developed and used in a variety of situations that do not necessarily fit the formulation above, which makes use of a function defined over the unit hypercube. In particular, stochastic simulation models are usually constructed using random variables defined over the real numbers, the nonnegative integers, or other domains that are not necessarily the unit interval between 0 and 1. However, the computer implementation of such models always relies, at its lowest level, on a source of (pseudo)random numbers that are uniformly distributed between 0 and 1. Therefore, at least in principle, it is always possible to reformulate a simulation model using a vector of input variables defined over the s -dimensional unit hypercube.

Being able to perform this “translation” — between the more intuitive simulation formulation and the one viewing the simulation program as a function f transforming input numbers $u_1, \dots, u_s$ into an observation of the output quantity of interest — is extremely important when we want to successfully

replace random sampling by quasi-random sampling in such problems. For this reason, we will be discussing this translation throughout the book, referring to it as the “integration versus simulation” formulation, with the understanding that by “integration” we mean the formulation of the problem using a function defined over the unit hypercube.

Because integration is the main area for which quasi-random sampling has been used so far, a large part of this text is devoted to this topic. In addition, simulation studies are often designed to estimate the mathematical expectation of some quantity of interest. In such cases, the translation of this goal into the formulation that uses a function f , as described in the preceding paragraph, means we wish to estimate the integral of that function. Hence these problems also fit within the integration framework.

A number of books have been written on the Monte Carlo method and its applications (especially in finance) [120, 121, 137, 145, 165, 211, 236, 293, 314, 386, 391, 418, 424], stochastic simulation [45, 175, 217, 218, 243, 389], and quasi-Monte Carlo methods [128, 308, 339, 441]. The purpose of this text is to present all these topics together in one place in a unified way, using the “integration versus simulation” formulation to help tie everything together. After reading this book, the reader should be able to apply random sampling to a wide range of problems and understand how to correctly replace it by quasi-random sampling. The selection of topics has been done in that perspective, and I certainly do not claim to be covering all aspects of Monte Carlo and quasi-Monte Carlo methods or surveying all possible applications for which these methods have been used. A very good source of information that contains the most recent advances in this field is the biannual *Monte Carlo and Quasi-Monte Carlo Methods* conference proceedings by Springer.

This book is organized as follows. The first chapter introduces the Monte Carlo method as a tool for multivariate integration and describes the integration versus simulation formulation using several examples. The more general use of Monte Carlo as a way to approximate a distribution is also studied. The second chapter gives an overview of different methods that can be used to generate random variates from a given probability distribution, a task that needs to be done extensively in any simulation study. This material comes early in the text because of its relevance in understanding the integration versus simulation formulation. Chapter 3 contains information on random number generators, which are essential for using random sampling on a computer. Methods for improving the efficiency of the Monte Carlo method that fall under the umbrella of *variance reduction techniques* are discussed in Chapter 4. A description of quasi-Monte Carlo constructions and the quality measures that can be used to assess them is done in Chapter 5. Several connections with random number generators are done in that chapter, which is the reason why their presentation precedes our discussion of quasi-Monte Carlo methods. Chapter 6 discusses the use of quasi-Monte Carlo methods in practice, including randomized quasi-Monte Carlo and ANOVA decompositions. The last two chapters are devoted to applications, with Chapter 7

focused on financial problems and Chapter 8 discussing more complex problems than those typically tackled by quasi-Monte Carlo methods.

This text can be used for a graduate course on Monte Carlo and quasi-Monte Carlo methods aimed either at statistics, applied mathematics, computer science, engineering, or operations research students. It may also be useful to researchers and practitioners familiar with Monte Carlo methods who want to learn about quasi-Monte Carlo methods.

The level of this text should be accessible to graduate students with varied backgrounds, as long as they have a basic knowledge of probability and statistics. There is an appendix at the end explaining a few key concepts in algebra required to understand some of the quasi-Monte Carlo constructions. Problem sets are provided at the end of each chapter to help the reader put in practice the different concepts discussed in the text.

There are several people whom I would like to thank for their help with this work. Radu Craiu, Henri Faure, Crystal Linkletter, Harald Niederreiter, and Xiaoheng Wang were kind enough to read over some of the material and make useful comments and suggestions. The anonymous reviewers from Springer also made suggestions that greatly improved this text. The students in my “Monte Carlo methods with applications in finance” course at the University of Calgary in the winter of 2006 used the preliminary version of some of these chapters and also tested some exercises. Lu Zhao worked on the solutions to the exercises for a subset of the chapters. Although their help allowed me to fix several mistakes and typos, I am sure I have not caught all of them, and I am entirely responsible for them. If possible, please report them to clemieux@uwaterloo.ca.

I would also like to thank various persons who helped me get a better understanding of the topics discussed in this book. These include Carole Bernard, Mikolaj Cieslak, Radu Craiu, Clifton Cunningham, Arnaud Doucet, Henri Faure, David Fleet, Alexander Keller, Adam Kolkiewicz, Frances Kuo, Fred Hickernell, Regina Hee Sun Hong, Pierre L’Ecuyer, Don McLeish, Harald Niederreiter, Dirk Ormoneit, Art Owen, Przemyslaw Prusinkiewicz, Wolfgang Schmid, Ian Sloan, Ilya Sobol’, Ken Seng Tan, Felisa Vázquez-Abad, Stefan Wegenkittl, and Henryk Woźniakowski. In addition, I would like to thank John Kimmel at Springer for his patience and support throughout this process. The financial support of the Natural Sciences and Engineering Research Council of Canada is also acknowledged.

Finally, I would like to thank my family for their support and encouragement, especially my husband, John, and my two wonderful children, Anne and Liam. Also, I am very grateful for all the wisdom that my father has shared with me over the years in my academic journey. He has been my greatest source of inspiration for this work.

Contents

1	The Monte Carlo Method	1
1.1	Monte Carlo method for integration	3
1.2	Connection with stochastic simulation	12
1.3	Alternative formulation of the integration problem via f : an example	20
1.4	A primer on uniform random number generation	22
1.5	Using Monte Carlo to approximate a distribution	25
1.6	Two more examples	27
	Problems	34
2	Sampling from Known Distributions	41
2.1	Common distributions arising in stochastic models	42
2.2	Inversion	44
2.3	Acceptance-rejection	46
2.4	Composition	48
2.5	Convolution and other useful identities	50
2.6	Multivariate case	51
	Problems	55
3	Pseudorandom Number Generators	57
3.1	Basic concepts and definitions	58
3.2	Generators based on linear recurrences	60
3.2.1	Recurrences over $\mathbb{Z}_m$ for $m \geq 2$	61
3.2.2	Recurrences modulo 2	64
3.3	Add-with-carry and subtract-with-borrow generators	66
3.4	Nonlinear generators	67
3.5	Theoretical and statistical testing	68
3.5.1	Theoretical tests for MRGs	70
3.5.2	Theoretical tests for PRNGs based on recurrences modulo 2	75
3.5.3	Statistical tests	80

Problems	85
4 Variance Reduction Techniques	87
4.1 Introduction	87
4.2 Efficiency	89
4.3 Antithetic variates	89
4.4 Control variates	101
4.5 Importance sampling	111
4.6 Conditional Monte Carlo	119
4.7 Stratification	125
4.8 Common random numbers	132
4.9 Combinations of techniques	135
Problems	136
5 Quasi-Monte Carlo Constructions	139
5.1 Introduction	139
5.2 Main constructions: basic principles	143
5.3 Lattices	146
5.4 Digital nets and sequences	153
5.4.1 Sobol' sequence	157
5.4.2 Faure sequence	161
5.4.3 Niederreiter sequences	163
5.4.4 Improvements to the original constructions of Halton, Sobol', Niederreiter, and Faure	164
5.4.5 Digital net constructions and extensions	170
5.5 Recurrence-based point sets	174
5.6 Quality measures	179
5.6.1 Discrepancy and related measures	180
5.6.2 Criteria based on Fourier and Walsh decompositions	187
5.6.3 Motivation for going beyond error bounds	197
Problems	197
6 Using Quasi-Monte Carlo in Practice	201
6.1 Introduction	201
6.2 Randomized quasi-Monte Carlo	202
6.2.1 Random shift (or rotation sampling)	204
6.2.2 Digital shift	206
6.2.3 Scrambling and permutations	206
6.2.4 Partitions and Latin supercube sampling	209
6.2.5 Array-RQMC	210
6.2.6 Studying the variance	211
6.3 ANOVA decomposition and effective dimension	214
6.3.1 Effective dimension	216
6.3.2 Brownian bridge and related techniques	222

6.3.3	Methods for estimating σ_I^2 and approximating $f_I(u)$	225
6.3.4	Using the ANOVA insight to find good constructions	228
6.4	Using quasi-Monte Carlo sampling for simulation	229
6.5	Suggestions for practitioners	237
	Problems	239
	Appendix: Tractability, weighted spaces and component-by-component constructions	241
7	Financial Applications	247
7.1	European option pricing under the lognormal model	247
7.2	More complex models	256
7.2.1	Heston's process	257
7.2.2	Regime switching model	258
7.2.3	Variance gamma model	260
7.3	Randomized quasi-Monte Carlo methods in finance	260
7.4	Commonly used variance reduction techniques	273
7.4.1	Antithetic variates	273
7.4.2	Control variates	273
7.4.3	Importance sampling	275
7.4.4	Conditional Monte Carlo	279
7.4.5	Common random numbers	281
7.4.6	Moment-matching methods	282
7.5	American option pricing	283
7.6	Estimating sensitivities and percentiles	288
	Problems	298
8	Beyond Numerical Integration	301
8.1	Markov Chain Monte Carlo (MCMC)	303
8.1.1	Metropolis-Hastings algorithm	305
8.1.2	Exact sampling	310
8.2	Sequential Monte Carlo	312
8.3	Computer experiments	320
	Problems	332
A	Review of Algebra	335
B	Error and Variance Analysis for Halton Sequences	341
	References	347
	Index	369

Acronyms and Symbols

$\Rightarrow$	convergence in distribution
$\lceil x \rceil$	the smallest integer larger than or equal to x
$[x]$	integer nearest to x
$[g(z)]$	polynomial part of a formal Laurent series $g(z)$
ant	antithetic
AWC	add-with-carry
CDF	cumulative distribution function
CI	confidence interval
cmc	conditional Monte Carlo
crn	common random numbers
CUD	completely uniformly distributed
cv	control variate
Eff	efficiency
$\mathbb{F}_m$	Galois field with m elements
$\mathbb{F}_m((z^{-1}))$	field of formal Laurent series over $\mathbb{F}_m$
gcd	greatest common divisor
HW	half-width
I_d	the $d \times d$ identity matrix
i. i. d.	independent and identically distributed
ind	independent
IPA	infinitesimal perturbation analysis
IS	importance sampling
LCG	linear congruential generator
LFSR	linear feedback shift register
LR	likelihood ratio
MC	Monte Carlo
MCMC	Markov chain Monte Carlo
MRG	multiple recursive generator
MSE	mean-square error
$\mathbb{N}_0$	the set of nonnegative integers
$N(0, 1)$	standard normal variable

OA	orthogonal array
$\Phi(x)$	CDF of an $N(0, 1)$ evaluated at x
P_n	$\{\mathbf{u}_1, \dots, \mathbf{u}_n\} \subseteq [0, 1]^s$
$P_n(I)$	projection of P_n over $I = \{j_1, \dots, j_d\} \subseteq \{1, \dots, s\}$, given by $\{(u_{i,j_1}, \dots, u_{i,j_d}), i = 1, \dots, n\}$
pdf	probability density function
PRNG	pseudorandom number generator
pst	poststratification
$\rho(X, Y)$	correlation coefficient between X and Y
roa	randomized orthogonal array
RQMC	randomized quasi-Monte Carlo
SAN	stochastic activity network
scr	scrambled
SIS	sequential importance sampling
str	stratification
SWB	subtract-with-borrow
$\mathbf{A}^T$	transpose of the matrix $\mathbf{A}$
$\mathbf{1}_A$	indicator function for event A ; that is, $\mathbf{1}_A = 1$ if event A occurs and is 0 otherwise.
$U(a, b)$	the uniform distribution over $[a, b]$
$U([0, 1]^s)$	the uniform distribution over $[0, 1]^s$
$\mathbf{u}_{-I}$	the vector $\mathbf{u}$ without the coordinates u_j with $j \in I$; that is, $\mathbf{u}_{-I} = (u_j : j \notin I)$.
$\mathbb{Z}_n$	the ring of integers modulo n
$\mathbb{Z}_n^*$	the integers modulo n without 0
z_α	100(1 - α)th percentile of the $N(0, 1)$ distribution