

Turbocharging the Internal Combustion Engine

Turbocharging the Internal Combustion Engine

N. Watson

*Reader in Mechanical Engineering,
Imperial College, London*

the late M. S. Janota

*Professor of Mechanical Engineering,
Queen Mary College, London*

palgrave
macmillan

© N. Watson and M. S. Janota 1982

Softcover reprint of the hardcover 1st edition 1982

All rights reserved. No part of this publication may be reproduced or transmitted, in any form or by any means, without permission.

This book is printed on paper suitable for recycling and made from fully managed and sustained forest sources. Logging, pulping and manufacturing processes are expected to conform to the environmental regulations of the country of origin.

First published 1982 by
THE MACMILLAN PRESS LTD
London and Basingstoke
Companies and representatives
throughout the world

Typeset in 10/11 Times by
MULTIPLEX techniques ltd., Orpington, Kent

ISBN 978-1-349-04026-1 ISBN 978-1-349-04024-7 (eBook)
DOI 10.1007/978-1-349-04024-7

Contents

<i>Preface</i>	x
<i>Nomenclature</i>	xiii
1. Introduction to Turbocharging and Turbochargers	1
1.1 Supercharging	1
1.2 Turbocharging	4
1.3 Turbocharging the Two-stroke Engine	11
1.4 Charge Cooling	12
1.5 Compound Engines	13
1.6 Gas-generator Power Plant	14
1.7 Turbocharging the Spark-ignition Engine	15
1.8 Engine Efficiency	17
2. Turbochargers	19
2.1 Introduction	19
2.2 Turbomachines	19
2.3 Total and Static Pressure and Temperature	23
2.4 Compressor and Turbine Efficiencies	23
2.5 Non-dimensional Representation of Compressor and Turbine Performance Characteristics	31
2.6 Performance Characteristics of Compressors, Turbines and Turbochargers	32
2.7 Turbochargers	37
3. The Radial Flow Compressor	73
3.1 Introduction	73
3.2 Elementary Theory	74
3.3 One-dimensional Flow Analysis through the Radial Flow Compressor	85
3.4 One-dimensional Flow Analysis with Energy Losses	98

3.5	Aerodynamic Phenomena and Design Parameters	104
3.6	Three-dimensional Flow Models	120
3.7	Compressor Characteristics and Flow Range	127
3.8	Impeller Stresses and Blade Vibrations	137
3.9	Design of a Single-stage Radial Flow Compressor	141
4.	The Radial Flow Turbine	147
4.1	Introduction	147
4.2	Elementary Theory	147
4.3	One-dimensional Flow Analysis	154
4.4	Energy Losses	167
4.5	Three-dimensional Flow Models	178
4.6	Unsteady Flow	180
4.7	Turbine Characteristics and Flow Range	184
4.8	Turbine Rotor Stresses and Blade Vibrations	189
4.9	Design of the Single-stage Radial Flow Turbine	190
5.	The Axial Flow Turbine	194
5.1	Introduction	194
5.2	Elementary Theory	194
5.3	Vortex Blading	203
5.4	Blade Profile, Spacing and Chord Length	209
5.5	Energy Losses and Blade Profiles	213
5.6	Three-dimensional Flow Models	225
5.7	Inlet and Exhaust Casings	227
5.8	Partial Admission and Unsteady Flow	230
5.9	Turbine Characteristics and Flow Range	236
5.10	Blade Stress, Fixing and Vibration	239
5.11	Design of a Single-stage Axial Flow Turbine	242
6.	Constant Pressure Turbocharging	246
6.1	Introduction	246
6.2	The Energy Available in the Exhaust System	246
6.3	Constant Pressure Turbocharging	248
6.4	Four-stroke Engines with Constant Pressure Turbocharging	254
6.5	Two-stroke Engines with Constant Pressure Turbocharging	259
7.	Pulse Turbocharging	264
7.1	Introduction	264
7.2	The Pulse Turbocharging System	264
7.3	Four-stroke Engines with Pulse Turbocharging	278
7.4	Two-stroke Engines with Pulse Turbocharging	283
8.	Pulse Converters and Summary of Turbocharging Systems	287
8.1	Introduction	287
8.2	Simple Pulse Converters	290

8.3	The Application of Pulse Converters to Two-stroke Engines	292
8.4	The Application of Pulse Converters to Four-stroke Engines	299
8.5	Engine Arrangements, Firing Order and Valve Timing	302
8.6	Multi-entry Pulse Converters	304
8.7	Summary of Turbocharging Systems	312
9.	Charge Cooling, the Inlet and Exhaust Systems	317
9.1	Charge Cooling	317
9.2	The Design of Charge Coolers	322
9.3	Charge Air Cooling and Engine Performance	326
9.4	The Inlet System	330
9.5	The Exhaust System	336
10.	Turbocharger Matching	340
10.1	Introduction	340
10.2	Air Flow Characteristics of Engine and Turbocharger	343
10.3	Matching for Constant Speed Operation	349
10.4	Matching the Marine Engine	351
10.5	Matching for Diesel-Electric Traction	356
10.6	Matching for Other Industrial Duties	357
10.7	Matching the Four-stroke Automotive Engine	357
10.8	Matching the Two-stroke Automotive Engine	369
10.9	Changes in Ambient Conditions	371
11.	High-output Turbocharging	378
11.1	Introduction	378
11.2	Engine Limitations	380
11.3	Single-stage Turbocharger Limitations	389
11.4	Single-stage Turbocharging of Marine and Industrial Engines	391
11.5	Two-stage Turbocharging of Marine and Industrial Engines	392
11.6	Two-stage Turbocharging of Vehicle-type Engines	397
11.7	Variable Geometry Turbocharging	401
11.8	'Hyperbar' Turbocharging	404
11.9	Compound Engines	409
11.10	Insulated Engines	413
12.	Transient Response of Turbocharged Engines	418
12.1	Introduction	418
12.2	The Importance of Rapid Response	421
12.3	Industrial Engines	423
12.4	Vehicle Engines	430
12.5	Energy Addition	435

13. Turbocharging the Petrol Engine	441
13.1 Introduction	441
13.2 Petrol Engine Combustion and Knock	441
13.3 Compression Ratio and Boost Pressure	443
13.4 Ignition Timing and Knock	445
13.5 Charge Air Cooling	450
13.6 Carburation and Fuel Injection	450
13.7 Inlet and Exhaust Manifolds	456
13.8 Turbocharger Boost Pressure Control System	457
13.9 Valve Timing	464
13.10 Engine Performance	466
13.11 Exhaust Emissions	471
13.12 Racing Engines	474
13.13 Aircraft Engines	474
13.14 Stratified Charge Engines	476
13.15 Turbocharger Lag	477
14. Diesel Engine Exhaust Emissions and Noise	482
14.1 Introduction	482
14.2 Combustion	482
14.3 Formation of Pollutants	485
14.4 Emissions from Naturally Aspirated Engines	491
14.5 The Effect of Turbocharging	493
14.6 Charge Air Cooling	497
14.7 Turbocharging with Retarded Injection	499
14.8 Turbocharging with Exhaust Gas Recirculation	502
14.9 Turbocharging with High Injection Rates	504
14.10 Other Methods of Pollutant Reduction	504
14.11 Diesel Engine Noise	504
14.12 Air Inlet Noise	506
14.13 Exhaust Noise	508
14.14 Combustion-generated Noise	509
14.15 Mechanical Noise	514
15. Modelling	517
15.1 Introduction	517
15.2 Simple Matching Calculation Techniques	517
15.3 Quasi-steady Methods	525
15.4 The Energy Equation	528
15.5 Gas Property Relationships	530
15.6 Combustion	531
15.7 Heat Transfer	535
15.8 Flow through Valves and Ports	540
15.9 The Scavenging Process	543
15.10 The Turbocharger	545

CONTENTS

ix

15.11	Engine Friction	549
15.12	Solution of the Energy Equation – ‘Filling and Emptying’ Models	551
15.13	The Method of Characteristics	566
15.14	Transient Response Models	584
	<i>Index</i>	595

Preface

The turbocharger was invented a surprisingly long time ago but only relatively recently has it been an accepted component on all but very small diesel engines. After several false starts they are now also being used on petrol engines. Unlike most other components of an engine, the turbocharger can radically transform the performance of the engine and is therefore very much a critical component. As a result more engineers need to understand how and why it does what it does.

The characteristics of turbomachines are fundamentally different from those of reciprocating machines, hence the combination of turbocharger and engine has many complex characteristics. Yet engineers with diesel or petrol engine experience have little knowledge of turbomachines, and vice versa, and are therefore not well equipped to optimise the combination. This book is an attempt to help these engineers by explaining the principles of turbocharging, with special emphasis on the interactions between engine and turbocharger. Many examples of the current practice of turbocharging are also given to explain how the principles can be used to advantage. Although examples relating to large industrial and marine engines are not omitted, preference has deliberately been given to examples of practice on automotive (truck-type) diesel engines for several reasons. Firstly turbocharging is longer established on marine and industrial engines and hence the principles are better known in that industry. Secondly engine designers, development engineers and users who are new to turbocharging are mainly involved with truck and passenger car diesel engines.

The application of turbocharging to passenger car petrol engines has many unique features and therefore a special chapter has been devoted to this subject.

The authors, as academics, are firmly convinced that an understanding of the basic theory underlying a subject will lead the engineer to make wiser decisions. It is common practice to present this theory to students through mathematics, as the language of the engineer. This book is aimed at both the student and the practising engineer and the authors have recognised that the latter finds a mathematical approach tedious. As far as possible therefore explanations of principles have been presented in words and not through mathematics, so that the book is more readable than it would otherwise be. However, the techniques of analysis, mathematics and computer-aided design are now so useful to the

engine designer that they should not be ignored. The mathematical representation of turbocharged engines has therefore been treated in a chapter of its own at the end of the book (chapter 15).

The organisation of the book is based on the premise that most readers will know more about engines than turbomachines. Following a brief over-all introduction to turbocharging, chapters 2 to 5 are devoted to the construction of turbochargers and the principles of radial compressors and radial and axial turbines, with reference to the turbocharger application (axial compressors are not used on turbochargers, being more suited for larger and more expensive gas turbines). Some readers may wish to omit the detailed description of flow processes in the turbomachines. Chapters 6 to 9 are concerned with turbocharging systems and the best methods of utilising exhaust gas energy via the turbocharger. Chapter 10 describes the critical task of matching the turbomachine to the engine to achieve optimum performance of the combination for all the common applications. Chapters 11, 12, 13 and 14 are concerned with factors specific to or important in certain applications such as high-output turbocharging, transient performance, applications to petrol engines and the effect of turbocharging on exhaust emissions. The final chapter (15) has been mentioned above.

The authors are indebted to a large number of individuals, companies and organisations who have helped them in the preparation of this book. In particular, thanks are due to Professor F.J. Wallace, B.E. Walsham, I.W. Goodlet, E. Meier, Dr M. Marzouk, past and present students, Garrett-AiResearch, Holset Engineering Co. Ltd, Brown Boveri et Cie and Napier Turbochargers.

Mrs U. Harris, Mrs S. Boyle and Mrs M. Parsons have stoically retyped and redrawn as the authors have changed the manuscript.

Finally the authors are grateful to I.Mech.E., SAE, ASME, VDI, CIMAC, FISITA, MTZ, Butterworths, and Longman for permission to reproduce many of the illustrations used in the book.

N. WATSON
M. S. JANOTA

Marian Janota died shortly before the publication of this book. We had completed every stage in preparing the book but sadly he did not see the final bound volume.

N. WATSON
February 1982

Acknowledgements

The authors wish to make acknowledgement to the following publishers for permission to reproduce figures from the texts indicated below

Longman Group Ltd

Gas Turbine Theory, by H. Cohen, G.F.C. Rogers and H.I.H. Saravanamuttoo.

Springer Verlag

Supercharging of Internal Combustion Engines by K. Zinner.

G.T. Foulis

Gas Flow in the Internal Combustion Engine by W.J.D Annand and G.E. Roe.

In addition a number of figures from papers by the authors and other authors have been reproduced by permission of ASME, *Brown Boveri Review*, CIMAC, *Diesel & Gas Turbine Progress*, I.Mech.E., *MTZ*, SAE and *VDI*.

Nomenclature

a	sonic velocity	m/s
a'	non-dimensional sonic velocity, a/a_{ref}	—
A	area	m ²
ABDC	above bottom dead centre	—
ADR	air delivery ratio	—
AFR	air/fuel ratio	—
AR	area ratio	—
AS	aspect ratio	—
b	width	m
B	cylinder bore	m
BBDC	below bottom dead centre	—
BDC	bottom dead centre	—
BMEP	brake mean effective pressure	bar
BS	brake specific value	—
BSAC	brake specific air consumption	g/kW h
BSFC	brake specific fuel consumption	g/kW h
c_p	specific heat at constant pressure	kJ/kg K
c_v	specific heat at constant volume	kJ/kg K
C	velocity	m/s
C'	non-dimensional velocity, C/a_{ref}	—
Cd	discharge coefficient	—
Ch	enthalpy loss coefficient	—
C_{LF}	lift coefficient, per unit length	—
CP, CPR	pressure recovery coefficient	—
CPL	pressure loss coefficient	—
CR	compression ratio	—
CTQ	torque coefficient	—
D	diameter	m
Df	diffusion factor	—
DI	direct injection diesel engine	—
DS	specific diameter	—
E	energy	kJ
EC	exhaust port or valve closes	°
EO	exhaust port or valve opens	°

ER	expansion ratio	—
EVC	exhaust valve closes	°
EVO	exhaust valve opens	°
f	frequency; friction factor; function; burnt fuel/ air ratio	Hz; —
F	equivalence ratio; force	—; kN
FB	fuel burnt	—
FBR	fuel burning rate	—
FL	frictional loss as torque	N m
FMEP	frictional loss as loss of mean effective pressure	bar
FP	fuel prepared	kg
FR	fuel reacted	kg
h	height; specific enthalpy	m; kJ/kg
HD	pressure head	m^2/s^2
hf	humidity factor	—
HSU	Hartridge smoke units	—
HP	high pressure	—
ht	heat transfer coefficient	$\text{kW}/\text{m}^2 \text{ K}$
i	incidence angle; control volume number	°; —
I	section modulus (inertia)	kg m^2
IC	inlet port or valve closes	°
ID	ignition delay	°
IDI	indirect injection diesel engine	—
IMEP	indicated mean effective pressure	bar
IO	inlet port or valve opens	°
IVC	inlet valve closure	—
k	conductivity; constant	$\text{kW}/\text{m K}$; —
K	general constant	—
KE	kinetic energy	J
l	length, chord	m
L	losses	—
LF	lift force	kN
LP	low pressure	—
LT	load torque	N m
m	mass	kg
\dot{m}	mass flow rate	kg/s
M	Mach number	—
MBT	maximum brake torque	—
MR	Mach number ratio	—
n	number	—
N	rotational speed	rev/min
NA	naturally aspirated	—
ND	specific diameter	—
NS	specific speed	—
Nu	Nusselt number	—
P	pressure	bar
PE	potential energy	J
PP	partial pressure	bar

ppm	parts per million (concentration)	—
Pr	Prandtl number	—
PR	pressure ratio	—
Q	heat transfer	kJ
\dot{Q}	heat transfer rate	kW
r	radius	m
R	gas constant	kJ/kg K
Re	Reynolds number	—
RN	degree of reaction	—
RPM	revolutions per minute	min ⁻¹
s	specific entropy	kJ/kg K
sp	circumferential spacing (pitch)	m
t	time	s
t'	non-dimensional time, ta_{ref}/l_{ref}	—
T	temperature	K
TC	turbocharged	—
TDC	top dead centre	—
th	thickness	m
TQ	torque	N m
u	specific internal energy	kJ/kg
U	rotor tip speed	m/s
v	specific volume	m ³ /kg
V	volume	m ³
\dot{V}	volumetric flow rate	m ³ /s
vo	valve opening period	—
W	work done; velocity relative to blade	kJ; m/s
\dot{W}	power	kW
x	distance; relative change in rack movement	m
x'	non-dimensional distance, x/l_{ref}	—
y	relative change in speed	m/s
z	number of nozzles or vanes	—
Z	number of blades	—
α	angle	°
β	backswEEP angle; phase proportionality factor; Riemann parameter	°; —
γ	c_p/c_v	—
Δ	increment	—
ϵ	effective impeller exit area ratio; arc of admission; effectiveness; emissivity	—; °; —; —
η	efficiency	—
θ	angle	°
λ	Riemann parameter	—
Λ	r_{hub}/r_{tip}	—
μ	dynamic viscosity; energy transfer coefficient	kg/m s; kg m/s
ν	Poisson's ratio; kinematic viscosity	—; m ² /s ²
ρ	density	kg/m ³
σ	compressor slip factor; Stephan-Boltzmann constant; stress	—; kW/m ² K ⁴ ; kN/m ²

ϕ	angle; relative humidity	°; —
ψ	azimuth angle; blade loading coefficient	°; —
ω	angular velocity	rad/s

Subscripts

a	axial; air; ambient	n	nozzle
alt	altitude	NOM	nominal
an	anemometer	p	exhaust pipe; polytropic
APP	apparent	p	pressure
b	blade; backsweep	P	profile
bu	bursting	pis	piston
c	compressor; centrifugal	q	casing (exit)
carb	carburettor	r	radial; root
cl, C	clearance	R	rotor
com	combustion	ref	reference
cool	coolant	rel	relative
cyl	cylinder	s	isentropic
dif	diffuser	S	secondary
e	engine; trailing edge	ss	isentropic throughout
es	end of sector	sf	surface
ex	exhaust	sh	shroud
f	fuel	st	stalled
fb	fuel burnt	sto	stoichiometric
for	formation	svp	saturated vapour pressure
fr	friction	sw	swept
g	gas	t	turbine; tip
gb	gas bending	tc	turbocharger
ge	gas exchange	th	throat
h	hoop; hub	tot	total
ht	heat transfer	TS	total to static
i	instantaneous	TT	total to total
ic	inlet casing	u	unburnt fuel
imp	impeller	ult	ultimate
ind	indicated	v	volume
j	control volume port	vol	volumetric
k	casing (inlet)	w	water, windage
l	load	z	start of compression
m	manifold; mean	*	naturally aspirated
max	maximum	0	stagnation
min	minimum	θ	tangential
mot	motored	ω	whirl