**BIOLOGICAL INVADERS IN INLAND WATERS:
PROFILES, DISTRIBUTION, AND THREATS**

INVADING NATURE -
SPRINGER SERIES IN INVASION ECOLOGY
Volume 2

Series Editor: JAMES A. DRAKE
*University of Tennessee,
Knoxville, TN, U.S.A.*

Biological invaders in inland waters: Profiles, distribution, and threats

Edited by

FRANCESCA GHERARDI

Springer

A C.I.P. Catalogue record for this book is available from the Library of Congress.

ISBN 978-1-4020-6028-1 (HB)
ISBN 978-1-4020-6029-8 (e-book)

Published by Springer,
P.O. Box 17, 3300 AA Dordrecht, The Netherlands.

www.springer.com

Printed on acid-free paper

All Rights Reserved
© 2007 Springer

No part of this work may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher, with the exception of any material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work.

Contents

Contributors	xi
Foreword	xxiii
Preface	xxv
Introduction	1
1 Biological invasions in inland waters: an overview <i>Francesca Gherardi</i>	3
Distribution of invaders	27
2 Invasive crustaceans in European inland waters <i>David M. Holdich and Manfred Pöckl</i>	29
3 Non-indigenous freshwater crabs in France: a new occurrence of a potamid near Nice <i>Pierre Y. Noël and Danièle Guinot</i>	77
4 Status and ecosystem interactions of the invasive Louisianan red swamp crayfish <i>Procambarus clarkii</i> in East Africa <i>John Foster and David Harper</i>	91

5	Non-indigenous freshwater molluscs and their distribution in Italy	103
	<i>Simone Cianfanelli, Elisabetta Lori, and Marco Bodon</i>	
6	Non-indigenous animal species naturalized in Iberian inland waters	123
	<i>Emili García-Berthou, Dani Boix, and Miguel Clavero</i>	
7	An overview of the natural history of non-indigenous amphibians and reptiles	141
	<i>Riccardo Scalera</i>	
8	The red-eared slider (<i>Trachemys scripta elegans</i>) in Asia: a review	161
	<i>Neil F. Ramsay, Pek Kaye Abigayle Ng, Ruth M. O’Riordan, and Loke Ming Chou</i>	
9	Semiaquatic mammals introduced into Italy: case studies in biological invasion	175
	<i>Sandro Bertolino and Piero Genovesi</i>	
10	Invasions by plants in the inland waters and wetlands of Africa	193
	<i>Geoffrey W. Howard and Florence W. Chege</i>	
11	Non-indigenous aquatic and semiaquatic plant species in France	209
	<i>Gabrielle Thiébaud</i>	
	Profiles of invaders	231
12	Ecological traits of aquatic NIS invading Austrian fresh waters	233
	<i>Leopold Füreder and Manfred Pöckl</i>	

13	Growth and reproduction of the goldfish <i>Carassius auratus</i> : a case study from Italy	259
	<i>Massimo Lorenzoni, Massimiliano Corboli, Lucia Ghetti, Giovanni Pedicillo, and Antonella Carosi</i>	
14	Epigenetic context in the life history traits of the round goby, <i>Neogobius melanostomus</i>	275
	<i>Mária Balážová-L'avrinčíková and Vladimír Kováč</i>	
15	Growth and life history traits of introduced pumpkinseed (<i>Lepomis gibbosus</i>) in Europe, and the relevance to its potential invasiveness	289
	<i>Gordon H. Copp and Michael G. Fox</i>	
16	The biological flexibility of the pumpkinseed: a successful colonizer throughout Europe	307
	<i>Jozef Tomeček, Vladimír Kováč, and Stanislav Katina</i>	
	Patterns and pathways of invasions	337
17	Marine vs. freshwater invaders: is shipping the key vector for species introductions to Europe?	339
	<i>Stephan Gollasch</i>	
18	Modeling biological invasions of inland waters	347
	<i>Hugh J. MacIsaac, Leif-Matthias Herborg, and Jim R. Muirhead</i>	
19	Biomonotony: definition and assessment for macroinvertebrates in European running waters	369
	<i>Jean-Nicolas Beisel and Simon Devin</i>	
20	Genetics and invasion biology in fresh waters: a pilot study of <i>Procambarus clarkii</i> in Europe	381
	<i>Silvia Barbaresi, Francesca Gherardi, Alessio Mengoni, and Catherine Souty-Grosset</i>	

21	Do estuaries act as saline bridges to allow invasion of new freshwater systems by non-indigenous fish species?	401
	<i>J. Anne Brown, Dawn M. Scott, and Rod W. Wilson</i>	
22	Which factors determine non-indigenous fish dispersal? A study of the red piranha in tropical Brazilian lakes	415
	<i>Anderson O. Latini and Miguel Petrere Jr.</i>	
23	The relationship between biodiversity and invasibility in central Swedish lakes invaded by <i>Elodea</i> species	423
	<i>Daniel Larson and Eva Willén</i>	
	Impacts of invaders	435
24	Measuring the impact of freshwater NIS: what are we missing?	437
	<i>Francesca Gherardi</i>	
25	Invasion of the Baltic Sea basin by the Ponto-Caspian amphipod <i>Pontogammarus robustoides</i> and its ecological impact	463
	<i>Kęstutis Arbačiauskas and Simona Gumuliauskaitė</i>	
26	Changes in the aquatic systems of north-eastern Europe after invasion by <i>Gmelinoides fasciatus</i>	479
	<i>Nadezhda A. Berezina</i>	
27	The predatory impact of <i>Dikerogammarus villosus</i> on fish	495
	<i>Sandra Casellato, Alessandra Visentin, and Giovanni La Piana</i>	
28	Understanding the impact of invasive crayfish	507
	<i>Francesca Gherardi</i>	
29	Predation of invasive crayfish on aquatic vertebrates: the effect of <i>Procambarus clarkii</i> on fish assemblages in Mediterranean temporary streams	543
	<i>Maria Ilhéu, João Manuel Bernardo, and Sílvia Fernandes</i>	

30	Assessing the trophic ecology of crayfish: a case study of the invasive <i>Procambarus clarkii</i>	559
	<i>María Crehuet, Paloma Alcorlo, Miguel Angel Bravo-Utrera, Angel Baltanás, and Carlos Montes</i>	
31	Introduction and spread of crayfish (Parastacidae) in Western Australia and their potential to displace indigenous species	577
	<i>Jessica Lynas, Andrew Storey, and Brenton Knott</i>	
32	The zebra mussel <i>Dreissena polymorpha</i> : reproduction and competition with the sponge <i>Ephydatia fluviatilis</i>	597
	<i>Tisza Lancioni and Elda Gaino</i>	
33	Seasonal effects on the antioxidant response and metal accumulation of <i>Dreissena polymorpha</i>	613
	<i>Antonia C. Elia, Ambrosius J. M. Dörr, Marino Prearo, and Maria C. Abete</i>	
	Managing invasions	625
34	Towards a European strategy to halt biological invasions in inland waters	627
	<i>Piero Genovesi</i>	
35	A risk assessment of biological invasions in the inland waterways of Europe: the Northern Invasion Corridor case study	639
	<i>Vadim E. Panov, Yury Yu. Dgebuadze, Tamara A. Shiganova, Andrew A. Filippov, and Dan Minchin</i>	
36	Logistics of shipboard and dockside testing of ballast water treatment systems in the United States	657
	<i>David A. Wright</i>	

37	Virtues and shortcomings of EU legal provisions for managing NIS: <i>Rana catesbeiana</i> and <i>Trachemys scripta elegans</i> as case studies	669
	<i>Riccardo Scalera</i>	
38	Problems and opportunities managing invasive Bullfrogs: is there any hope?	679
	<i>Michael J. Adams and Christopher A. Pearl</i>	
	Concluding remarks	695
39	A role for scientists	697
	<i>Francesca Gherardi</i>	
	Index	703
	General keywords	703
	Families, orders	711
	Geographical names	713
	Taxa common names	721
	Species index	725

Contributors

Maria C. Abete

Experimental Zooprofilactic Institute of Piedmont, Liguria and Valle d'Aosta,
Via Bologna 148, 10154 Torino, Italy
mariacesarina.abete@izsto.it

Michael J. Adams

USGS Forest and Rangeland Ecosystem Science Center, 3200 SW Jefferson Way,
Corvallis, OR 97331, USA
michael_adams@usgs.gov

Paloma Alcorlo

Department of Ecology, Autonomous University of Madrid, c/ Darwin 2, 28049
Madrid, Spain
paloma.alcorlo@uam.es

Kęstutis Arbačiauskas

Institute of Ecology, Vilnius University, Akademijos 2, LT-08412 Vilnius-21,
Lithuania
arbas@ekoi.lt

Mária Balážová-L'avrinčíková

Comenius University, Faculty of Natural Sciences, Department of Ecology,
Mlynská dolina B-2, 84215 Bratislava, Slovakia
lavrincikova@fns.uniba.sk

Angel Baltanás

Department of Ecology, Autonomous University of Madrid, c/ Darwin 2, 28049
Madrid, Spain
angel.baltanas@uam.es

Silvia Barbaresi

Department of Animal Biology and Genetics, University of Firenze, Via Romana
17, 50125 Firenze, Italy
silvia.barbaresi@unifi.it

Jean-Nicolas Beisel

LIEBE, CNRS, Campus Bridoux, Paul Verlain University, Metz, Avenue du
Général Delestraint, 57070 Metz, France
beisel@univ-metz.fr

Nadezhda A. Berezina

Laboratory of Freshwater and Experimental Hydrobiology, Zoological Institute,
Russian Academy of Sciences, Universitetskaya emb. 1, 199034 St. Petersburg,
Russia
nber@zin.ru

João M. Bernardo

Department of Ecology, University of Évora, Colégio Luis Verney, Rua Romão
Ramalho, 7000-671 Évora, Portugal
jmb@uevora.pt

Sandro Bertolino

DI.VA.P.R.A., Laboratory of Entomology and Zoology, Via L. da Vinci 44,
10095 Grugliasco, Italy
sandro.bertolino@unito.it

Marco Bodon

Department of Environmental Sciences, University of Siena, Via Mattioli 4,
53100 Siena, Italy
mabodon@tin.it

Dani Boix

Institute of Aquatic Ecology, University of Girona, Campus Montilivi, 17071
Girona, Spain
dani.boix@udg.es

Miguel Angel Bravo-Utrera

Biological Reserve of Doñana, 21760, Matalascañas, Huelva, Spain
mabravo@ebd.csic.es

J. Anne Brown

School of Biosciences, Hatherly Laboratories, Prince of Wales Road, University
of Exeter, Exeter, EX4 4PS, UK
j.a.brown@exeter.ac.uk

Antonella Carosi

Department of Cellular and Environmental Biology, University of Perugia, Via
Elce di Sotto, 06123 Perugia, Italy
faunaittica@provincia.terni.it

Sandra Casellato

Department of Biology, University of Padova, Via U. Bassi 58/BIG, 35121
Padova, Italy
sandra.casellato@unipd.it

Florence W. Chege

Eastern Africa Regional Programme, IUCN – The World Conservation Union,
P.O. Box 68200, Nairobi, 00200, Kenya
florence.chege@iucn.org

Loke Ming Chou

Department of Biological Sciences, National University of Singapore, 14 Science
Drive 4, 117543, Singapore
dbsclm@nus.edu.sg

Simone Cianfanelli

Museum of Natural History, Zoological Section “La Specola”, University of Firenze, Via Romana 17, 50125 Firenze, Italy
simone.cianfanelli@unifi.it

Miguel Clavero

Institute of Aquatic Ecology, University of Girona, Campus Montilivi, 17071 Girona, Spain
miguel.clavero@udg.es

Gordon H. Copp

Centre for Environment, Fisheries & Aquaculture Science (CEFAS), Salmon & Freshwater Team, Pakefield Road, Lowestoft, NR33 0HT, UK
gordon.copp@cefasc.co.uk

Massimiliano Corboli

Department of Cellular and Environmental Biology, University of Perugia, Via Elce di Sotto, 06123 Perugia, Italy
emmec@angelfire.com

María Crehuet

Department of Ecology, Autonomous University of Madrid, c/ Darwin 2, 28049 Madrid, Spain
maria.crehuet@uam.es

Simon Devin

LIEBE, CNRS, Campus Bridoux, Paul Verlain University, Metz, Avenue du Général Delestraint, 57070 Metz, France
devin@univ-metz.fr

Yury Yu. Dgebuadze

Severtsov Institute of Ecology and Evolution of the Russian Academy of Science, Leninsky Prospect 33, 117071 Moscow, Russia
dgebuadze@sevin.ru

Ambrosius J. M. Dörr

Department of Cellular and Environmental Biology, University of Perugia, Via Elce di Sotto, 06123 Perugia, Italy

Antonia C. Elia

Department of Cellular and Environmental Biology, University of Perugia, Via
Elce di Sotto, 06123 Perugia, Italy
elia@unipg.it

Silvia Fernandes

Department of Ecology, University of Évora, Colégio Luis Verney, Rua Romão
Ramalho, 7000-671 Évora, Portugal
smariaf@hotmail.com

Andrew A. Filippov

Faculty of Biology and Soil Science, St. Petersburg State University, Universi-
tetskaya nab. 7-9, 199034 St. Petersburg, Russia
filippov@ecopro.spb.ru

John Foster

Environment Agency, Saxon House, Little High Street, Worthing, West Sussex,
BN11 1DH, UK
john.foster@environment-agency.gov.uk

Michael G. Fox

Environmental and Resource Studies Program and Department of Biology,
Trent University, Peterborough, Ontario, K9J 7B8, Canada
mfox@trentu.ca

Leopold Füreder

River Ecology and Freshwater Fauna Laboratory, Institute of Ecology, Leopold-
Franzens University, Technikerstr. 25, 6020 Innsbruck, Austria
leopold.fuereder@uibk.ac.at

Elda Gaino

Department of Cellular and Environmental Biology, University of Perugia, Via
Elce di Sotto, 06123 Perugia, Italy
gaino@unipg.it

Emili García-Berthou

Institute of Aquatic Ecology, University of Girona, Campus Montilivi, 17071
Girona, Spain
emili.garcia@udg.es

Piero Genovesi

National Institute of Wild Fauna (INFS), Via Ca' Fornacetta 9, 40064 Ozzano
Emilia, Italy
piero.genovesi@infs.it

Francesca Gherardi

Department of Animal Biology and Genetics, University of Firenze, Via Romana
17, 50125 Firenze, Italy
francesca.gherardi@unifi.it

Lucia Ghetti

Umbria Region, Servizio Programmazione Forestale, Faunistico-Venatoria ed
Economia Montana, Via M. Angeloni 61, 06124 Perugia, Italy
lghetti@yahoo.it

Stephan Gollasch

GoConsult, Grosse Brunnenstr. 61, 22763 Hamburg, Germany
<http://www.gollaschconsulting.de>

Danièle Guinot

National Museum of Natural History, Department of Habitats and Aquatic
Populations, P.O. Box 53, 57 rue Cuvier, F-75231 Paris cedex 05, France
guinot@mnhn.fr

Simona Gumuliauskaitė

Centre for Ecology and Environmental Sciences, Vilnius University, Čiurlionio
21/27, LT-07119 Vilnius-10, Lithuania
simona.gumuliauskaite@gf.vu.lt

David Harper

Department of Biology, University of Leicester, University Road, Leicester, LE1
7RH, UK
dmh@leicester.ac.uk

Leif-Matthias Herborg

Great Lakes Institute for Environmental Research, University of Windsor, Windsor, Ontario, N9B 3P4, Canada
lherborg@uwindsor.ca

David M. Holdich

East Midlands Environmental Consultants, The Old Ragged School, Brook Street, Nottingham, NG1 1EA, UK
david.holdich@ntlworld.com

Geoffrey W. Howard

Eastern Africa Regional Programme, IUCN – The World Conservation Union, P.O. Box 68200, Nairobi, 00200, Kenya
geoffrey.howard@iucn.org

Maria Ilhéu

Departament of Ecology, University of Évora, Colégio Luis Verney, Rua Romão Ramalho, 7000-671 Évora, Portugal
milheu@uevora.pt

Stanislav Katina

Comenius University, Faculty of Mathematics, Physics and Informatics, Department of Probability and Mathematical Statistics, Mlynská dolina, 84248 Bratislava, Slovakia
katina@fmph.uniba.sk

Brenton Knott

School of Animal Biology (M092), The University of Western Australia, 35 Stirling Highway, Crawley, W.A. 6009, Australia
bknott@cyllene.uwa.edu.au

Vladimír Kováč

Comenius University, Faculty of Natural Sciences, Department of Ecology, Mlynská dolina B-2, 84215 Bratislava, Slovakia
kovac@fns.uniba.sk

Tisza Lancioni

Department of Cellular and Environmental Biology, University of Perugia, Via Elce di Sotto, 06123 Perugia, Italy
t.lancioni@arpa.umbria.it

Giovanni La Piana

Department of Biology, University of Padova, Via U. Bassi 58/BIG, 35121 Padova, Italy
giovannilapiana@virgilio.it

Daniel Larson

Department of Environmental Assessment, Swedish University of Agricultural Sciences, P.O. Box 7050, 75007 Uppsala, Sweden
daniel.larson@ma.slu.se

Anderson O. Latini

UNILESTEMG, University Centre of Eastern Minas Gerais, CCB Campus Bom Retiro, Rua Bárbara Heliodora, 725 Bairro Bom Retiro, Ipatinga, 35160-215 MG, Brazil
aolatini@bol.com.br

Massimo Lorenzoni

Department of Cellular and Environmental Biology, University of Perugia, Via Elce di Sotto, 06123 Perugia, Italy
lorenzoni@unipg.it

Elisabetta Lori

Museum of Natural History, Zoological Section “La Specola”, University of Firenze, Via Romana 17, 50125 Firenze, Italy
elisabetta.lori@unifi.it

Jessica Lynas

School of Animal Biology (M092), The University of Western Australia, 35 Stirling Highway, Crawley, W.A. 6009, Australia
jlynas@cyllene.uwa.edu.au

Hugh J. MacIsaac

Great Lakes Institute for Environmental Research, University of Windsor, Windsor, Ontario, N9B 3P4, Canada
hughm@uwindsor.ca

Alessio Mengoni

Department of Animal Biology and Genetics, University of Firenze, Via Romana 17, 50125 Firenze, Italy
alessio.mengoni@unifi.it

Dan Minchin

Marine Organism Investigations, 3 Marina Village, Ballina, Killaloe, County Clare, Ireland
minchin@indigo.ie

Carlos Montes

Department of Ecology, Autonomous University of Madrid, c/ Darwin 2, 28049 Madrid, Spain
carlos.montes@uam.es

Jim R. Muirhead

Great Lakes Institute for Environmental Research, University of Windsor, Windsor, Ontario, N9B 3P4, Canada
muirhe1@uwindsor.ca

Pek Kaye Abigayle Ng

Department of Biological Sciences, National University of Singapore, 14 Science Drive 4, 117543, Singapore
g0306158@nus.edu.sg

Pierre Y. Noël

National Museum of Natural History, UMR CNRS-UPMC-MNHN 5178, Department of Habitats and Aquatic Populations, P.O. Box 53, 57 rue Cuvier, F-75231 Paris cedex 05, France
pnoel@mnhn.fr

Ruth M. O’Riordan

Department of Biological Sciences, National University of Singapore, 14 Science Drive 4, 117543, Singapore & Department of Zoology, Ecology and Plant Science, University College Cork, Distillery Fields, North Mall, Cork, Ireland
r.oriordan@ucc.ie

Vadim E. Panov

Faculty of Biology and Soil Science, St. Petersburg State University, Universitetskaya nab. 7-9, 199034 St. Petersburg, Russia
rbic@zin.ru; vpanov@aquaticinvasions.ru

Christopher A. Pearl

USGS Forest and Rangeland Ecosystem Science Center, 3200 SW Jefferson Way, Corvallis, OR 97331, USA
christopher_pearl@usgs.gov

Giovanni Pedicillo

Department of Cellular and Environmental Biology, University of Perugia, Via Elce di Sotto, 06123 Perugia, Italy
pedicillo@yahoo.it

Miguel Petrere Jr

São Paulo State University, Júlio de Mesquita Filho, UNESP, Biosciences Institute, Av. 24 A n.1515, Bela Vista, P.O. Box 199, Rio Claro, SP, 13506–900, Brazil
mpetrere@rc.unesp.br

Manfred Pöckl

Vienna Ecology Centre, Department of Freshwater Ecology, University of Vienna; State Government of Lower Austria Landhausplatz 1, 3109 St. Pölten, Austria
manfred.poeckl@noel.gv.at

Marino Prearo

Experimental Zooprofilactic Institute of Piedmont, Liguria and Valle d’Aosta, Via Bologna 148, 10154 Torino, Italy
marino.prearo@izsto.it

Neil F. Ramsay

Department of Biological Sciences, National University of Singapore, 14 Science Drive 4, Singapore 117543 & Department of Zoology, Ecology and Plant Science, University College Cork, Distillery Fields, North Mall, Cork, Ireland
r.ramsay@ucc.ie

Riccardo Scalera

Via Torcegno 49 V1 A2, 00124 Roma, Italy
scaleric@tin.it, riccardo.scalera@alice.it

Dawn M. Scott

School of Biosciences, Hatherly Laboratories, Prince of Wales Road, University of Exeter, Exeter, EX4 4PS, UK
d.m.scott@exeter.ac.uk

Tamara A. Shiganova

Shirshov Institute of Oceanology of the Russian Academy of Science, 36 Nakhimov Avenue, 117997 Moscow, Russia
shiganov@ocean.ru

Catherine Souty-Grosset

UMRCNRS 6556 Génétique et Biologie des Populations de Crustacés, University of Poitiers, 40 Avenue du recteur Pineau, 86022 Poitiers cedex, France
catherine.souty@univ-poitiers.fr

Andrew Storey

School of Animal Biology (M092), The University of Western Australia, 35 Stirling Highway, Crawley, W.A. 6009, Australia
awstorey@cyllene.uwa.edu.au

Gabrielle Thiébaud

LIEBE, CNRS, Campus Bridoux, Paul Verlain University, Metz, Avenue du Général Delestraint, 57070 Metz, France
thiebaut@univ-metz.fr

Jozef Tomeček

Comenius University, Faculty of Natural Sciences, Department of Ecology,
Mlynská dolina B-2, 84215 Bratislava, Slovakia
tomecek@sopsr.sk

Alessandra Visentin

Department of Biology, University of Padova, Via U. Bassi 58/BIG, 35121
Padova, Italy
alessandravisentin@libero.it

Eva Willén

Department of Environmental Assessment, Swedish University of Agricultural
Sciences, P.O. Box 7050, SE-750 07 Uppsala, Sweden
eva.willen@ma.slu.se

Rod W. Wilson

School of Biosciences, Hatherly Laboratories, Prince of Wales Road, University
of Exeter, Exeter, EX4 4PS, UK
r.w.wilson@exeter.ac.uk

David A. Wright

University of Maryland, Center for Environmental Science, Chesapeake Bio-
logical Laboratory, Solomons, MD 20688, USA
wright@cbl.umces.edu

Foreword

Q: Why are some environments more vulnerable to invasion than others?

A: Environments? In the first volume of this series you asked which species traits coincide with good invaders . . . now environments!

Q: Sure, if traits are not terribly powerful predictors alone, I thought that perhaps species traits and kinds of systems might somehow covary. What do you think?

A: Well that depends.

Q: Depends on what?

A: That depends too.

Freshwater environments are islands of sorts. Lakes, rivers, streams and wetlands are uniquely bounded and discrete at one readily apparent scale of observation, the basin or channel boundary. It comes as no surprise, then, that ecological thought has been so strongly influenced by research conducted within the confines of systems so easily circumscribed. Yet, aquatic and terrestrial habitats are inexorably coupled such that this boundary, while substantial at some scales or levels of organization, vanishes at others. This fact is well illustrated by the cascading or indirect effects induced by non-native species that readily traverse the interface between land and water.

Biological invasions represent the latest threat to the integrity of freshwater ecosystems worldwide, systems that are already impacted in massive fashion by human activity. Based on the number of documented and potential extinctions, the freshwater fauna of North America are experiencing an extinction rate that is five times that of the terrestrial environment.ⁱ While unrelenting habitat modification and resource exploitation directly accounts for many of these species losses, exotic species have surely played a role in what is an unprecedented

ⁱ Ricciardi, A. and J.B. Rasmussen. 1998. Extinction rates of North American Freshwater Fauna. *Conserv. Biol.* 13: 1220–1222.

episode of extinction in real time. Humans, however, are not safe in their role as the dominant purveyors of extinction. Ecosystem modification is often accompanied by increased susceptibility to invasion, and once established, exotic species are fully capable of changing all the rules driving system organization.

This is a broad-based volume, crafted with the widest possible brush strokes. Francesca Gherardi set out to create a volume that not only addressed the phenomenon of biological invasions in freshwater systems, but that also reflects the very breadth of contemporary approaches employed to understand the threats posed by the global movement of species. Here, the reader will find specificity and generality, application as well as theory, along with the socio-political implications and response to a global crisis. In a very real sense, this volume represents *everything invasions*.

James Drake
Series Editor

Preface

Nowadays we live in a very explosive world, and while we may not know where or when the next outburst will be, we might hope to find ways of stopping it or at any rate damping down its force.

Charles Elton 1958

In the past few decades, it has become clear to scientists and policy-makers that the human-mediated introduction of species – meaning the deliberate or accidental introduction into the wild of microbes, fungi, plants, and animals, including genetically modified organisms (GMOs) outside their natural range of distribution – is the main driver of biodiversity change (Sala *et al.* 2000). Acting often in concert with other anthropogenic alterations to the environment, such as changes in land use, climate, nitrogen deposition, and atmospheric CO₂, the effects on global biodiversity are expected to increase quickly with time in both extent and intensity.

Changes in the natural distribution of species should not, in general, be viewed as abnormal events (Lodge 1993). They are commonplace in nature, often occurring over the course of geological times in association with climate change (Graumlich and Davis 1993). But only rare events, usually associated with unusual climatic conditions such as storms, may induce the dispersal of species to habitats previously beyond their natural dispersal capabilities (MacIsaac *et al.* 2001). Human actions are more frequent and powerful. Such actions have greatly increased the temporal rate at which species disperse and the distances they traverse, accomplishing in a few decades something that could have never been accomplished by the means of natural events alone (Lodge 1993).

Since their earliest migrations, humans have contributed to the spread of organisms, always carrying them and their propagules over long distances. But the frequency of human-induced introductions of species and the consequent

risks associated with them have augmented exponentially in the recent past in concert with the fast growth of the human population and with the rapid escalation of our potentials to alter the environment. Large numbers of people are today traveling faster and farther, and more and more goods and materials are being traded among nations and continents (Pimentel *et al.* 2002), creating a “New Pangaea” (Mooney 1998 cited by Rosenzweig 2001). All these factors combined have produced burgeoning rates of non-indigenous species (NIS) in every ecosystem that has been monitored. Over 480,000 NIS have been introduced into the varied ecosystems on earth (Pimentel *et al.* 2002) and have come to dominate about 3% of the ice-free surface over the last 500 years (Mack 1985). Their prevalence is exacerbated by climatic changes that in their turn favor the natural spread and proliferation of NIS (Dukes and Mooney 1999, Carlton 2000, Cowx 2002). The combined effect of the spread of cosmopolitan species and the extinction or range contraction of regional and endemic indigenous organisms often results in the “mingling” of the taxonomic composition of once disparate biota (Olden *et al.* 2004). This phenomenon is inevitably leading to the “homogenization” (McKinney and Lockwood 1999) or “McDonaldization” of the biosphere (Lövei 1997) that will characterize, it has been said, the forthcoming “Homogocene” era (Orians 1994 cited by Rosenzweig 2001).

Indeed, several introduced species have been beneficial to humans; species such as corn, wheat, rice, plantation forests, domestic chicken, cattle, and others provide now more than 98% of the world’s food supply (Ewel *et al.* 1999, Pimentel *et al.* 2002). Many cause minimal environmental impact, as predicted by the oft-cited “tens rule” (Williamson and Fitter 1996). So, the fraction of the introduced species that cause problems is small, but their impact could be very serious. These species have the potential of becoming numerically and ecologically prominent; they spread from the point of introduction and are often able to dominate indigenous populations and communities (Kolar and Lodge 2001); they may profoundly and adversely affect indigenous species, ecosystem processes, economic interests, and public health (e.g. Ricciardi *et al.* 1998). In sum, they may turn out to be invasive. Their effects that justify alarm include biodiversity loss at the level of species, large reduction in the lower (genetic) and higher (generic) levels of biodiversity, changes in ecosystem functions, alteration of the ecosystem services provided to humans, aesthetic modifications of landscapes, direct costs to industries, damage to crops and forests, and the spread of human diseases, such as HIV and West Nile virus (Mack *et al.* 2000). Also, deliberate introductions made to solve local or regional problems may be responsible for serious ecological and economic consequences, the so-called Frankenstein Effect (Moyle *et al.* 1986). The costs they inflict form a hidden but onerous “tax” on many goods and services and the damages they cause are often irrevocable: biological invaders act as biological pollutants that, unlike chemicals, reproduce and spread autonomously, over great distances,

and can adapt to changing conditions. Their impacts may be continuously increasing over time, even when their introduction ceases.

Since the 1980s, studies of NIS have expanded greatly, resulting in a flood of scientific publications and in the foundation of two invasion-focused journals, *Diversity and Distribution* (Blackwell Publishing) in 1998 and *Biological Invasions* (Kluwer-Springer) in 1999, this growth reflecting the rise in popularity that the discipline of invasion biology has gained as an appealing area of research among ecologists. The overall number of published articles appears, however, to be significantly biased towards terrestrial invaders; invasive events occurring in freshwater systems have been most often neglected or analyzed in a few regional contexts or for a small number of paradigmatic species.

In this book, the identity, distribution, and impact of freshwater NIS will be examined, as well as the dynamics of their invasion. Rather than providing a broad and comprehensive review of the issue, *Biological Invaders in Inland Waters* focuses on old and new invaders and also raises questions and opens perspectives that will be of stimulus for further research. Inland waters will be taken here as meaning rivers, lakes, and reservoirs. Coastal lagoons, saline lakes, estuaries, and low salinity seas such as the Baltic, will be mentioned when appropriate.

The ultimate, ambitious purpose of the book is to help define a more general framework for our knowledge of invasions in fresh waters. Such a framework will be indispensable to the planning of a science-based management program. Inspiration for this effort came from the International Workshop, “Biological Invasions in Inland Waters” (INWAT), held in Florence (Italy) between 5 and 7 May 2005 and made possible by support from Ente Cassa di Risparmio di Firenze, the Italian Ministry of University and Scientific Research (MIUR), the University of Florence, the Provinces of Arezzo, Firenze, Grosseto, Pisa, and Pistoia, and the International Association of Astacology. The INWAT Workshop was a necessary addendum of the final meeting (Florence, 2–5 May 2005) of the European network CRAYNET (“European crayfish as keystone species – linking science, management and economics with sustainable environmental quality”, coordinator Catherine Souty-Grosset) (Fifth EU Framework).

This volume benefited greatly from the collaboration – and patience – of the authors and the numerous reviewers. Heartfelt thanks are directed to Jim Drake, who was the first supporter of the project, to Geoff Sanders for his careful linguistic revision, to Claudia Angiolini for her editorial help, and to Suzzanne Mekking and Martine van Bezooijen at Springer for their ability to transform a dream in a printed volume.

F.G.
Florence, Italy
November 2006

REFERENCES

- Carlton, J. T. 2000. Global change and biological invasions in the oceans. Pages 31–53 in H. A. Mooney and R. J. Hobbs, editors. *Invasive species in a changing world*. Island Press, Covelo, CA.
- Cowx, I. G. 2002. Analysis of threats to freshwater fish conservation: past and present challenges. Pages 201–220 in M. J. Collares-Pereira, I. G. Cowx, and M. M. Coelho, editors. *Conservation of freshwater fishes: options for the future*. Blackwell Science, Oxford, UK.
- Dukes, J. S. and H. A. Mooney. 1999. Does global change increase the success of biological invaders? *Trends in Ecology and Evolution* **14**, 135–139.
- Elton, C. S. 1958. *The ecology of invasions by animals and plants*. University of Chicago Press, Chicago, IL. Edition 2000.
- Ewel, J. J., D. J. O'Dowd, J. Bergelson, C. C. Daehler, C. M. D'Antonio, D. Gomez, D. R. Gordon, R. J. Hobbs, A. Holt, K. R. Hopper, C. E. Hughes, M. Lahart, R. R. B. Leakey, W. G. Lee, L. L. Loope, D. H. Lorence, S. M. Louda, A. E. Lugo, P. B. Mcevoy, D. M. Richardson, and P. M. Vitousek. 1999. Deliberate introductions of species: research needs. *BioScience* **49**, 619–630.
- Graumlich, L. J. and M. B. Davis. 1993. Holocene variation in spatial scales of vegetation pattern in the upper Great Lakes. *Ecology* **74**, 826–839.
- Kolar, C. S. and D. M. Lodge. 2001. Progress in invasion biology: predicting invaders. *Trends in Ecology and Evolution* **16**, 199–204.
- Lodge, D. M. 1993. Biological invasions: lessons for ecology. *Trends in Ecology and Evolution* **8**, 133–137.
- Lövei, G. L. 1997. Global change through invasion. *Nature (London)* **388**, 627–628.
- MacIsaac, H. J., I. A. Grigorovich, and A. Ricciardi. 2001. Reassessment of species invasion concepts: the Great Lakes basin as a model. *Biological Invasions* **3**, 405–416.
- Mack, R. N. 1985. Invading plants: their potential contribution to population biology. Pages 127–142 in J. White, editor. *Studies on plant demography*. Academic, London, UK.
- Mack, R. N., D. Simberloff, W. M. Lonsdale, H. Evans, M. Clout, and F. A. Bazzaz. 2000. Biotic invasions: causes, epidemiology, global consequences, and control. *Ecological Applications* **10**, 689–710.
- McKinney, M. L. and J. L. Lockwood. 1999. Biotic homogenization: a few winners replacing many losers in the next mass extinction. *Trends in Ecology and Evolution* **14**, 450–453.
- Moyle, P. B., H. W. Li, and B. A. Barton. 1986. The Frankenstein Effect: impact of introduced fishes on native fishes in North America. Pages 415–426 in R. H. Strond, editor. *Fish culture in fisheries management*. American Fisheries Societies, Bethesda, MD.
- Olden, J. D., N. L. Poff, M. R. Douglas, M. E. Douglas, and K. D. Fausch. 2004. Ecological and evolutionary consequences of biotic homogenization. *Trends in Ecology and Evolution* **19**, 18–24.
- Pimentel, D., S. McNair, J. Janecka, J. Wightman, C. Simmonds, C. O'Connell, E. Wong, L. Russel, J. Zern, T. Aquino, and T. Tsomondo. 2002. Economic and environmental threats of alien plant, animal, and microbe invasions. Pages 307–329 in D. Pimentel, editor. *Biological invasions: economic and environmental costs of alien plant, animal, and microbe species*. CRC Press, Boca Raton, FL.

- Ricciardi, A., R. J. Neves, and J. B. Rasmussen. 1998. Impending extinctions of North American freshwater mussels (Unionida) following the zebra mussel (*Dreissena polymorpha*) invasion. *Journal of Animal Ecology* **67**, 613–619.
- Rosenzweig, M. 2001. The four questions: what does the introduction of exotic species do to diversity? *Evolutionary Ecology Research* **3**, 361–367.
- Sala, O. E., F. S. Chapin III, J. J. Armesto, R. Berlow, J. Bloomfield, R. Dirzo, E. Huber-Sanwald, L. F. Huenneke, R. B. Jackson, A. Kinzig, R. Leemans, D. Lodge, H. A. Mooney, M. Oesterheld, N. L. Poff, M. T. Sykes, B. H. Walker, M. Walker, and D. H. Wall. 2000. Global biodiversity scenarios for the year 2100. *Science* **287**, 1770–1774.
- Williamson, M. and A. Fitter. 1996. The varying success of invaders. *Ecology* **77**, 1666–1670.

F.G. wishes to thank the friends and colleagues who acted as reviewers:

Michael Adams, Angelo Antonio Agostinho, Carles Alcaraz, Fernando Alonso Gutiérrez, Giorgio Bavestrello, João Bernardo, Roberto Berti, Giuseppe Boitani, Loïc Bollache, Marco Bologna, Hugo Coops, Gordon Copp, Stephen Corn, Claudia Corti, Alan Covich, Ian Cowx, Bill Daniels, Jaimie Dick, Natham Dorn, Cédric d'Udekem d'Acoz, Frauke Ecke, Jim Fetzner, Jordi Figuerola, John Foster, Michael Fox, Emili Garcia-Berthou, Cristina Giacoma, Folco Giusti, Stephan Golasch, Joanna Grabowska, Michal Grabowski, Manuela Gualtieri, Joseph Heller, David Holdich, Pierre Horwitz, Jeffery Howard, Mark Hutchinson, John Jackson, Krzysztof Jazdzewski, Ladd Johnson, Frank Kligenstein, Vladimír Kováč, Daniel Larson, Thomas Lauer, Erni Leppäkoski, Sandro Lovari, Luca Luiselli, Hugh MacIsaac, Alexandra Marçal Correia, Tracy McCollin, Marit Mjerde, Noel Morrissey, Ilona Musko, Erin Muths, Stefan Nehring, Annamaria Nocita, Francesco Nonnis-Marzano, Sergej Olenin, Vadim Panov, Gad Perry, George Phiri, Manfred Pöckl, Mark Ponniah, Giovanni Principato, Wolfgang Rabitsch, Philip Rainbow, Sanjeevi Rajagopal, Julian Reynolds, Nicoletta Riccardi, Karl-Otto Rothhaupt, Jordi Sala, Giuseppe Simone, Patrik Stenroth, Gabrielle Thiébaud, Pietro Giorgio Tiscar, Marco Vannini, Marcel Veldhuis, Karen Veverica, Anna Vila-Gispert, Hartwell Welsh, Dudley Williams, Sergio Zerunian.