

Universitext

*Editorial Board
(North America):*

S. Axler
F.W Gehring
K.A. Ribet

Springer-Verlag London Ltd.

Universitext

Editors (North America): S. Axler, F.W. Gehring, and K.A. Ribet

Aksoy/Khamsi: Nonstandard Methods in Fixed Point Theory
Andersson: Topics in Complex Analysis
Aupetit: A Primer on Spectral Theory
Berberian: Fundamentals of Real Analysis
Booss/Bleecker: Topology and Analysis
Borkar: Probability Theory: An Advanced Course
Böttcher/Silbermann: Introduction to Large Truncated Toeplitz Matrices
Carleson/Gamelin: Complex Dynamics
Cecil: Lie Sphere Geometry: With Applications to Submanifolds
Chae: Lebesgue Integration (2nd ed.)
Charlap: Bieberbach Groups and Flat Manifolds
Chern: Complex Manifolds Without Potential Theory
Cohn: A Classical Invitation to Algebraic Numbers and Class Fields
Curtis: Abstract Linear Algebra
Curtis: Matrix Groups
DiBenedetto: Degenerate Parabolic Equations
Dimca: Singularities and Topology of Hypersurfaces
Edwards: A Formal Background to Mathematics I a/b
Edwards: A Formal Background to Mathematics II a/b
Foulds: Graph Theory Applications
Friedman: Algebraic Surfaces and Holomorphic Vector Bundles
Fuhrmann: A Polynomial Approach to Linear Algebra
Gardiner: A First Course in Group Theory
Gårding/Tambour: Algebra for Computer Science
Goldblatt: Orthogonality and Spacetime Geometry
Gustafson/Rao: Numerical Range: The Field of Values of Linear Operators and Matrices
Hahn: Quadratic Algebras, Clifford Algebras, and Arithmetic Witt Groups
Holmgren: A First Course in Discrete Dynamical Systems
Howe/Tan: Non-Abelian Harmonic Analysis: Applications of $SL(2, \mathbb{R})$
Howes: Modern Analysis and Topology
Humi/Miller: Second Course in Ordinary Differential Equations
Hurwitz/Kritikos: Lectures on Number Theory
Jennings: Modern Geometry with Applications
Jones/Morris/Pearson: Abstract Algebra and Famous Impossibilities
Kannan/Krueger: Advanced Analysis
Kelly/Matthews: The Non-Euclidean Hyperbolic Plane
Kostrikin: Introduction to Algebra
Luecking/Rubel: Complex Analysis: A Functional Analysis Approach
MacLane/Moerdijk: Sheaves in Geometry and Logic
Marcus: Number Fields
McCarthy: Introduction to Arithmetical Functions
Meyer: Essential Mathematics for Applied Fields
Mines/Richman/Ruitenburg: A Course in Constructive Algebra
Moise: Introductory Problems Course in Analysis and Topology
Morris: Introduction to Game Theory
Porter/Woods: Extensions and Absolutes of Hausdorff Spaces
Ramsay/Richtmyer: Introduction to Hyperbolic Geometry
Reisel: Elementary Theory of Metric Spaces
Rickart: Natural Function Algebras
Rotman: Galois Theory

(continued after index)

Graham Everest Thomas Ward

Heights of Polynomials and Entropy in Algebraic Dynamics

With 23 Figures



Springer

Graham Everest
School of Mathematics
University of East Anglia
Norwich NR4 7TJ, UK

Thomas Ward
School of Mathematics
University of East Anglia
Norwich NR4 7TJ, UK

Editorial Board (North America):

S. Axler
Mathematics Department
San Francisco State University
San Francisco, CA 94132
USA

F.W.Gehring
Mathematics Department
East Hall
University of Michigan
Ann Arbor, MI 48109-1109
USA

K.A. Ribet
Department of Mathematics
University of California at Berkeley
Berkeley, CA 94720-3840
USA

Mathematics Subject Classification (1991): 11G07, 11S05, 22D40

ISBN 978-1-84996-854-6

British Library Cataloguing in Publication Data
Everest, Graham

Heights of polynomials and entropy in algebraic dynamics. - (Universitext (UTX))

1. Arithmetical algebraic geometry 2. Polynomials 3. Entropy
4. Differentiable dynamical systems I. Title II. Ward, Thomas 512.1

ISBN 978-1-84996-854-6 ISBN 978-1-4471-3898-3 (eBook)

DOI 10.1007/978-1-4471-3898-3

Library of Congress Cataloging-in-Publication Data

Everest, Graham, 1957-

Heights of polynomials and entropy in algebraic dynamics / Everest
Graham and Thomas Ward.

p. cm. - (Universitext)

Includes bibliographical references and index.

ISBN 978-1-84996-854-6

1. Arithmetical algebraic geometry. 2. Measure theory.

3. Differentiable dynamical systems. 4. Curves, Elliptic. I. Ward, Thomas, 1963- . II. Title.

QA242.5.E94 1999 98-49603

516.3'5-dc21

CIP

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Enquiries concerning reproduction outside those terms should be sent to the publishers.

© Springer-Verlag London 1999

Originally published by Springer-Verlag London Berlin Heidelberg in 1999

Scripture quotation taken from the HOLY BIBLE, NEW INTERNATIONAL VERSION

Copyright © 1973, 1978, 1984 by International Bible Society Used by permission

The use of registered names, trademarks etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant laws and regulations and therefore free for general use.

The publisher makes no representation, express or implied, with regard to the accuracy of the information contained in this book and cannot accept any legal responsibility or liability for any errors or omissions that may be made.

Typesetting: Camera ready by author

12/3830-543210 Printed on acid-free paper

*He determines the number of the stars
and calls them each by name.
Great is our Lord and mighty in power;
his understanding has no limit.*

Psalm 147, verses 4-5.

Preface

Arithmetic geometry and algebraic dynamical systems are flourishing areas of mathematics. Both subjects have highly technical aspects, yet both offer a rich supply of down-to-earth examples. Both have much to gain from each other in techniques and, more importantly, as a means for posing (and sometimes solving) outstanding problems. It is unlikely that new graduate students will have the time or the energy to master both. This book is intended as a starting point for either topic, but is in content no more than an invitation. We hope to show that a rich common vein of ideas permeates both areas, and hope that further exploration of this commonality will result.

Central to both topics is a notion of complexity. In arithmetic geometry ‘height’ measures arithmetical complexity of points on varieties, while in dynamical systems ‘entropy’ measures the orbit complexity of maps. The connections between these two notions in explicit examples lie at the heart of the book. The fundamental objects which appear in both settings are polynomials, so we are concerned principally with heights of polynomials. By working with polynomials rather than algebraic numbers we avoid local heights and p -adic valuations.

Our approach is computational and examples are included to illustrate the basic notions. There are 103 exercises in the text (some well-known and some original). Since the background required for some of them goes a little beyond the text, hints at solutions for all of them are included. Understanding this additional material, and expanding the solution hints to complete arguments, is a ‘meta-exercise’. There are also 14 ‘questions’: these are either open-ended suggestions or known open problems. Some of the main results are proved under simplifying assumptions (for example, certain results about many-variable polynomials are proved for two variables), and some stated theorems are not proved at all. This is part of a deliberate attempt to advertise the subjects without losing the reader in a mass of detail.

WHAT THE BOOK CONTAINS. Starting with Lehmer’s beautiful paper from 1933, we sketch some of the history of what has become known as Mahler’s measure of a polynomial. In his paper, Lehmer constructed large primes in a way that generalized the Mersenne primes (which is also a topic of current interest), building on earlier work of Pierce and others. Here we already see a coincidence of ideas appearing: all of his basic ingredients arise as dynamical

data. Lehmer's famous problem (to bound below his measure of growth in a uniform way) can be interpreted in dynamical terms. In the first chapter, we describe some partial results on Lehmer's problem. These have been selected to satisfy two criteria: each is definitive for its own special case, and each proof offers great aesthetic appeal with little technical anguish. Thus Schinzel's lower bound for the measure of integral polynomials with real zeros is included because it does both. The same applies to Smyth's resolution of Lehmer's problem in the non-reciprocal case (though we present a simpler weaker version), and to Zagier's proof of Zhang's theorem. Dobrowolski's result is not included: this is elegant and important but was excluded because it is unclear whether it is the last word on the general case. Similarly, we omit further harder results of Dobrowolski, Schinzel and Lawton bounding the non-zero measures in terms of the number of non-zero coefficients. Clearly the selection has involved painful choices and we hope an interested reader would go on into the wider literature. Some references to the extensive literature on Mahler's measure have been included, but we make no claim to completeness or to historical accuracy concerning the literature.

The second chapter introduces dynamical systems associated to integral polynomials at two levels. The first deals with toral endomorphisms (coming from monic polynomials), and some proofs are merely illustrated by examples. The second deals with automorphisms of 'solenoids' and complete proofs are given at the expense of greater technical demands. In both settings the objects from Chapter 1 appear again in dynamical terms. A central result here is that the integer sequences studied by Lehmer arise as periodic points, and the Mahler measure appears as an entropy. The notion of expansiveness for dynamical systems is introduced, and it is shown that Lehmer's growth rate measure only exists for expansive systems. This is preparatory material for Chapter 4, which is an account of certain dynamical systems arising from polynomials in several variables.

In Chapter 3, we present some truly beautiful mathematics concerned with generalizing notions in Chapter 1 to the many variable case. It is here that Mahler's insight has proved to be so valuable: he noticed (in 1960) that Lehmer's measure has an integral representation, and we have dubbed this 'Mahler's lemma'. Despite being simple (a direct application of Jensen's formula from complex analysis) it is of fundamental importance as it allows a natural definition of measure for polynomials in several variables. The chapter is devoted to three main topics. The first is to present some of the fascinating specific calculations over the years, including some recent ones. In particular we state some of Boyd's recent examples (motivated by work of Deninger) where Mahler measures for two-variable polynomials arise as values of L -functions of elliptic curves. The original intention to include some material on this connection was abandoned because of the massive background required to even state the basic conjectures. We go on to give Smyth's geometric proof of the classification of polynomials with vanishing measure. Finally, we give a

thorough account of Lawton's ingenious proof of a limit formula which shows that many-variable measures are limits of single-variable measures.

Chapter 4 describes the dynamical system associated to a polynomial in several variables. The periodic points give an analogue of Lehmer's original growth rate for polynomials in several variables. The entropy formula is described, with some examples discussed in detail. We also include some more recent work by Lind on dynamical zeta functions for higher-dimensional systems.

The first of the two chapters on elliptic curves, Chapter 5, contains mainly classical material. Eleven years before Lehmer's paper, Mordell had used a notion of height to prove his famous and influential theorem on the finite generation of the group of rational points on an elliptic curve. We give a thorough account of how the notion of height is used to prove this, assuming for brevity the weak Mordell theorem. We go on to develop the more functorial notion of the canonical height, and go far enough to make it clear that the canonical height is some kind of analogue of Mahler's measure.

By this point, one theme should become clear. There is a linkage between Mahler's measure and arithmetic dynamical systems. There is another linkage between Mahler's measure and the canonical height. It is reasonable to ask if this triangle of ideas can be filled in by constructing a family of 'elliptic' dynamical systems whose topological entropy is related to the canonical height and whose ergodicity is related to the (non-)vanishing of the canonical height. Chapter 6 therefore serves two purposes. One is to give a brief and self-contained introduction to the theory of elliptic curves over the complex numbers, sufficient to fix the idea that a complex elliptic curve is an analogue of the circle. The other is to make a deliberate attempt to reconcile the notions of Mahler's measure and the canonical height. In practice, this means reinterpreting the theory of the archimedean local height as it appears in Lang and Silverman (and as worked out originally by Tate). This local height is only one component of the global height, but all the ideas we want to illustrate arise here. The full picture for the possible elliptic dynamical systems is probably adelic in character, but the difficulties all lie at the archimedean place (and those coming from primes of bad reduction). Also, at the archimedean place we have all the classical functions at our disposal. We develop elliptic analogues of Lehmer's original quantities and show they have the expected properties. In particular, we note that (for real points on real curves) it is possible to realize the values of the elliptic Mahler measure as the entropy of a transcendental map (in the rational case) whose periodic points are counted asymptotically by the division polynomial evaluated at the point.

This we hope completes the circle of ideas in a reasonable way for a book at this level.

READERSHIP AND BACKGROUND. The book can be read by postgraduates (or advanced undergraduates). It arose out of lectures given to postgraduate

and MMath students at the University of East Anglia. With a few exceptions (notably the Nullstellensatz in Chapter 5, Haar measure, elementary abelian harmonic analysis and the Gelfand transform in Chapters 2 and 4) the only background required is the typical mix of algebra and complex analysis taught in most British universities. Thus basic ring and group theory are assumed, as are complex analysis as far as Cauchy's theorem, elementary Fourier analysis, residue calculations and some understanding of uniform and absolute convergence of power series. Three appendices contain less standard material, a fourth contains a simple proof of an important estimate due to Mahler, a fifth contains some calculations by Bríd ní Fhlathúin, a sixth hints for the exercises, and the last appendix contains a glossary of symbols.

RELATIONSHIP BETWEEN CHAPTERS. Chapters 1 and 3 are self-contained and comprise an introduction to the Mahler measure of polynomials. Chapters 5 and 6 are self-contained and comprise an introduction to elliptic curves, canonical heights and the elliptic Mahler measure. Chapters 2 and 4 use some material from 1 and 3 respectively, but are otherwise a fairly self-contained introduction to the simplest possible family of algebraic dynamical systems.

SOURCES. Much in this book is in the literature, and there are excellent texts on some of the topics considered. For elliptic curves and canonical heights, there are the texts of Silverman [Sil86], [Sil94], although we interpret the height in a new way. There is a useful chapter on elliptic functions from an elementary point of view in Whittaker and Watson [WW63, Chapter XX]. For algebraic dynamical systems there is Schmidt's monograph [Sch95] (which also includes some of the results on polynomials and Mahler measures), and for a general introduction to the field of dynamical systems and measures of orbit complexity there is the comprehensive introduction by Katok and Hasselblatt [KH95]. For polynomials there is Schinzel's book [Sch82]. The material on Mahler's measure (both classical and elliptic) is taken from papers, and much of it has not appeared in book form before. For background on ergodic theory and dynamical systems, there are the books of Walters [Wal82] or Petersen [Pet83].

NOTATION AND NUMBERING. Notation is explained in Appendix G. Theorems, lemmas, definitions, equations, and remarks are numbered $X.Y$ for the Y th statement in Chapter X . Exercises are numbered separately by chapter, and questions are numbered separately independent of chapter. Bold numbers in the index indicate definitions or main entries.

ACKNOWLEDGMENTS. Besides the patient support of Susan and Tania, we would like to acknowledge the help received from David Boyd, Manfred Einsidler, Wayne Lawton, Andrej Schinzel, Joe Silverman and Christopher Smyth. Also, for the careful reading of sections of the manuscript at various stages, we thank Paola D'Ambros, Bríd ní Fhlathúin, Richard Miles, Christian Röttger and the class of MTH4A22 (Spring 1998) at UEA.

Contents

1. Lehmer, Mahler and Jensen	1
1.1 Background: Lehmer's Paper	1
1.2 Mahler's Measure	3
1.3 Lehmer's Problem I: Schinzel's Theorem	13
1.4 Lehmer's Problem II: Smyth's Theorem	15
1.5 Lehmer's Problem III: Zhang's Theorem	21
1.6 Large Primes in 1933	25
1.7 When Does the Measure Vanish?	27
2. Dynamical Systems	29
2.1 Dynamical Interpretation: Toral Case	29
2.2 Topological Entropy	34
2.3 Dynamical Interpretation: Solenoid Case	39
2.4 Periodic Points in the Dynamical Interpretation	48
3. Mahler's Measure in Many Variables	51
3.1 Explicit Values	52
3.2 Existence	57
3.3 When Does the Measure Vanish?	59
3.4 Approximations to Two-Dimensional Mahler Measure	69
3.5 Lawton's Estimate	73
3.6 Boyd's Example	79
4. Higher-Dimensional Dynamical Systems	81
4.1 The Dynamical System Associated to a Polynomial	81
4.2 Mahler Measures as Entropies	82
4.3 Periodic Point Behaviour	86
4.4 Dynamical Zeta Functions	89
5. Elliptic Heights	91
5.1 Elliptic Curves	91
5.2 Explicit Formulæ	95
5.3 Torsion Points of Order 11	99
5.4 Rational Points	100

5.5	Heights on Elliptic Curves	101
5.6	Mordell's Theorem	106
5.7	The Parallelogram Law and the Canonical Height	109
5.8	Heights of Algebraic Numbers	114
6.	The Elliptic Mahler Measure	117
6.1	Elliptic Functions	117
6.2	Elliptic Mahler	124
6.3	Elliptic Mahler in Several Variables	131
6.4	Elliptic Mahler and Periodic Points	137
6.5	Application to the Division Polynomial	140
6.6	Elliptic Mahler and Dynamical Systems	142
A.	Algebra	145
A.1	Algebraic Integers	145
A.2	Integer Matrices	147
A.3	Hilbert's Nullstellensatz	148
B.	Analysis	151
B.1	Stone–Weierstrass Theorem	151
B.2	The Gelfand Transform	154
C.	Division Polynomials	157
D.	Proof of Mahler's Bound for $m(F')$	159
E.	Calculations on $\Delta_n(F)$ and $E_n(F)$	165
E.1	Lehmer Primes	165
E.2	Elliptic Primes	166
F.	Exercises and Questions	169
F.1	Hints for the Exercises	169
F.2	List of Questions	194
G.	List of Notation	197
	Bibliography	199
	Index	209