

Statistics for Social and Behavioral Sciences

Advisors:

S.E. Fienberg

W.J. van der Linden

For further volumes:

<http://www.springer.com/series/3463>

John W. Graham

Missing Data

Analysis and Design

 Springer

John W. Graham
Department of Biobehavioral Health
Health & Human Development Bldg. East
The Pennsylvania State University
University Park, PA, USA

Please note that additional material for this book can be downloaded from
<http://extras.springer.com>

ISBN 978-1-4614-4017-8 ISBN 978-1-4614-4018-5 (eBook)
DOI 10.1007/978-1-4614-4018-5
Springer New York Heidelberg Dordrecht London

Library of Congress Control Number: 2012938715

© Springer Science+Business Media New York 2012

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

For Linda, Matthew, Joy, and Jazeya

Preface

My interest in missing data issues began in the early 1980s when I began working with the group that was to become the Institute for Health Promotion and Disease Prevention Research (better known as IPR) at the University of Southern California. This was my introduction to large-scale, longitudinal, field-experimental research. I had been trained in a traditional experimental social psychology program at the University of Southern California, and most of my colleagues at IPR (at least in the early days) happened also to have been trained as social psychologists. Given my training, much of my thinking in these early days stemmed from the idea that researchers had substantial control over the extraneous factors in their research. Thus, much of my early work was focused on gaining a degree of control in field experiment settings.

The challenges, of course, were numerous, but that is one of the things that made it all so interesting. One of the key challenges in those early days was missing data. The missing data challenge manifested itself as missing responses within a survey and as whole surveys being missing for some people at one or more waves of longitudinal measurement. Missingness within a survey often was due to problems with individual items (if students were confused by a question, a common reaction was to leave it blank) and problems with the length of the survey (slower readers would often leave one or more pages blank at the end of the survey). When whole surveys were missing from one or more waves of the longitudinal study, it was not uncommon that the student would return to complete a survey at a later wave. It was also common, however, that once a student was missing entirely from a measurement wave, that the student remained missing for the duration of the study.

In those days, there were no good analysis solutions for dealing with our missing data, at least none that one could expect to use with anything close to standard software. Our only real solution was to ignore (delete) cases with any missingness on the variables used for any statistical model. In fact, as I will discuss in Chap. 12, we even developed a planned missing data design (the first versions of the “3-form design”) as a means of reducing the response load on our young student participants. Although this planned missing data design has proven to be an excellent tool for reducing response load, it further exacerbated our missing data analysis problems. My early

thinking on this was that because the pairwise-deletion correlations produced in this context would be random samples of the overall correlations, this would somehow help with our analysis problems. Although that thinking turned out to be correct, it wasn't for another 10 years that our analysis solutions would catch up.

I started thinking in earnest about missing data issues in the late 1980s. The impetus for this new thinking was that statisticians and other researchers finally began making good missing data analysis tools available. In fact, what happened in the missing data literature in 1987 alone can be thought of as a missing data revolution. In that single year, two major missing data books were published (Little and Rubin 1987; Rubin 1987). These two books were the statistical basis for most of the important missing data software developments in the following decade and beyond. Also published in 1987 were two influential articles describing a strategy for performing missing data analysis making use of readily available structural equation modeling (SEM) software (Allison 1987; Muthen et al. 1987). These articles were important because they described the first missing data analysis procedure that was truly accessible to researchers not trained as statisticians. Also published in 1987 was the article by Tanner and Wong (1987) on data augmentation, which has become a fundamental part of some approaches to multiple imputation.

Philosophy Underlying This Book

I feel it is important to give this brief history about the development of missing data theory and analysis solutions as well as the history of the development of my own skills in missing data analysis. It is important because my knowledge and experience in this area stemmed not from a background in statistics but from the need to solve the real problems we faced in the burgeoning discipline of prevention science on the 1980s and 1990s.

Because of my beginnings, my goals have always been to find practical solutions to real-world research problems. How can I do a better job of controlling the extraneous factors in a field experiment? How can I draw more valid conclusions about the success or failure of my intervention? Also, because I was trained as an experimental social psychologist and not as a statistician – not even as a quantitative psychologist – my understanding of the statistical underpinnings of various missing data techniques has often been couched in practical needs of the research, and my descriptions of these techniques and underpinnings have often relied more on plain English than on terms and language common in the statistical literature.

This practical basis for my understanding and descriptions of missing data techniques has caused some problems for me over the years. Occasionally, for example, my practical approach produces a kind of imprecision in how some of these important topics are discussed. To be honest, I have at times bumped heads a little with statisticians, and psychologists with more formal statistical training. Fortunately, these instances have been rare. Also, it has been my good fortune to have spent several years collaborating closely with Joe Schafer. This experience has been a huge benefit to my understanding of many of the important topics in this book.

On the other hand, my somewhat unusual, practical, approach to missing data techniques and underpinnings has gradually given me the ability to describe these things, in plain English, with a satisfying degree of precision. Further, my take on these issues, because it is so firmly rooted in practical applications, occasionally leads to discoveries that would not necessarily have been obvious to others who have taken a more formal, statistical, approach to these topics.

The long and short of this is that I can promise you, the reader, that the topics covered in this book will be (a) readable and accessible and (b) of practical value.

Prerequisites

Most of the techniques described in this book rely on multiple regression analyses in one form or another. Therefore, I assume that the reader will, at the very least, already have had a course in multiple regression. Even better would be that the reader would have had at least some real-world experience in using multiple regression. As I will point out in later chapters, one of the most flexible of the missing data procedures, multiple imputation, requires that the output of one's statistical analysis be a parameter estimate and the corresponding standard error. Multiple regression fits nicely into this requirement in that one always has a regression coefficient (parameter estimate) and a standard error. Other common procedures such as analysis of variance (ANOVA) can be used with multiple imputation, but only when the ANOVA model is recast as the equivalent multiple regression model.

Knowledge of SEM is not a prerequisite for reading this book. However, having at least a rudimentary knowledge of one of the common SEM programs will be very useful. For example, some of the planned missing data designs described in Section 4 of this book rely on SEM analysis. In addition, my colleagues and I have found the multiple-group SEM (MGSEM) procedure (Allison 1987; Muthen et al. 1987) to be very useful in the missing data context. The material covered in Chaps. 10 and 11 relies heavily on these techniques. Finally, knowledge of one of the major SEM packages opens up some important options for data analysis using the full information maximum likelihood (FIML) approach to handling missing data.

Because my take on handling missing data is so firmly rooted in the need to solve practical problems, or perhaps because my understanding of missing data theory and practice is more conceptual than statistical, I have often relied on somewhat low-tech tools in my solutions. Thus, I make the assumption that readers of this book will have a good understanding of a variety of low-tech tools. I assume that readers are well versed in the Microsoft Windows operating system for PCs.¹ For example, it will be extremely helpful if readers know the difference between ASCII

¹I know very little about the operating system for Apple computers, but with a few important exceptions (e.g., that NORM currently is not available for Apple computers), I'll bet that good knowledge of the Apple operating system (or other operating systems, such as Unix or Linux) will work very well in making use of the suggestions described in this book.

(text) files (e.g., as handled by the Notepad editor in Windows) and binary files (e.g., as produced by MS Word, SAS, SPSS, and most other programs). Although the Notepad editor for editing ascii/text files will be useful to an extent, it will be even more useful to have a more full-featured ascii editor, such as UltraEdit (<http://www.ultraedit.com>).

Layout of this Book

In Section 1 of this book, Chaps. 1 and 2, I deal with what I often refer to as missing data theory. In Chap. 1, I lay out the heart of missing data theory, focusing mainly on dispelling some of the more common myths surrounding analysis with missing data and describing in some detail my take on the three “causes” of missingness, often referred to as missing data mechanisms. I also spend a good bit of space in Chap. 1 dealing with the more theoretical aspects of attrition. In Chap. 2, I describe various analysis techniques for dealing with missing data. I spend some time in this chapter describing older methods, but I stay mainly with procedures that, despite being “old,” are still useful in some contexts. I spend most of the space in this chapter talking about the more theoretical aspects of the recommended methods (multiple imputation and maximum likelihood approaches) and the EM algorithm for covariance matrices.

In Section 2, I focus on the practice of multiple imputation and analysis with multiple imputed data sets. In Chap. 3, I describe in detail multiple imputation with Schafer’s (1997) NORM 2.03 program. Chapter 4 covers analysis of NORM-imputed data sets with SPSS (versions 15, 16, and lower; and newer versions without the new MI module). In this chapter, I outline the use of my utility for automating the process of analysis with multiple imputed data sets, especially for multiple regression analysis. In Chap. 5, I describe multiple imputation with the recently released versions of SPSS (version 17–20) that include the MI module. In this chapter, I describe the process of performing multiple imputation with small data problems, staying within the SPSS environment, and performing automated analysis with regression and logistic regression. I also describe the limitations of this initial SPSS product (through version 20) and suggest the preferable alternative of doing MI with NORM 2.03 (along with my automation utility for reading NORM-imputed data into SPSS), but performing analysis and automation with the quite excellent automation features newly available in SPSS 17 and later versions. In Chap. 6, I cover the topic of imputation and analysis with cluster data (e.g., children within schools). I describe analysis of multilevel data with SPSS 17–20 Mixed module and also with HLM 6. I also describe a feature of my automation utility for analyzing NORM-imputed data with HLM 6–7. In Chap. 7, I discuss in detail multiple imputation with SAS PROC MI. In this chapter, I provide syntax for analysis with PROC REG, PROC LOGISTIC, and PROC MIXED and describe the combining of results with PROC MIANALYZE.

In Section 3, I focus on the practicalities of dealing with missing data, especially with multiple imputation, in the real world. In Chap. 8, I address the issue of spotting and troubleshooting problems with imputation. In Chap. 9 (with Lee Van Horn and Bonnie Taylor), I address the major practical concern of having too many variables in the imputation model. In Chap. 10, I cover the topic of doing simulation work with missing data. Given the popularity of simulations for answering many research questions, it is important to address issues that arise in the conduct of simulations relating to missing data. In addition to a brief description of the usual Monte Carlo approach to simulations, I also outline a more compact, non-Monte Carlo, approach that makes use of the multiple-group capabilities of SEM programs. In this section, I describe simulations based on MCAR missingness (this approach is at the heart of the material covered in Chap. 9), but I also extend this work in an important way to describe an approach to non-Monte Carlo simulations with MAR and MNAR missingness. In Chap. 11 (with Linda M. Collins), I cover the important area of including auxiliary variables in one's model. This chapter focuses mainly on addressing the problems associated with participant attrition. It touches on the value of auxiliary variables for bias reduction, but focuses on recovery of lost statistical power. The chapter covers practical strategies for including auxiliary variables in MI and FIML models. I outline an automation utility for determining the benefit of including auxiliary variables under a variety of circumstances.

Section 4 of the book describes the developing area of planned missing data designs. These designs allow researchers to make efficient use of limited resources, while allowing meaningful conclusions to be drawn. Chapter 12 describes the theory and practical issues relating to implementation of the 3-form design, a kind of matrix sampling design. Chapter 13 (with Allison Shevock; see: Olchowski) describes a design we have called two method measurement. In this chapter, we present the theory and practical issues of implementing this SEM-based design.

Acknowledgments

Writing this book has been a process. An important part of that process has been the development of my thinking over the years about issues relating to missing data analysis and design. The person who has had perhaps the biggest impact on my thinking about missing data issues has been Joe Schafer, with whom I have had the good fortune to collaborate for several years. The writings of Rod Little and Don Rubin formed the basis of my initial thinking about analysis with missing data, and Scott Hofer and Stewart Donaldson played important roles in the development of my early thinking. People with whom I have published over the past several years have also been important in the process, including Andrea Piccinin, Lori Palen, Elvira Elek, Dave MacKinnon, and Patricio Cumsille. People who have been especially supportive over the years, as consumers of my missing data skills, and particularly with this book, are Steve West, Wayne Velicer, David Hawkins, and Rico Catalano. Linda Collins, Sabrina Oesterle, Brittany Rhoades, Bob Laforge, and several blind reviewers provided me with critical feedback on one or more chapters of this book. Scott Hofer, Matthew Graham, and Liying Huang have helped in important ways with programming. Finally, I would like to thank Aaron Wagner and Stef Seaholtz for getting the book-related software and example data sets so well positioned on the Methodology Center web site.

Contents

Section 1 Missing Data Theory

1	Missing Data Theory	3
	Overview.....	3
	Missing Data: What Is It?	4
	Missing Data: History, Objectives, and Challenges.....	5
	Terms.....	6
	Model	6
	Missingness.....	7
	Distribution	8
	Mechanisms of Missingness	8
	Causes of Missingness	9
	Mapping Causes of Missingness onto the Three Missingness	
	Mechanisms	12
	Missing Completely at Random (MCAR).....	12
	Missing at Random (MAR)	13
	Not Missing at Random (NMAR; aka Missing Not at Random; MNAR).....	15
	MAR Versus NMAR Revisited.....	17
	Can We Ever Know Whether MAR Holds?	17
	Maybe We Can Know if MAR Holds	18
	Measuring Estimation Bias.....	19
	Factors Affecting Standardized Bias.....	20
	Estimating Statistical and Practical Significance	
	of Bias in Real Data	21
	Percent Missing.....	22
	Estimating r_{XY}	22
	Estimating r_{ZY}	22
	Estimating r_{ZR}	25

- Sensitivity Analysis..... 26
 - Plausibility of MAR Given in Tables 1.4 and 1.5..... 27
 - Limitations (Nuisance Factors) Relating to Figures
in Tables 1.4 and 1.5 28
 - Call for New Measures of the Practical Significance of Bias..... 29
 - Other Limitations of Figures Presented in Tables 1.4 and 1.5..... 32
- Another Substantive Consideration: A Taxonomy of Attrition..... 33
 - The Value of Missing Data Diagnostics..... 34
 - Nonignorable Methods..... 36
 - Sensitivity Analysis..... 36
- Design and Measurement Strategies for Assuring MAR..... 38
 - Measure the Possible Causes of Missingness 38
 - Measure and Include Relevant Auxiliary Variables
in Missing Data Analysis Model..... 43
 - Track and Collect Data on a Random Sample
of Those Initially Missing 43
- References..... 44
- 2 Analysis of Missing Data 47**
 - Goals of Analysis 47
 - Older Approaches to Handling Missing Data 47
 - Complete Cases Analysis (aka Listwise Deletion) 48
 - Pairwise Deletion 51
 - Mean Substitution 51
 - Averaging the Available Variables 51
 - Regression-Based Single Imputation..... 52
 - Basics of the Recommended Methods..... 53
 - Full Information Maximum Likelihood (FIML)..... 53
 - Basics of the EM Algorithm for Covariance Matrices..... 54
 - Basics of Normal-Model Multiple Imputation 56
 - What Analyses Work with MI?..... 59
 - Normal-Model MI with Categorical Variables 60
 - Normal-Model MI with Longitudinal Data 60
 - Imputation for Statistical Interactions: The Imputation
Model Must Be at Least as Complex as the Analysis Model 62
 - Normal-Model MI with ANOVA..... 63
 - Analyses for Which MI Is not Necessary 63
 - Missing Data Theory and the Comparison Between MI/ML
and Other Methods..... 63
 - Estimation Bias with Multiple Regression Models 64
 - Missing Data Theory and the Comparison Between MI and ML..... 65
 - MI and ML and the Inclusion of Auxiliary Variables 65
 - MI Versus ML, the Importance of Number of Imputations 66
 - Computational Effort and Adjustments in Thinking About MI..... 67
 - References..... 68

Section 2 Multiple Imputation and Basic Analysis

3 Multiple Imputation with Norm 2.03 73

Step-by-Step Instructions for Multiple Imputation
with NORM 2.03 73

 Running NORM (Step 1): Getting NORM..... 73

 Running NORM (Step 2): Preparing the Data Set..... 74

 Writing Data Out of SPSS 75

 Writing a Variable Names File from SPSS 76

 Empirical Example Used Throughout this Chapter 76

 Running NORM (Step 3): Variables 76

 Running NORM (Step 4): The “Summarize” Tab 78

 Running NORM (Step 5): EM Algorithm 81

 Running NORM (Step 6): Impute from (EM) Parameters 86

 Running NORM (Step 7): Data Augmentation (and Imputation)..... 88

 Running NORM (Step 8): Data Augmentation Diagnostics..... 89

References..... 94

4 Analysis with SPSS (Versions Without MI Module)

Following Multiple Imputation with Norm 2.03 95

Analysis with the Single Data Imputed from
EM Parameters..... 95

 Before Running MIAutomate Utility..... 96

 What the MIAutomate Utility Does..... 97

 Files Expected to Make Automation Utility Work..... 97

 Installing the MIAutomate Utility 98

 Running the Automation Utility..... 98

 Products of the Automation Utility 99

 Analysis with the Single Data Set Imputed
 from EM Parameters 99

Analysis Following Multiple Imputation..... 100

Automation of SPSS Regression Analysis with Multiple
Imputed Data Sets 101

 Running the Automation Utility..... 101

 Products of the Automation Utility 102

 Rationale for Having Separate Input and Output
 Automation Utilities..... 103

 Multiple Linear Regression in SPSS with Multiple Imputed
 Data Sets, Step 1 103

 Multiple Linear Regression in SPSS with Multiple Imputed
 Data Sets, Step 2 104

 Variability of Results with Multiple Imputation 106

 A Note About Ethics in Multiple Imputation..... 106

Other SPSS Analyses with Multiple Imputed Data Sets..... 107

5 Multiple Imputation and Analysis with SPSS 17-20 111

 Step-by-Step Instructions for Multiple Imputation
 with SPSS 17-20 111

 Running SPSS 17/20 MI (Step 1): Getting SPSS MI 112

 Running SPSS 17-20 MI (Step 2): Preparing the Data Set..... 112

 Empirical Example Used Throughout this Chapter 113

 Running SPSS 17-20 MI (Step 3): Variables 113

 Running SPSS 17-20 MI (Step 4): Missingness Summary 113

 Running SPSS 17-20 MI (Step 5): EM Algorithm 116

 Running SPSS 17-20 MI (Step 6): Impute
 from (EM) Parameters 118

 Running SPSS 17-20 MI (Step 7): MCMC (and Imputation) 118

 Running SPSS 17-20 MI (Step 8): MCMC Diagnostics 119

 Analysis of Multiple Data Sets Imputed with SPSS 17-20..... 120

 Split File 120

 Multiple Linear Regression in SPSS with Multiple Imputed
 Data Sets 120

 Binary Logistic Regression in SPSS with Multiple Imputed
 Data Sets 121

 SPSS 17-20 Analysis of Norm-Imputed Data: Analysis
 with the Single Data Imputed from EM Parameters..... 122

 Before Running MIAutomate Utility..... 123

 What the MIAutomate Utility Does..... 124

 Files Expected to Make the MIAutomate Utility Work..... 124

 Analysis with the Single Data Set Imputed
 from EM Parameters 126

 SPSS 17-20 Analysis of Norm-Imputed Data: Analysis
 of Multiple Data Sets Imputed with Norm 2.03 126

 Automation of SPSS Regression Analysis
 with Multiple Imputed Data Sets 128

 Running the Automation Utility..... 128

 Products of the Automation Utility 129

 Setting Up Norm-Imputed Data for Analysis
 with SPSS 17-20 130

 Multiple Linear Regression in SPSS with Norm-Imputed
 Data Sets 130

 Binary Logistic Regression in SPSS with Norm-Imputed
 Data Sets 130

 Other Analyses in SPSS with Norm-Imputed Data Sets..... 130

 References..... 131

**6 Multiple Imputation and Analysis with Multilevel
(Cluster) Data** 133

 Imputation for Multilevel Data Analysis 134

 Taking Cluster Structure into Account
 (Random Intercepts Models)..... 135

Limitations of the Random Intercepts, Hybrid Dummy Coding, Approach.....	137
Normal Model MI for Random Intercepts and Random Slopes Models.....	138
Limitations with the Impute-Within-Individual-Clusters Strategy.....	138
Multilevel Analysis of Norm-Imputed Data with SPSS/Mixed.....	139
Preparation of Data Imputed with Another Program.....	141
Multilevel Analysis of Norm-Imputed Data with SPSS 17-20/Mixed.....	141
Setting Up Norm-Imputed Data for Analysis with SPSS 17-20.....	142
Multiple Linear Mixed Regression in SPSS 17-20 with Norm-Imputed Data Sets.....	142
Multiple Linear Mixed Regression in SPSS 15/16 with Norm-Imputed Data Sets.....	143
Multilevel Analysis of Norm-Imputed Data with HLM 7.....	145
Step 1: Imputation with Norm 2.03.....	145
Step 2: Run MIAutomate Utility.....	145
Step 3: Enter HLM Information Window: Executable Information.....	146
Step 4: Enter HLM Information Window: HLM Model Information.....	146
Step 5: MI Inference.....	147
Limitations of the MIAutomate Utility for HLM.....	148
Special Issues Relating to Missing Data Imputation in Multilevel Data Situations.....	149
Number of Level-2 Units.....	149
Random Slopes Models.....	149
3-Level Models.....	149
Other MI Models.....	150
References.....	150
7 Multiple Imputation and Analysis with SAS.....	151
Step-by-Step Instructions for Multiple Imputation with PROC MI.....	152
Running PROC MI (Step 1): Getting SAS.....	152
Empirical Example Used Throughout This Chapter.....	152
Running PROC MI (Step 2): Preparing the Data Set.....	153
Running PROC MI (Step 3): Variables.....	155
Running PROC MI (Step 4): Summarizing the Missing Data.....	158
Running PROC MI (Step 5): EM Algorithm.....	162
Running PROC MI (Step 6): Impute From (EM) Parameters.....	168
Running PROC MI (Step 7): MCMC (and Imputation).....	169
Running PROC MI (Step 8): MCMC Diagnostics.....	170

Direct Analysis of EM (MLE) Covariance Matrix
with PROC FACTOR, PROC REG 174
 PROC FACTOR with an EM Covariance Matrix as Input..... 174
 PROC REG with an EM Covariance Matrix as Input 175
Analysis of Single Data Set Imputed from EM Parameters
with PROC CORR ALPHA 176
Analysis of Multiple-Imputed Data with PROC REG,
PROC LOGISTIC, PROC MIXED 177
 Analysis of Multiple-Imputed Data with PROC REG..... 177
 PROC MIANALYZE Output for PROC REG 178
 Proc Reg with Multiple Dependent Variables..... 181
 Analysis of Multiple-Imputed Data with PROC LOGISTIC 183
 Analysis of Multiple-Imputed Data with PROC MIXED..... 185
References..... 190

Section 3 Practical Issues in Missing Data Analysis

8 Practical Issues Relating to Analysis with Missing Data:

Avoiding and Troubleshooting Problems 193
Strategies for Making It Work: Know Your Analysis 194
Strategies for Making It Work: Know Your Data 194
 Causes of Missingness 194
 Auxiliary Variables 196
 Bottom Line: Think FIML 197
Troubleshooting Problems 197
 Disclaimer 197
 Underlying Problem 1 198
 Solution 1 198
 Underlying Problem 2..... 198
 Solution 2a 198
 Solution 2b 198
 Underlying Problem: Redundancies in Variable List
 (Matrix Not Positive Definite) 200
 Solution1 203
 Solution1b..... 204
 Underlying Problem..... 205
 First Conceptual Basis for This Missingness Pattern..... 208
 Solution..... 208
 Second Conceptual Basis for This Missingness Pattern 208
 Solutions 208
Summary of Troubleshooting Symptoms, Causes, and Solutions 210
References..... 212

9 Dealing with the Problem of Having Too Many Variables in the Imputation Model..... 213

Think FIML..... 213

Imputing Whole Scales 214

 Determining Whether a Scale Is Homogeneous or Heterogeneous 215

 Decision Rules for These Scenarios..... 219

 Decisions About Throwing Away Partial Data Versus Imputing at the Item Level..... 220

 Issues Regarding Decision Rules..... 222

Splitting Variable Set for Multiple-Pass Multiple Imputation 223

 A Solution That Makes Sense 224

 Comments 228

References..... 228

10 Simulations with Missing Data 229

Who Should Read This Chapter?..... 229

Background..... 229

General Issues to Consider with Simulations 230

 What Are the Goals of Your Simulation?..... 230

 What Other Approaches Are Available to Achieve Your Goals?..... 230

 What Should the Simulation Parameters Be? 231

 What Should the Range of Parameter Values Be? 231

Monte Carlo Simulations 232

 Start with a Population and Generate Samples 232

 Degrading the Sample..... 233

 Automation Strategies..... 237

 Technical Issues to Consider in Monte Carlo Simulations 238

Non-Monte Carlo Simulation with the MGSEM Procedure..... 239

 The Multiple Group SEM Procedure for MCAR Missingness: Overview 240

 Examples of Good Uses of the MGSEM Procedure for MCAR Missingness 241

 Overview of MGSEM Procedure for MAR/NMAR Missingness..... 241

 Examples of Good Uses of the MGSEM Procedure for MAR/NMAR Missingness..... 244

 What Simulations Cannot Be Addressed with the MGSEM Procedures?..... 248

 Other Considerations with the MGSEM Procedures for MAR/NMAR Missingness..... 250

References..... 251

11 Using Modern Missing Data Methods with Auxiliary Variables to Mitigate the Effects of Attrition on Statistical Power..... 253

Effective Sample Size 254

An Artificial Data Demonstration of Improving Power

Using a Missing Data Model with Auxiliary Variables 256

 Details of MGSEM Procedure 256

 Artificial Data Example for One Auxiliary Variable, 100 % of Eligible Subjects with Data 261

Artificial Data Demonstrations with More Realistic Attrition Patterns 262

 Less than 100 % of Eligible Subjects with Data for the One Auxiliary Variable 262

 Two Auxiliary Variables..... 264

 Two Auxiliary Variables with Different Values for r_{YZ1} , r_{YZ2} , $\%Z_1$, and $\%Z_2$ 264

Estimating N_{EFF} with One or Two Auxiliary Variables: The General Case..... 267

 Automation Utility for Estimating N_{EFF} in All One Auxiliary Variable Scenarios..... 267

 Automation Utility for Estimating N_{EFF} in All Two Auxiliary Variable Scenarios..... 269

Implications of N_{EFF} for Statistical Power Calculations..... 269

Loose Ends..... 271

 What Happens When Pretest Covariates Are Included in the Model? 271

 Multilevel Models..... 271

 “Highly Inclusive” Versus “Selectively Inclusive” Models..... 272

 What Other Factors May Affect the True N_{EFF} Benefit? 275

References..... 275

Section 4 Planned Missing Data Design

12 Planned Missing Data Designs I: The 3-Form Design 279

Who Should Read This Chapter?..... 279

 Reasons for Not Using the 3-Form Design..... 279

 Reasons for Using the 3-Form Design..... 280

The 3-Form Design: History, Layout, Design Advantages..... 280

 Matrix Sampling: Early Designs..... 281

 History of the 3-Form Design 281

 Basic Layout of the 3-Form Design..... 282

 Advantages of the 3-Form Design over Other Designs..... 282

 Disadvantages of the 3-Form Design Compared to the 1-Form Design 283

The Disadvantage of the 3-Form Design Is Not Really a Disadvantage 289

3-Form Design: Other Design Elements and Issues 290

 Item Order 290

 The X Set 290

 Variations of the 3-Form Design: A Family of Designs..... 291

 Keeping Scale Items Within One Item Set Versus Splitting Them Across Item Sets 293

References..... 294

13 Planned Missing Data Design 2: Two-Method Measurement..... 295

 Definition of Response Bias..... 296

 The Bias-Correction Model 297

 Benefits of the Bias-Correction Model 298

 The Idea of the Benefit..... 298

 How the Sample Size Benefit Works in Bias-Correction Model 301

 Factors Affecting the N_{EFF} Benefit..... 302

 Real Effects on Statistical Power 303

 Potential Applications of Two-Method Measurement 307

 Cigarette Smoking Research..... 307

 Alcohol Research 308

 Blood-Vessel Health..... 308

 Measurement of Hypertension..... 308

 Nutrition Research 309

 Measuring Body Composition/Adiposity 309

 Assessment of Physical Conditioning and Physical Activity 309

 Survey Research..... 310

 Retrospective Reports 310

 Cost Ratio Issues..... 310

 Calculating Cost Ratio and Estimating Benefits in Studies with Narrow Focus..... 311

 Calculating Cost Ratio and Estimating Benefits in Studies with Broad Focus 312

 The Full Bias-Correction Model..... 314

 A Note on Estimation Bias..... 317

 Assumptions..... 317

 Assumption 1: The Expensive Measure is More Valid than the Cheap Measure..... 318

 Assumption 2: The Model Will “Work” Once You Have Collected the Data..... 319

 Individual Versus Group Level Focus of the Research..... 320

 Alternative Model: The Auxiliary Variable Model..... 321

 References..... 322

