Diabetes

ADVANCES IN EXPERIMENTAL MEDICINE AND BIOLOGY

Editorial Board:

NATHAN BACK, *State University of New York at Buffalo*

IRUN R. COHEN, *The Weizmann Institute of Science*

ABEL LAJTHA, *N.S. Kline Institute for Psychiatric Research*

JOHN D. LAMBRIS, *University of Pennsylvania*

RODOLFO PAOLETTI, *University of Milan*

Recent Volumes in this Series

Volume 762

HIV INTERACTIONS WITH DENDRITIC CELLS: INFECTION AND IMMUNITY

Li Wu and Olivier Schwartz

Volume 763

BIOLOGY AND REGULATION OF BLOOD-TISSUE BARRIERS

C. Yan Cheng

Volume 764

HOT TOPICS IN INFECTION AND IMMUNITY IX

Andrew J. Pollard

Volume 765

OXYGEN TRANSPORT TO TISSUE XXXIV

Palm Welch and Harrison Bruley

Volume 766

DIGENETIC TREMATODES

Rafael Toledo and Bernard Fried

Volume 767

DNA HELICASES AND DNA MOTOR PROTEINS

Maria Spies

Volume 768

TEN YEARS OF PROGRESS IN GW/P BODY RESEARCH

Edward K.L. Chan and Marvin J. Fritzler

Volume 769

TANDEM REPEAT POLYMORPHISMS: GENETIC PLASTICITY, NEURAL DIVERSITY AND DISEASE

Anthony J. Hannan

Volume 770

TRIM/RBCC PROTEINS

Germana Meroni

Volume 771

DIABETES: AN OLD DISEASE, A NEW INSIGHT

Shamim I. Ahmad

A Continuation Order Plan is available for this series. A continuation order will bring delivery of each new volume immediately upon publication. Volumes are billed only upon actual shipment. For further information please contact the publisher.

Diabetes

An Old Disease, a New Insight

Edited by

Shamim I. Ahmad, BSc, MSc, PhD

*School of Science and Technology, Nottingham Trent University,
Nottingham, UK*

Springer Science+Business Media, LLC

Landes Bioscience

Springer Science+Business Media, LLC
Landes Bioscience

Copyright ©2013 Landes Bioscience and Springer Science+Business Media, LLC

All rights reserved.

No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the publisher, with the exception of any material supplied specifically for the purpose of being entered and executed on a computer system; for exclusive use by the Purchaser of the work.

Springer Science+Business Media, LLC, 233 Spring Street, New York, New York 10013, USA
<http://www.springer.com>

Please address all inquiries to the publishers:
Landes Bioscience, 1806 Rio Grande, Austin, Texas 78701, USA
Phone: 512/ 637 6050; FAX: 512/ 637 6079
<http://www.landesbioscience.com>

The chapters in this book are available in the Madame Curie Bioscience Database.
<http://www.landesbioscience.com/curie>

Diabetes: An Old Disease, a New Insight, edited by Shamim I. Ahmad. Landes Bioscience / Springer Science+Business Media, LLC dual imprint / Springer series: Advances in Experimental Medicine and Biology.

ISBN 978-1-4614-5440-3

While the authors, editors and publisher believe that drug selection and dosage and the specifications and usage of equipment and devices, as set forth in this book, are in accord with current recommendations and practice at the time of publication, they make no warranty, expressed or implied, with respect to material described in this book. In view of the ongoing research, equipment development, changes in governmental regulations and the rapid accumulation of information relating to the biomedical sciences, the reader is urged to carefully review and evaluate the information provided herein.

Library of Congress Cataloging-in-Publication Data

Diabetes : an old disease, a new insight / edited by Shamim I. Ahmad.

p. ; cm. -- (Advances in experimental medicine and biology ; v. 771)

Includes bibliographical references and index.

ISBN 978-1-4614-5440-3 (alk. paper)

I. Ahmad, Shamim I. II. Series: Advances in experimental medicine and biology ; v. 771.

[DNLM: 1. Diabetes Mellitus, Type 1. 2. Diabetes Complications. 3. Diabetes Mellitus, Type 2. 4. Insulin-Secreting Cells. W1 AD559 v.771 2012 / WK 810]

LC classification not assigned

616.4'62--dc23

2012029435

DEDICATION

This book is dedicated to all the sufferers of diabetes and their parents and caregivers who painstakingly look after them. Also, dedication goes to all those charity organizations who, without any personal interest, give their time, energy and skills for the benefit of diabetic patients. Finally, I would like to dedicate this book to my cousin, Javed Iqbal, who after a long suffering from Type 1 diabetes died at an early age of 40 from kidney failure.

ABOUT THE EDITOR...

SHAMIM I. AHMAD, after obtaining his Master's degree in Botany from Patna University, Bihar, India and his PhD in Molecular Genetics from Leicester University, England, joined Nottingham Polytechnic as Grade 1 lecturer and was subsequently promoted to SL post. Ahmad served for about 37 years at Nottingham Trent University (formerly Nottingham Polytechnic) before taking an early retirement to spend his time writing books and conducting full-time research. For more than three decades he worked on different areas of biology including thymineless death in bacteria, genetic control of nucleotide catabolism, development of anti-AIDS drugs, control of microbial infection of burns, phages of thermophilic bacteria and microbial flora of Chernobyl after the nuclear accident. But his primary interest, which started 27 years ago, is DNA damage and repair, particularly near UV photolysis of biological compounds, production of reactive oxygen species and their implications on human health including skin cancer and xeroderma pigmentosum. He is also investigating photolysis of non-biological compounds such as 8-methoxypsoralen+UVA, mitomycin C, and nitrogen mustard and their importance in psoriasis treatment and in Fanconi anemia. In 2003 he received a prestigious "Asian Jewel Award" in Britain for "Excellence in Education". He is the Editor of *Molecular Mechanisms of Ataxia Telangiectasia* and *Molecular Mechanisms of Cockayne Syndrome*, published by Landes Bioscience. He also edited *Molecular Mechanisms of Fanconi Anemia*, *Molecular Mechanisms of Xeroderma Pigmentosum*, *Diseases of DNA Repair* and *Neurodegenerative Diseases*, published by Landes Bioscience and Springer Science+Business Media.

PARTICIPANTS

Shamim I. Ahmad
School of Science and Technology
Nottingham Trent University
Nottingham
UK

Ghania El Akiki
Beth Israel Deaconess Hospital
Harvard Medical School
Boston, Massachusetts
USA

Ali Alqahtani
Faculty of Pharmacy
University of Sydney
Sydney, New South Wales
Australia

Santiago Arias-Herrera
School of Dentistry
Universidad Complutense de Madrid
Madrid
Spain

Jamil Azzi
Transplantation Research Center
Renal Division
Brigham and Women's Hospital
and Children's Hospital
Harvard Medical School
Boston, Massachusetts
USA

Vivek Bansal
Beth Israel Deaconess Hospital
Harvard Medical School
Boston, Massachusetts
USA

Antonio Bascones-Martínez
School of Dentistry
Universidad Complutense de Madrid
Madrid
Spain

Cristina Bascones-Ilundáin
School of Dentistry
Universidad Complutense de Madrid
Madrid
Spain

Jaime Bascones-Ilundáin
School of Dentistry
Universidad Complutense de Madrid
Madrid
Spain

Ibrahim Batal
Transplantation Research Center
Renal Division
Brigham and Women's Hospital
and Children's Hospital
Harvard Medical School
Boston, Massachusetts
USA

Ugo Boggi
Department of Endocrinology
and Metabolism
University of Pisa
Pisa
Italy

Marco Bugliani
Department of Endocrinology
and Metabolism
University of Pisa
Pisa
Italy

Lola Chabtni
Transplantation Research Center
Renal Division
Brigham and Women's Hospital
and Children's Hospital
Harvard Medical School
Boston, Massachusetts
USA

Kelvin Chan
Faculty of Pharmacy
University of Sydney
and
Centre for Complementary
Medicine Research
University of Western Sydney
Sydney, New South Wales
Australia

Rakesh Chibber
Institute of Biomedical and Clinical Science
Peninsula College of Medicine
and Dentistry
Universities of Exeter and Plymouth
Exeter
UK

Blandine Comte
Clermont Université
Université d'Auvergne
Unité de Nutrition Humaine
Clermont-Ferrand
France

Elena Criado-Cámara
School of Dentistry
Universidad Complutense de Madrid
Madrid
Spain

Andrea Diamond
Medical Nutrition
Nutrition Counseling Specialists
Bala Cynwyd, Pennsylvania
USA

Francesco Dotta
Department of Internal Medicine,
Endocrine and Metabolic Sciences
and Biochemistry
University of Siena
and
Fondazione Umberto Di Mario ONLUS
Siena
Italy

Jean-Jacques Dugoua
Department of Pharmaceutical Sciences
University of Toronto
Toronto, Ontario
Canada

Anthony N. Fabricatore
Department of Psychiatry
University of Pennsylvania
School of Medicine
Philadelphia, Pennsylvania
and
Department of Research and Development
Nutrisystem, Inc.
Fort Washington, Pennsylvania
USA

Letizia Galleri
Department of Internal Medicine,
Endocrine and Metabolic Sciences
and Biochemistry
University of Siena
and
Fondazione Umberto Di Mario ONLUS
Siena
Italy

Roberto Gianani
Department of Pediatrics
and
Department of Pathology
University of Colorado Denver
Denver, Colorado
USA

Emil Ginter
Institute of Preventive and Clinical
Medicine (IPCM)
Bratislava
Slovakia

Fabio Arturo Grieco
Department of Internal Medicine,
Endocrine and Metabolic Sciences
and Biochemistry
University of Siena
and
Fondazione Umberto Di Mario ONLUS
Siena
Italy

Sanjeev K. Gupta
Department of General Surgery
Banaras Hindu University
Varanasi
India

Toshiaki Hanafusa
Department of Internal Medicine (I)
Osaka Medical College
Takatsuki, Osaka
Japan

Akihisa Imagawa
Department of Metabolic Medicine
Osaka University
Suita, Osaka
Japan

Khalid Imam
Diabetes and Endocrinology Section
Liaquat National Hospital
and Medical College
Karachi
Pakistan

Eric L. Johnson
Department of Family and Community
Medicine
University of North Dakota
Grand Forks, North Dakota
USA

Antony Kam
Faculty of Pharmacy
University of Sydney
Sydney, New South Wales
Australia

Zdravko A. Kamenov
University Hospital Alexandrovska
Medical University - Sofia
Sofia
Bulgaria

Kirti Kaul
Institute of Biomedical and Clinical Science
Peninsula College of Medicine
and Dentistry
Universities of Exeter and Plymouth
Exeter
UK

Eva M. Kohner
Institute of Biomedical and Clinical Science
Peninsula College of Medicine
and Dentistry
Universities of Exeter and Plymouth
Exeter
UK

Tanya Lee
The Health Centre of Milton
Milton, Ontario
Canada

George Q. Li
Faculty of Pharmacy
University of Sydney
Sydney, New South Wales
Australia

Kong M. Li
 Sydney Medical School
 University of Sydney
 Sydney, New South Wales
 Australia

Sue Liong
 Department of Clinical Radiology
 Manchester Royal Infirmary
 Manchester
 UK

Heather Mangiapane
 School of Science and Technology
 Nottingham Trent University
 Nottingham
 England

Jorge de Faria Maraschin
 Universidade do Sul de Santa Catarina
 (UNISUL)
 Santa Catarina
 Brazil

Piero Marchetti
 Department of Endocrinology
 and Metabolism
 University of Pisa
 Pisa
 Italy

Lorella Marselli
 Department of Endocrinology
 and Metabolism
 University of Pisa
 Pisa
 Italy

Matilde Masini
 Department of Endocrinology
 and Metabolism
 University of Pisa
 Pisa
 Italy

Matthew Maulis
 The Barbara Davis Center
 for Childhood Diabetes
 University of Colorado Denver
 Denver, Colorado
 USA

Maureen Morrison
 Swedish Organ Transplant Division
 Swedish Medical Center
 Seattle, Washington
 USA

Marwan Mounayar
 Transplantation Research Center
 Renal Division
 Brigham and Women's Hospital
 and Children's Hospital
 Harvard Medical School
 Boston, Massachusetts
 USA

Eshaifol A. Omar
 Faculty of Pharmacy
 University of Sydney
 Sydney, New South Wales
 Australia

Sergio Polakof
 Clermont Université
 Université d'Auvergne
 Unité de Nutrition Humaine
 Clermont-Ferrand
 France

Valentina Razmovski-Naumovski
 Faculty of Pharmacy
 University of Sydney
 and
 Centre for Complementary
 Medicine Research
 University of Western Sydney
 Sydney, New South Wales
 Australia

Bancha Satirapoj
 Department of Medicine
 Phramongkutklao Hospital
 and College of Medicine
 Bangkok
 Thailand

Stanley Schwartz
 Department of Medicine
 University of Pennsylvania
 School of Medicine
 and
 Main Line Health System
 Philadelphia, Pennsylvania
 USA

Guido Sebastiani
Department of Internal Medicine,
Endocrine and Metabolic Sciences
and Biochemistry
University of Siena
and
Fondazione Umberto Di Mario ONLUS
Siena
Italy

Saeko Shibasaki
Department of Internal Medicine (I)
Osaka Medical College
Takatsuki, Osaka
Japan

Vlado Simko
State University of New York
Downstate Medical Center at Brooklyn
Brooklyn, New York
USA

Surya K. Singh
Department of Endocrinology
and Metabolism
Banaras Hindu University
Varanasi
India

Soon H. Song
Diabetes Centre
Northern General Hospital
Sheffield
UK

Kouidhi Soumaya
Laboratory of Genetics, Immunology
and Human Pathology
Faculty of Sciences
University of Manar I
Tunis
Tunisia

Isabella Spagnuolo
Department of Internal Medicine,
Endocrine and Metabolic Sciences
and Biochemistry
University of Siena
and
Fondazione Umberto Di Mario ONLUS
Siena
Italy

Krisztian Stadler
Pennington Biomedical Research Center
Baton Rouge, Louisiana
USA

Štěpán Svačina
3rd Department of Medicine
Charles University - 1st Medical Faculty
Katerinska, Prague
Czech Republic

Joanna M. Tarr
Institute of Biomedical and Clinical Science
Peninsula College of Medicine
and Dentistry
Universities of Exeter and Plymouth
Exeter
UK

Afshin Tavakoli
Department of Renal and Pancreas
Transplantation
Manchester Royal Infirmary
Manchester
UK

Christopher Ting
Transplantation Research Center
Renal Division
Brigham and Women's Hospital
and Children's Hospital
Harvard Medical School
Boston, Massachusetts
USA

Daria La Torre
Lund University
Clinical Research Center (CRC)
Department of Clinical Sciences
Malmö
Sweden

Latchezar D. Traykov
University Hospital Alexandrovska
Medical University - Sofia
Sofia
Bulgaria

Hiroyuki Umegaki
Department Geriatrics
Nagoya University Graduate School
of Medicine
Nagoya, Aichi
Japan

Vasiliki Valla
Faculty of Chemical Engineering
Laboratory of Applied Bio-Organic
Chemistry
Aristotle University of Thessaloniki
Kalamaria, Thessaloniki
Greece

Francesco Vendrame
Fondazione Umberto Di Mario ONLUS
Siena
Italy
and
Diabetes Research Institute
University of Miami
Miami, Florida
USA

Katarzyna Wolanska
Peninsula College of Medicine
and Dentistry
University of Exeter
Exeter
UK

Ka H. Wong
Faculty of Pharmacy
University of Sydney
Sydney, New South Wales
Australia

Xian Zhou
Faculty of Pharmacy
University of Sydney
Sydney, New South Wales
Australia

CONTENTS

PROLOGUE.....	xxvii
----------------------	--------------

Shamim I. Ahmad

1. INTRODUCTION TO DIABETES MELLITUS.....	1
--	----------

Kirti Kaul, Joanna M. Tarr, Shamim I. Ahmad, Eva M. Kohner and Rakesh Chibber

Abstract.....	1
Introduction.....	1
Classification of Diabetes Mellitus.....	3
Diagnostic Criteria.....	5
Management of Diabetes Mellitus	6
Future of Drugs and Therapies for Diabetes Mellitus	7
Complications of Diabetes Mellitus	8
Macrovascular Complications	8
Microvascular Complications	8
Diabetic Neuropathy	9
Diabetic Nephropathy.....	9
Diabetic Retinopathy	9
Impairment of Immune System	9
Periodontal and Foot Diseases	9
Conclusion	10

2. CLASSIFICATION OF DIABETES.....	12
---	-----------

Jorge de Faria Maraschin

Abstract.....	12
Introduction.....	12
Classification of Diabetes Mellitus.....	13
Type 1 Diabetes.....	13
Autoimmune or Type 1A Diabetes.....	14
Idiopathic or Type 1B Diabetes.....	15
Type 2 Diabetes.....	15
Diabetes of Others Specific Types.....	15
Maturity-Onset Diabetes of the Young.....	15

Diabetes Due to Genetic Defects of Insulin Action.....	16
Diabetes Due to Diseases of the Exocrine Pancreas	16
Diabetes Due to Other Endocrinopathies	17
Drug- or Chemical-Induced Diabetes	17
Diabetes Due to Infections.....	17
Gestational Diabetes Mellitus (GDM).....	17
Conclusion	17

3. FULMINANT TYPE 1 DIABETES MELLITUS: A NEW CLASS OF TYPE 1 DIABETES20

Saeko Shibasaki, Akihisa Imagawa and Toshiaki Hanafusa

Abstract.....	20
Introduction.....	20
Epidemiology.....	20
Genetic Background	21
Pathogenesis.....	22
Treatments.....	22
Conclusion	22

4. GESTATIONAL DIABETES MELLITUS.....24

Khalid Imam

Abstract.....	24
Introduction.....	24
Pathogenesis.....	25
High Risk Factors for GDM.....	25
Low Risk Factors for GDM.....	25
Complications of GDM.....	26
Screening and Diagnosis of GDM.....	28
Management of Gestational Diabetes Mellitus.....	29
Conclusion and Long-Term Considerations.....	33

5. GLOBAL PREVALENCE AND FUTURE OF DIABETES MELLITUS.....35

Emil Ginter and Vlado Simko

Abstract.....	35
Introduction.....	35
Prevalence of Diabetes and Discussion of the Findings.....	36
Conclusion	40

6. TYPE 2 DIABETES MELLITUS, PANDEMIC IN 21st CENTURY42

Emil Ginter and Vlado Simko

Abstract.....	42
Introduction.....	42
Present Prevalence and Future Trends of T2DM.....	43
Influence of Obesity on T2DM.....	46
Conclusion	49

7. EMERGING TYPE 2 DIABETES IN YOUNG ADULTS51

Soon H. Song

Abstract.....	51
Introduction.....	51
Epidemiology.....	52
Pathophysiology of Early-Onset T2DM.....	53
Clinical Presentation and Diagnostic Challenges.....	53
Diabetes Complications	54
Challenges in Clinical Management.....	57
Future Research Directions.....	58
Conclusion	59

8. IMPAIRMENT OF IMMUNE SYSTEMS IN DIABETES62

Christopher Ting, Vivek Bansal, Ibrahim Batal, Marwan Mounayar,
Lola Chabtini, Ghania El Akiki and Jamil Azzi

Abstract.....	62
Introduction.....	62
Pathogenesis.....	63
Genetic Predisposition	65
Innate Immunity	69
Loss of β-Cell Function.....	70
Environmental Factors	71
Toxins	72
Bacterial, Fungal and Parasitic Infections.....	72
Conclusion	72

9. PERIODONTAL DISEASE AND DIABETES76

Antonio Bascones-Martínez, Santiago Arias-Herrera, Elena Criado-Cámara,
Jaime Bascones-Ilundáin, and Cristina Bascones-Ilundáin

Abstract.....	76
Introduction.....	77
Periodontal Disease.....	79
Diabetes and Periodontal Disease.....	82
Interrelationship between Diabetes and Periodontal Disease.....	82
Periodontal Treatment and Its Influence on Diabetes	83
Glycemic Control and Its Influence on Periodontal Disease.....	83
Conclusion	86

10. RETINOPATHY IN DIABETES.....88

Joanna M. Tarr, Kirti Kaul, Katarzyna Wolanska, Eva M. Kohner
and Rakesh Chibber

Abstract.....	88
Introduction.....	88
Signs, Symptoms and Methods of Examination.....	88

Classification and Natural Progression	89
Epidemiology and Risk Factors	94
Anatomical Changes	94
Pathophysiology	95
Management and Treatment	98
Conclusion	102

11. NEPHROPATHY IN DIABETES.....107

Bancha Satirapoj

Abstract.....	107
Introduction	107
Epidemiology	108
Screening for Nephropathy	108
Staging of Nephropathy	109
Risk Factors.....	109
Pathophysiology	110
Hemodynamic Pathways	110
Metabolic Pathways	111
Renal Pathology	113
Relation between Diabetic Nephropathy and Retinopathy.....	113
Treatment.....	114
Glycemic Control	115
Blood Pressure and Proteinuric Control.....	115
Type 1 Diabetes.....	116
Type 2 Diabetes.....	116
Combination of ACE Inhibitor and ARB	117
Aldosterone Receptor Antagonists	117
Lipid Control	117
Protein Restriction	117
Salt Restriction	118
Weight Reduction.....	118
Intensive Combined Therapy.....	118
Other Agents.....	119
Conclusion	119

12. DIABETIC FOOT: A CONTINUING CHALLENGE123

Sanjeev K. Gupta and Surya K. Singh

Abstract.....	123
Introduction	124
Pathogenesis of Diabetic Foot	124
Infection	126
Clinical Evaluation of Patients with Diabetic Foot.....	127
Investigations.....	129
Treatment of Diabetic Foot	130
Prevention	134
Conclusion	134

13. GLYCEMIC VARIABILITY IN TYPE 2 DIABETES MELLITUS: OXIDATIVE STRESS AND MACROVASCULAR COMPLICATIONS139

Eric L. Johnson

Abstract.....	139
Introduction.....	139
Implications of Glycemic Variability.....	142
Challenges for Achieving Glycemic Control.....	144
Diabetes Medications and Glycemic Control in Clinical Settings	145
Conclusion	149

14. DIABETIC SOMATIC NEUROPATHY155

Zdravko A. Kamenov and Latchezar D. Traykov

Abstract.....	155
Introduction.....	155
Definition.....	156
Epidemiology	156
Pathophysiology	157
Classification.....	158
Class I—Subclinical Somatic DN	158
Class II—Clinical Somatic DN	159
Painful DN	168
Screening for DN	170
Sexual Dimorphism in DN.....	171
Conclusion	171

15. DIABETIC AUTONOMIC NEUROPATHY.....176

Zdravko A. Kamenov and Latchezar D. Traykov

Abstract.....	176
Introduction.....	176
Classification.....	177
Cardiovascular Autonomic Neuropathy	178
Gastrointestinal Autonomic Neuropathy (GIAN).....	181
Conclusion	189

16. IMMUNOBIOLOGY OF β -CELL DESTRUCTION.....194

Daria La Torre

Abstract.....	194
Introduction.....	194
Immunogenetics of T1DM.....	196
Islet Cell Autoimmunity	197
Immunobiology of β-Cell Destruction.....	205
Conclusion	211

17. CARDIOVASCULAR DISEASE AND DIABETES.....219

Heather Mangiapane

Abstract.....	219
Introduction.....	219
Hyperglycaemia and Atherosclerosis in Diabetes	221
Dyslipidemia and Diabetes	224
Plasma Fatty Acids and Atherosclerosis in Diabetes	225
Prevention and Treatment of Cardiovascular Disease in Diabetes	225
Conclusion	227

18. PANCREATIC CANCER AND DIABETES.....229

Maureen Morrison

Abstract.....	229
Introduction.....	229
The Pancreas: Anatomy and Function.....	230
Pancreatic Cancer	230
Pancreatic Cancer Biology	232
Diagnosing Pancreatic Cancer.....	233
Diabetes and Pancreatic Cancer.....	235
Pancreatic Cancer and Antidiabetic Therapy.....	236
Conclusion	237

**19. MOLECULAR MECHANISMS OF INSULIN RESISTANCE
IN DIABETES.....240**

Kouidhi Soumaya

Abstract.....	240
Introduction.....	240
Insulin Signaling Pathway.....	241
Impaired Insulin Signaling Pathway.....	242
Obesity, a Main Mediator of Insulin Resistance	243
Adipocyte Dysfunction and Insulin Resistance.....	243
Conclusion	247

20. VIRAL INFECTIONS AND DIABETES252Letizia Galleri, Guido Sebastiani, Francesco Vendrame, Fabio Arturo Grieco,
Isabella Spagnuolo and Francesco Dotta

Abstract.....	252
Introduction.....	252
Viruses and Genetic Risk for Type 1 Diabetes	253
Viral Mechanisms of Type 1 Diabetes Induction.....	254
Viruses and Diabetes in Animal Models	257
Viruses and Human Type 1 Diabetes	263
Conclusion	266

21. OXIDATIVE STRESS IN DIABETES272

Krisztian Stadler

Abstract.....	272
Introduction.....	272
Hyperglycemia and Oxidative Stress	273
Metabolic Syndrome, Type 2 Diabetes, Insulin Resistance and Oxidative Stress.....	276
Direct and Indirect Detection of Free Radicals in Diabetes:	
Biomarker or Mechanism?	279
Conclusion	282

22. THE PANCREATIC β CELLS IN HUMAN TYPE 2 DIABETES288

Piero Marchetti, Marco Bugliani, Ugo Boggi, Matilde Masini and Lorella Marselli

Abstract.....	288
Introduction.....	288
The Role of β -Cell Mass.....	290
The Role of β -Cell Function	294
The Molecular Phenotype of the β Cell in Type 2 Diabetes	296
The Role of Genetic Factors.....	298
The Role of Acquired Factors	299
Reversibility of Type 2 Diabetes β -Cell Damage	304
Conclusion	305

**23. β -CELL REGENERATION IN HUMAN PANCREAS:
THE LESSONS OF PANCREATIC PATHOLOGY310**

Matthew Maulis and Roberto Gianani

Abstract.....	310
Introduction.....	310
The Definition of Type 1 Diabetes.....	311
Pathology of Pancreas in Diabetes before Clinical Onset	313
Pathology of Pancreas in Diabetes at Onset	314
Pathology of Long Standing Diabetes	315
Conclusion	317

**24. GLUCOSE-INDUCED INSULIN SECRETION: NUTRITIONAL
PREVENTION AND NOVEL AVENUES FOR THERAPY319**

Sergio Polakof and Blandine Comte

Abstract.....	319
Introduction.....	319
Glucosensing in the β Cell	320
Non-Esterified Fatty Acids as Modulators of the GSIS.....	321
Mitochondrial Factors Modulating Glucose-Induced Insulin Secretion	322
Malonyl-CoA Pathway.....	324
Nutritional Prevention and Novel Therapies.....	324
Lipids.....	324
Complex Carbohydrates and Others	325
Novel Therapies: Pharmacological Approaches and Other.....	326
Conclusion	333

25. CLINICAL FEATURES, DIAGNOSTIC CRITERIA AND PATHOGENESIS OF DIABETES MELLITUS340

Khalid Imam

Abstract.....	340
Introduction.....	340
Classification of Diabetes Mellitus.....	341
Diagnostic Criteria of Diabetes Mellitus.....	341
Clinical Features of Diabetes Mellitus	342
Diagnostic Blood Tests in Diabetes	344
Pathophysiology	346
Conclusion	352

26. MANAGEMENT AND TREATMENT OF DIABETES MELLITUS.....356

Khalid Imam

Abstract.....	356
Introduction.....	356
Management of Diabetes Mellitus	357
Pharmacological Treatment of Diabetes	359
General Principles of Insulin Therapy.....	371
New Advancements in Diabetes Management.....	373
Conclusion	376

27. NUTRITIONAL SUPPLEMENTS AND THEIR EFFECT ON GLUCOSE CONTROL.....381

Tanya Lee and Jean-Jacques Dugoua

Abstract.....	381
Introduction.....	381
Soluble Fibre.....	382
Herbal Medicine.....	384
Single Nutraceutical Therapy	389
Conclusion	392

28. HERBAL MEDICINES FOR THE MANAGEMENT OF DIABETES.....396

George Q. Li, Antony Kam, Ka H. Wong, Xian Zhou, Eshaifol A. Omar,
Ali Alqahtani, Kong M. Li, Valentina Razmovski-Naumovski
and Kelvin Chan

Abstract.....	396
Introduction.....	396
Treatment of Diabetes in Traditional Medicine Systems.....	397
Herbal Medicines Increasing Insulin Secretion of the Pancreas	399
Herbal Medicines Improving Insulin Sensitivity	400
Herbal Medicines Inhibiting Glucose Production in the Liver.....	400
Herbal Medicines Enhancing Glucose Uptake in Adipose and Muscle Tissues.....	403
Herbal Medicines Inhibiting Glucose Absorption from the Intestine.....	406
Herbal Medicines in the Treatment of Diabetic Complications.....	408
Conclusion	408

29. CONTINUOUS SUBCUTANEOUS INSULIN INFUSION (CSII) PUMPS.....414

Vasiliki Valla

Abstract.....	414
Introduction.....	414
Basic Characteristics of Insulin Pumps	415
Clinical Efficacy and Safety	415
Conclusion	418

30. PANCREATIC TRANSPLANT IN DIABETES.....420

Afshin Tavakoli and Sue Liong

Abstract.....	420
Introduction.....	420
Whole Organ Pancreatic Transplantation Procedures.....	421
The Role of Pancreatic Transplantation	421
Recipient Selection and Work-Up	421
Pancreatic Procurement and Allocation	423
Pancreas Transplant Procedure.....	425
Post-Operative Management of the Recipient	428
Complications of Pancreatic Transplantation	430
Islet Cell Transplant.....	435
Conclusion	435

31. WEIGHT REDUCTION IN DIABETES438

Stanley Schwartz, Anthony N. Fabricatore and Andrea Diamond

Abstract.....	438
Introduction.....	438
Obesity, Diabetes and Vascular Disease	439
Managing Obesity and Diabetes	441
Conclusion	453

32. TREATMENT OF OBESE DIABETICS459

Štěpán Svačina

Abstract.....	459
Introduction.....	459
Pathogenetic Connection of Obesity and Diabetes	460
Complex Treatment of Obese Diabetic Patients.....	460
Weight Reduction in Type 2 Diabetic Patient.....	460
Antiobesity Drugs in Diabetes.....	461
Antidiabetic Drugs and Weight	461
Incretin Based Therapy	462
Conclusion	463

**33. NEUROCOGNITIVE DYSFUNCTION IN OLD DIABETES:
MANAGEMENT AND TREATMENT.....465**

Hiroyuki Umegaki

Abstract..... 465
Introduction..... 465
Epidemiology of Cognitive Dysfunction in Old Diabetic Patients..... 466
Etiology of Diabetes-Associated Cognitive Dysfunction..... 466
Assessment of Diabetes-Associated Cognitive Dysfunction 466
Treatment and Management of Diabetic Patients with Cognitive Impairment..... 467
Conclusion 469

**EPILOGUE: AN APPEAL TO THE HEADS OF THE HEALTH
SERVICES AND WORLD HEALTH ORGANIZATION (WHO)471**

Shamim I. Ahmad

Raise People’s Awareness 471
For the Sufferers of Diabetes 472
Screening Programmes..... 472
Notes..... 472

INDEX.....473

ACKNOWLEDGEMENTS

The editor of *Diabetes: An Old Disease, a New Insight* cordially acknowledges the various authors of this book for their in-depth knowledge and the highly skilled presentations in their chapter contributions. Without their input it would not have been possible to produce this volume on such a vast subject and complicated disease. My special thanks goes to some of my earlier contributors and partners who from the very early stage of my entering in the field of publication, on personal basis, encouraged me to enter in this field. They include, Professor F. Hanaoka, Drs. S. Kirk, G. Pagano, A. Sarasin, J.E. Cleaver, C. Lambert, J.F. Perry, G. Spivak and most importantly Dr. P. Hanawalt.

I would also like to acknowledge the hard work, friendly approach and patience of Celeste Carlton, Cynthia Conomos, Daniel Olasky and Erin O'Brien, all of Landes Bioscience. In addition, a special thank goes to Celeste Carlton for her deep interest and hard work for the production of this book. And finally to Ron Landes of Landes Bioscience for providing me this valuable platform to climb upon.

PROLOGUE

This book begins with an overview chapter, “Introduction to Diabetes Mellitus”, which would normally be the preface. This prologue, in lieu of a traditional preface, presents materials that focus on benefiting diabetic patients and their caregivers.

Another reason to make this prologue unique is that one of my very close relations has been suffering from Type 2 diabetes mellitus (T2DM), having been diagnosed about 11 years ago. During this period I have collected information through his experience, some of which may usefully accompany the information related in this book.

As we know now, diabetes is a complex disease and is also one of the most common. The first research paper documented on diabetes was published in 1811¹ and since then 390,884 scientific papers and reviews have been published (Medline, November, 2011).

It is very difficult to reach an accurate estimate for the global prevalence of diabetes since the standards and methods of data collection vary widely in different parts of the world. In addition, many potential sufferers are not included in the count because according to an estimate about 50% of cases remain undiagnosed for up to 10 years. However, according to an estimate for 2010, globally, there are about 285 million people (amounting to 6.4% of the adult population) suffering from this disease. This number is estimated to increase to 439 million by 2030 if no cure is found.² The general increase in life expectancy, leading to an ageing population, and the global rise in obesity are two main reasons for the increase.

It is interesting to note that the frequency of diabetes varies in different populations, for example the incidence in Asia (India, Pakistan and Bangladesh) is estimated at 10-12% of the population, whereas in Europe it is about 4-5%. Genetic makeup, and the times at which key genetic mutations affecting diabetes have occurred, may explain this variation. As an example, the distribution of diabetes in different regions of the United Kingdom (UK) varies: England, 5.4%; Northern Ireland, 3.7%; Scotland, 4.1% and Wales 4.9%. One possible reason for the higher proportion in England may be the higher population of immigrants from countries with high prevalence of diabetes, than in other regions of the UK.

Diabetes is the fifth leading cause of death in the UK and over 200,000 people suffer from diabetes-related complications every year. Despite the fact that such a huge amount of research is carried out in the field, we are still a long way away from understanding fully the mechanisms involved in its development, and it still remains an incurable disease.

The treatment mostly given is to control blood sugar levels and thus prevent onset of diabetic complications as long as possible.

Diabetes, especially Type 2, is a highly complex disease and the control of blood sugar levels is so difficult that even the best efforts to bring levels to normal or even near normal is almost impossible. One reason for this is because the sugar levels in the blood (of both, diabetics and non-diabetics) fluctuate fast depending upon food intake, its carbohydrate type, content and status of the underlying renal and liver function.

With the basic platform set, I will now present my views and advice to our readers, especially to diabetic patients suffering from T2DM, on the basis of my observations and information collected from other diabetics.

DIABETES IN SOME PARTS OF THE WORLD IS NOT CONSIDERED A DISEASE

It is true that in some countries (for example in the Asian sub-continent) diabetes is not considered a disease. A simple reason for this is that it does not show any apparent immediate effect on the overall physiology or immediate threat of death such as from cancers. There is no headache, temperature, sickness, palpitation, infection etc., hence it is not considered a disease.

For those who do not consider diabetes as a disease it is very important to recognize that **Diabetes is a slow killing disease**, and before death, patients can suffer from a number of complications such as blindness (due to retinopathy), kidney failure (due to nephropathy), heart attack (due to damage to the vascular systems) or foot diseases (due to neuropathy and ischemia) which can lead to leg amputation. Death normally occurs due to kidney or heart failure. Hence from the time the disease is diagnosed, patients should take it seriously and try to control blood sugar levels as close to normal as possible. They should have regular check-ups for blood sugar levels, and HbA_{1c} every 6-12 months (this gives an average blood sugar level for the last 3 months). An achievement of HbA_{1c} of 6.5% or less is considered good control.

The other side of the coin is that some people are frightened as soon as they are diagnosed to be suffering from diabetes. It is my advice that they should not be frightened, but they may consider it a blessing in disguise, because many of us do not take good care of our health especially as far the eating habit is concerned. As a result the obesity and its related diseases, especially diabetes, is on the increase. Once the diabetes is diagnosed most patients not only go for a more healthy diet but are forced to refrain from eating sugar and fat. They also increase exercise and—especially if obese—try to reduce weight which benefits them for other diseases. Also their doctors, as a precautionary measure, may prescribe anti-cholesterol and other health improving drugs such as low dose of aspirin and keep a watch on other diabetic related complications. Since coronary heart disease is one of the highest killers and since diagnosis of diabetes leads patients and doctors to take more precautions against it—I call it a “Blessing in Disguise”.

Patients are also advised to read about the disease, try to fully understand it, and follow all the control measures and proper treatment as required. A vast amount of information is available on websites and many organized diabetes societies are working all over the world.

DOSES OF MEDICINE(S)

When a patient is diagnosed to be suffering from T2DM, depending upon the level of the blood sugar, she/he is advised to go on a low sugar diet plus exercise and, if obese, to lose weight. Depending upon the blood sugar levels at the time of diagnosis, patients can live fairly happily using these strategies for a number of years until such time as they are required to go on medication. Metformin is the first line of treatment. There are many other drugs with different modes of action, safety and efficacy (please see Chapter 26 in this volume).

In our observation, if the drug dose is not carefully controlled, overdose can lead to regular hypoglycaemia. Hypoglycaemia then can lead to (i) feeling shaky (ii) sharp hunger (iii) sweating (iv) anxiety, and in some cases (vi) blurred vision and (vii) fast pulse. The effects of severe hypoglycaemia include difficulty in concentration, confusion and irrational behavior. In such situations one must not drive since the chance of an accident becomes very high. Hence recognition and rapid control of hypoglycaemia are very important.

To overcome hypoglycaemia, patients are advised to carry with them some kind of rapidly acting sugar such as dextrose, sucrose or glucose. When required, one should start with a very small dose of sugar to learn how much of which sugar is just enough to bring the patient out of hypoglycaemia. Taking too much can lead to hyperglycaemia. Doctors then may think that the drug dose prescribed is not high enough to control diabetes and, instead of reducing the dose, may increase it. Hence, it is vital that patients understand about hypo/hyperglycaemia and inform their doctor if frequent hypoglycaemia is experienced.

In addition to metformin and sulphonylureas, other oral drugs include α -glucosidase inhibitor, dipeptidyl peptidase IV inhibitor (sitagliptin, vildagliptin and saxagliptin) and pioglitazone. (For more information on drugs see Chapter 26 in this volume). Studies have shown that in 7 years some people can develop resistance to one or more prescribed anti-diabetic drugs; hence it is recommended that therapists should keep a close watch on the effective use of each drug received by patients.

MEASUREMENT OF BLOOD SUGAR

Blood sugar can be measured in different ways. In the early days of diabetes management a number of methods were developed to measure blood sugar levels³ which are now obsolete and have been replaced by more accurate and rapid methods which involves the use of a glucometer that uses a tiny drop of blood placed on a testing strip connected to the glucometer. Within seconds the reading appears on the meter as mmol/l or mg/dl. Another very reliable method is the measurement of glycosylated haemoglobin known as HbA_{1c}. This is carried out by specialized laboratories and serves as a measure of the average accumulation of blood glucose since, and is the most important test to assess diabetes control.

Although glucometers are mostly used by patients with Type 1 diabetes mellitus (T1DM), in the editor's view it is equally important for Type 2 diabetic patients to use them. A glucose reading of 6 mmol/l before breakfast (fasting reading) is indicative

of good control of diabetes (a non-diabetic person normally shows a fasting reading of 3-5 mm/l). Likewise a reading of HbA_{1c} of less than 6.5 % shows good control of diabetes. If the reading starts to rise, this suggests that the patient may now be subject to diabetic complications.

OBESITY

A strong relationship exists between diabetes and obesity, with fat cells playing an important role in diabetes. Ironically the increase in diabetes, especially in industrialized countries, is correlated with the increase in the obesity (for detail please see Chapter 31 in this volume). Hence, to control diabetes it is of utmost importance that obesity should be overcome. Besides over-eating and lack of exercise, another reason diabetic patients become obese is the induction of hunger by certain anti-diabetic drugs, possibly leading to hypoglycaemia and resultant over-eating. As mentioned above, therefore, diabetic patients must take the right dose of medicine, reduce the frequency of hypoglycaemia and control obesity.

DIET FOR DIABETIC PATIENTS

This is one of the most difficult issues to combat in diabetes. Diabetic patients have to very carefully select which food items they should take to maintain good sugar levels in their blood. Since the biochemistry of different patients can vary, each person may be required to find his/her own food items (by consuming each single item at a time including recording its weight) and measuring the blood sugar levels once before and another 2-3 hours after consumption. Such measures will prove useful in avoidance of those foods inducing hyperglycaemia. Guidelines are available on a variety of websites concerning diets for diabetic patients, but are not always sufficiently well explained. For example, suggestions may be given that diabetic patients may eat 1-2 types of fruit per day, but which and what amount may not be given.

Another major problem that diabetic patients face is the inappropriate labelling of readymade foods. Most labels are fairly misleading, e.g., they may show carbohydrates as 20%, of which sugar is 10%. As we know sugar is a vague term that can include all different kinds of sugar such as glucose, lactose, fructose, mannitol, sorbitol, sucrose and many more. Not all sugars are harmful for diabetics, e.g., fructose and sorbitol are known to be safe but not glucose. In one case that I am aware of, a label says “sugar free”, but careful reading shows that it contains grape juice (high in glucose).

With some disappointment the editor is reporting a big gap in the supply of readymade food geared towards diabetics. As for my search concerns, only a few kinds of biscuits, chocolates and jams are available in a very small number of shops in the city (and most likely in others too) where I live. Realizing that 4-5% of the population suffers from diabetes, the food industry is urged to think about producing more food items geared for consumption by diabetic patients. This may allow patients to control their blood glucose levels better. It also puts less pressure on National Health Services; hence, governments should also promote this kind of industry.

The use of artificial sugars such as saccharine and aspartame remains debatable for diabetic patients. If the patient can sacrifice sweet tastes it is better to do so, but if not, I suggest taking artificial sweeteners in moderate quantities. No serious side effect of artificial sweeteners has yet been declared except in the case of sorbitol. Some animal experiments have shown that it can induce retinopathy⁴ but no evidence for a similar effect in humans has been determined yet. Also patients suffering from phenylketonuria (PKN) are advised not to take aspartame sweetener since one of the components of this sugar is phenylalanine, which is harmful for PKN patients.

EXERCISE

Exercise is an important component of diabetic control. The importance of exercise in diabetes was reported as early as 1925.⁵ Since then 11,683 research papers, including good reviews, have been published on this subject (PubMed, November 2011) emphasizing the value of exercise in diabetes. In a recent six-month trial of exercise on T1DM children, more than twice weekly, significant improvement was noted in their HbA_{1c} level and lipid profiles.⁶

Exercise not only leads to reduction in blood sugar levels but also many other valuable effects of exercise are noted for both diabetic and non-diabetic patients. Reduction in obesity is one important outcome of regular exercise and, as mentioned above, obesity and diabetes are closely linked.⁷ Other valuable effects of exercise are: improvement in cardiac function, psychological and behavioral changes⁸ and improvement in memory.⁹ Although much research has been carried out with patients suffering from T1DM, exercise is equally important for those with T2DM.¹⁰

A good indication of fruitful exercise is a rise in heart rate. Brisk walking is better than slow walking, and patients can increase the time they spend exercising gradually as their stamina improves. However, some diabetic patients may be prohibited from exercise due to other health problems. Interestingly, for such cases a recent research has shown that 20 minutes of passive stretching also can lower glucose levels in an at-risk population.¹¹

HUNGER AND DIABETES

As mentioned above, some drugs can induce hunger not long after having a meal. In addition, hunger may result from (i) missing a meal, (ii) taking an overdose of a drug or insulin, (iii) consuming low carbohydrate food, or (iv) undertaking heavy exercise. These can induce hypoglycaemia with the symptoms mentioned above. If hypoglycaemia is experienced at a regular time after taking anti-diabetic drugs, lowering the dose of drug can be helpful. Also try to eat recommended foods at regular intervals so that normal hunger can also be avoided.

Finally, it is well known that our brain requires a constant amount of sugar for its normal function.¹² Hence, diabetic patients should try to reduce the occurrence of hypoglycaemia and resulting hunger as much as possible so that the required sugar level to supply the brain can be maintained.

CONSTIPATION AND DIABETES

Although constipation is a common phenomenon among diabetic patients, not much attention has been given in this direction as it may not be considered important. This is reflected in the fact that the first paper associating constipation with diabetes appeared in 1969 in a French journal and was given the name “Paradoxic Gastric Secretory Deficiency Syndrome”,¹³ but since then only 395 papers (1% of total of 386,224) have been published on this phenomenon (PubMed November, 2011). One reason is that colonic motility disorder in diabetic patients, induced due to neuropathy, may contribute to the phenotype.¹⁴ Another reason (as explained by a diabetic consultant) is that diabetics are constipated because the high osmolarity in their blood demands water from the stool which becomes more solid and hence less easily excreted.

To avoid constipation it is advised that high fiber diets are adopted¹⁵ and if that does not work mild laxatives may be used.

CONCLUSION

The three phases in approaching diabetes are: Prevention, control and treatment.

1. Prevention

Diabetes in the Family

If diabetes runs in the family, keep an eye on it. It may occur at an early age (T1DM) and if so, usually it becomes evident as soon as it develops provided the family is made aware of the symptoms. Alternatively, it may occur at a later stage (T2DM), usually after the age of 40. For T2DM it is recommended that each putative member of the family should have their blood tested for high sugar at a regular interval of say 6 months.

Obesity

As mentioned above, there is good link between obesity and diabetes. It may be difficult to control weight but one should try as much as possible (especially by avoiding sugar and fatty foods) to keep to the recommended weight for the height. Regular exercise may be a good method to control weight.

2. Control

Early diagnosis of diabetes can be a blessing. It can force the patients to take care of their health and prevent fatal diseases such as high blood pressure, coronary heart disease and obesity related disorders. Diet and exercise are the two most important factors for controlling diabetes at the early stage. Early diagnosis of diabetes can lead to its control by simple life style modification. Foods with a low glycaemic index (containing carbohydrates undergoing slow digestion), moderate amounts of protein and high in fiber are the best for diabetic patients. Good control of blood sugar using this method can lead to long-term

avoidance of treatment by drugs. There are a number of food supplements available which claim to have the ability to lower blood sugar levels (see Chapter 28 in this volume).

3. Treatment

Eventually most, if not all, patients will have to undergo some kind of medical treatment. Much has been said above about this, but it is important to note that there is a continuous struggle between the dose of the drug, kind of diet and hypo- and hyperglycaemia. Hence, since your doctor cannot keep an eye on the hourly fluctuation of your blood glucose levels (which depend not only on the medicine you take but also the food you have eaten) you must take care with the dose of your medicine(s), especially when your doctor has increased or reduced it.

Warning: This prologue has been written with good and sincere intentions by the editor, who is not a clinician, to guide diabetic patients to take care of their health. It is strongly recommended that patients, before contemplating use of any of the guidance given above, first consult their doctor and caregivers. Furthermore, the editor will not be responsible for any adverse known or unknown effects experienced by any patient following the advice in this prologue.

Shamim I. Ahmad, BSc, MSc, PhD

REFERENCES

1. Henry, W. Experiments on the urine discharged in diabetes mellitus, with remarks on that disease. *Med Chir Trans* 1811; 2:119-36.
2. Diabetes and impaired glucose tolerance. IDF Diabetes Atlas, 4th Ed. Brussels: International Diabetes Federation, 2009.
3. Colagiuri S, Steinbeck AW. Urine testing in diabetes. *Med J Aust* 1979; 1:570.
4. Szaflik JP, Ajsterek I, Kowalski M et al. Association between sorbitol dehydrogenase gene and polymorphisms and type 2 diabetic retinopathy. *Exp Eye Res* 2008; 86:647-652.
5. Hetzel, KS. Muscular exercise in diabetes mellitus. *Br Med J* 1925; 1:102-106
6. Aouadi R, Khalifa R, Aouidet A et al. Aerobic training programs and glycaemic control in diabetic children in relation to exercise frequency. *Sports Med Phys Fitness* 2011; 51:393-400.
7. O’Gorman DJ, Krook, A. Exercise and the treatment of diabetes and obesity. *Med Clin North Am* 2011; 95:953-969.
8. Renner B, Hankonen N, Ghisletta P, Absetz P. Dynamic psychological and behavioural changes in the adoption and maintenance of exercise. *Health Psychol* 2011; Sept 5 [Epub ahead of print].
9. De Senna PN, Ilha J, Baptista PP et al. Effects of physical exercise on spatial memory and astroglial alterations in the hippocampus of diabetic rats. *Meta Brian Dis* 2011; Sept 3 [Epub ahead of print].
10. Zanuso S, Jimenez A, Pugliese G et al. Exercise for the management of type 2 diabetes: a review of the evidence. *Acta Diabetol* 2010; 47:15-22.
11. Nelson AG, Kokkonen J, Arnall DA. Twenty minutes of passive stretching lowers glucose levels in an at-risk population: an experimental study. *Physiother* 2011; 57:173-178.
12. Brosnan JT. Comments on metabolic needs for glucose and the role of gluconeogenesis. *Eur J Clin Nutr* 1999; 53(suppl 1):S107-1011.
13. Schrub JC, Hillemand B, Clabaut Y. Constipation of the diabetic. The paradoxical gastric secretory deficiency syndrome constipation of the diabetic. *Sem Hop* 1969; 45:3180-3183.
14. Battle WM, Cohen JD, Snape WJ Jr. Disorders of colonic motility in patients with diabetes mellitus. *Yale J Biol Med* 1983; 56:277-83
15. Jenkins DJ, Jenkins AL. The clinical implications of dietary fibre. *Adv Nutr Res* 1984; 6:169-202.