

METHODS IN MOLECULAR BIOLOGY

Series Editor
John M. Walker
School of Life Sciences
University of Hertfordshire
Hatfield, Hertfordshire, AL10 9AB, UK

For further volumes:
<http://www.springer.com/series/7651>

Protein Affinity Tags

Methods and Protocols

Edited by

Richard J. Giannone

*Organic & Biological Mass Spectrometry, Chemical Sciences Division,
Oak Ridge National Laboratory, Oak Ridge, TN, USA*

Andrew B. Dykstra

Analytical Sciences, Amgen, West Greenwich, RI, USA

Editors

Richard J. Giannone
Organic & Biological Mass Spectrometry
Chemical Sciences Division
Oak Ridge National Laboratory
Oak Ridge, TN, USA

Andrew B. Dykstra
Analytical Sciences
Amgen
West Greenwich, RI, USA

ISSN 1064-3745 ISSN 1940-6029 (electronic)
ISBN 978-1-4939-1033-5 ISBN 978-1-4939-1034-2 (eBook)
DOI 10.1007/978-1-4939-1034-2
Springer New York Heidelberg Dordrecht London

Library of Congress Control Number: 2014939955

© Springer Science+Business Media New York 2014

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Humana Press is a brand of Springer
Springer is part of Springer Science+Business Media (www.springer.com)

Preface

In this post-genomic era, emphasis continues to be placed on the derivation of genetic information from the simplest to the most complex of organisms. Recent advancements in DNA sequencing technology, specifically with regard to speed, cost, and overall availability, promise a future that is awash with novel genomic information—information that will not only expand our knowledge of the processes that govern life, but also fuel innovation that will undoubtedly conquer many of today's most salient health and environmental challenges. Though emphasis is often placed on the “gene,” it is the encoded product—the “protein”—that actually serves any real biochemical function. Compared to genes, which themselves hold information and more so describe potential function, proteins are the actual tangible components of the cellular machinery, carrying out the multitude of functions that support life, whether biochemical or structural. Thus, to fully understand and appreciate any biological process, one must take a hard look at the proteins involved, taking note of the exquisite functional interplay between themselves and amongst other biomolecules.

Given the intrinsic DNA–protein link and coupled with the routine use of molecular cloning/recombinant DNA technology, today's researchers can easily alter the amino acid sequence of any given protein. This powerful technology allows for precise engineering of specific proteins and enables unprecedented inquiry into both their structures and function. A common technique utilized by many molecular biologists interested in probing protein function involves genetically grafting a protein or short peptide sequence onto one or both terminal ends of a given protein of interest. By virtue of the appended protein/peptide sequence, this new recombinant, “tagged” protein can be easily purified by one of several routine methods. Aptly named, protein affinity tagging employs the use of known protein binding interactions in order to “fish out” a protein of interest or, with more advanced tags, a protein complex.

The intent of this collection is to provide researchers with the necessary information, tools, and strategy needed to properly interrogate a given protein's function. The development and use of recombinant affinity tags has been paramount in this endeavor, providing an efficient means to purify a protein of interest for downstream functional assessment. This volume is not intended, however, to be an all-inclusive listing of affinity tags but rather attempts to highlight the general strategies employed by researchers who use this technology on a daily basis. In fact, more emphasis has been placed on advanced affinity tagging procedures that introduce novel purification techniques. As follows, purposefully missing are chapters that focus on the one-step purification of proteins employing commonly used affinity tags *without* additional novelty (e.g., visualization, solubility enhancements, or enhanced tag removal strategies). These simple affinity tags have been covered *ad nauseam* in the literature and most are optimized, detailed, and readily available through commercial means. Furthermore, single tag purification methodologies can be easily extrapolated from the included chapters as many include these often used affinity tags packaged into more advanced constructs.

With regard to the volume at hand, the included chapters are roughly divided into tag constructs that feature one purification event and those that feature two or more. Though

engineering proteins with a single affinity tag is routine and generally useful for purifying ample amounts of recombinant protein, issues with proper folding, solubility, and localization often arise. Many of the chapters included here provide means to circumvent these shortcomings. Likewise, single tag-based strategies are sometimes afflicted with purity issues. Often, this is of no consequence. When purity does matter (i.e., certain sensitive applications such as LC-MS/MS-based identification of interacting protein partners) tagging proteins with multiple affinity motifs/domains provides enhanced specificity but at the expense of reduced protein recovery. Finally, readers will notice that many affinity-tag constructs include other features that aid in the purification process. These features can be grouped into three major categories: tags that enhance protein solubility, tags that include motifs/proteins/domains that allow for protein visualization, and tags that can be removed from the final purified product, either via the targeting of proteases or those that are self-cleavable.

Whatever the needs of the researcher, there is most likely an affinity tag available to accomplish the task at hand—they come in virtually every flavor, differing in size, complexity, binding/bait capture affinities, and types of interaction (i.e., antibody–antigen/epitope, enzyme–substrate, receptor–ligand, coordination of amino acid residues and metals, etc.). It is our hope that the collection of methodologies listed here will be an invaluable resource to those seeking to utilize protein affinity tags to study their biological system of interest.

Oak Ridge, TN, USA
West Greenwich, RI, USA

Richard J. Giannone
Andrew B. Dykstra

Contents

<i>Preface</i>	<i>v</i>
<i>Contributors</i>	<i>ix</i>
1 1D4: A Versatile Epitope Tag for the Purification and Characterization of Expressed Membrane and Soluble Proteins	1
<i>Laurie L. Molday and Robert S. Molday</i>	
2 Affinity Purification of Heme-Tagged Proteins	17
<i>Wesley B. Asher and Kara L. Bren</i>	
3 Purification of a Recombinant Protein with Cellulose-Binding Module 3 as the Affinity Tag	35
<i>Dongmei Wang and Jiong Hong</i>	
4 Purification of <i>E. coli</i> Proteins Using a Self-Cleaving Chitin-Binding Affinity Tag	47
<i>Michael J. Coolbaugh and David W. Wood</i>	
5 Simplified Protein Purification Using an Autoprocessing, Inducible Enzyme Tag	59
<i>Aimee Shen</i>	
6 SUMO as a Solubility Tag and In Vivo Cleavage of SUMO Fusion Proteins with Ulp1	71
<i>Dennis Kuo, Minghua Nie, and Albert J. Courey</i>	
7 Rescuing Aggregation-Prone Proteins in <i>Escherichia coli</i> with a Dual His ₆ -MBP Tag	81
<i>Danielle Needle and David S. Waugh</i>	
8 Expression, Purification, and Immobilization of Recombinant Tamavidin 2 Fusion Proteins	95
<i>Yoshimitsu Takakura, Naomi Oka, and Masako Tsunashima</i>	
9 Use of Tandem Affinity Chromatography for Purification of Cannabinoid Receptor CB ₂	107
<i>Silvia C. Locatelli-Hoops and Alexei A. Yeliseev</i>	
10 Detection of Protein–Protein Interactions Using Tandem Affinity Purification	121
<i>Ian Goodfellow and Dalan Bailey</i>	
11 An Improved In Vivo Biotinylation Strategy Combined with FLAG and Antibody Based Approaches for Affinity Purification of Protein Complexes in Mouse Embryonic Stem Cells	135
<i>Francesco Faiola, Arven Saunders, Baoyen Dang, and Jianlong Wang</i>	
12 Purification of Recombinant Proteins with a Multifunctional GFP Tag	151
<i>Takashi Murayama and Takuya Kobayashi</i>	

13 Targeted Purification of SnAvi-Tagged Proteins 163
Ursula Schäffer, Ralf Baumeister, and Ekkehard Schulze

14 An Efficient Fluorescent Protein-Based Multifunctional
Affinity Purification Approach in Mammalian Cells 175
*Hanhui Ma, Janel R. McLean, Kathleen L. Gould,
and Dannel McCollum*

15 Bimolecular Affinity Purification: A Variation of TAP
with Multiple Applications 193
Petro Starokadomskyy and Ezra Burstein

Index 211

Contributors

- WESLEY B. ASHER • *Division of Molecular Therapeutics, Department of Psychiatry, Columbia University, New York, NY, USA*
- DALAN BAILEY • *School of Immunity and Infection, University of Birmingham, Birmingham, UK*
- RALF BAUMEISTER • *Faculty of Biology, Institute of Biology III, Faculty of Medicine, Center for Biochemistry and Molecular Cell Research; Center for Biological Signalling Studies (BIOSS); Freiburg Center for Advanced Studies (FRIAS), Center for Biological Systems Analysis (ZBSA), University of Freiburg, Freiburg, Germany*
- KARA L. BREN • *Department of Chemistry, University of Rochester, Rochester, NY, USA*
- EZRA BURSTEIN • *Department of Internal Medicine; Department of Molecular Biology, UT Southwestern Medical Center, Dallas, TX, USA*
- MICHAEL J. COOLBAUGH • *Department of Chemical and Biomolecular Engineering, The Ohio State University, Columbus, OH, USA*
- ALBERT J. COUREY • *Department of Chemistry & Biochemistry and the Molecular Biology Institute, University of California, Los Angeles, CA, USA*
- BAOYEN DANG • *Department of Developmental and Regenerative Biology, Black Family Stem Cell Institute, Icahn School of Medicine at Mount Sinai, New York, NY, USA*
- ANDREW B. DYKSTRA • *Analytical Sciences, Amgen, West Greenwich, RI, USA*
- FRANCESCO FAIOLA • *Department of Developmental and Regenerative Biology, Black Family Stem Cell Institute, Icahn School of Medicine at Mount Sinai, New York, NY, USA*
- RICHARD J. GIANNONE • *Organic & Biological Mass Spectrometry Group, Chemical Sciences Division, Oak Ridge National Laboratory, Oak Ridge, TN, USA*
- IAN GOODFELLOW • *Division of Virology, Department of Pathology, Addenbrooke's Hospital, University of Cambridge, Cambridge, UK*
- KATHLEEN L. GOULD • *Department of Cell and Developmental Biology, Vanderbilt University School of Medicine, Nashville, TN, USA*
- JIONG HONG • *School of Life Science, University of Science and Technology of China, Hefei National Laboratory for Physical Science at the Microscale, Hefei, Anhui, China*
- TAKUYA KOBAYASHI • *Department of Cellular and Molecular Pharmacology, Juntendo University Graduate School of Medicine, Tokyo, Japan*
- DENNIS KUO • *Department of Chemistry & Biochemistry and the Molecular Biology Institute, University of California, Los Angeles, CA, USA*
- SILVIA C. LOCATELLI-HOOPS • *Laboratory of Membrane Biochemistry and Biophysics, National Institute on Alcohol Abuse and Alcoholism, National Institutes of Health, Bethesda, MD, USA*
- HANHUI MA • *Department of Biochemistry and Molecular Pharmacology, University of Massachusetts Medical School, Worcester, MA, USA*
- DANNEL MCCOLLUM • *Department of Biochemistry and Molecular Pharmacology, University of Massachusetts Medical School, Worcester, MA, USA*
- JANEL R. MCLEAN • *Department of Cell and Developmental Biology, Vanderbilt University School of Medicine, Nashville, TN, USA*

- LAURIE L. MOLDAY • *Department of Biochemistry and Molecular Biology, University of British Columbia, Vancouver, BC, Canada*
- ROBERT S. MOLDAY • *Department of Biochemistry and Molecular Biology, University of British Columbia, Vancouver, BC, Canada*
- TAKASHI MURAYAMA • *Department of Cellular and Molecular Pharmacology, Juntendo University Graduate School of Medicine, Tokyo, Japan*
- DANIELLE NEEDLE • *Macromolecular Crystallography Laboratory, Center for Cancer Research, National Cancer Institute, Frederick, MD, USA*
- MINGHUA NIE • *Department of Chemistry & Biochemistry and the Molecular Biology Institute, University of California, Los Angeles, CA, USA*
- NAOMI OKA • *Plant Innovation Center, Japan Tobacco, Inc., Iwata, Japan*
- ARVEN SAUNDERS • *Department of Developmental and Regenerative Biology, Black Family Stem Cell Institute, Mount Sinai Graduate School of Biomedical Sciences, Icahn School of Medicine at Mount Sinai, New York, NY, USA*
- URSULA SCHAFFER • *Institut de Génétique et de Biologie Moléculaire et Cellulaire (IGBMC), Illkirch, France*
- EKKEHARD SCHULZE • *Faculty of Biology; Center for Biological Signalling Studies (BIOSS), Institute of Biology III, University of Freiburg, Freiburg, Germany*
- AIMEE SHEN • *Department of Microbiology and Molecular Genetics, University of Vermont, Burlington, VT, USA*
- PETRO STAROKADOMSKYY • *Department of Internal Medicine, UT Southwestern Medical Center, Dallas, TX, USA*
- YOSHIMITSU TAKAKURA • *Plant Innovation Center, Japan Tobacco, Inc., Iwata, Japan; Leaf Tobacco Research Center, Japan Tobacco, Inc., Oyama, Japan*
- MASAKO TSUNASHIMA • *Plant Innovation Center, Japan Tobacco, Inc., Iwata, Japan*
- DONGMEI WANG • *School of Life Science, University of Science and Technology of China, Hefei, Anhui, China*
- JIANLONG WANG • *Department of Developmental and Regenerative Biology, Black Family Stem Cell Institute, Icahn School of Medicine at Mount Sinai, New York, NY, USA*
- DAVID S. WAUGH • *Macromolecular Crystallography Laboratory, Center for Cancer Research, National Cancer Institute, Frederick, MD, USA*
- DAVID W. WOOD • *Department of Chemical and Biomolecular Engineering, The Ohio State University, Columbus, OH, USA*
- ALEXEI A. YELISEEV • *Laboratory of Membrane Biochemistry and Biophysics, National Institute on Alcohol Abuse and Alcoholism, National Institutes of Health, Bethesda, MD, USA*