

Universitext

Series Editors

Sheldon Axler

Department of Mathematics, San Francisco State University, San Francisco, California, USA

Vincenzo Capasso

Dipartimento di Matematica, Università degli Studi di Milano, Milano, Italy

Carles Casacuberta

Depto. Àlgebra i Geometria, Universitat de Barcelona, Barcelona, Spain

Angus MacIntyre

Queen Mary University of London, London, United Kingdom

Kenneth Ribet

Department of Mathematics, University of California, Berkeley, California, USA

Claude Sabbah

CNRS, Ecole polytechnique Centre de mathématiques, Palaiseau, France

Endre Süli

Worcester College, University of Oxford, Oxford, United Kingdom

Wojbor A. Woyczynski

Department of Mathematics, Case Western Reserve University, Cleveland, Ohio, USA

Universitext is a series of textbooks that presents material from a wide variety of mathematical disciplines at master's level and beyond. The books, often well class-tested by their author, may have an informal, personal even experimental approach to their subject matter. Some of the most successful and established books in the series have evolved through several editions, always following the evolution of teaching curricula, to very polished texts.

Thus as research topics trickle down into graduate-level teaching, first textbooks written for new, cutting-edge courses may make their way into Universitext.

More information about this series at <http://www.springer.com/series/223>

Felipe Linares • Gustavo Ponce

Introduction to Nonlinear Dispersive Equations

 Springer

Felipe Linares
Instituto Nacional de Matemática
Pura e Aplicada (IMPA)
Rio de Janeiro
Rio de Janeiro
Brazil

Gustavo Ponce
Dept. Mathematics
University of California, Santa Barbara
College of Letters & Science
Santa Barbara
California
USA

ISSN 0172-5939

ISSN 2191-6675 (electronic)

Universitext

ISBN 978-1-4939-2180-5

ISBN 978-1-4939-2181-2 (eBook)

DOI 10.1007/978-1-4939-2181-2

Library of Congress Control Number: 2014958590

Springer New York Heidelberg Dordrecht London

© Springer-Verlag New York 2015

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Preface

The goal of this text is to present an introduction to a sampling of ideas and methods from the subject of nonlinear dispersive equations. This subject has been of great interest and has rapidly developed in the last few years. Here we will try to expose some aspects of the recent developments.

The presentation is intended to be self-contained, but we will assume that the reader has knowledge of the material usually taught in courses of theory of one complex variable and integration theory.

This text is the product of lecture notes used for mini-courses and graduate courses taught by the authors. The first version of the lecture notes was written by Gustavo Ponce with Wilfredo Urbina from the Universidad Central de Venezuela and designed to teach a mini-course at the Venezuelan School of Mathematics in Mérida, Venezuela, in 1990. A second version of those notes was presented by Gustavo Ponce at the Colombian School of Mathematics in Cali, Colombia in 1991. These notes comprise a part of the materials covered in the first six chapters of the present text. Most of the original notes were used to teach various graduate courses at IMPA and UNICAMP by Felipe Linares. During these lectures the previous versions were complemented with some new materials presented here. These notes were also used by Hebe Biagioni and Marcia Scialom from UNICAMP in their seminars and graduate courses. The idea to write the present text arose from the need for a more complete treatment of these topics for graduate students.

Before going any further we would first like to give a notion of what a dispersive type of partial differential equation is. We will do this in the one-dimensional frame. We consider a linear partial differential equation

$$F(\partial_x, \partial_t)u(x, t) = 0, \tag{1}$$

where F is a polynomial in the partial derivatives. We look for plane wave solutions of the form $u(x, t) = Ae^{i(kx - \omega t)}$ where A , k , and ω are constants representing the amplitude, the wavenumber, and the frequency, respectively. Hence u will be a solution if and only if

$$F(ik, -i\omega) = 0. \tag{2}$$

This equation is called the dispersion relation. This relation characterizes the plane wave motion. In several models we can write ω as a real function of k , namely,

$$\omega = \omega(k).$$

The phase and group velocities of the waves are defined by

$$c_p(k) = \frac{\omega}{k} \quad \text{and} \quad c_g = \frac{d\omega}{dk}.$$

The waves are called dispersive if the group velocity $c_g = \omega'(k)$ is not constant, i.e., $\omega''(k) \neq 0$. In the physical context this means that when time evolves, the different waves disperse in the medium, with the result that a single hump breaks into wave-trains.

To present the material we have chosen to study two very well-known models in the class of nonlinear dispersive equations: the Korteweg–de Vries equation

$$\partial_t v + \partial_x^3 v + v \partial_x v = 0, \tag{3}$$

where v is a real-valued function and the nonlinear Schrödinger equation

$$i \partial_t u + \Delta u = f(u, \bar{u}), \tag{4}$$

where u is a complex-valued function.

Before commenting on the theory presented in this text regarding these equations we would like to say a few words concerning the physical models described by these equations in the context of water waves.

The first model (3) goes back to the discovery of Scott Russell in 1835 of what he called a traveling wave. This equation describes the propagation of waves in shallow water and was proposed by Diederik Johannes Korteweg and Gustav de Vries in 1895 [KdV]. In the one-dimensional context, the (cubic) nonlinear Schrödinger equation (4) with $f(u, u) = |u|^2 u$ models the propagation of wave packets in the theory of water waves.

We also have to mention that there is a very well-known strong relationship between these two equations and the theory of completely integrable systems, or Soliton theory.

In many cases, we present the details of simple proof, which may not be that of the strongest result. We give several examples to illustrate the theory. At the end of every chapter we complement the theory described either with a set of exercises or with a section with comments on open problems, extensions, and recent developments.

The first three chapters attempt to review several topics in Fourier analysis and partial differential equations. These are the elementary tools needed to develop the theory in the rest of the notes.

The properties of solutions to the linear problem associated to the Schrödinger equation are discussed in Chapter 4. Then the initial value problem associated to (4) and properties of its solutions are studied in Chaps. 5 and 6. Chapters 7 and 8 are devoted to the study of the initial value problem for the generalized Korteweg–de

Vries equation. A survey of results concerning several nonlinear dispersive equations that generalize (3) and (4) as Davey–Stewartson systems, Ishimori equations, Kadomtsev–Petviashvili equations, Benjamin–Ono equations, and Zakharov systems is presented in Chapter 9. In the last chapter we present the most recent result regarding local well-posedness for the nonlinear Schrödinger equation.

We shall point out that by no means our presentation is completely exhaustive. We refer the reader to the lecture notes by Cazenave [Cz1], [Cz2] and the books by Sulem and Sulem [SS2], Bourgain [Bo2], and Tao [To7]. In these works many topics not covered in these notes are studied in detail.

Acknowledgments

The authors are indebted to several friends who made this project possible. We would like to thank Carlos Kenig, who allowed us to use part of his lecture notes regarding the material in Chapter 10; Luis Vega for useful comments and suggestions; Rafael Iório and Carlos Isnard who are great supporters of the idea of having graduate courses at IMPA in the topics discussed here and the writing of notes concerning; Hebe Biagioni, Marcia Scialom, and Jaime Angulo who gave us feedback about the former lecture notes. We also thank Daniela Bekiranov, Mahendra Panthee, Aniura Milanes, Wee Keong Lim, German Fonseca, Didier Pilod, Aida Gonzalez, José Jiménez, and Luiz Farah for reading the most part of the manuscript and for giving us many corrections and useful comments. The first author is grateful to the Mathematics Department of University of California at Santa Barbara for the support to accomplish this project. The second author was supported by an NSF grant.

Rio de Janeiro and Santa Barbara
June 2008

Felipe Linares
Gustavo Ponce

Preface to the Second Edition

In this version several errors and typos of the first edition have been corrected thanks to the comments of many friends.

Very few changes were made in the (basic) first four chapters. Some of the material presented in the other chapters has been expanded and updated. In addition, several new exercises have been added.

Despite considerable increase, the bibliography is not intended to be complete. We also thank Cynthia Flores and Derek Smith for reading some parts of the new version of this manuscript.

Rio de Janeiro and Santa Barbara
August 2014

Felipe Linares
Gustavo Ponce

Contents

| | | |
|----------|--|-----|
| 1 | The Fourier Transform | 1 |
| 1.1 | The Fourier Transform in $L^1(\mathbb{R}^n)$ | 1 |
| 1.2 | The Fourier Transform in $L^2(\mathbb{R}^n)$ | 6 |
| 1.3 | Tempered Distributions | 8 |
| 1.4 | Oscillatory Integrals in One Dimension | 13 |
| 1.5 | Applications | 16 |
| 1.6 | Exercises | 18 |
| 2 | Interpolation of Operators: A Multiplier Theorem | 25 |
| 2.1 | The Riesz–Thorin Convexity Theorem | 25 |
| 2.1.1 | Applications | 28 |
| 2.2 | Marcinkiewicz Interpolation Theorem (Diagonal Case) | 29 |
| 2.2.1 | Applications | 32 |
| 2.3 | The Stein Interpolation Theorem | 37 |
| 2.4 | A Multiplier Theorem | 38 |
| 2.5 | Exercises | 38 |
| 3 | An Introduction to Sobolev Spaces and Pseudo-Differential Operators | 45 |
| 3.1 | Basics | 45 |
| 3.2 | Pseudo-Differential Operators | 53 |
| 3.3 | The Bicharacteristic Flow | 55 |
| 3.4 | Exercises | 57 |
| 4 | The Linear Schrödinger Equation | 63 |
| 4.1 | Basic Results | 63 |
| 4.2 | Global Smoothing Effects | 68 |
| 4.3 | Local Smoothing Effects | 71 |
| 4.4 | Comments | 76 |
| 4.5 | Exercises | 89 |
| 5 | The Nonlinear Schrödinger Equation: Local Theory | 93 |
| 5.1 | L^2 Theory | 96 |
| 5.2 | H^1 Theory | 103 |

| | | |
|-----------|--|------------|
| 5.3 | H^2 Theory | 107 |
| 5.4 | Comments | 110 |
| 5.5 | Exercises | 121 |
| 6 | Asymptotic Behavior of Solutions for the NLS Equation | 125 |
| 6.1 | Global Results | 125 |
| 6.2 | Formation of Singularities | 131 |
| 6.2.1 | Case $\alpha \in (1 + 4/n, 1 + 4/(n - 2))$ | 134 |
| 6.2.2 | Case $\alpha = 1 + 4/n$ | 136 |
| 6.3 | Comments | 140 |
| 6.4 | Exercises | 146 |
| 7 | Korteweg–de Vries Equation | 151 |
| 7.1 | Linear Properties | 153 |
| 7.2 | mKdV Equation | 158 |
| 7.3 | Generalized KdV Equation | 161 |
| 7.4 | KdV Equation | 167 |
| 7.5 | Comments | 179 |
| 7.6 | Exercises | 184 |
| 8 | Asymptotic Behavior of Solutions for the k-gKdV Equations | 191 |
| 8.1 | Cases $k = 1, 2, 3$ | 192 |
| 8.2 | Case $k = 4$ | 198 |
| 8.3 | Comments | 204 |
| 8.4 | Exercises | 210 |
| 9 | Other Nonlinear Dispersive Models | 215 |
| 9.1 | Davey–Stewartson Systems | 215 |
| 9.2 | Ishimori Equation | 217 |
| 9.3 | KP Equations | 219 |
| 9.4 | BO Equation | 220 |
| 9.5 | Zakharov System | 231 |
| 9.6 | Higher Order KdV Equations | 234 |
| 9.7 | Exercises | 239 |
| 10 | General Quasilinear Schrödinger Equation | 249 |
| 10.1 | The General Quasilinear Schrödinger Equation | 249 |
| 10.2 | Comments | 268 |
| 10.3 | Exercises | 269 |
| | Appendix A Proof of Theorem 2.8 | 271 |
| | Appendix B Proof of Lemma 4.2 | 277 |
| | References | 279 |
| | Index | 299 |