

METHODS IN MOLECULAR BIOLOGY

Series Editor
John M. Walker
School of Life and Medical Sciences
University of Hertfordshire
Hatfield, Hertfordshire, AL10 9AB, UK

For further volumes:
<http://www.springer.com/series/7651>

Auxins and Cytokinins in Plant Biology

Methods and Protocols

Edited by

Thomas Dandekar

*Department of Bioinformatics, Biocenter University of Würzburg Am Hubland Würzburg Germany,
Julius-Maximilians-Universität Würzburg, Würzburg, Germany*

Muhammad Naseem

*Department of Bioinformatics, Biocenter University of Würzburg Am Hubland Würzburg Germany,
Julius-Maximilians-Universität Würzburg, Würzburg, Germany; Department of Molecular
Biology and Genetics, Boğaziçi University, Istanbul, Turkey*

Editors

Thomas Dandekar
Department of Bioinformatics
Biocenter University of Würzburg Am Hubland
Würzburg Germany
Julius-Maximilians-Universität Würzburg
Würzburg, Germany

Muhammad Naseem
Department of Bioinformatics
Biocenter University of Würzburg Am Hubland
Würzburg Germany
Julius-Maximilians-Universität Würzburg
Würzburg, Germany

Department of Molecular Biology and Genetics
Boğaziçi University
Istanbul, Turkey

ISSN 1064-3745 ISSN 1940-6029 (electronic)
Methods in Molecular Biology
ISBN 978-1-4939-6829-9 ISBN 978-1-4939-6831-2 (eBook)
DOI 10.1007/978-1-4939-6831-2

Library of Congress Control Number: 2017931659

© Springer Science+Business Media LLC 2017

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Humana Press imprint is published by Springer Nature
The registered company is Springer Science+Business Media LLC
The registered company address is: 233 Spring Street, New York, NY 10013, U.S.A.

Preface

It has been several decades since Skoog and Miller described the contrasting behavior of auxin and cytokinin in influencing the growth of root and shoot in plants. Since then, a profound understanding concerning the implications of auxin and cytokinin for plant growth and development has been achieved. Complex processes such as the maintenance of stem cell in niches such as root apical meristem, shoot apical meristem, and lateral root meristems have recently been unearthed. Robust stem cell signaling networks, leaf position determination, and emergence of leaf primordia, lateral root formation, and de novo hormone-induced organogenesis are the processes that are stringently fine-tuned by a balance between auxin and cytokinins in plants.

More intriguingly, for various plant processes synergistic and antagonistic interactions have been demonstrated for auxin and cytokinins. Auxin exerts its inhibition on cytokinins at several levels; mechanisms range from its biosynthesis to the suppression of its signaling. Reciprocally, cytokinins antagonistically impact the flux, distribution, and signaling of auxin. Not only in growth and development but both these hormones have recently been shown to modulate plant regulatory networks that govern the adaptation of plants to biotic and abiotic stresses. The interaction between cytokinin and salicylic acid and that of auxin and jasmonate have opened new avenues in the study of plant-pathogen interactions. Furthermore, reports also highlight the emerging role of cytokinin in abiotic stresses as well as its crosstalk to stress hormone abscisic acid.

All these groundbreaking discoveries concerning the biology of auxin and cytokinins are by the virtue of dedicated efforts made by the plant science community. Besides phenomenal description of these important plant hormones in many publications, a methodological focus on tools, assays, and techniques that enhance our understanding of the functional role of auxin and cytokinins is worth a special compilation. To accomplish this task, we aimed at collecting vital protocols with their background information as well as potential applications in the form of this volume of *Methods in Molecular Biology (MiMB)*. We are thankful to our humble authors who did spare time and efforts to contribute to this timely topic of plant biology. We hope that this volume will provide a unique opportunity to plant scientists, graduate and undergraduate students in adopting these vital methods in addressing their biological questions pertinent to the functional implications of auxin and cytokinins.

Würzburg, Germany
Würzburg, Germany

Thomas Dandekar
Muhammad Naseem

Contents

<i>Preface</i>	<i>v</i>
<i>Contributors</i>	<i>ix</i>
1 Methodological Advances in Auxin and Cytokinin Biology <i>Andrej Hurný and Eva Benková</i>	1
2 Analytical Determination of Auxins and Cytokinins <i>Petre I. Dobrev, Klára Hoyerová, and Jan Petrášek</i>	31
3 Manipulation of Auxin and Cytokinin Balance During the <i>Plasmodiophora brassicae</i> – <i>Arabidopsis thaliana</i> Interaction <i>Jutta Ludwig-Müller, Susann Auer, Sabine Jülke, and Sabine Marschollek</i>	41
4 Microbial Manipulation of Auxins and Cytokinins in Plants <i>Anwar Hussain, Ihsan Ullah, and Shahida Hasnain</i>	61
5 A Standardized Method to Assess Infection Rates of Root-Knot and Cyst Nematodes in <i>Arabidopsis thaliana</i> Mutants with Alterations in Root Development Related to Auxin and Cytokinin Signaling <i>Rocío Olmo, Ana Cláudia Silva, Fernando E. Díaz-Manzano, Javier Cabrera, Carmen Fenoll, and Carolina Escobar</i>	73
6 Reconstruction of an Immune Dynamic Model to Simulate the Contrasting Role of Auxin and Cytokinin in Plant Immunity <i>Martin Kaldorf, Thomas Dandekar, and Muhammad Naseem</i>	83
7 Interplay Between Auxin and Cytokinin and Its Impact on Mitogen Activated Protein Kinase (MAPK) <i>Pallavi Singh and Alok Krishna Sinha</i>	93
8 Quantification of Cytokinin Levels and Responses in Abiotic Stresses <i>Alfonso Albacete</i>	101
9 Assessment of Cytokinin-Induced Immunity Through Quantification of <i>Hyaloperonospora arabidopsidis</i> Infection in <i>Arabidopsis thaliana</i> <i>Ruth A. Watson and Cristiana T. Argueso</i>	113
10 Real-Time Genetic Manipulations of the Cytokinin Pathway: A Tool for Laboratory and Field Studies <i>Martin Schäfer and Stefan Meldau</i>	127
11 Modulating the Levels of Plant Hormone Cytokinins at the Host-Pathogen Interface <i>Muhammad Naseem, Shabana Shams, and Thomas Roitsch</i>	141
12 Analyzing Cytokinin Responses During Plant-Nematode Interactions <i>Florian M.W. Grundler and Shahid Siddique</i>	151
13 Examining H ₂ O ₂ Production in <i>Arabidopsis</i> Leaves Upon Challenge by Cytokinin <i>Shahjahan Shabbir Ahmed, Ihsan Ullah, Shazia Irfan, and Nazeer Ahmed</i>	159

14	A Systems Biology Methodology Combining Transcriptome and Interactome Datasets to Assess the Implications of Cytokinin Signaling for Plant Immune Networks.	165
	<i>Meik Kunz, Thomas Dandekar, and Muhammad Naseem</i>	
15	Monitoring of Crosstalk Between Jasmonate and Auxin in the Framework of Plant Stress Responses of Roots.	175
	<i>Víctor Carrasco Loba, Marta-Marina Pérez Alonso, and Stephan Pollmann</i>	
16	High-Throughput Protoplast Trans-Activation (PTA) Screening to Define Transcription Factors in Auxin-Mediated Gene Regulation	187
	<i>Nora Webner, Jörn Herfert, Wolfgang Dröge-Laser, and Christoph Weiste</i>	
	<i>Index</i>	203

Contributors

- NAZEER AHMED • *Department of Biotechnology, Balochistan University of IT, Engineering and Management Sciences, Quetta, Pakistan*
- SHAHJAHAN SHABBIR AHMED • *Department of Biotechnology, Balochistan University of IT, Engineering and Management Sciences, Quetta, Pakistan*
- ALFONSO ALBACETE • *Department of Plant Nutrition, CEBAS-CSIC, Murcia, Spain*
- CRISTIANA T. ARGUESO • *Department of Bioagricultural Sciences and Pest Management, Colorado State University, Fort Collins, CO, USA*
- SUSANN AUER • *Institut für Botanik, Technische Universität Dresden, Dresden, Germany*
- EVA BENKOVÁ • *Institute of Science and Technology, Klosterneuburg, Austria*
- JAVIER CABRERA • *Facultad de Ciencias Ambientales y Bioquímica, Universidad de Castilla-La Mancha, Toledo, Spain*
- THOMAS DANDEKAR • *Department of Bioinformatics, Biocenter University of Würzburg Am Hubland Würzburg Germany, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*
- FERNANDO E. DÍAZ-MANZANO • *Facultad de Ciencias Ambientales y Bioquímica, Universidad de Castilla-La Mancha, Toledo, Spain*
- PETRE I. DOBREV • *Laboratory of Hormonal Regulations in Plants, Institute of Experimental Botany, CAS, Praha, Czech Republic*
- WOLFGANG DRÖGE-LASER • *Pharmazeutische Biologie, Julius-von-Sachs-Institut, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*
- CAROLINA ESCOBAR • *Facultad de Ciencias Ambientales y Bioquímica, Universidad de Castilla-La Mancha, Toledo, Spain*
- CARMEN FENOLL • *Facultad de Ciencias Ambientales y Bioquímica, Universidad de Castilla-La Mancha, Toledo, Spain*
- FLORIAN M.W. GRUNDLER • *Department of Molecular Phytomedicine, Rheinische Friedrich-Wilhelms-University of Bonn, Bonn, Germany*
- SHAHIDA HASNAIN • *Department of Microbiology and Molecular Genetics, University of the Punjab, Lahore, Pakistan*
- JÖRN HERFERT • *Pharmazeutische Biologie, Julius-von-Sachs-Institut, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*
- KLÁRA HOYEROVÁ • *Laboratory of Hormonal Regulations in Plants, Institute of Experimental Botany, CAS, Praha, Czech Republic*
- ANDREJ HURNÝ • *Institute of Science and Technology, Klosterneuburg, Austria*
- ANWAR HUSSAIN • *Department of Botany, Garden Campus, Abdul Wali Khan University, Mardan, Pakistan*
- SHAZIA IREAN • *Department of Biotechnology, Balochistan University of IT, Engineering and Management Sciences, Quetta, Pakistan*
- SABINE JÜLKE • *Institut für Botanik, Technische Universität Dresden, Dresden, Germany*
- MARTIN KALTDORF • *Functional Genomics & Systems Biology Group, Department of Bioinformatics, Biocenter, University of Würzburg, Würzburg, Germany*
- MEIK KUNZ • *Functional Genomics & Systems Biology Group, Department of Bioinformatics, Biocenter, University of Würzburg, Würzburg, Germany*

- VÍCTOR CARRASCO LOBA • *Centro de Biotecnología y Genómica de Plantas, Universidad Politécnica de Madrid (UPM)-Instituto Nacional de Investigación y Tecnología Agraria y Alimentación (INIA), Campus de Montegancedo, Madrid, Spain*
- JUTTA LUDWIG-MÜLLER • *Institut für Botanik, Technische Universität Dresden, Dresden, Germany*
- SABINE MARSCHOLLEK • *Institut für Botanik, Technische Universität Dresden, Dresden, Germany*
- STEFAN MELDAU • *Research & Development, KWS SAAT SE, Grimsehlstrasse, Einbeck, Germany*
- MUHAMMAD NASEEM • *Department of Bioinformatics, Biocenter University of Würzburg Am Hubland Würzburg Germany, Julius-Maximilians-Universität Würzburg, Würzburg, Germany; Department of Molecular Biology and Genetics, Boğaziçi University, Bebek, Istanbul, Turkey*
- ROCÍO OLMO • *Facultad de Ciencias Ambientales y Bioquímica, Universidad de Castilla-La Mancha, Toledo, Spain*
- MARTA-MARINA PÉREZ ALONSO • *Centro de Biotecnología y Genómica de Plantas, Universidad Politécnica de Madrid (UPM)-Instituto Nacional de Investigación y Tecnología Agraria y Alimentación (INIA), Campus de Montegancedo, Madrid, Spain*
- JAN PETRÁŠEK • *Laboratory of Hormonal Regulations in Plants, Institute of Experimental Botany, CAS, Prague, Czech Republic; Department of Experimental Plant Biology, Faculty of Science, Charles University, Prague, Czech Republic*
- STEPHAN POLLMANN • *Centro de Biotecnología y Genómica de Plantas, Universidad Politécnica de Madrid (UPM)-Instituto Nacional de Investigación y Tecnología Agraria y Alimentación (INIA), Campus de Montegancedo, Madrid, Spain*
- THOMAS ROITSCH • *Department of Plant and Environmental Sciences, Copenhagen Plant Science Centre, University of Copenhagen, Taastrup, Denmark; Global Change Research Centre, Czech Globe AS CR, Drásov, Czech Republic*
- MARTIN SCHÄFER • *Department of Molecular Ecology, Max-Planck-Institute for Chemical Ecology, Jena, Germany*
- SHABANA SHAMS • *Department of Animal Sciences, Quaid-i-Azam University, Islamabad, Pakistan*
- SHAHID SIDDIQUE • *Department of Molecular Phytomedicine, Rheinische Friedrich-Wilhelms-University of Bonn, Bonn, Germany*
- ANA CLÁUDIA SILVA • *Facultad de Ciencias Ambientales y Bioquímica, Universidad de Castilla-La Mancha, Toledo, Spain*
- PALLAVI SINGH • *National Institute of Plant Genome Research, New Delhi, India*
- ALOK KRISHNA SINHA • *National Institute of Plant Genome Research, New Delhi, India*
- IHSAN ULLAH • *Department of Environmental Science, Islamic International University, Islamabad, Pakistan*
- RUTH A. WATSON • *Department of Bioagricultural Sciences and Pest Management, Colorado State University, Fort Collins, CO, USA*
- NORA WEHNER • *Pharmazeutische Biologie, Julius-von-Sachs-Institut, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*
- CHRISTOPH WEISTE • *Pharmazeutische Biologie, Julius-von-Sachs-Institut, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*