

METHODS IN MOLECULAR BIOLOGY™

Series Editor
John M. Walker
School of Life Sciences
University of Hertfordshire
Hatfield, Hertfordshire, AL10 9AB, UK

For further volumes:
<http://www.springer.com/series/7651>

Electron Crystallography of Soluble and Membrane Proteins

Methods and Protocols

Edited by

Ingeborg Schmidt-Krey

*School of Biology, School of Chemistry and Biochemistry, Georgia Institute of Technology,
Atlanta, GA, USA*

Yifan Cheng

*Department of Biochemistry and Biophysics, University of California San Francisco,
San Francisco, CA, USA*

 **Humana Press**

Editors

Ingeborg Schmidt-Krey
School of Biology
School of Chemistry and Biochemistry
Georgia Institute of Technology
Atlanta, GA, USA

Yifan Cheng
Department of Biochemistry and Biophysics
University of California San Francisco
San Francisco, CA, USA

ISSN 1064-3745 ISSN 1940-6029 (electronic)
ISBN 978-1-62703-175-2 ISBN 978-1-62703-176-9 (eBook)
DOI 10.1007/978-1-62703-176-9
Springer New York Heidelberg Dordrecht London

Library of Congress Control Number: 2012950339

© Springer Science+Business Media New York 2013

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Humana Press is a brand of Springer
Springer is part of Springer Science+Business Media (www.springer.com)

Preface

This volume is aimed at biological scientists intending to gain structural information on membrane proteins or soluble proteins by electron crystallography. Membrane proteins may be reconstituted and induced to form two-dimensional (2D) crystals in a near-native lipid environment. Soluble proteins may also be induced to form ordered 2D arrays. From such 2D crystals, both images and electron diffraction patterns can be acquired with an electron microscope. The basic principle of electron crystallography is to calculate a 3D density map by combining the amplitudes obtained from electron diffraction patterns with the experimental phases calculated from images. The technology for studying membrane proteins is very well developed and has produced a number of atomic models of membrane proteins in a lipid environment. The book is focused on comprehensive experimental protocols, and its chapters cover the entire range of techniques used in electron crystallography, from protein sample preparation, 2D crystallization, and screening in negative stain over electron cryo-cryomicroscopy (cryo-EM) and data processing to modeling of conformational changes. The reader will be guided through each step, including sample preparation and initial low-resolution studies, which require only a minimum of equipment and in-house expertise, to an overview of planning and using a state-of-the-art cryo-EM facility for high-resolution data collection and processing. Additional chapters provide perspective on past, present, and future challenges as well as complementary methods.

It is our hope that this book will guide both laboratories new to the methods as well as state-of-the-art facilities in the nontrivial techniques used in electron crystallography. Protocols will be applicable to laboratories wishing to gain initial structural information on, for example, the number of subunits on a protein, over secondary structural features to atomic resolution information with the aim of structure–function studies.

In addition to biological scientists, a considerable number of physicists have moved to apply their skills to biological problems. This book will provide valuable guidelines for understanding the differences encountered when working with beam-sensitive organic samples from specimen preparation, handling, and analysis to low-dose techniques.

The introduction (Chapter 1) covers the importance of the method to structural biology and provides a historical overview of the development of cryo-EM and electron crystallography in terms of both advances in methods development as well as biological applications and findings. At the foundation of all structural studies lies a sample that is properly purified in large-enough quantities. Furthermore, the structural and functional integrity needs to be maintained, which still poses a challenge for membrane proteins. Chapter 2 describes protocols for membrane protein overexpression and purification based on three challenging examples. Following the biochemical sample preparation, the next step is to induce 2D crystallization, which is most commonly achieved through dialysis and described in Chapter 3. Here, considerations important to strategy as well as basic protocols are discussed. Chapter 4 describes the method of 2D crystallization by the monolayer technique, which provides a valuable extension of electron crystallography to soluble proteins. Chapter 5

then focuses on the screening by transmission electron microscopy of negatively stained samples, essential to identifying and optimizing 2D crystallization conditions. Once large and well-ordered 2D crystals are produced, data collection by Cryo-EM is the next step (Chapter 6). For this, the specimen needs to be frozen in a thin layer of vitreous buffer under the most favorable circumstances (Chapter 7) to collect the best quality image and electron diffraction data. Careful image data collection (Chapter 8) is absolutely critical to obtaining the highest resolution information possible and plays an equal role in the number of useful images collected, controlling the timeframe of the project significantly. Chapter 9 outlines detailed protocols for collecting electron diffraction patterns. Next is the extraction of the structural information from the cryo-EM data by processing. Image processing is described in Chapters 10 and 11, providing many critical details to the understanding of the individual steps. As for any method in structural biology, data obtained needs to be comprehensively and meticulously assessed, showing the validity of the model of the structure (Chapter 12). Once a model is available, structures may be modeled in terms of higher resolution and conformational changes (Chapter 13). Comparison of structures of related proteins and docking, allow for further analysis and interpretation on the structural and functional level. One of the newest methodological advances in terms of phasing electron diffraction data by molecular replacement is described in Chapter 14.

In addition to protocols for these essential steps of electron crystallography, the book also covers a number of recent technological development efforts, particularly the technology of automation. Such technological advances are critical for the future of electron crystallography. Chapter 15 describes applying automated methods to 2D crystallization and a promising cyclodextrin protocol as well as several additional, detailed procedures that give insights adding to and complementing Chapter 3. Chapters 16 and 17 outline automation of grid handling and imaging at the electron microscope, and Chapter 18 provides guidelines on the automation of image processing.

The strength of electron crystallography is always related to the instrumentation. A variety of set-ups of minimal to state-of-the-art cryo-EM facilities are available and can be arranged, depending on needs, funding, and space. Chapter 19 gives guidance on selection and maintenance of all critical instrumentation. Chapter 20 provides a detailed overview of past and possible future developments of instrumentation benefiting electron crystallography.

Further chapters describe methods that may be used on their own or in conjunction with electron crystallography. Tubular crystals and helical arrays may be obtained by methods similar to 2D crystallization and provide the advantage of not having a missing cone as well as that images of tilted samples are not necessary. An overview of the handling of such samples is given in Chapter 21. Single particle electron microscopy (Chapter 22) is a sister cryo-EM technique to electron crystallography and has contributed a wealth of structural information on both soluble and membrane proteins. Electron tomography can reveal essential details on ordered structures that might not be accessible by electron crystallography, due to, e.g., paracrystalline samples such as described in Chapter 23. Atomic force microscopy provides structural information on membrane proteins within 2D crystals that is highly complementary to electron crystallography and can reveal a wealth of additional information (Chapter 24). X-ray crystallography and nuclear magnetic resonance spectroscopy (NMR) are traditional structural methods that are continuing to break new ground and often go hand in hand with the cryo-EM methods. X-ray crystallography and NMR are covered in Chapters 25 and 26, respectively. Chapter 27 outlines just a few examples of the wealth of structural and functional information revealed by electron crystallography of

soluble and membrane proteins. Chapter 28 provides a comprehensive description of protocols to induce 2D crystallization of the two soluble protein complexes, carboxysome shell proteins, and HIV CA. Chapter 29 describes the processing of electron diffraction data.

While an impressive amount of methods development has been accomplished and automation is in the process of breaking further ground for electron crystallography, Chapter 30 introduces and highlights the great potential of electron crystallography in terms of biological information that cannot be revealed by other methods.

We are immensely grateful to our authors for sharing their expertise and insights in preparing this book. Particular thanks are due to our series editor, John M. Walker, Professor Emeritus in the School of Life Sciences at the University of Hertfordshire, for sharing his invaluable experience and his kindness in doing so. It was an absolute pleasure to work with our editor David C. Casey at Springer. We would also like to express our sincere thanks to our Springer production editor Lesley Poliner and Raja Dharmaraj at SPi.

Atlanta, GA, USA
San Francisco, CA, USA

Ingeborg Schmidt-Krey
Yifan Cheng

Contents

<i>Preface</i>	<i>v</i>
<i>Contributors</i>	<i>xi</i>
1 Introduction to Electron Crystallography	1
<i>Werner Kühlbrandt</i>	
2 Practical Aspects in Expression and Purification of Membrane Proteins for Structural Analysis	17
<i>Kutti R. Vinothkumar, Patricia C. Edwards, and Joerg Standfuss</i>	
3 Two-Dimensional Crystallization of Membrane Proteins by Reconstitution Through Dialysis	31
<i>Matthew C. Johnson, Tina M. Dreaden, Laura Y. Kim, Frederik Rudolph, Bridgette A. Barry, and Ingeborg Schmidt-Krey</i>	
4 Monolayer Two-Dimensional Crystallization of Membrane Proteins	59
<i>Luc Lebeau and Catherine Vénien-Bryan</i>	
5 Screening for Two-Dimensional Crystals by Transmission Electron Microscopy of Negatively Stained Samples	73
<i>Tina M. Dreaden, Maureen Metcalfe, Laura Y. Kim, Matthew C. Johnson, Bridgette A. Barry, and Ingeborg Schmidt-Krey</i>	
6 Low Dose Techniques and Cryo-Electron Microscopy	103
<i>Yoshinori Fujiyoshi</i>	
7 Grid Preparation for Cryo-Electron Microscopy	119
<i>Nobuhiko Gyobu</i>	
8 Recording High-Resolution Images of Two-Dimensional Crystals of Membrane Proteins	129
<i>Agustin Avila-Sakar, Xueming Li, Shawn Q. Zheng, and Yifan Cheng</i>	
9 The Collection of High-Resolution Electron Diffraction Data	153
<i>Tamir Gonen</i>	
10 Image Processing of 2D Crystal Images	171
<i>Marcel Arbeit, Daniel Castaño-Díez, Raphaël Thierry, Bryant R. Gipson, Xiangyan Zeng, and Henning Stahlberg</i>	
11 Merging of Image Data in Electron Crystallography	195
<i>Marcel Arbeit, Daniel Castaño-Díez, Raphaël Thierry, Priyanka Abeyrathne, Bryant R. Gipson, and Henning Stahlberg</i>	
12 Evaluation of Electron Crystallographic Data from Images of Two-Dimensional Crystals	211
<i>Vinzenz M. Unger</i>	
13 Modeling, Docking, and Fitting of Atomic Structures to 3D Maps from Cryo-Electron Microscopy	229
<i>Gregory S. Allen and David L. Stokes</i>	

14	Phasing Electron Diffraction Data by Molecular Replacement: Strategy for Structure Determination and Refinement	243
	<i>Goragot Wisedchaisri and Tamir Gonen</i>	
15	High-Throughput Methods for Electron Crystallography.	273
	<i>David L. Stokes, Iban Ubarretxena-Belandia, Tamir Gonen, and Andreas Engel</i>	
16	Automated Grid Handling and Image Acquisition for Two-Dimensional Crystal Screening	297
	<i>Anchi Cheng</i>	
17	Automation of Data Acquisition in Electron Crystallography	307
	<i>Anchi Cheng</i>	
18	Automation of Image Processing in Electron Crystallography.	313
	<i>Marcel Arbeit, Daniel Castaño-Díez, Raphaël Thierry, Bryant R. Gipson, Xiangyan Zeng, and Henning Stahlberg</i>	
19	Choice and Maintenance of Equipment for Electron Crystallography	331
	<i>Deryck J. Mills and Janet Vonck</i>	
20	Future Developments in Instrumentation for Electron Crystallography.	353
	<i>Kenneth H. Downing</i>	
21	Tubular Crystals and Helical Arrays: Structural Determination of HIV-1 Capsid Assemblies Using Iterative Helical Real-Space Reconstruction	381
	<i>Peijun Zhang, Xin Meng, and Gongpu Zhao</i>	
22	Single Particle Electron Microscopy	401
	<i>Wilson C.Y. Lau and John L. Rubinstein</i>	
23	Electron Tomography of Paracrystalline 2D Arrays.	427
	<i>Hanspeter Winkler, Shenping Wu, and Kenneth A. Taylor</i>	
24	High-Resolution Imaging of 2D Outer Membrane Protein F Crystals by Atomic Force Microscopy	461
	<i>Dimitrios Fotiadis and Daniel J. Müller</i>	
25	Determination of Soluble and Membrane Protein Structures by X-Ray Crystallography	475
	<i>Raquel L. Lieberman, Mary E. Peek, and J. Derrick Watkins</i>	
26	Solution Nuclear Magnetic Resonance Spectroscopy.	495
	<i>James J. Chou and Remy Sounier</i>	
27	Structure–Function Insights of Membrane and Soluble Proteins Revealed by Electron Crystallography	519
	<i>Tina M. Dreaden, Bharanidharan Devarajan, Bridgette A. Barry, and Ingeborg Schmidt-Krey</i>	
28	Lipid Monolayer and Sparse Matrix Screening for Growing Two-Dimensional Crystals for Electron Crystallography: Methods and Examples	527
	<i>Mark Yeager, Kelly A. Dryden, and Barbie K. Ganser-Pornillos</i>	
29	Processing of Electron Diffraction Patterns with the XDP Program	539
	<i>Kaoru Mitsuoka</i>	
30	Future Directions of Electron Crystallography	551
	<i>Yoshinori Fujiyoshi</i>	
	<i>Index</i>	569

Contributors

- PRIYANKA ABEYRATHNE • *C-CINA, Biozentrum, University Basel, Basel, Switzerland*
- GREGORY S. ALLEN • *Department of Cell Biology, Skirball Institute of Biomolecular Medicine, New York University School of Medicine, New York, NY, USA*
- MARCEL ARHEIT • *C-CINA, Biozentrum, University Basel, Basel, Switzerland*
- AGUSTIN AVILA-SAKAR • *The W.M. Keck Advanced Microscopy Laboratory, Department of Biochemistry and Biophysics, University of California San Francisco, San Francisco, CA, USA*
- BRIDGETTE A. BARRY • *School of Chemistry and Biochemistry, Georgia Institute of Technology, Atlanta, GA, USA*
- DANIEL CASTAÑO-DÍEZ • *C-CINA, Biozentrum, University Basel, Basel, Switzerland*
- ANCHI CHENG • *Department of Cell Biology, The National Resource for Automated Molecular Microscopy, The Scripps Research Institute, La Jolla, CA, USA*
- YIFAN CHENG • *Department of Biochemistry and Biophysics, University of California San Francisco, San Francisco, CA, USA*
- JAMES J. CHOU • *Jack and Eileen Connors Structural Biology Laboratory, Department of Biological Chemistry and Molecular Pharmacology, Harvard Medical School, Boston, MA, USA*
- BHARANIDHARAN DEVARAJAN • *School of Biology, Georgia Institute of Technology, Atlanta, GA, USA*
- KENNETH H. DOWNING • *Lawrence Berkeley National Laboratory, Life Science Division, Berkeley, CA, USA*
- TINA M. DREADEN • *School of Chemistry and Biochemistry, Georgia Institute of Technology, Atlanta, GA, USA*
- KELLY A. DRYDEN • *Department of Molecular Physiology and Biological Physics, University of Virginia School of Medicine, Charlottesville, VA, USA*
- PATRICIA C. EDWARDS • *MRC Laboratory of Molecular Biology, Cambridge, UK*
- ANDREAS ENGEL • *Department of Pharmacology, Case Western Reserve University, Cleveland, OH, USA*
- DIMITRIOS FOTIADIS • *Institute of Biochemistry and Molecular Medicine, University of Bern, Bern, Switzerland*
- YOSHINORI FUJIYOSHI • *Department of Basic Biology, Cellular and Structural Physiology Institute (CeSPI), Nagoya University, Furo-cho, Chikusa, Nagoya, Japan*
- BARBIE K. GANSER-PORNILLOS • *Department of Molecular Physiology and Biological Physics, University of Virginia School of Medicine, Charlottesville, VA, USA; Department of Cell Biology, The Scripps Research Institute, La Jolla, CA, USA*
- BRYANT R. GIPSON • *Department of Computer Sciences, Rice University, Houston, TX, USA*
- TAMIR GONEN • *Janelia Farm Research Campus, Howard Hughes Medical Institute, Ashburn, VA, USA*
- NOBUHIKO GYOBU • *Biomedical Information Research Center (BIRC), Tokyo, Japan*
- MATTHEW C. JOHNSON • *School of Biology, Georgia Institute of Technology, Atlanta, GA, USA*
- LAURA Y. KIM • *School of Biology, Georgia Institute of Technology, Atlanta, GA, USA*

- WERNER KÜHLBRANDT • *Max-Planck-Institute of Biophysics, Frankfurt, Germany*
- WILSON C.Y. LAU • *Molecular Structure and Function Program, Departments of Biochemistry and Medical Biophysics, The Hospital for Sick Children, The University of Toronto, Toronto, ON, Canada*
- LUC LEBEAU • *Laboratoire de Conception et Application de Molécules Bioactives, CNRS, Université de Strasbourg, Faculté de Pharmacie, BP, Illkirch, France*
- XUEMING LI • *The W.M. Keck Advanced Microscopy Laboratory, Department of Biochemistry and Biophysics, University of California San Francisco, Route du Rhin, BP, Illkirch, France*
- RAQUEL L. LIEBERMAN • *School of Chemistry and Biochemistry, Georgia Institute of Technology, Atlanta, GA, USA*
- XIN MENG • *Department of Structural Biology, University of Pittsburgh School of Medicine, Pittsburgh, PA, USA*
- MAUREEN METCALFE • *School of Biology, Georgia Institute of Technology, Atlanta, GA, USA*
- DERYCK J. MILLS • *Max-Planck-Institute of Biophysics, Frankfurt, Germany*
- KAORU MITSUOKA • *Biomedical Information Research Center (BIRC), National Institute of Advanced Industrial Science and Technology (AIST), Tokyo, Japan*
- DANIEL J. MÜLLER • *ETH Zürich, Biosystems Science and Engineering (BSSE), Basel, Switzerland*
- MARY E. PEEK • *School of Chemistry and Biochemistry, Georgia Institute of Technology, Atlanta, GA, USA*
- JOHN L. RUBINSTEIN • *Molecular Structure and Function Program, Departments of Biochemistry and Medical Biophysics, The Hospital for Sick Children, The University of Toronto, Toronto, ON, Canada*
- FREDERIK RUDOLPH • *School of Biology, Georgia Institute of Technology, Atlanta, GA, USA*
- INGEBORG SCHMIDT-KREY • *School of Biology, School of Chemistry and Biochemistry, Georgia Institute of Technology, Atlanta, GA, USA*
- REMY SOUNIER • *Jack and Eileen Connors Structural Biology Laboratory, Department of Biological Chemistry and Molecular Pharmacology, Harvard Medical School, Boston, MA, USA*
- HENNING STAHLBERG • *C-CINA, Biozentrum, University Basel, Basel, Switzerland*
- JOERG STANDFUSS • *Laboratory of Biomolecular Research, Paul Scherrer Institute, Villigen PSI, Switzerland*
- DAVID L. STOKES • *Department of Cell Biology, Skirball Institute of Biomolecular Medicine, New York University School of Medicine, New York, NY, USA; Division of Cryo-Electron Microscopy, New York Structural Biology Center, New York, NY, USA*
- KENNETH A. TAYLOR • *Institute of Molecular Biophysics, Florida State University, Tallahassee, FL, USA*
- RAPHAËL THIERRY • *C-CINA, Biozentrum, University Basel, Basel, Switzerland*
- IBAN UBARRETXENA-BELANDIA • *Department of Structural and Chemical Biology, Mt. Sinai School of Medicine, New York, NY, USA*
- VINZENZ M. UNGER • *Department of Molecular Biosciences, Chemistry of Life Processes Institute, Northwestern University, Evanston, IL, USA*
- CATHERINE VÉNIEN-BRYAN • *IMPMC Institut de Minéralogie et de Physique des Milieux Condensés, Univ Paris 06, CNRS, UMR 7590, Paris Cedex, France*
- KUTTI R. VINOCHKUMAR • *MRC Laboratory of Molecular Biology, Cambridge, UK*
- JANET VONCK • *Max-Planck-Institute of Biophysics, Frankfurt, Germany*
- J. DERRICK WATKINS • *School of Chemistry and Biochemistry, Georgia Institute of Technology, Atlanta, GA, USA*

- HANSPETER WINKLER • *Institute of Molecular Biophysics, Florida State University, Tallahassee, FL, USA*
- GORAGOT WISEDCHAISRI • *Janelia Farm Research Campus, Howard Hughes Medical Institute, Ashburn, VA, USA*
- SHENPING WU • *Department of Biochemistry & Biophysics, University of California San Francisco, San Francisco, CA, USA*
- MARK YEAGER • *Department of Molecular Physiology and Biological Physics, University of Virginia School of Medicine, Charlottesville, VA, USA; Department of Cell Biology, The Scripps Research Institute, La Jolla, CA, USA; Division of Cardiovascular Medicine, Department of Medicine, University of Virginia Health System, Charlottesville, VA, USA*
- XIANGYAN ZENG • *Department of Mathematics and Computer Science, Fort Valley State University, Fort Valley, GA, USA*
- PEIJUN ZHANG • *Department of Structural Biology, University of Pittsburgh School of Medicine, Pittsburgh, PA, USA*
- GONGPU ZHAO • *Department of Structural Biology, University of Pittsburgh School of Medicine, Pittsburgh, PA, USA*
- SHAWN Q. ZHENG • *The W.M. Keck Advanced Microscopy Laboratory, Department of Biochemistry and Biophysics, University of California San Francisco, San Francisco, CA, USA*