METHODS IN MOLECULAR BIOLOGY™

Series Editor
John M. Walker
School of Life Sciences
University of Hertfordshire
Hatfield, Hertfordshire, AL10 9AB, UK

For further volumes:
<http://www.springer.com/series/7651>

Jasmonate Signaling

Methods and Protocols

Edited by

Alain Goossens and Laurens Pauwels

*Department of Plant Systems Biology, VIB, Gent, Belgium;
Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*

Editors

Alain Goossens
Department of Plant Systems Biology
VIB, Gent, Belgium

Department of Plant Biotechnology and
Bioinformatics
Ghent University
Gent, Belgium

Laurens Pauwels
Department of Plant Systems Biology
VIB, Gent, Belgium

Department of Plant Biotechnology and
Bioinformatics
Ghent University
Gent, Belgium

ISSN 1064-3745 ISSN 1940-6029 (electronic)
ISBN 978-1-62703-413-5 ISBN 978-1-62703-414-2 (eBook)
DOI 10.1007/978-1-62703-414-2
Springer New York Heidelberg Dordrecht London

Library of Congress Control Number: 2013935309

© Springer Science+Business Media, LLC 2013

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Humana Press is a brand of Springer
Springer is part of Springer Science+Business Media (www.springer.com)

Preface

It is now well established that jasmonates, originally identified as the major component of jasmine scent, play a universal role in the plant kingdom and are involved in the regulation of diverse aspects of plant biology, including growth, development, metabolism, and interaction with the environment.

The research field of jasmonate signaling has moved forward rapidly over the last years, and the jasmonate research community is growing considerably. The models of the molecular pathways implicated in jasmonate perception and signaling gain in complexity almost weekly, and the size of the crosstalk network with other hormones or signaling pathways increases as well. As a consequence, it became evident that jasmonates affect far more cellular and physiological processes than originally anticipated.

Hence, in our opinion, an overview of the experimental protocols is very timely, not only of those already used in this field but also more general ones that certainly will become useful in the near future. Omics tools provide unprecedented ways to map and explore jasmonate signaling in plants. However, despite the power of the emerging omics platforms, a reductionist approach is often still required to achieve an unambiguous understanding of the role or function of a particular gene or protein in a signaling cascade. The aim of this book is to unite these two streams and to cover both omics and reductionist tools and protocols. Thereby, we attempted to provide a comprehensive picture of the research possibilities on jasmonate signaling. We collected contributions from the top laboratories studying jasmonate-related processes as well as from experts investigating other plant (hormonal) signaling cascades. In general, we tried to gather essential techniques and methods that can be applied with standard equipment in plant (molecular) biology facilities. As such, the chapters in this book embrace physiological, environmental, molecular, omics, and bioinformatics approaches that allow dissecting jasmonate actions in the model species *Arabidopsis thaliana* or in other plants.

Collectively, we hope that these protocols will empower interested researchers to dissect all steps of jasmonate signaling and the processes they modulate. We wish the reader good luck in this undoubtedly spectacular endeavor!

Gent, Belgium

*Alain Goossens
Laurens Pauwels*

Contents

<i>Preface</i>	<i>v</i>
<i>Contributors</i>	<i>xi</i>
PART I PHYSIOLOGY	
1 Phenotyping Jasmonate Regulation of Senescence <i>Martin A. Seltsmann and Susanne Berger</i>	3
2 Characterizing Jasmonate Regulation of Male Fertility in Arabidopsis <i>Bryan Thines, Ajin Mandaokar, and John Browse</i>	13
3 Phenotyping Jasmonate Regulation of Root Growth <i>Fabian Kellermeier and Anna Amtmann</i>	25
PART II ENVIRONMENT	
4 Bioassays for Assessing Jasmonate-Dependent Defenses Triggered by Pathogens, Herbivorous Insects, or Beneficial Rhizobacteria <i>Saskia C.M. Van Wees, Johan A. Van Pelt, Peter A.H.M. Bakker, and Corné M.J. Pieterse</i>	35
5 Elicitation of Jasmonate-Mediated Defense Responses by Mechanical Wounding and Insect Herbivory <i>Marco Herde, Abraham J.K. Koo, and Gregg A. Howe</i>	51
6 <i>Pseudomonas syringae</i> Infection Assays in Arabidopsis <i>Jian Yao, John Withers, and Sheng Yang He</i>	63
7 Jasmonate Signaling in the Field, Part I: Elicited Changes in Jasmonate Pools of Transgenic <i>Nicotiana attenuata</i> Populations <i>Emmanuel Gaquerel, Michael Stitz, Mario Kallenbach, and Ian T. Baldwin</i>	83
8 Jasmonate Signaling in the Field, Part II: Insect-Guided Characterization of Genetic Variations in Jasmonate-Dependent Defenses of Transgenic and Natural <i>Nicotiana attenuata</i> Populations <i>Emmanuel Gaquerel, Michael Stitz, Mario Kallenbach, and Ian T. Baldwin</i>	97
PART III MOLECULES	
9 Profiling of Jasmonic Acid-Related Metabolites and Hormones in Wounded Leaves <i>Yusuke Jikumaru, Mitsunori Seo, Hideyuki Matsuura, and Yuji Kamiya</i>	113

10	A Non-targeted Approach for Extended Liquid Chromatography-Mass Spectrometry Profiling of Free and Esterified Jasmonates After Wounding	123
	<i>Gaëtan Glauser and Jean-Luc Wolfender</i>	
11	Cell-Specific Detection of Jasmonates by Means of an Immunocytological Approach	135
	<i>Bettina Hause, Kati Mielke, and Susanne Forner</i>	
12	Jasmonic Acid–Amino Acid Conjugation Enzyme Assays.	145
	<i>Martha L. Rowe and Paul E. Staswick</i>	
13	Pull-Down Analysis of Interactions Among Jasmonic Acid Core Signaling Proteins.	159
	<i>Sandra Fonseca and Roberto Solano</i>	
14	Yeast Two-Hybrid Analysis of Jasmonate Signaling Proteins	173
	<i>Amparo Pérez Cuéllar, Laurens Pauwels, Rebecca De Clercq, and Alain Goossens</i>	
15	Modified Bimolecular Fluorescence Complementation Assay to Study the Inhibition of Transcription Complex Formation by JAZ Proteins.	187
	<i>Tiancong Qi, Susheng Song, and Daoxin Xie</i>	
16	Agroinfiltration of <i>Nicotiana benthamiana</i> Leaves for Co-localization of Regulatory Proteins Involved in Jasmonate Signaling	199
	<i>Volkan Çevik and Kemal Kazan</i>	
17	Electrophoretic Mobility Shift Assay for the Analysis of Interactions of Jasmonic Acid-Responsive Transcription Factors with DNA	209
	<i>Johan Memelink</i>	
18	Transient Expression Assays in Tobacco Protoplasts.	227
	<i>Robin Vanden Bossche, Brecht Demedts, Rudy Vanderhaeghen, and Alain Goossens</i>	
19	Functional Analysis of Jasmonic Acid-Responsive Secondary Metabolite Transporters	241
	<i>Nobukazu Shitan, Akifumi Sugiyama, and Kazufumi Yazaki</i>	
20	Expression Analysis of Jasmonate-Responsive Lectins in Plants	251
	<i>Nausicaä Lannoo and Els J.M. Van Damme</i>	

PART IV OMICS

21	Profiling the Jasmonic Acid Responses by Nuclear Magnetic Resonance-Based Metabolomics	267
	<i>Hye Kyong Kim, Young Hae Choi, and Robert Verpoorte</i>	
22	Metabolite Profiling of Plant Tissues by Liquid Chromatography Fourier Transform Ion Cyclotron Resonance Mass Spectrometry.	277
	<i>Jacob Pollier and Alain Goossens</i>	
23	cDNA-AFLP-Based Transcript Profiling for Genome-Wide Expression Analysis of Jasmonate-Treated Plants and Plant Cultures	287
	<i>Janine Colling, Jacob Pollier, Nokwanda P. Makunga, and Alain Goossens</i>	

24	Analysis of RNA-Seq Data with TopHat and Cufflinks for Genome-Wide Expression Analysis of Jasmonate-Treated Plants and Plant Cultures	305
	<i>Jacob Pollier, Stephane Rombauts, and Alain Goossens</i>	
25	Transcriptome Coexpression Analysis Using ATTED-II for Integrated Transcriptomic/Metabolomic Analysis	317
	<i>Keiko Yonekura-Sakakibara and Kazuki Saito</i>	
26	A Guide to CORNET for the Construction of Coexpression and Protein–Protein Interaction Networks	327
	<i>Stefanie De Bodt and Dirk Inzé</i>	
	<i>Index</i>	345

Contributors

- ANNA AMTMANN • *Plant Science Group, Institute of Molecular, Cell, and Systems Biology, College of Medical Veterinary and Life Sciences, University of Glasgow, Glasgow, UK*
- PETER A.H.M. BAKKER • *Plant-Microbe Interactions, Department of Biology, Faculty of Science, Institute of Environmental Biology, Utrecht University, Utrecht, The Netherlands*
- IAN T. BALDWIN • *Department of Molecular Ecology, Max Planck Institute for Chemical Ecology, Jena, Germany*
- SUSANNE BERGER • *Pharmaceutical Biology, Julius-von-Sachs-Institute for Biosciences, University of Wuerzburg, Wuerzburg, Germany*
- STEFANIE DE BODT • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- JOHN BROWSE • *Institute of Biological Chemistry, Washington State University, Pullman, WA, USA*
- VOLKAN ÇEVİK • *The Sainsbury Laboratory, Norwich, UK*
- YOUNG HAE CHOI • *Natural Product Laboratory, Institute of Biology, Leiden University, Leiden, The Netherlands*
- REBECCA DE CLERCQ • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- JANINE COLLING • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- AMPARO PÉREZ CUÉLLAR • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- BRECHT DEMEDTS • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- SANDRA FONSECA • *Departamento de Genética Molecular de Plantas, Centro Nacional de Biotecnología, Consejo Superior de Investigaciones Científicas, Madrid, Spain*
- SUSANNE FORNER • *Leibniz Institute of Plant Biochemistry, Halle, Germany*
- EMMANUEL GAQUEREL • *Department of Molecular Ecology, Max Planck Institute for Chemical Ecology, Jena, Germany*
- GAËTAN GLAUSER • *Chemical Analytical Service of the Swiss Plant Science Web, Institute of Biology, University of Neuchâtel, Neuchâtel, Switzerland*
- ALAIN GOOSSENS • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- BETTINA HAUSE • *Leibniz Institute of Plant Biochemistry, Halle, Germany*
- SHENG YANG HE • *Department of Energy Plant Research Laboratory, Howard Hughes Medical Institute -Gordon and Betty Moore Foundation, Michigan State University, East Lansing MI, USA; Department of Plant Biology, Howard Hughes Medical Institute -Gordon and Betty Moore Foundation, Michigan State University, East Lansing, MI, USA*

- MARCO HERDE • *Department of Energy-Plant Research Laboratory, Michigan State University, East Lansing, MI, USA*
- GREGG A. HOWE • *Department of Energy-Plant Research Laboratory, Michigan State University, East Lansing, MI, USA; Department of Biochemistry and Molecular Biology, Michigan State University, East Lansing, MI, USA*
- DIRK INZÉ • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- YUSUKE JIKUMARU • *Life Science Group, Agilent Technologies, Tokyo, Japan*
- MARIO KALLENBACH • *Department of Molecular Ecology, Max Planck Institute for Chemical Ecology, Jena, Germany*
- YUJI KAMIYA • *RIKEN Plant Science Center, Yokohama, Japan*
- KEMAL KAZAN • *Plant Industry Division, Commonwealth Scientific and Industrial Research Organization, Queensland Bioscience Precinct, St Lucia, Queensland, Australia*
- FABIAN KELLERMEIER • *Plant Science Group, Institute of Molecular, Cell, and Systems Biology, College of Medical Veterinary and Life Sciences, University of Glasgow, Glasgow, UK*
- HYE KYONG KIM • *Natural Product Laboratory, Institute of Biology, Leiden University, Leiden, The Netherlands*
- ABRAHAM J.K. KOO • *Department of Energy-Plant Research Laboratory, Michigan State University, East Lansing, MI, USA; Department of Biochemistry and Molecular Biology, Michigan State University, East Lansing, MI, USA*
- NAUSICAÄ LANNOO • *Laboratory of Glycobiology and Biochemistry, Department of Molecular Biotechnology, Faculty of Bioscience Engineering, Ghent University, Gent, Belgium*
- NOKWANDA P. MAKUNGA • *Institute for Plant Biotechnology, Department of Genetics, Stellenbosch University, Matieland, Stellenbosch, South Africa*
- AJIN MANDAOKAR • *DuPont Knowledge Centre, ICICI Knowledge Park, Hyderabad, India*
- HIDEYUKI MATSUURA • *Graduate School of Agriculture, Hokkaido University, Hokkaido, Japan*
- JOHAN MEMELINK • *Sylvius Laboratory, Institute of Biology, Leiden University, Leiden, The Netherlands*
- KATI MIELKE • *Leibniz Institute of Plant Biochemistry, Halle, Germany*
- LAURENS PAUWELS • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- CORNÉ M.J. PIETERSE • *Plant-Microbe Interactions, Department of Biology, Faculty of Science, Institute of Environmental Biology, Utrecht University, Utrecht, The Netherlands*
- JACOB POLLIER • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- TIANCONG QI • *School of Life Sciences, Tsinghua University, Beijing, China*
- STEPHANE ROMBAUTS • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- MARTHA L. ROWE • *Department of Agronomy and Horticulture, University of Nebraska–Lincoln, Lincoln, NE, USA*
- KAZUKI SAITO • *RIKEN Plant Science Center, Yokohama, Japan*
- MARTIN A. SELTMANN • *Pharmaceutical Biology, Julius-von-Sachs-Institute for Biosciences, University of Wuerzburg, Wuerzburg, Germany*
- MITSUNORI SEO • *RIKEN Plant Science Center, Yokohama, Japan*

- NOBUKAZU SHITAN • *Laboratory of Natural Medicinal Chemistry, Kobe Pharmaceutical University, Kobe, Japan*
- ROBERTO SOLANO • *Departamento de Genética Molecular de Plantas, Centro Nacional de Biotecnología, Consejo Superior de Investigaciones Científicas, Madrid, Spain*
- SUSHENG SONG • *School of Life Sciences, Tsinghua University, Beijing, China*
- PAUL E. STASWICK • *Department of Agronomy and Horticulture, University of Nebraska–Lincoln, Lincoln, NE, USA*
- MICHAEL STITZ • *Department of Molecular Ecology, Max Planck Institute for Chemical Ecology, Jena, Germany*
- AKIFUMI SUGIYAMA • *Laboratory of Plant Gene Expression, Research Institute for Sustainable Humanosphere, Kyoto University, Uji, Japan*
- BRYAN THINES • *Keck Science Department, Claremont McKenna, Pitzer, and Scripps Colleges, Claremont, CA, USA*
- ELS J.M. VAN DAMME • *Laboratory of Glycobiology and Biochemistry, Department of Molecular Biotechnology, Faculty of Bioscience Engineering, Ghent University, Gent, Belgium*
- ROBIN VANDEN BOSSCHE • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- RUDY VANDERHAEGHEN • *Department of Plant Systems Biology, VIB, Gent, Belgium; Department of Plant Biotechnology and Bioinformatics, Ghent University, Gent, Belgium*
- JOHAN A. VAN PELT • *Plant-Microbe Interactions, Department of Biology, Faculty of Science, Institute of Environmental Biology, Utrecht University, Utrecht, The Netherlands*
- SASKIA C.M. VAN WEES • *Plant-Microbe Interactions, Department of Biology, Faculty of Science, Institute of Environmental Biology, Utrecht University, Utrecht, The Netherlands*
- ROBERT VERPOORTE • *Natural Product Laboratory, Institute of Biology, Leiden University, Leiden, The Netherlands*
- JOHN WITHERS • *Plant Research Laboratory, Department of Energy, Michigan State University, East Lansing, MI, USA; Department of Plant Biology, Michigan State University, East Lansing, MI, USA*
- JEAN-LUC WOLFENDER • *School of Pharmaceutical Sciences, EPGL, University of Geneva, University of Lausanne, Geneva, Switzerland*
- DAOXIN XIE • *School of Life Sciences, Tsinghua University, Beijing, China*
- JIAN YAO • *Department of Energy Plant Research Laboratory, Michigan State University, East Lansing, MI, USA*
- KAZUFUMI YAZAKI • *Laboratory of Plant Gene Expression, Research Institute for Sustainable Humanosphere, Kyoto University, Uji, Japan*
- KEIKO YONEKURA-SAKAKIBARA • *RIKEN Plant Science Center, Yokohama, Japan*