

# Simplifying Strabismus

Saurabh Jain

# Simplifying Strabismus

A Practical Approach to Diagnosis  
and Management

 Springer

Saurabh Jain  
Royal Free London NHS Foundation Trust  
London  
UK

ISBN 978-3-030-24845-1      ISBN 978-3-030-24846-8 (eBook)  
<https://doi.org/10.1007/978-3-030-24846-8>

© Springer Nature Switzerland AG 2019

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors, and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, expressed or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This Springer imprint is published by the registered company Springer Nature Switzerland AG  
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

# Contents

<b>1</b>	<b>Making Sense of Strabismus</b> .....	1
1.1	Aetiology .....	2
1.1.1	Heredity .....	3
1.1.2	Refractive Errors .....	3
1.1.3	Developmental Delay .....	3
1.1.4	Anatomical Causes .....	3
1.1.5	Innervational Basis .....	4
1.2	Classification of Strabismus .....	4
1.3	Treatment of Strabismus .....	6
1.3.1	Occlusion Therapy for Amblyopia .....	6
1.3.2	Correcting Refractive Errors .....	6
1.3.3	Occlusion and Prismatic Correction .....	6
1.3.4	Botulinum Toxin .....	7
1.3.5	Extraocular Muscle Surgery .....	7
	References .....	7
<b>2</b>	<b>Anatomy of the Extraocular Muscles</b> .....	9
2.1	Pulley Systems .....	12
2.2	Blood Supply .....	12
<b>3</b>	<b>Applied Physiology of Eye Movements</b> .....	15
3.1	Synergists .....	15
3.2	Antagonists .....	15
3.3	Actions of the Extraocular Muscles .....	17
3.4	Neurology of Eye Movements .....	19
3.4.1	Saccades .....	19
3.4.2	Smooth Pursuit .....	20
3.4.3	Optokinetic Movements .....	20
3.4.4	Vergence .....	21
3.4.5	Vestibulo-Ocular .....	21

<b>4</b>	<b>Examining a Patient with Strabismus</b> . . . . .	23
4.1	Taking a Detailed History . . . . .	23
4.1.1	Presenting Complaints . . . . .	23
4.1.2	Previous Ophthalmic Treatment . . . . .	24
4.1.3	Medical History . . . . .	25
4.1.4	Family History . . . . .	25
4.2	Examination . . . . .	25
4.2.1	Visual Acuity Assessment . . . . .	26
4.2.2	Assessment of the Ocular Deviation . . . . .	28
4.2.3	Corneal Reflex or Hirschberg's Test . . . . .	30
4.2.4	Cover-Uncover Test . . . . .	31
4.2.5	Alternate Cover Test . . . . .	34
4.2.6	Ocular Motility Testing . . . . .	35
4.2.7	Ductions and Versions . . . . .	36
4.2.8	Park's Three Step Test . . . . .	38
4.2.9	Saccades and Pursuits . . . . .	40
<b>5</b>	<b>Orthoptic Assessment of a Patient with Strabismus</b> . . . . .	41
5.1	Bruckner's Test . . . . .	41
5.2	Prism Cover Test . . . . .	41
5.3	Prism Reflex Test . . . . .	43
5.4	Diplopia Charting . . . . .	44
5.5	Field of Binocular Single Vision . . . . .	44
5.6	Assessment of Binocular Status . . . . .	46
5.7	Normal and Abnormal Retinal Correspondence . . . . .	46
5.8	Testing Binocular Vision . . . . .	50
5.8.1	Simultaneous Macular Perception . . . . .	50
5.8.2	Fusion . . . . .	51
5.8.3	Stereopsis . . . . .	54
5.9	Qualitative Tests . . . . .	54
5.9.1	Lang Two Pencil Test . . . . .	54
5.9.2	Synoptophore . . . . .	54
5.10	Quantitative Tests . . . . .	54
5.10.1	TNO Test . . . . .	54
5.10.2	Wirt's Fly Test . . . . .	55
5.10.3	Frisby Stereotest . . . . .	55
5.10.4	Lang Test . . . . .	55
5.11	Hess Charts . . . . .	56
5.12	Postoperative Diplopia Test . . . . .	58
5.13	Prism Adaptation . . . . .	58
5.14	Measurement of Cyclotropia . . . . .	58
5.15	Double Maddox Rods . . . . .	59
5.16	Synoptophore . . . . .	59
5.17	Fundus Photographs . . . . .	59
5.18	Hess Screen . . . . .	62

- 6 Concomitant Strabismus . . . . . 63**
- 6.1 Classification . . . . . 63
- 6.2 Exotropias . . . . . 64
- 6.3 Intermittent Exotropia . . . . . 65
  - 6.3.1 Natural Course . . . . . 65
  - 6.3.2 Clinical Presentation . . . . . 65
  - 6.3.3 Examination . . . . . 65
  - 6.3.4 Orthoptic Testing . . . . . 66
- 6.4 Treatment of Exotropia . . . . . 67
- 6.5 Non Surgical . . . . . 68
  - 6.5.1 Conservative . . . . . 68
  - 6.5.2 Orthoptic Exercises . . . . . 68
  - 6.5.3 Part Time Occlusion . . . . . 68
  - 6.5.4 Overminus Lens Therapy . . . . . 68
  - 6.5.5 Prisms . . . . . 69
- 6.6 Surgical Intervention . . . . . 69
  - 6.6.1 Toxin . . . . . 69
  - 6.6.2 Strabismus Surgery . . . . . 69
- 6.7 Other Forms of Exotropia . . . . . 70
  - 6.7.1 Primary Constant Exotropia . . . . . 70
  - 6.7.2 Consecutive Exotropia . . . . . 70
  - 6.7.3 Sensory Exotropia . . . . . 70
- 6.8 Esotropias . . . . . 71
- 6.9 Non-accommodative Esotropias . . . . . 73
  - 6.9.1 Early Onset Esotropia . . . . . 73
  - 6.9.2 Pathogenesis . . . . . 74
  - 6.9.3 Clinical Presentation . . . . . 74
  - 6.9.4 Orthoptic Assessment . . . . . 74
  - 6.9.5 Management of Infantile Esotropia . . . . . 75
  - 6.9.6 Early Surgery . . . . . 76
  - 6.9.7 Delayed Surgery . . . . . 76
  - 6.9.8 Surgical Treatment . . . . . 76
- 6.10 Non Accommodative Late Onset Esotropia . . . . . 76
  - 6.10.1 Clinical Presentation . . . . . 77
  - 6.10.2 Treatment . . . . . 77
- 6.11 Acute Acquired Comitant Esotropia (AACE) . . . . . 77
  - 6.11.1 Clinical Presentation . . . . . 77
  - 6.11.2 Treatment . . . . . 78
- 6.12 Cyclical Esotropia . . . . . 78
  - 6.12.1 Clinical Presentation . . . . . 78
  - 6.12.2 Aetiology . . . . . 78
  - 6.12.3 Treatment . . . . . 79
- 6.13 The Role of Accommodation in Esotropias . . . . . 79
- 6.14 AC/A Ratio . . . . . 79
  - 6.14.1 Gradient Method . . . . . 80

6.14.2	Heterophoria Method . . . . .	80
6.15	Accommodative Esotropia . . . . .	81
6.15.1	Fully Accommodative Esotropia . . . . .	81
6.15.2	Partially Accommodative Esotropia . . . . .	81
6.15.3	Convergence Excess Esotropia . . . . .	82
6.16	Treatment . . . . .	82
6.16.1	Optical . . . . .	82
6.16.2	Surgery . . . . .	83
	References . . . . .	83
<b>7</b>	<b>Paralytic Strabismus . . . . .</b>	<b>85</b>
7.1	Anatomy . . . . .	85
7.2	Clinical Presentation . . . . .	86
7.3	Third Nerve Palsy . . . . .	87
7.3.1	Anatomy . . . . .	87
7.3.2	Presentation . . . . .	89
7.3.3	Nuclear Portion . . . . .	89
7.3.4	Fascicular Portion . . . . .	90
7.3.5	Subarachnoid Space . . . . .	90
7.3.6	Cavernous Sinus Syndrome . . . . .	91
7.3.7	Orbital Portion . . . . .	92
7.3.8	Investigation and Management . . . . .	93
7.3.9	Complete IIIrd Nerve Palsy . . . . .	93
7.3.10	Partial IIIrd Nerve Palsy . . . . .	94
7.3.11	IIIrd Cranial Nerve Palsy in Children . . . . .	94
7.3.12	IIIrd Cranial Nerve Palsy in 18–50 Year Olds . . . . .	94
7.3.13	IIIrd Cranial Nerve Palsy in over 50-Year Olds . . . . .	95
7.3.14	Treating IIIrd Nerve Palsies . . . . .	96
7.4	Fourth Nerve Palsy . . . . .	96
7.4.1	Anatomy . . . . .	97
7.4.2	Aetiology . . . . .	98
7.4.3	Presentation . . . . .	98
7.4.4	Site of Trauma . . . . .	99
7.4.5	Investigation . . . . .	99
7.4.6	Clinical Assessment . . . . .	99
7.4.7	Bilateral Fourth Nerve Palsy . . . . .	100
7.4.8	Management . . . . .	101
7.5	Sixth Nerve Palsy . . . . .	103
7.5.1	Anatomy . . . . .	103
7.5.2	Presentation . . . . .	105
7.5.3	Subarachnoid Space . . . . .	106
7.5.4	Petrous Apex . . . . .	106
7.5.5	Cavernous Sinus . . . . .	106
7.5.6	Orbit . . . . .	107
7.5.7	Management . . . . .	107

7.5.8	Treatment . . . . .	108
	References . . . . .	108
<b>8</b>	<b>Supranuclear Disorders . . . . .</b>	<b>109</b>
8.1	Conjugate Gaze Deviation . . . . .	110
8.2	Congenital Oculomotor Apraxia . . . . .	111
8.2.1	Presentation . . . . .	111
8.2.2	Aetiology . . . . .	111
8.2.3	Treatment . . . . .	111
8.3	Internuclear Ophthalmoplegia . . . . .	111
8.3.1	Presentation . . . . .	112
8.3.2	Aetiology . . . . .	113
8.3.3	Management . . . . .	114
8.4	One and a Half Syndrome . . . . .	114
8.5	Double Elevator Palsy . . . . .	114
8.5.1	Aetiology . . . . .	114
8.5.2	Presentation . . . . .	114
8.5.3	Management . . . . .	115
8.6	Convergence Spasm . . . . .	116
8.6.1	Presentation . . . . .	116
8.6.2	Aetiology . . . . .	117
8.6.3	Management . . . . .	117
8.7	Dorsal Midbrain Syndrome or Parinaud’s Syndrome . . . . .	118
8.7.1	Aetiology . . . . .	118
8.7.2	Presentation . . . . .	118
8.7.3	Treatment . . . . .	121
8.8	Skew Deviation . . . . .	121
8.8.1	Ocular Tilt Reaction . . . . .	121
8.8.2	Aetiology . . . . .	122
8.8.3	Presentation . . . . .	122
8.8.4	Treatment . . . . .	123
8.9	Superior Oblique Myokimia . . . . .	123
8.9.1	Aetiology . . . . .	123
8.9.2	Presentation . . . . .	124
8.9.3	Management . . . . .	124
	References . . . . .	124
<b>9</b>	<b>Alphabet Patterns in Strabismus . . . . .</b>	<b>125</b>
9.1	Etiology . . . . .	125
9.1.1	Horizontal Muscle Dysfunction . . . . .	126
9.1.2	Vertical Recti Dysfunction . . . . .	126
9.1.3	Oblique Muscle Dysfunction and Cyclo-Torsional Effect . . . . .	127
9.1.4	Anatomical anomalies of orbits . . . . .	127
9.1.5	Anomalies of Muscle Insertions . . . . .	127
9.1.6	Anomalies of Muscle Pulley Action . . . . .	127
9.2	Presentation . . . . .	128



9.3	Treatment of Pattern Strabismus .....	128
9.3.1	Oblique Muscle Overaction .....	129
9.3.2	Horizontal Muscle Transposition .....	129
9.3.3	Pulley Dystopia, Craniosynostoses etc. ....	129
	References .....	130
<b>10</b>	<b>Strabismus in Systemic Disease</b> .....	<b>131</b>
10.1	Myasthenia Gravis .....	131
10.1.1	Pathophysiology .....	131
10.1.2	Clinical Presentation .....	132
10.1.3	Diagnosing Myasthenia Gravis .....	133
10.1.4	Lambert Eaton Syndrome .....	135
10.1.5	Management of Myasthenia Gravis .....	135
10.2	Thyroid Eye Disease .....	136
10.2.1	Etiology .....	136
10.2.2	Risk Factors .....	137
10.2.3	Natural History .....	137
10.2.4	Presentation .....	137
10.2.5	Ocular Motility .....	138
10.2.6	Management .....	139
10.2.7	Non Surgical Management .....	140
10.2.8	Medical Treatment .....	140
10.2.9	Orbital Decompression .....	141
10.2.10	Strabismus Surgery .....	141
10.2.11	Lid Surgery .....	142
10.3	Chronic Progressive External Ophthalmoplegia .....	142
10.3.1	Etiology .....	142
10.3.2	Presentation .....	142
10.3.3	Management .....	143
	References .....	143
<b>11</b>	<b>Other Forms of Incomitant Strabismus</b> .....	<b>145</b>
11.1	Blow Out Fracture .....	145
11.1.1	Aetiology .....	145
11.1.2	Presentation .....	146
11.1.3	Management .....	148
11.2	Browns Syndrome .....	149
11.2.1	Aetiology .....	149
11.2.2	Presentation .....	150
11.2.3	Investigation .....	151
11.2.4	Management .....	151
11.3	Acquired Brown Syndrome .....	152
11.4	Duanes Syndrome .....	152
11.4.1	Aetiology .....	152
11.4.2	Genetics .....	152

11.4.3	Presentation . . . . .	153
11.4.4	Management . . . . .	155
11.5	Dissociated Vertical Deviation . . . . .	156
11.5.1	Aetiology . . . . .	157
11.5.2	Presentation . . . . .	157
11.5.3	Treatment . . . . .	157
	References . . . . .	157
<b>12</b>	<b>Surgical and Non-surgical Treatment of Strabismus.</b> . . . . .	<b>159</b>
12.1	Botulinum Toxin for strabismus . . . . .	159
12.2	Method . . . . .	160
12.2.1	Dysport . . . . .	161
12.2.2	Botox/Xeomin . . . . .	161
12.2.3	Complications . . . . .	161
12.3	Bupivacaine in Strabismus . . . . .	162
12.4	Surgery for Strabismus . . . . .	162
12.4.1	Incisions Utilised in Strabismus Surgery . . . . .	163
12.5	Surgical Procedures . . . . .	164
12.5.1	Weakening Procedures . . . . .	164
12.5.2	Retroequatorial Myopexy (Faden’s Procedure) . . . . .	166
12.5.3	Strengthening Procedures . . . . .	167
12.6	Calculating the Amount of Surgery to Perform . . . . .	170
12.7	Transposition . . . . .	170
12.8	Yokoyama’s Procedure . . . . .	171
12.9	Harada Ito Procedure . . . . .	172
12.10	Anterior Transposition of the Inferior Oblique . . . . .	173
12.11	Complications of Strabismus Surgery . . . . .	173
	References . . . . .	174
	<b>Index.</b> . . . . .	<b>175</b>

# List of Videos

- Video 4.8     Cover test. A 70 year old man with a right large angle esotropia. On covering the left eye, he takes up fixation with the right but immediately switches back when the cover is removed suggesting this is a constant rather than an alternating form of strabismus
- Video 4.10b     A 24 year old woman with a well controlled exophoria. Initially there is no obvious strabismus but this decompensates on alternate cover test to an alternating exophoria
- Video 4.11     A 64 year old woman with a left sixth nerve palsy, following a left MR recession. She has an esotropia in primary gaze and limitation of abduction bilaterally, left more than right
- Video 5.1     A 23 year old man with a left myopic esotropia, seen in primary position and confirmed by an initial cover test. Base out prisms of increasing power are placed in front of the left eye to neutralise the deviation and at the end, the only residual movement is a small hypertropia. As he is a high myope, the cover test is carried out with his glasses on which enables better fixation and true measurement of degree of deviation
- Video 6.2     A 75 year old man who previously underwent a left sided surgery for esotropia as a child. He now has a large left constant consecutive exotropia. On covering the right eye, he takes up fixation momentarily but switches back when the cover is removed. There is no significant change in the deviation on an alternate cover test
- Video 6.3     A 22 year old man who has undergone previous Right MR recession and now complains of diplopia in left gaze. There is no apparent strabismus in primary position on an alternate cover test but an alternating esotropia is obvious when this is carried out in laeveversion
- Video 6.4     A 25 year old man with consecutive exotropia following previous strabismus surgery. He has bilateral limitation of adduction (right greater than left) with a large angle of exotropia. He can take up fixation readily with either eye and the exotropia increases in lateral gazes as dem-

- onstrated by a cover-uncover test. Note the medial conjunctival scarring in both eyes subsequent to previous MR recessions
- Video 7.10 A 42 year old man with a well controlled left hyperphoria in primary position with a slight right head tilt. However, in dextroversion an alternate cover test demonstrates an obvious left hypertropia secondary to significant IO overaction. The deviation almost disappears in laevoversion. There is a small exophoria when tilting the head to the right and left hypertropia when tilting it to the left
- Video 7.12 Myectomy of the Left Inferior Oblique muscle: the muscle is identified and hooked, lateral to the IR. The muscle belly is held up by two squint hooks and central portion of 1 cm is cauterized at both ends and excised. The cut ends are inspected to ensure there are no residual connecting fibres
- Video 7.13 The muscle tendon is identified and detached from the sclera as close as possible to the insertion. It is then reattached just lateral to the edge of the IR
- Video 7.14 The Left eye has two marks put on at the limbus at 0 and 90° to ensure the baseline position is identified. A stay suture is put in, and the eye retracted inferomedially. The SO is identified after hooking the SR, the tendon is split and the anterior 25% isolated on a suture that is advanced 8 mm posterior and 2 mm superior to the LR insertion. Once the procedure is completed the marks show that the eye is now intorted compared to its original position
- Video 7.16 A 87 year old patient with a right VIth nerve palsy with a prominent right esotropia that worsens in right gaze with associated loss of abduction
- Video 8.3 A wheelchair bound patient with a right exotropia that alternates freely on a cover test. On Dextroversion there is limitation of left adduction and ataxic nystagmus of the right eye. On levoversion, there is limitation of left adduction and ataxic nystagmus of the left eye, suggestive of bilateral wall eyed internuclear ophthalmoplegia
- Video 8.10 A 25 year old woman with complaints of episodic oscillopsia. On switching on the slit lamp beam, the right eye exhibits bursts of spasmodic, involuntary intorsion with intermittent depression of the eye
- Video 10.1 A 55 year old man with bilateral ptosis, left more advanced than right, chin elevation and global reduction of eye movements. Following the application of an ice pack for 10 s there is an immediate improvement in both the lid position as well as the ocular motility
- Video 10.3 A 65 year old lady with bilateral proptosis and right lid retraction, secondary to thyroid eye disease. There is bilateral limitation of upgaze due to IR fibrosis, more pronounced on the right eye
- Video 10.6 A 75 year old woman with bilateral ptosis and no manifest strabismus in primary gaze as evidenced by no movement on a cover-uncover test. However, she has significant limitation of eye movements in depression, dextroversion and laevoversion

- Video 11.4 A 78 year old man with a right sided blow out fracture. Note the frosted superior half of the lens in the right eye. He has no manifest strabismus in primary gaze but has prominent limitation of upgaze in the right eye leading to a right hypotropia in upgaze
- Video 11.5 A 10 year old girl with a small left hypotropia in primary position associated with a pseudoptosis. When she fixates with the left eye, the right eye elevates significantly behind the cover. This is due to the secondary deviation being more pronounced due to the extra innervation flowing to the right elevators when the left eye fixates. There is limitation of elevation of the left eye, more marked in adduction than abduction
- Video 11.8 A 16 year old boy with left exotropia and hypertropia in primary position. He has dense amblyopia in the left eye which does not take up fixation when the right is covered. On attempted dextroversion, the left eye elevates and retracts into the orbit due the miswiring of the MR and the SR
- Video 11.9 A 29 year old man with alternating hypertropia. The eye behind the cover elevates and then returns slowly to fixation when the cover is removed
- Video 12.3 Video depicting the use of fornix incision to approach the MR and LR with an explanation of the advantages
- Video 12.4 The use of a hang back adjustable suture on a bow tie while carrying out a LR recession
- Video 12.11 A 47 year old lady with left hypotropia, pseudoptosis and pseudoproptosis secondary to myopia. On a cover test in primary gaze with her myopic glasses on, she has a left small angle esotropia and left hypotropia. There is limitation of left elevation, most prominent in dextroelevation