

# **Tree Physiology**

Volume 6

## **Series editors**

Frederick C. Meinzer, Corvallis, USA

Ülo Niinemets, Tartu, Estonia

More information about this series at <http://www.springer.com/series/6644>

Guillermo Goldstein · Louis S. Santiago  
Editors

# Tropical Tree Physiology

Adaptations and Responses in a Changing  
Environment

 Springer

*Editors*

Guillermo Goldstein  
Laboratorio de Ecología Funcional,  
Departamento de Ecología Genética y  
Evolución, Instituto IEGEBA  
(CONICET-UBA), Facultad de Ciencias  
Exactas y naturales  
Universidad de Buenos Aires  
Buenos Aires  
Argentina

and

Department of Biology  
University of Miami  
Coral Gables, FL  
USA

Louis S. Santiago  
Department of Botany & Plant Sciences  
University of California  
Riverside, CA  
USA

and

Smithsonian Tropical Research Institute  
Balboa, Ancon, Panama  
Republic of Panama

ISSN 1568-2544

Tree Physiology

ISBN 978-3-319-27420-1

ISBN 978-3-319-27422-5 (eBook)

DOI 10.1007/978-3-319-27422-5

Library of Congress Control Number: 2015957228

© Springer International Publishing Switzerland 2016

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

This Springer imprint is published by SpringerNature

The registered company is Springer International Publishing AG Switzerland

# Preface

Our World is changing rapidly, yet, how tropical forests will respond to this change and in turn dampen or accelerate its ripple effects is essentially a physiological question. Addressing important questions regarding the impacts of changes in land utilization, such as deforestation, and effects of global climate change will require specific information on tropical tree physiology. Earth system modeling scientists are clamoring for more physiological data from tropical trees. It seems that the scarcity of information on the physiological responses of trees is the greatest source of uncertainty in predicting how the tropical rain forests will respond to increasing greenhouse gases and in particular increasing atmospheric CO<sub>2</sub>. For example, tree species can adjust their physiological behavior to increasing global temperatures or decreases in precipitation, or they can be replaced by other species better adapted to the new environmental conditions. It is also true that the physiology of tropical trees has not been as well-studied as the physiology of trees from temperate regions, leading to major gaps in our understanding of how tropical trees interact with the Earth system over a range of scales.

It is known that the physiological behavior of both tropical and temperate trees is regulated by similar mechanisms. The differences, however, are related to the unique selective pressures to which tropical trees have been subjected during the evolutionary process and its adaptive consequences. The idea put forward by Theodosius Dobzhansky in the 1950s that tropics and temperate zones are areas where selection operates differently, generated fruitful lines of thinking and research. His contention was that in temperate areas mortality was essentially climatically determined, with little or no competition pressure, while in the tropics, where the environment is relatively more constant, at least in terms of seasonal changes in temperature, mortality is the result of the effects of population size and competition. This paradigm of evolutionary pressures has changed substantially but some aspects of it still remain as a guide for understanding differences in patterns of adaptation between temperate and tropical plants. Negative density dependence prevents any single tree species from dominating most tropical forest ecosystems. The reasons for this must be sought not only in ecological and demographic

processes but also among the highly diverse physiological characteristics of tropical trees. In the tropics, seasonal temperature variations are relatively small compared to diurnal temperature changes and if soil water is available, growth and metabolic activities can be maintained throughout the entire year. Heavy herbivore pressure is continuous and the adaptive responses of tropical plants to herbivory are impressive. The physiological implications of various types of mutualisms found among tropical trees are also important. Many trees have a relatively short life span of less than 200 years in the wet tropics compared to more than a 1000 years in some temperate-zone trees.

There has been a substantial increase in the number of studies of tropical tree physiology during the last few decades. The reason for this is not only that trees are the dominant growth form in most tropical ecosystems, but also because of increasing availability and refinement of equipment such as portable photosynthesis systems and instruments for studying water relations of plants. Furthermore, a substantially larger number of tropical biologists are now involved in more mechanistic studies. The use of tower cranes during the last 25 years has allowed scientists to reach the canopy of tropical forests, one of the ultimate frontiers for unveiling not only new organisms but also new processes that were unthinkable just a few years ago.

A distinct feature of tropical trees is not only their high species diversity but also the large variety of life history traits and growth forms that are mostly unique to the tropics such as hemiepiphytic trees, stem succulent trees such as baobab trees, mangroves, palms and other arborescent monocots, and unusual arborescent plants near tree line that are not traditional trees. The wide range of shade tolerance from rapidly growing pioneer trees during gap-phase regeneration to species that can survive by growing slowly in deep shade contribute to this diversity.

Tropical trees tend to grow in habitats where soil water availability is high all year round or at least in habitats where it is seasonally available. They grow in arid environments where they access deep soil water such as in the case of phreatophytic trees. They also occur along altitudinal gradients within the tropics up to the upper tree line and in some cases, such as the caulescent giant rosette plants, they can grow above the continuous forest line. They extend to the subtropics, and in many cases they share close phylogenetic relationships with subtropical tree species, and the structure and function of subtropical forests are in many cases similar to tropical forests, in regards to gap-phase regeneration and the high abundance of lianas.

Through 20 chapters authored by 55 people, this book captures the current state of knowledge of the main physiological characteristics of tropical trees. The book was as a way to not only to provide information gathered during the last few years across the world, but also for laying the foundation for discussing controversial paradigms and new hypothesis of physiological process and mechanisms of trees. Thus this book will surely capture the attention not only of tropical biologists but also of biologists working in many different types of environments around the globe. Physiological consequences of global environmental change will permeate most book chapters, as it provides a dynamic arena for tropical trees to respond. The book is organized in six main parts. The first one is on the physiology of unique

tropical growth forms. This group of conspicuous plants is extremely important for understanding the structure, function, and dynamics of tropical forests, as well as understanding why certain species live where they do and not elsewhere. Hemiepiphytic trees with an unusual progression of life stages and obligate epiphytes with a unique photosynthetic pathway, are plants that capture the environmental and demographic wonder of forest ecosystems: Do they start their life cycle (as in the case of hemiepiphytic trees) or spend their entire life cycle (as in the case of obligate epiphytes) in the upper canopy to utilize higher levels of incoming solar radiation or to escape the shady understory with high chances of damage by falling debris and exclusion by competition with other plants? Stem succulent trees, such as the fat-stemmed baobabs, which have captured the imagination and attention of writers, such as in the case of “the little prince” by Antoine de Saint-Exupéry, are fascinating trees occurring mostly in seasonally dry forests. The enlarged stem with photosynthetic surfaces, leaves that drop during the dry season and with little biomass allocation to root systems, appear to have a combination of physiological and anatomical traits that at first sight is difficult to understand. Do their low wood density trunks represent conspicuous water storage? Is stored stem water used for new leaf growth near the end of the dry season or to maintain stem conductance during the rainy season? Does the large size of the stem serve a biomechanical role for providing stability to tall mature trees? Palms are another unique growth form, nearly always associated with tropical environments. The hydraulic architectures of these monocots have long intrigued physiologists working on plant water relations and hydraulic architecture. How can trees that do not have secondary growth, and thus cannot produce new xylem tissue after the plants start growing in height, cope with intensive droughts and the dysfunction of cavitated xylem vessels? Finally lianas, which have solved the problem of reaching the upper canopy without investment in a large diameter stem, can move large amounts of water to transpiring leaves. How did these plants solve this important water economy constraint imposed by a relatively narrow stem?

The second part of the book deals with adaptive responses of trees growing in habitats that are unique to the tropics. Mangrove trees occur in coasts across all tropical regions with roots tapping seawater. Floodplain trees tolerate freshwater inundation for several months in inland tropical regions and in some cases are completely covered by water. At high elevation, tropical giant rosette plants represent one of the most fascinating cases of evolutionary convergence among tropical alpine climates that are characterized as “summer during the day and winter at night.”

The third part of the book discusses emergent paradigms on hydraulic architecture and water relations. The high diversity of tropical tree species allows the use of a wide array of physiological and morphological traits. This provides fertile ground for testing new hypothesis on the adaptive significance of physiological mechanisms for how trees cope with drought, and how they may avoid or repair cavitated xylem vessels, or how close they are to their physiological limits of water availability in the face of extreme climatic events.

The fourth part of the book deals with important responses of trees to a limitation common in tropical soils: low amounts of available nutrients. How valid is the paradigm of widespread phosphorous limitation? What can be inferred from litter manipulation and fertilization experiments in tropical forests? What are the dynamics and the roles of litter accumulation and decomposition? What is the main distinctive characteristic of nutrient cycling in tropical ecosystems dominated by trees? Do nutrients limit the ability of tropical trees to respond to climate change, or can trees adjust and adapt to nutrient limitations to carry on the process of photosynthetic carbon assimilation? Do N and P equally limit the photosynthetic process in tropical trees?

Carbon economy and biomass allocation patterns in tropical trees and forests are the focus of the fifth part of the book. Important issues related to carbon cycling and the strength of carbon sinks across terrestrial ecosystems worldwide are analyzed. In particular, the continuum of physiological traits from high light requiring pioneer trees to slow growing shade-tolerant trees is discussed in terms of primary and secondary succession in tropical forests and gap-phase regeneration. These two groups of trees are considered as the extremes of a gradient of species requiring high light levels for photosynthesis and rapid growth and in species tolerant to diffuse light and the use of light flecks for carbon assimilation. Are there trade-offs in carbon allocation between defense against herbivores and growth? Compared to tropical and temperate forests, subtropical forests have received little attention until now, and the contribution of this region to the global carbon cycle has not been fully assessed. In this part the carbon balance of subtropical forests at different spatial and temporal scales will be analyzed. The reader will be surprised to know that many subtropical forests are strong carbon sinks, and perhaps the strongest when compared to other terrestrial ecosystem.

In the last part, ecophysiological processes at different spatial and temporal scales are analyzed. Until recently the trunks of tropical trees in lowland areas were assumed not to have tree rings. Several studies have found that this is not the case, particularly in seasonally dry environments, which opens a window of opportunities for using tree rings to acquire insights into the ecology and climate sensitivity of tropical trees as well as the possibility of obtaining the age of individual trees. This part also addresses biomechanical characteristics of tree, with special references to the constraints of being a tropical tree. Do tropical trees adhere to the same biomechanical laws as temperate trees?

In the past 20 years since we began working together, we have seen tropical ecophysiology evolve from single species studies to large comparative works that embrace the high diversity of tropical forests. We have seen a transition from descriptive and natural history studies, which provided an important foundation, to advanced quantitative and modeling approaches that reveal broader patterns in space and time. Plant ecophysiology in the tropics has also developed strong linkages to disciplines that focus on larger spatial scales, including community ecology, ecosystem ecology, and landscape ecology, as well as smaller spatial scales such as molecular biology, stable isotope ecology, and genomics. This book represents the work of a community of leading tropical ecophysiologicalists, many of



whom are colleagues and collaborators. We hope that it will provide a useful resource for understanding, conserving, and sustainably managing tropical forests, as well as predicting how these ecosystems will respond to future climate change.

Buenos Aires  
January 2015

Guillermo Goldstein  
Louis S. Santiago

# Contents

## **Part I Physiology and Life History Traits of Unique Tropical Growth Forms**

<b>Hemiepiphytic Trees: <i>Ficus</i> as a Model System for Understanding Hemiepiphytism</b> . . . . .	3
Guang-You Hao, Kun-Fang Cao and Guillermo Goldstein	
<b>Ecophysiology and Crassulacean Acid Metabolism of Tropical Epiphytes</b> . . . . .	25
Katia Silvera and Eloisa Lasso	
<b>Stem-Succulent Trees from the Old and New World Tropics</b> . . . . .	45
Eleinis Ávila-Lovera and Exequiel Ezcurra	
<b>Palm Physiology and Distribution in Response to Global Environmental Change</b> . . . . .	67
Heidi J. Renninger and Nathan G. Phillips	
<b>Carbon Allocation and Water Relations of Lianas Versus Trees</b> . . . . .	103
Paula I. Campanello, Eric Manzané, Mariana Villagra, Yong-Jiang Zhang, Adela M. Panizza, Débora di Francescantonio, Sabrina A. Rodriguez, Ya-Jun Chen, Louis S. Santiago and Guillermo Goldstein	

## **Part II Adaptive Responses of Woody Plants to Particular Tropical Habitats**

<b>Flood Tolerant Trees in Seasonally Inundated Lowland Tropical Floodplains</b> . . . . .	127
Pia Parolin, Leandro V. Ferreira, Maria Teresa F. Piedade, Cátia Nunes da Cunha, Florian Wittmann and Mauricio E. Arias	

**The Physiology of Mangrove Trees with Changing Climate. . . . .** 149  
 Catherine E. Lovelock, Ken W. Krauss, Michael J. Osland,  
 Ruth Reef and Marilyn C. Ball

**Functional Diversity in Tropical High Elevation Giant Rosettes. . . . .** 181  
 Fermín Rada

**Part III Plant Hydraulics and Water Relations**

**Physiological Significance of Hydraulic Segmentation, Nocturnal  
 Transpiration and Capacitance in Tropical Trees: Paradigms  
 Revisited. . . . .** 205  
 Sandra J. Bucci, Guillermo Goldstein, Fabian G. Scholz  
 and Frederick C. Meinzer

**Maintenance of Root Function in Tropical Woody Species During  
 Droughts: Hydraulic Redistribution, Refilling of Embolized Vessels,  
 and Facilitation Between Plants . . . . .** 227  
 F.G. Scholz, S.J. Bucci, F.C. Meinzer and G. Goldstein

**Drought Survival Strategies of Tropical Trees . . . . .** 243  
 Louis S. Santiago, Damien Bonal, Mark E. De Guzman  
 and Eleinis Ávila-Lovera

**Part IV Nutrient Limitation of Ecophysiological Processes  
 in Tropical Trees**

**Nutrient Availability in Tropical Rain Forests: The Paradigm  
 of Phosphorus Limitation . . . . .** 261  
 James W. Dalling, Katherine Heineman, Omar R. Lopez,  
 S. Joseph Wright and Benjamin L. Turner

**Tree Nutrient Status and Nutrient Cycling in Tropical  
 Forest—Lessons from Fertilization Experiments. . . . .** 275  
 E.J. Sayer and L.F. Banin

**Is Photosynthesis Nutrient Limited in Tropical Trees? . . . . .** 299  
 Louis S. Santiago and Guillermo Goldstein

**Part V Carbon Economy and Allocation of Tropical Trees  
 and Forests**

**Facing Shortage or Excessive Light: How Tropical and Subtropical  
 Trees Adjust Their Photosynthetic Behavior and Life History  
 Traits to a Dynamic Forest Environment . . . . .** 319  
 Guillermo Goldstein, Louis S. Santiago, Paula I. Campanello,  
 Gerardo Avalos, Yong-Jiang Zhang and Mariana Villagra

**Carbon Economy of Subtropical Forests** . . . . . 337  
Yong-Jiang Zhang, Piedad M. Cristiano, Yong-Fei Zhang,  
Paula I. Campanello, Zheng-Hong Tan, Yi-Ping Zhang,  
Kun-Fang Cao and Guillermo Goldstein

**The Ecophysiology of Leaf Lifespan in Tropical Forests: Adaptive  
and Plastic Responses to Environmental Heterogeneity** . . . . . 357  
Sabrina E. Russo and Kaoru Kitajima

**The Effects of Rising Temperature on the Ecophysiology  
of Tropical Forest Trees** . . . . . 385  
Martijn Slot and Klaus Winter

**Tree Biomechanics with Special Reference to Tropical Trees.** . . . . . 413  
Karl J. Niklas

**Part VI Ecophysiological Processes at Different Temporal Scales**

**Tree Rings in the Tropics: Insights into the Ecology and Climate  
Sensitivity of Tropical Trees** . . . . . 439  
Roel J.W. Brienen, Jochen Schöngart and Pieter A. Zuidema

**Index** . . . . . 463

# Contributors

**Mauricio E. Arias** Department of Organismic and Evolutionary Biology, Cambridge, MA, USA

**Gerardo Avalos** Escuela de Biología, Universidad de Costa Rica, San Pedro, San José, Costa Rica; The School for Field Studies, Center for Sustainable Development Studies, Beverly, MA, USA

**Eleinis Ávila-Lovera** Department of Botany & Plant Sciences, University of California, Riverside, CA, USA

**Marilyn C. Ball** Research School of Biology, The Australian National University, Canberra, ACT, Australia

**L.F. Banin** Centre for Ecology and Hydrology, Bush Estate, Midlothian, Scotland

**Damien Bonal** INRA, UMR EEF—Université de Lorraine/INRA, Champenoux, France

**Roel J.W. Brienen** School of Geography, Leeds University, Leeds, UK

**Sandra J. Bucci** Grupo de Estudios Biofísicos y Ecofisiológicos, Facultad de Ciencias Naturales, Universidad Nacional de la Patagonia San Juan Bosco, Chubut, Argentina; Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Buenos Aires, Argentina

**Paula I. Campanello** Laboratorio de Ecología Forestal y Ecofisiología, Instituto de Biología Subtropical, CONICET, FCF, Universidad Nacional de Misiones, Puerto Iguazú, Argentina

**Kun-Fang Cao** State Key Laboratory for Conservation and Utilization of Subtropical Agro-Bioresources, and College of Forestry, School of Forestry, Guangxi University, Nanning, China

**Ya-Jun Chen** Key Laboratory of Tropical Forest Ecology, Xishuangbana Tropical Botanical Garden, Chinese Academy of Sciences, Mengla, Yunnan, China

**Piedad M. Cristiano** Laboratorio de Ecología Funcional, Departamento de Ecología Genética y Evolución, Instituto IEGEBA (CONICET-UBA), Facultad de Ciencias Exactas y Naturales, Universidad de Buenos Aires, Buenos Aires, Argentina

**Cátia Nunes da Cunha** Departamento de Botânica e Ecologia, Universidade Federal de Mato Grosso, Cuiabá, Mato Grosso, Brazil

**James W. Dalling** Department of Plant Biology, University of Illinois at Urbana-Champaign, Urbana, IL, USA; Smithsonian Tropical Research Institute, Panama, Republic of Panama

**Mark E. De Guzman** Department of Botany & Plant Sciences, University of California, Riverside, CA, USA

**Débora di Francescantonio** Laboratorio de Ecología Forestal y Ecofisiología, Instituto de Biología Subtropical, CONICET, FCF, Universidad Nacional de Misiones, Puerto Iguazú, Argentina

**Exequiel Ezcurra** Department of Botany and Plant Sciences, University of California, Riverside, CA, USA

**Leandro V. Ferreira** Museu Paraense Emílio Goeldi, Belém, Pará, Brazil

**Guillermo Goldstein** Laboratorio de Ecología Funcional, Departamento de Ecología Genética y Evolución, Instituto IEGEBA (CONICET-UBA), Facultad de Ciencias Exactas y naturales, Universidad de Buenos Aires, Buenos Aires, Argentina; Department of Biology, University of Miami, Coral Gables, FL, USA

**Guang-You Hao** State Key Laboratory of Forest and Soil Ecology, Institute of Applied Ecology, Chinese Academy of Sciences, Shenyang, China

**Katherine Heineman** Program in Ecology, Evolution and Conservation Biology, University of Illinois at Urbana-Champaign, Urbana, IL, USA

**Kaoru Kitajima** Graduate School of Agriculture, Kyoto University, Kyoto, Japan; Smithsonian Tropical Research Institute, Balboa, Panama

**Ken W. Krauss** U.S. Geological Survey, Wetland and Aquatic Research Center, Lafayette, LA, USA

**Eloisa Lasso** Smithsonian Tropical Research Institute, Balboa, Ancón, Republic of Panama; Departamento de Ciencias Biológicas, Universidad de Los Andes, Bogotá, Colombia

**Omar R. Lopez** Smithsonian Tropical Research Institute, Panama, Republic of Panama; Instituto de Investigaciones Científicas y Servicios de Alta Tecnología, Ciudad de Saber, Panama, Republic of Panama

**Catherine E. Lovelock** School of Biological Sciences, The University of Queensland, Brisbane St. Lucia, QLD, Australia

**Eric Manzané** Smithsonian Tropical Research Institute, Panama, Republic of Panama

**Frederick C. Meinzer** USDA Forest Service, Forestry Sciences Laboratory, Corvallis, OR, USA

**Karl J. Niklas** Plant Biology Section, School of Integrative Plant Science Cornell University, Ithaca, NY, USA

**Michael J. Osland** U.S. Geological Survey, Wetland and Aquatic Research Center, Lafayette, LA, USA

**Adela M. Panizza** Laboratorio de Ecología Forestal y Ecofisiología, Instituto de Biología Subtropical, CONICET, FCF, Universidad Nacional de Misiones, Puerto Iguazú, Argentina

**Pia Parolin** Biocentre Klein Flottbek and Botanical Garden, University of Hamburg, Hamburg, Germany; INRA French National Institute for Agricultural Research, Univ. Nice Sophia Antipolis, CNRS, UMR 1355-7254 Institut Sophia Agrobiotech, Sophia Antipolis, France

**Nathan G. Phillips** Department of Earth and Environment, Boston University, Boston, MA, USA

**Maria Teresa F. Piedade** INPA, Manaus, Amazônia, Brazil

**Fermín Rada** Instituto de Ciencias Ambientales y Ecológicas de los Andes Tropicales (ICAE) Facultad de Ciencias, Universidad de Los Andes, Mérida, Venezuela

**Ruth Reef** School of Biological Sciences, The University of Queensland, Brisbane St. Lucia, QLD, Australia

**Heidi J. Renninger** Department of Forestry, Mississippi State University, Mississippi, MS, USA

**Sabrina A. Rodriguez** Laboratorio de Ecología Forestal y Ecofisiología, Instituto de Biología Subtropical, CONICET, FCF, Universidad Nacional de Misiones, Puerto Iguazú, Argentina

**Sabrina E. Russo** School of Biological Sciences, University of Nebraska, Lincoln, USA

**Louis S. Santiago** Department of Botany & Plant Sciences, University of California, Riverside, CA, USA; Smithsonian Tropical Research Institute, Balboa, Ancon, Panama, Republic of Panama

**E.J. Sayer** Lancaster Environment Centre, Lancaster University, Lancaster, England

**Fabian G. Scholz** Grupo de Estudios Biofísicos y Ecofisiológicos, Facultad de Ciencias Naturales, Universidad Nacional de la Patagonia San Juan Bosco, Chubut, Argentina; Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Buenos Aires, Argentina

**Jochen Schöngart** Instituto Nacional de Pesquisas da Amazônia (INPA), Manaus, AM, Brazil

**Katia Silvera** Smithsonian Tropical Research Institute, Balboa, Ancón, Republic of Panama; Department of Botany and Plant Sciences, University of California Riverside, Riverside, CA, USA

**Martijn Slot** Smithsonian Tropical Research Institute, Balboa, Ancón, Republic of Panama

**Zheng-Hong Tan** Key Laboratory of Tropical Forest Ecology, Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences, Mengla, Yunnan, China

**Benjamin L. Turner** Smithsonian Tropical Research Institute, Balboa, Panama, Republic of Panama

**Mariana Villagra** Laboratorio de Ecología Forestal y Ecofisiología, Instituto de Biología Subtropical, CONICET, FCF, Universidad Nacional de Misiones, Puerto Iguazú, Argentina

**Klaus Winter** Smithsonian Tropical Research Institute, Balboa, Ancón, Republic of Panama

**Florian Wittmann** Department of Biogeochemistry, Max Planck Institute for Limnology, Mainz, Germany

**S. Joseph Wright** Smithsonian Tropical Research Institute, Balboa, Panama, Republic of Panama

**Yi-Ping Zhang** Key Laboratory of Tropical Forest Ecology, Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences, Mengla, Yunnan, China

**Yong-Fei Zhang** Department of Geological Sciences, John A. and Katherine G. Jackson School of Geosciences, University of Texas at Austin, Austin, Texas, USA

**Yong-Jiang Zhang** Department of Organismic and Evolutionary Biology, Harvard University, Cambridge, MA, USA; Key Laboratory of Tropical Forest Ecology, Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences, Mengla, Yunnan, China

**Pieter A. Zuidema** Forest Ecology and Forest Management, Centre for Ecosystems, Wageningen University, Wageningen, The Netherlands