

# **Analog Circuits and Signal Processing**

## **Series editors**

Mohammed Ismail, Dublin, USA

Mohamad Sawan, Montreal, Canada

More information about this series at <http://www.springer.com/series/7381>

Qinwen Fan · Kofi A.A. Makinwa  
Johan H. Huijsing

# Capacitively-Coupled Chopper Amplifiers

 Springer

Qinwen Fan  
Mellanox Technologies  
Delfgauw  
The Netherlands

Johan H. Huijsing  
Schipluiden  
The Netherlands

Kofi A.A. Makinwa  
Delft University of Technology  
Delft, Zuid-Holland  
The Netherlands

ISSN 1872-082X                      ISSN 2197-1854 (electronic)  
Analog Circuits and Signal Processing  
ISBN 978-3-319-47390-1              ISBN 978-3-319-47391-8 (eBook)  
DOI 10.1007/978-3-319-47391-8

Library of Congress Control Number: 2016955322

© Springer International Publishing AG 2017

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

This Springer imprint is published by Springer Nature  
The registered company is Springer International Publishing AG  
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

# Contents

<b>1 Introduction</b> . . . . .	1
1.1 Problem . . . . .	1
1.2 Traditional Solutions . . . . .	1
1.3 A Promising Solution: Capacitively Coupled Chopper Amplifier . . . . .	4
1.4 Challenging Issues . . . . .	6
1.5 Organization . . . . .	7
References . . . . .	8
<b>2 The Chopping Technique</b> . . . . .	11
2.1 Basic Working Principle . . . . .	11
2.2 Basic Chopper Amplifier Topologies . . . . .	12
2.2.1 Basic Chopper Opamp and Instrumentation Amplifier Topologies . . . . .	12
2.2.2 Chopper Stabilization . . . . .	14
2.3 Ripple-Reduction Techniques . . . . .	16
2.3.1 The Switched-capacitor (SC) Notch Filter . . . . .	16
2.3.2 AC-Coupled Ripple-Reduction Loop . . . . .	17
2.3.3 Auto-Correction Feedback Loop . . . . .	19
2.3.4 Digitally Assisted Trimming . . . . .	20
2.3.5 Chopping + Auto-Zeroing . . . . .	20
2.4 Chopping Non-idealities . . . . .	25
2.5 Chopping Pros and Cons . . . . .	26
2.6 Conclusions . . . . .	26
References . . . . .	27
<b>3 Capacitively Coupled Chopper Amplifiers</b> . . . . .	29
3.1 Capacitively Coupled Chopper Opamps (CCOPA) . . . . .	29
3.1.1 Offset and $1/f$ Noise . . . . .	30
3.1.2 Noise and Power Efficiency . . . . .	30

3.1.3	Common-mode Rejection Ratio (CMRR) and Common-mode Voltage Range (CMVR) . . . . .	31
3.1.4	Input Impedance . . . . .	31
3.1.5	Settling and Transient Issues . . . . .	32
3.2	Capacitively Coupled Chopper IAs (CCIA) . . . . .	33
3.2.1	Offset and $1/f$ Noise . . . . .	33
3.2.2	Noise and Power Efficiency . . . . .	33
3.2.3	CMRR and CMVR . . . . .	34
3.2.4	Gain Accuracy . . . . .	34
3.2.5	Input Impedance . . . . .	35
3.2.6	Output Spikes . . . . .	35
3.2.7	Settling and Transient Issues . . . . .	35
3.3	Conclusions . . . . .	35
	References . . . . .	36
<b>4</b>	<b>Choppers for High Input Common-Mode Voltages . . . . .</b>	<b>37</b>
4.1	Choice of Transistors . . . . .	37
4.2	High-voltage (HV) Chopper Topologies . . . . .	39
4.2.1	HV Chopper with HV Amplifier Level-Shifter . . . . .	39
4.2.2	Capacitively Coupled HV Choppers . . . . .	40
4.3	Transient Protection . . . . .	43
4.4	Conclusions . . . . .	45
	References . . . . .	45
<b>5</b>	<b>Capacitively-Coupled Chopper Operational Amplifiers . . . . .</b>	<b>47</b>
5.1	Introduction . . . . .	47
5.2	Conventional Techniques to Expand the CMVR . . . . .	48
5.3	The Single-Path Capacitively-coupled Operational Amplifier (CCOPA) . . . . .	49
5.3.1	Design of the Single-Path CCOPA . . . . .	49
5.3.2	Implementation of the Basic CCOPA . . . . .	53
5.3.3	Experimental Results . . . . .	59
5.4	Multipath CCOPA . . . . .	61
5.4.1	Design of the Multipath CCOPA (MCCOPA) . . . . .	61
5.4.2	Implementation of the Multipath CCOPA . . . . .	64
5.4.3	Experimental Results of the MCCOPA . . . . .	66
5.5	Conclusions . . . . .	68
	References . . . . .	69
<b>6</b>	<b>Capacitively Coupled Chopper Instrumentation Amplifiers for High-Side Current Sensing . . . . .</b>	<b>71</b>
6.1	Introduction . . . . .	71
6.2	Overview of the State of the Art . . . . .	72
6.2.1	HV Chopper-Stabilized Current Feedback Instrumentation Amplifier . . . . .	72

6.2.2	HV Current-Mode Three-Opamp Instrumentation Amplifier. . . . .	72
6.2.3	HV IA with Isolated Transformer. . . . .	74
6.2.4	Conclusions. . . . .	74
6.3	Design of the CCIA for Current-Sensing Applications. . . . .	75
6.3.1	Input Chopper. . . . .	76
6.3.2	Ripple-Reduction Loop (RRL). . . . .	76
6.3.3	CCIA Opamp. . . . .	78
6.3.4	Output Spikes. . . . .	78
6.4	Realization. . . . .	79
6.4.1	Global Parameters (Chopping Frequency and Capacitor Bridge). . . . .	79
6.4.2	Implementation of the Input Chopper. . . . .	80
6.4.3	Implementation of the CM Biasing Circuit. . . . .	80
6.4.4	Implementation of the CCIA Opamp. . . . .	83
6.4.5	Implementation of the Output S&H Switch. . . . .	86
6.4.6	Implementation of the RRL. . . . .	86
6.5	Experimental Results. . . . .	88
6.6	Conclusions. . . . .	91
	References. . . . .	92
<b>7</b>	<b>Capacitively Coupled Chopper Instrumentation Amplifiers for Low-Voltage Applications. . . . .</b>	<b>93</b>
7.1	Introduction. . . . .	93
7.2	Overview of the State of the Art. . . . .	95
7.2.1	State-of-the-Art Precision IAs for DC Sensing. . . . .	95
7.2.2	State-of-the-Art IAs for AC Biomedical Sensing. . . . .	97
7.2.3	Conclusions. . . . .	100
7.3	Design of a CCIA for Wireless Sensor Nodes. . . . .	100
7.3.1	Input Impedance Boosting Loop. . . . .	101
7.3.2	SC Ripple Reduction Loop (SC RRL). . . . .	102
7.3.3	DC Servo Loop (DSL). . . . .	103
7.4	Realization. . . . .	108
7.4.1	Global Parameters (Chopping Frequency, Capacitive Bridge, and Transistor Type). . . . .	108
7.4.2	Opamp of the CCIA. . . . .	110
7.4.3	Biasing Resistor $R_b$ . . . . .	111
7.4.4	Impedance Boosting Loop or Positive Feedback Loop (PFL). . . . .	111
7.4.5	SC RRL. . . . .	113
7.4.6	DC Servo Loop (DSL). . . . .	115
7.5	Experimental Results. . . . .	116
7.6	Conclusion. . . . .	119
	References. . . . .	120

<b>8</b>	<b>Conclusions</b> . . . . .	123
8.1	Conclusions . . . . .	123
8.2	Original Contributions . . . . .	124
	References. . . . .	125