

Topics in Mining, Metallurgy and Materials Engineering

Series editor

Carlos P. Bergmann, Porto Alegre, Brazil

“Topics in Mining, Metallurgy and Materials Engineering” welcomes manuscripts in these three main focus areas: Extractive Metallurgy/Mineral Technology; Manufacturing Processes, and Materials Science and Technology. Manuscripts should present scientific solutions for technological problems. The three focus areas have a vertically lined multidisciplinaryity, starting from mineral assets, their extraction and processing, their transformation into materials useful for the society, and their interaction with the environment.

More information about this series at <http://www.springer.com/series/11054>

Ivan Kurunov · Aitber Bizhanov

Stiff Extrusion Briquetting in Metallurgy

 Springer

Ivan Kurunov (Deceased)
Novolipetsk Steel Company
Lipetsk
Russia

Aitber Bizhanov
Moscow
Russia

ISSN 2364-3293 ISSN 2364-3307 (electronic)
Topics in Mining, Metallurgy and Materials Engineering
ISBN 978-3-319-72711-0 ISBN 978-3-319-72712-7 (eBook)
<https://doi.org/10.1007/978-3-319-72712-7>

Library of Congress Control Number: 2017961485

© Springer International Publishing AG 2018

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by Springer Nature
The registered company is Springer International Publishing AG
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

*The book is dedicated to the memory of my
friend and teacher, Ivan Kurunov.*

Preface

The fate of stiff vacuum extrusion (SVE), this “ugly duckling” of ferrous metallurgy is playing out in a surprising way. In a brief and clear way and yet without being noticed, it has made its debut in the Bethlehem Steel blast furnace (BF) in the United States of America and has made a triumphant return, after almost 20 years, to the lineup of industrial agglomeration technology. Despite the fact that it would not be entirely accurate to compare the scale of the blast furnace operation of what was once one of the largest American steel companies and that of the small, Indian company Suraj Products Ltd (Rourkela, West Bengali), it is this same experience that has enabled the authors to mold SVE into a fully fledged metallurgical technology. Six years of experience of using briquettes in the charge of a small blast furnace in Rourkela served as the basis of the technical and economic foundation of a project to construct a briquette factory at the Novolipetsk Steel Plant, which is designed to produce 700000 tons of briquettes annually (the deadline for commissioning this plant is 2018). Over the course of all this time, the briquette manufacturing plant in Rourkela (in West Bengal) has been a peculiar kind of Mecca for metallurgists who specialize in the field of the briquetting of natural and anthropogenic raw materials. Blast furnace specialists from the Novolipetsk Steel Plant, the West-Siberian Metallurgical Plant belonging to EVRAZ, the Metinvest Group (in the Ukraine) as well as delegations from Paul Wurth, and Tata Steel and many other Russian, and overseas specialists have familiarized themselves with the work of the plant. We would like to express our gratitude to the owner of the Suraj Products Ltd Company Mr. Yogesh Dalmia who is a real enthusiast of extrusion agglomeration technology and contributed personally to the development of the 100% briquetted operation of small-scale blast furnaces concept.

Within the confines of the project to construct a manufacturing plant at the Novolipetsk Steel Plant, the possibility of a partial replacement of sinter in the charge of a blast furnace with extruded briquettes (brex) is under examination. The practical realization of this substitution requires a growth in the production of brex of several orders of magnitude. The benefits of this “peaceful coexistence” of SVE and agglomeration are obvious. The efficiency of the agglomeration process itself increases as a result of the removal of fines from the charge for sintering. If 50% of the

sinter were replaced in the charge of a BF with brex, the basicity of the remaining sinter should be between 2.8 and 3.2. It is worth noting that given this basicity, calcium ferrite should predominate in the structure of the sinter, providing the increase of its strength. The results of a mathematical model of BF smelting using iron ore concentrate and coal brex with a carbon content in the brex of 9.5% demonstrated a high level of efficiency of a partial (by 50%) replacement of the production of sinter by the production of brex with a reduction in the coke rate of 15% and a reduction by 50% of the dust emissions, CO₂ emissions at the sinter plant will decrease by 32% and sulfurous gas emissions by 43% during the manufacture of the sinter.

In 2017, several brex producing factories for ferroalloys industry were constructed in different countries of the world. The design of all these factories, for the most part was based on the results of that, which is described in this book, including the methods for the preparation of the charge for extrusion agglomeration. The first smelts already confirmed the justification behind our recommendation for the brex as an effective charge component for submerged electric arc furnaces. The share of brex in the charge of such furnace can exceed 50% of the charge, and the resulting alloy is distinguished by its higher quality. At present, the possibility of using brex based on chromium-containing materials in the charge of direct current electric furnaces is being studied.

It would be unlikely that there would have been the growth in the popularity of stiff extrusion briquetting around the world, or the construction of new plants for the manufacture of brex, were it not for the systematic improvement of the technological characteristics of stiff extrusion, or the search for new binding materials, and the optimization of the operating conditions, and servicing of extrusion equipment. The only producer of the stiff extrusion briquetting equipment in the world is the J.C. Steele&Sons, Inc. (North Carolina). We experienced beginner's luck in researching the metallurgical properties of the extruded agglomerates. We are undoubtedly grateful to Mr. Richard Steele (Vice-President), who kindly made laboratory equipment of the Company available to us. Specifically, this relates to a unique computerized laboratory extruder that was able to model all the significant stages of SVE. We are grateful to Jim Falter for the comprehensive reports on testing of our customers materials in the lab.

The authors also consider it their duty to express their gratitude to Tatyana Malysheva, a known Russian scientist and one of the authors of metallurgical mineralogy, with whose cooperation it was possible to build the theoretical models on the nature of the hot strength of brex as they are heated in a reducing atmosphere. The successful spread of SVE in the ferroalloys industry became possible thanks among other things to cooperation with the known Russian scientists and metallurgists, V.Ya. Dashevskiy (of the A. A. Baykov Institute of Metallurgy and Materials Science of the Russian Academy of Sciences) and A.V. Pavlov (of the National University of Science and Technology, MISiS), for which we also express our gratitude.

Contents

1 Introduction	1
1.1 A Brief History of Industrial Briquetting in Ferrous Metallurgy	1
1.2 Briquetting Technology and Metallurgical Properties of Briquettes	3
1.3 Roller-Press Briquetting	4
1.4 Vibropressing Briquetting	7
1.5 Stiff Vacuum Extrusion Briquetting. What’s the Difference?	18
1.6 Conclusions	19
References	20
2 Features of Stiff Vacuum Extrusion as a Method of Briquetting Natural and Anthropogenic Raw Materials	23
2.1 Preparation of Burden Materials for SVE Briquetting	23
2.2 Technological Process of Briquetting by Method of Stiff Vacuum Extrusion	39
2.3 The Movement of the Briquetted Mass in the Extruder	43
2.4 The Length and the Cross-sectional Shape of Brex	53
2.5 Migration of Fines	55
2.6 Transportation, Warehousing, and Storage of Brex	59
2.7 Conclusions	65
References	66
3 Metallurgical Properties of the Brex and Efficiency of Their Use in a Blast Furnace	69
3.1 Behavior of the Experimental Brex Under Heating in a Reducing Atmosphere	69
3.1.1 Reducibility and the Hot Strength Mechanism of Using Brex for Blast Furnaces	70
3.1.2 Metallurgical Properties of Brex Made of Mill Scale and Blast Furnace Sludge	79

3.2	Metallurgical Properties of Industrial Brex for Blast Furnaces	81
3.3	Blast Furnace Operation with 100% Brex Charge	87
3.4	Assessment of Potential Usage of Brex Made of Iron Ore Concentrate with Carbon Addition in Blast Furnaces	90
3.5	Conclusions	92
	References	93
4	Metallurgical Properties of Brex and the Efficiency of Their Use in Ferroalloys Production	95
4.1	Brex from Manganese Ore Concentrate	97
4.2	Brex from Manganese Ore Concentrate and Gas Cleaning and Aspiration Dusts	99
4.3	Full-Scale Testing of Silicomanganese Smelting with Brex	110
4.4	Stiff Extrusion Briquetting of the Ferroalloys Fines	117
4.5	Conclusions	127
	References	127
5	A Laboratory Study and Full-Scale Testing of Brex in Direct Reduction Iron (DRI) Production	129
5.1	Analysis of the Results of the Application of Brex in the Charge of a Midrex Reactor	129
5.1.1	Tests with Brex in a Rigid Steel Basket in the Charge of a Midrex Reactor	130
5.1.2	Tests with Brex in Deformable Steel Packets in Charge of Midrex Reactor	136
5.1.3	Mineralogical Study of the Reduced Brex	141
5.2	High Temperature Reduction of Brex	150
5.3	Conclusions	159
	References	160
6	Review of Alternative Applications of Stiff Extrusion Briquetting Technology	161
	References	169

About the Authors

Ivan Kurunov was born on January 27, 1939, in settlement Satka, Chelyabinsk region, Russia. He graduated from Chelyabinsk Polytechnic Institute of Metals in 1961. Since 1963 till 2005, he is postgraduate student, Associate Professor, Professor in Moscow Institute of Steel and Alloys. Since 2005 up to August 2017, he is Chief Expert of Ironmaking division in Novolipetsk Steel Company (JSC NLMK).

He is author and co-author of more than 300 technical and scientific publications, including 8 books and brochures and more than 120 patents for inventions in metallurgy.

The very day it was decided that this book was to be published, my friend and teacher Ivan Kurunov was gravely injured in a traffic accident. He died on August 31st, the day that the press service of Russia's largest steel producer—the Novolipetsk Steel Company—announced the start of the construction of a new extrusion briquettes manufacturing factory with a capacity of 700,000 tons per annum. This project is Ivan's brainchild. Over the past six years, we have worked on this project together with our colleagues in Russia, the United States and India, side by side and, sometimes, back to back, in what we called "all-round defence".

The project is based on Ivan's ideas and the results of joint research conducted in Russia, the United States, and India. It is our deep conviction that stiff vacuum extrusion technology is the long-awaited key to quest to find an environmentally-friendly and effective method to agglomerate natural and anthropogenic raw materials for ferrous metallurgy.

Ivan Kurunov's name will remain known in the history of metallurgy for his pioneering works in the field of blast-furnace production and efficient recycling of iron-containing materials.

Aitber Bizhanov was born on October 6, 1956, in Buynaksk, Russia. He graduated from the Moscow Physical-Technical Institute in 1979. He spent 11 years as a Senior Researcher with the Institute for High Temperatures, USSR Academy of Sciences. In 1992, he joined EVRAZ, a large, vertically integrated steel and

vanadium enterprise with global assets. He joined Kosaya Gora Iron Works in 2005 as Commercial Director, introducing a briquetting technology for recycling of the natural and anthropogenic materials. Today, he is an Independent Representative of the J.C. Steele & Sons, Inc. company in Russia & CIS, Eastern Europe, and Turkey (since 2010). He has Ph.D. in the agglomeration of natural and anthropogenic materials in metallurgy. He is author of more than 50 publications in international journals, one book on briquetting (in Russian) and owner and co-author of 12 Russian patents in the field. He is author and owner of the “BREX” trademark.