

Springer Theses

Recognizing Outstanding Ph.D. Research

Aims and Scope

The series “Springer Theses” brings together a selection of the very best Ph.D. theses from around the world and across the physical sciences. Nominated and endorsed by two recognized specialists, each published volume has been selected for its scientific excellence and the high impact of its contents for the pertinent field of research. For greater accessibility to non-specialists, the published versions include an extended introduction, as well as a foreword by the student’s supervisor explaining the special relevance of the work for the field. As a whole, the series will provide a valuable resource both for newcomers to the research fields described, and for other scientists seeking detailed background information on special questions. Finally, it provides an accredited documentation of the valuable contributions made by today’s younger generation of scientists.

Theses are accepted into the series by invited nomination only and must fulfill all of the following criteria

- They must be written in good English.
- The topic should fall within the confines of Chemistry, Physics, Earth Sciences, Engineering and related interdisciplinary fields such as Materials, Nanoscience, Chemical Engineering, Complex Systems and Biophysics.
- The work reported in the thesis must represent a significant scientific advance.
- If the thesis includes previously published material, permission to reproduce this must be gained from the respective copyright holder.
- They must have been examined and passed during the 12 months prior to nomination.
- Each thesis should include a foreword by the supervisor outlining the significance of its content.
- The theses should have a clearly defined structure including an introduction accessible to scientists not expert in that particular field.

More information about this series at <http://www.springer.com/series/8790>

Roberto Suárez Moreno

Interdecadal Changes in Ocean Teleconnections with the Sahel

Implications in Rainfall Predictability

Doctoral Thesis accepted by the Complutense University
of Madrid, Spain

 Springer

Roberto Suárez Moreno
Faculty of Physical Sciences
Department of Earth Physics and Astrophysics
Complutense University of Madrid
Los Molinos, Madrid, Spain

Supervisor

Belén Rodríguez de Fonseca
Department of Geophysics and Meteorology
University Complutense of Madrid
Madrid, Spain

ISSN 2190-5053

ISSN 2190-5061 (electronic)

Springer Theses

ISBN 978-3-319-99449-9

ISBN 978-3-319-99450-5 (eBook)

<https://doi.org/10.1007/978-3-319-99450-5>

Library of Congress Control Number: 2018962408

© Springer Nature Switzerland AG 2019

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors, and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This Springer imprint is published by the registered company Springer Nature Switzerland AG
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

The research leading to this thesis was supported by the PREFACE-EU project (EU FP7/2007–2013) under grant agreement no. 603521, the Spanish national project MULCLIVAR (CGL2012-38923-C02-01), and the VR: 101/11 project from the VIII UCM Call for Cooperation and Development.

To David and Raúl

*Some people feel the rain. Others just get
wet.*

Bob Marley

*We specially need imagination in science. It
is not all mathematics, nor all logic, but it is
somewhat beauty and poetry*

Maria Montessori

Supervisor's Foreword

The understanding of climate variability has been enhanced in the last decades due to the huge amount of available data provided by the most prestigious meteorological centers. These data come from observations, reanalysis, and simulations performed with general circulation models.

The use of this huge amount of data has given the opportunity to the research community to better understand the causes of rainfall variability in regions like the Sahel, which has suffered severe droughts with a society strongly dependent on agriculture and therefore water.

The understanding of seasonal to decadal rainfall variability in this region is one of the most important challenges of climate research, and the Sahel has become a natural laboratory due to its sensitivity to changes in climate.

In recent decades, the ocean has been put forward as the main external forcing on Sahelian rainfall variability from interannual to decadal timescales. The sea surface temperature variability of the Pacific, Atlantic, Indian, and Mediterranean have been demonstrated as potential predictors, enhancing rainfall forecast skill.

Nevertheless, at the beginning of this thesis, there were some important open questions regarding the stability of the SST-Sahelian rainfall links along the observational record. Some works had suggested that the Pacific influence on the Sahel was not stable and had even disappeared after the 1970s. In addition, coupled models still lacked on reproducing mean state and variability of some regions such as the tropical Atlantic, so further analysis was still needed for the correct assessment of seasonal to decadal predictability of Sahelian rainfall.

This thesis started with a cooperational project with the University Cheikh Anta Diop (UCAD) in Dakar and the Universidad Complutense de Madrid.

At that time, we committed to donate a statistical prediction model for seasonal rainfall based on the predicting value of sea surface temperatures (SSTs). Using available grid observational data from SSTs and rainfall, discriminant analysis techniques were implemented together with all the preprocessing in the S⁴CAST (Sea Surface Temperature-based Statistical Seasonal foreCAST) model. This model included a study of the stability of the SSTs-rainfall links, and it was able to

determine the regions and periods in which each predictor could be used for the Sahel. A cross-validated hindcast was included together with an analysis of the skill.

Roberto Suárez started his PhD working on the design and implementation of this S⁴CAST tool. Roberto visited the UCAD department during his 3-month stay, sharing this tool with students and researchers working not only in rainfall variability but also in malaria and coastal upwelling.

Roberto used Sahelian rainfall variability as a benchmark for the model. Key results emerged when analyzing the stability of the rainfall-SSTs links found. At that time, the thesis started to take shape.

The application of S⁴CAST to Sahelian rainfall ended with important insights on the influence of the tropics versus the extratropics on the Sahel. On the one hand, results suggested that the tropics counteract their impact on the Sahel acting together during decades in which the intertropical convergence zone was located equatorward. On the other hand, the extratropics, and in particular the North Atlantic and the Mediterranean Sea enhanced their influence in decades in which the ITCZ was located northward. The decadal migration of the ITCZ seemed to be modulated by multidecadal ocean variability.

The thesis concluded with an experiment done with a general circulation model to check the next hypothesis: “the position of the ITCZ, forced by the ocean multidecadal variability, as responsible for the enhanced Mediterranean influence on Sahelian rainfall variability.”

A second visit was then planned, and Roberto made a 3-month stay in the Université Pierre and Marie Curie working, under the supervision of Marco Gaetani and Cyrille Flamant, in performing simulations with the IPSL model in which those hypotheses were confirmed.

The implications of the results of this thesis go far from the seasonal forecast. They are also useful when analyzing decadal variability. In this way, under skillful decadal predictability, we can determine the decades in which some particular oceanic predictors can be used in seasonal forecast. Nowadays, the S⁴CAST tool is being used by other groups working in crop forecasting, malaria prediction, and upwelling.

Some international important projects such as PREFACE have ended with important conclusions in which the ITCZ has been pointed out as the main actor to be better simulated. Thus, GCMs still need to be improved to better determine the stability of Sahelian rainfall-SST variability links.

This thesis has three different dimensions: a technical dimension, a research dimension, and a human dimension. Working in the Sahel is a gift for a scientist not only for being sensitive to climate variability but also on the impacts that the improvement of its knowledge has on society.

Madrid, Spain
April 2017

Belén Rodríguez de Fonseca

Parts of this thesis have been published in the following articles:

Suárez-Moreno R and Rodríguez-Fonseca B (2015) S⁴CAST v2.0: sea surface temperature based statistical seasonal forecast model. *Geoscientific model development* 8(11) 3639–3658.

Rodríguez-Fonseca B, **Suárez-Moreno R**, Ayarzagüena B, López-Parages J, Gómara I, Villamayor J, Mohino E, Losada T and Castaño-Tierno A (2016) A review of ENSO influence on the North Atlantic. A Non-Stationary Signal. *Atmosphere* 7(7), 87.

Colman A, Rowell D, Foamouhoue AK, Ndiaye O, Rodríguez-Fonseca B, **Suárez-Moreno R**, Yaka P, Parker DJ and Diop-Kane M (2017) Seasonal Forecasting in Meteorology of Tropical West Africa: The Forecasters' Handbook (eds D. J. Parker and M. Diop-Kane), John Wiley & Sons, Ltd, Chichester, UK.

Suárez-Moreno R, Rodríguez-Fonseca B, Barroso JA and Fink AH (2018a) Interdecadal changes in the leading ocean forcing of Sahelian rainfall interannual variability: Atmospheric dynamics and role of multidecadal SST background (accepted to be published in the *Journal of Climate*).

Suárez-Moreno R, Rodríguez-Fonseca B, Gaetani M and Flamant C (2018b) Robust multidecadal modulation of the Mediterranean impact on the Sahel (submitted).

Preface

The West African Sahel is the transition region between the wet equatorial zone and the dry Sahara desert. Year to year, the Sahel alternates an extremely dry season with a strong rainfall regime from July to September. The water resources available during the long dry season depend almost entirely on the intensity of rainfall during the rainy season, also known as the West African Monsoon (WAM).

The WAM presents a marked variability at interannual timescales (e.g., Sultan et al. 2003; Sultan and Janicot 2003), being a major topic of study. The severe drought experienced in the Sahel from the 1970s to the 1990s, and the apparent recovery trend in the recent period, also reveals the pronounced interdecadal variability of the WAM (Hulme et al. 2001; Nicholson 2005; Lebel and Ali 2009).

The WAM system is primarily determined by the northward shift of the inter-tropical convergence zone (ITCZ) along with a thermal gradient between the Sahara desert to the north and the Guinean Gulf to the south (e.g., Sultan and Janicot 2000; Chiang et al. 2000, 2002; Kushnir et al. 2003; Nicholson 2009). Thus, although land surface processes and internal variability cannot be neglected, the oceanic forcing plays the leading role in the predictability of the WAM (e.g., Folland 1986; Palmer 1986; Fontaine et al. 1998; Skinner et al. 2012; Rodriguez-Fonseca et al. 2015). On the one hand, it is presented as the main driver of the decadal variability (e.g., Janicot et al. 2001; Biasutti et al. 2008; Mohino et al. 2011a; Martin et al. 2013). On the other hand, several observational studies address the interannual oceanic teleconnections from the tropical Pacific (Janicot et al. 2001; Rowell 2001; Joly and Voltaire 2009), the tropical Atlantic (Giannini et al. 2003; Polo et al. 2008; Joly and Voltaire 2009; Nnamchi and Li 2011), and the Mediterranean (Rowell 2003; Gaetani et al. 2010; Fontaine et al. 2011a).

Moreover, recent observational studies put forward interdecadal changes in the interannual sea surface temperature (SST)-forced response of the WAM (Janicot et al. 1996; Fontaine et al. 1998; Mohino et al. 2011b; Rodriguez-Fonseca et al. 2011, 2015; Losada et al. 2012). Nevertheless, the underlying causes of these unstable teleconnections and its consequent implications in Sahelian rainfall predictability have not been addressed so far, this being the leading motivation of the present thesis.

Objectives

The objectives are stated as follows:

- Design and creation of a statistical tool based on the SST capability to impact on climate-related variables, analyzing the nonstationary behavior of the potential teleconnections.
- Application of the statistical tool to conduct an observational analysis of the nonstationary SST-Sahel interannual teleconnections. The leading SST impacts are considered (tropical Atlantic, tropical Pacific, Mediterranean) to characterize the underlying dynamics.
- Characterization and analysis of the role of multidecadal SST variability in driving the nonstationarity of interannual teleconnections, with a special emphasis on those teleconnections that may be dominating Sahelian rainfall variability in the recent period.

Data and Methodology

Different observational datasets have been used in order to avoid data-related uncertainties. Regarding SST, the Extended Reconstructed Sea Surface Temperature (ERSST; e.g., Smith and Reynolds 2004) and the Hadley Center Sea Ice and Sea Surface Temperature (HadISST; e.g., Rayner et al. 2003) databases have been used. For rainfall, a novel dataset of rain-gauge rainfall records across West Africa (Sanogo et al. 2015) has been used for the first time to assess the nonstationary SST-forced response of rainfall in the Sahel. In addition, data from the Climate Research Unit (CRU; e.g., Harris et al. 2014) and reanalysis from the Global Precipitation Climatology Centre (GPCC; e.g., Schneider et al. 2014b) have been used. Moreover, the ERA-20C reanalysis from the European Centre for Medium-Range Weather Forecasts (ECMWF) has been used to explore the atmospheric dynamical processes (Poli et al. 2016).

The statistical methodology used in this thesis mainly corresponds to the maximum covariance analysis (MCA). This technique is widely applied in climate variability to isolate co-variability coupled patterns between two fields (e.g., Bretherton et al. 1992). Based on the ability of the SST as predictor field, the MCA has been applied to analyze the predictability of Sahelian rainfall. Both parametric (t-test) and nonparametric (Monte Carlo) methods have been used to assess the statistical significance.

A series of numerical experiments were conducted by using the Laboratoire de Météorologie Dynamique Zoom (LMDZ, version 5A) atmospheric general circulation model (AGCM) (Hourdin et al. 2006), coupled with the land surface model Organizing Carbon and Hydrology in Dynamic Ecosystems (ORCHIDEE) (Krinner et al. 2005). LMDZ and ORCHIDEE are, respectively, the atmospheric and land components of the Institute Pierre Simon Laplace Earth system model (IPSL-CM5A) (Dufresne et al. 2013).

Results

The results obtained in this thesis can be expressed in three main blocks:

- The Sea Surface Temperature-based Statistical Seasonal foreCAST model (**S⁴CAST, Suárez-Moreno and Rodríguez-Fonseca 2015**) has been designed and programmed on the basis of the SST capability to predict phenomena such as the WAM. The S⁴CAST has been subjected to benchmarking. As a result, the tropical Atlantic (e.g., Polo et al. 2008; Rodríguez-Fonseca et al. 2011) and tropical Pacific (e.g., Rowell 2001; Joly and Voldoire 2009) teleconnections with the Sahel, the El Niño-Southern Oscillation (ENSO) teleconnection with the Euro-Mediterranean sector (López-Parages and Rodríguez-Fonseca 2012; López-Parages et al. 2015) and the tropical interbasin Atlantic-Pacific teleconnection (Martín-Rey et al. 2012, 2014) have been satisfactorily reproduced.
- The S⁴CAST model has been used to explore the leading interannual SST teleconnections (tropical Atlantic, tropical Pacific, Mediterranean) with the Sahel. Robust nonstationary links have been found, consequently analyzing the underlying dynamical mechanisms. The multidecadal SST background has been found to exert an influence in modulating interannual teleconnections, with the Atlantic Multidecadal Variability (AMV) and global warming (GW) playing an outstanding role (**Suárez-Moreno et al. 2018a, submitted**).
- The Mediterranean influence in the Sahel is found to be nonstationary, increasing its impact during recent decades (**Suárez-Moreno et al. 2018b, submitted**). A set of sensitivity experiments is conducted to show how a multidecadal SST warming in the North Atlantic promotes the impact on the Sahel associated with a warm Mediterranean event, resulting in a rainfall increase. Thus, the Mediterranean and North Atlantic become key factors for the improvement of Sahelian rainfall predictability.

Madrid, Spain

Roberto Suárez Moreno

References

- Biasutti M, Held IM, Sobel AH and Giannini A (2008) SST forcings and Sahel rainfall variability in simulations of the twentieth and twenty-first centuries. *Journal of Climate* 21 14 3471–3486
- Bretherton C, Smith C and Wallace J (1992) An intercomparison of methods for finding coupled patterns in climate data. *Journal of Climate* 5 6 541–560
- Chiang JCH and Kushnir Y (2000) Interdecadal changes in eastern Pacific ITCZ variability and its influence on the Atlantic ITCZ. *Geophysical Research Letters* 27 3687–3690
- Chiang JCH, Kushnir Y and Giannini A (2002) Deconstructing Atlantic Intertropical Convergence Zone variability: Influence of the local cross-equatorial sea surface temperature gradient and remote forcing from the eastern equatorial Pacific. *Journal of Geophysical Research: Oceans* 107

- Dufresne JL, et al. (2013) Climate Change projections using the IPSL-CM5 Earth System Model: from CMIP3 to CMIP5. *Climate Dynamics* 40 9 2123–2165
- Folland C, Palmer T and Parker D (1986) Sahel rainfall and worldwide sea temperatures, 1091–85. 320 Nature Publishing Group
- Fontaine B, Trzaska S and Janicot S (1998) Evolution of the relationship between near global and Atlantic SST modes and the rainy season in West Africa: statistical analyses and sensitivity experiments. *Climate Dynamics* 14 5 353–368
- Fontaine B, Monerie P-A, Gaetani M and Roucou P (2011a) Climate adjustments over the African-Indian monsoon regions accompanying Mediterranean Sea thermal variability. *Journal of Geophysical Research: Atmospheres* 116 D23
- Gaetani M, Fontaine B, Roucou P and Baldi M (2010) Influence of the Mediterranean Sea on the West African monsoon: Intraseasonal variability in numerical simulations. *Journal of Geophysical Research: Atmospheres* 115 D24 D24115
- Giannini A, Saravanan R and Chang P (2003) Oceanic forcing of Sahel rainfall on interannual to interdecadal time scales. *Science* 302 5647 1027–1030
- Harris I, Jones PD, Osborn TJ and Lister DH (2014) Updated high-resolution grids of monthly climatic observations – the CRU TS3.10 Dataset. *International Journal of Climatology* 34 3 623–642
- Hourdin F, Musat I, Bony S, Braconnot P, Codron F, Dufresne J-L, Fairhead L, Filiberti M-A, Friedlingstein P, Grandpeix J-Y, Krinner G, LeVan P, Li Z-X and Lott F (2006) The LMDZ4 general circulation model: climate performance and sensitivity to parametrized physics with emphasis on tropical convection. *Climate Dynamics* 27 7 787–813
- Hulme M (2001) Climatic perspectives on Sahelian desiccation: 1973–1998. *Global Environmental Change* 11 1 19–29
- Janicot S, Moron V and Fontaine B (1996) Sahel droughts and ENSO dynamics. *Geophysical Research Letters* 23 5 515–518
- Janicot S, Trzaska S and Poccard I (2001) Summer Sahel-ENSO teleconnection and decadal time scale SST variations. *Climate Dynamics* 18 3 303–320
- Joly M and Voltaire A (2009) Influence of ENSO on the West African Monsoon: Temporal Aspects and Atmospheric Processes. *Journal of Climate* 22 12 3193–3210
- Krinner G, Viovy N, de Noblet-Ducoudré N, Ogée J, Polcher J, Friedlingstein P, Ciais P, Sitch S and Prentice IC (2005) A dynamic global vegetation model for studies of the coupled atmosphere-biosphere system. *Global Biogeochemical Cycles* 19
- Kushnir Y, Barreiro M, Chang P, Chiang J, Lazar A and Malanotte-Rizzoli P (2003) The role of the south Atlantic in the Variability of the ITCZ White paper for CLIVAR/IAI/OOPC
- Lebel T and Ali A (2009) Recent trends in the central and western Sahel rainfall regime (1990–2007). *Journal of Hydrology* 375 1–2 52–64
- López-Parages J and Rodríguez-Fonseca B (2012) Multidecadal modulation of El Niño influence on the Euro-Mediterranean rainfall. *Geophysical Research Letters* 39 2 L02704
- López-Parages J, Rodríguez-Fonseca B and Terray L (2015) A mechanism for the multidecadal modulation of ENSO teleconnection with Europe. *Climate Dynamics* 45 3 867–880
- Losada T, Rodríguez-Fonseca B, Mohino E, Bader J, Janicot S and Mechoso CR (2012) Tropical SST and Sahel rainfall: A non-stationary relationship. *Geophysical Research Letters* 39 12 L12705
- Martin ER, Thorncroft C and Booth BBB (2013) The multidecadal Atlantic SST—Sahel rainfall teleconnection in CMIP5 simulations. *Journal of Climate* 27 2 784–806
- Martín-Rey M, Polo I, Rodríguez-Fonseca B and Kucharski F (2012) Changes in the interannual variability of the tropical Pacific as a response to an equatorial Atlantic forcing. *Scientia Marina* 76 S1 105–116
- Martín-Rey M, Rodríguez-Fonseca B, Polo I and Kucharski F (2014) On the Atlantic–Pacific Niños connection: a multidecadal modulated mode. *Climate Dynamics* 43 11 3163–3178
- Mohino E, Janicot S and Bader J (2011a) Sahel rainfall and decadal to multi-decadal sea surface temperature variability. *Climate Dynamics* 37 3 419–440

- Mohino E, Rodríguez-Fonseca B, Losada T, Gervois S, Janicot S, Bader J, Ruti P and Chauvin F (2011b) Changes in the interannual SST-forced signals on West African rainfall. AGCM inter-comparison. *Climate Dynamics* 37 9–10 1707–1725
- Nicholson S (2005) On the question of the “recovery” of the rains in the West African Sahel. *Journal of Arid Environments* 63 3 615–641
- Nicholson SE (2009) A revised picture of the structure of the “monsoon” and land ITCZ over West Africa. *Climate Dynamics* 32 7 1155–1171
- Nnamchi H and Li J (2011) Influence of the South Atlantic Ocean Dipole on West African Summer precipitation. *Journal of Climate* 24 4 1184–1197
- Palmer TN (1986) Influence of the Atlantic, Pacific and Indian Oceans on Sahel rainfall. *Nature* 322 6076 251–253
- Poli P, Hersbach H, Dee DP, Berrisford P, Simmons AJ, Vitart F, Laloyaux P, Tan DGH, Peubey C, Thépaut J-N, Trémolet Y, Hólm EV, Bonavita M, Isaksen L and Fisher M (2016) ERA-20C: An Atmospheric Reanalysis of the Twentieth Century. *Journal of Climate* 29 11 4083–4097
- Polo I, Rodríguez-Fonseca B, Losada T and García-Serrano J (2008) Tropical Atlantic variability Modes (1979–2002). Part I: Time-evolving SST modes related to West African rainfall. *Journal of Climate* 21 24 6457–6475
- Rayner NA, Parker DE, Horton EB, Folland CK, Alexander LV, Rowell DP, Kent EC and Kaplan A (2003) Global analyses of sea surface temperature, sea ice, and night marine air temperature since the late nineteenth century. *Journal of Geophysical Research: Atmospheres* 108 D14 4407
- Rodríguez-Fonseca B, Janicot S, Mohino E, Losada T, Bader J, Caminade C, Chauvin F, Fontaine B, García-Serrano J, Gervois S, Joly M, Polo I, Ruti P, Roucou P and Voldoire A (2011) Interannual and decadal SST-forced responses of the West African monsoon. *Atmospheric Science Letters* 12 1 67–74
- Rodríguez-Fonseca B, Mohino E, Mechoso CR, Caminade C, Biasutti M, Gaetani M, Garcia-Serrano J, Vizu E, Cook K, Xue Y, Polo I, Losada T, Druyan L, Fontaine B, Bader J, Doblas-Reyes FJ, Goddard L, Janicot S, Arribas A, Lau W, Colman A, Vellinga M, Rowell DP, Kucharski F and Voldoire A (2015) Variability and predictability of West African Droughts: A review on the role of sea surface temperature anomalies. *Journal of Climate* 28 10 4034–4060
- Rowell DP (2001) Teleconnections between the tropical Pacific and the Sahel. *Quarterly Journal of the Royal Meteorological Society* 127 575 1683–1706
- Rowell DP (2003) The impact of Mediterranean SSTs on the Sahelian rainfall season. *Journal of Climate* 16 5 849–862
- Sanogo S, Fink AH, Omotosho JA, Ba A, Redl R and Ermert V (2015) Spatio-temporal characteristics of the recent rainfall recovery in West Africa. *International Journal of Climatology* 35 15 4589–4605
- Schneider U, Becker A, Finger P, Meyer-Christoffer A, Ziese M and Rudolf B (2014b) GPCP’s new land surface precipitation climatology based on quality-controlled in situ data and its role in quantifying the global water cycle. *Theoretical and Applied Climatology* 115 1 15–40
- Skinner CB, Ashfaq M and Diffenbaugh NS (2012) Influence of Twenty-First-Century Atmospheric and Sea Surface Temperature Forcing on West African Climate. *Journal of Climate* 25 2 527–542
- Smith TM and Reynolds RW (2004) Improved Extended Reconstruction of SST (1854–1997). *Journal of Climate* 17 12 2466–2477
- Suárez-Moreno R and Rodríguez-Fonseca B (2015) S4CAST v2.0: sea surface temperature based statistical seasonal forecast model. *Geoscientific model development* 8 11 3639–3658
- Suárez-Moreno R, Rodríguez-Fonseca B, Barroso JA and Fink AH (2018a) Interdecadal changes in the leading ocean forcing of Sahelian rainfall interannual variability: Atmospheric dynamics and role of multidecadal SST background (accepted to be published in the *Journal of Climate*)
- Suárez-Moreno R, Rodríguez-Fonseca B, Gaetani M and Flamant C (2018b) Robust multidecadal modulation of the Mediterranean impact on the Sahel (submitted)

- Sultan B and Janicot S (2000) Abrupt shift of the ITCZ over West Africa and intra-seasonal variability. *Geophysical Research Letters* 27 20 3353–3356
- Sultan B and Janicot S (2003) The West African monsoon dynamics. Part II: The “preonset” and “Onset” of the summer monsoon. *Journal of Climate* 16 21 3407–3427
- Sultan B, Janicot S and Diedhiou A (2003) The West African Monsoon Dynamics. Part I: Documentation of Intraseasonal Variability. *Journal of Climate* 16 21 3389–3406

Acknowledgments

Thanks to the wind, to the Blue House, to the beautiful beach of Bolonia, to that clearing between the clouds. Thanks in the end to that all those little details that make my world a special place.

Thanks to all those who know what I mean in the previous lines, because you are already part of my world.

Thanks, of course, to this world, for letting me say that it is mine.

Thanks to all the members of the honorable Department of Meteorology and Geophysics of the University Complutense of Madrid. Among these members, thanks in particular to my team. Thanks to Antonio, face to face in the office, you know that a small part of this thesis is yours. Thanks to Ade, I am still waiting for that cake. Thanks to Cahlo, Iñigo, Jorge, Mariano, and Jon, you are exceptional, top people!

Thanks to the evaluators and members of the thesis court, a fundamental part of this thesis.

Thanks to all those incredible people of the LPAOSF in Dakar: Baye Cheickh, Malick Wade, Abdou Lahat, Marie Jane, Souleymane, Moussa, and Amadou. A piece of me has stayed in Senegal, I give it to you.

Thanks to two very special people: Coumba Niang and Ibrahima Diouf. Each one in your own way has allowed me to absorb a little bit of your essence. I am eternally grateful to you.

Thanks of course to Elsa and Teresa, you make the ship's machinery work, being impossible for us to sink. I admire you personally and professionally.

Especially thanks to three people. Jesús, it has been a pleasure to have shared with you so many good times. We will keep contact, I am sure. It is your turn, Marta. Thank you falls short. I admire your tenacity and perseverance, and I feel fortunate to have met you. You have helped me until the last moment, you are a phenomenon. Also Julián is a phenomenon, from those practices in the bachelor and during all the way that we have shared up to now. I am glad to start a new stage with you there, lucky me!

Now it is a moment for the captain of this ship. Belén, you gave me the opportunity to join TROPA, and if I got here, it was largely because of your support and

direction. As they say, without you it would not have been possible. Thank you, boss; thank you very much, my friend.

Thanks to my people from Quinta del Chopo. Although in recent times, we have seen less than it should, your hug is always just as special, I always notice. I want to mention my cousin Javier and thank him for the impression of an excellent version of this thesis.

To David and Raúl, besides dedicating this thesis, I thank you for everything you gave me and you still give me. Someday we will meet again.

A bow in gratitude to the Warriors of the Rock. My necessary days of disconnection have been possible with you. Especially thanks to Pablo, partner already in times of “ginga.” Thanks also to Lucas, the head of the ceiling, you are really great!

To my family. It does not make sense to thank my parents, José and María del Carmen, and my sister, Cristina. I am who I am for you and with you. Also thanks to my uncles, specially to Juan Alberto and Isabel, always attentive.

To my grandparents, my roots, thanks from my heart. To those who are and to those who have left. Especially my grandfather Nicolás, the first and only superhero I have ever met. Thank you wherever you are.

Angela, no comment, you are simply great, my gift every day. With nobody better than you. Thanks for being.

Finally, I thank Maisha, Gala, Mara, Marusa, Río, Antoñito, India, and Vasca. Beautiful creatures.

I leave many, I know. Thanks to all of you.

Contents

1 Motivation	1
References	5
2 State of the Art	9
2.1 Introduction to the General Circulation of the Atmosphere and Oceans	9
2.1.1 The Atmosphere	9
2.1.2 The Oceans	14
2.2 The West African Monsoon: A Coupled Ocean-Atmosphere-Land System	18
2.2.1 The Sahel	23
2.3 Sahel Rainfall Variability and Predictability	24
2.3.1 Rainfall Variability	25
2.3.2 Rainfall Predictability	30
2.4 SST-Driven Sahel Rainfall Variability	32
2.4.1 Patterns of SST Variability	33
2.4.2 SST-Sahel Teleconnections	41
2.4.3 Non-stationary SST Teleconnections	44
References	46
3 Objectives	57
References	58
4 Physical Background	59
4.1 General Concepts on Monsoon Dynamics	59
4.1.1 Differential Heating	60
4.1.2 Pressure Gradient Forces: Thermal Wind Balance	61
4.2 ITCZ Dynamics	64
4.2.1 Moist Static Energy Flux and ITCZ Migrations	65
4.3 SST-Forced Teleconnections	69
4.3.1 Atmospheric Response to Tropical Forcing	69
References	73

5	Data	77
5.1	Observational Data.....	77
5.1.1	Rainfall.....	78
5.1.2	Sea Surface Temperature	79
5.1.3	ERA-20C Atmospheric Reanalysis	80
5.2	Simulated Data.....	82
5.2.1	Sensitivity Experiments with the LMDZ Model	82
	References.....	83
6	Methodology	85
6.1	Data Preprocessing.....	85
6.1.1	Calculation of Anomalies.....	85
6.1.2	Data Time Filtering	86
6.2	Discriminant Analysis Methods.....	87
6.2.1	The Maximum Covariance Analysis	87
6.3	Statistical Field Significance	90
6.3.1	Parametric Testing	91
6.3.2	The Nonparametric Monte Carlo Method	93
6.4	Stream Function and Velocity Potential.....	93
6.5	Representation of the Results.....	94
	References.....	96
7	A Statistical Model Based on Non-stationary Predictors	99
7.1	Model Inputs	100
7.1.1	Loading Databases.....	100
7.1.2	Input Parameters	101
7.2	Analysis of Stationarity: The COI Index	103
7.3	Model Outputs	104
7.4	Application of the Model: Benchmark Cases	105
7.4.1	Case Study I: Tropical Atlantic SST – Sahel Rainfall	105
7.4.2	Case Study II: Tropical Atlantic SST – Tropical Pacific SST.....	108
7.4.3	Case Study III: Tropical Pacific SST – Sahel Rainfall	112
7.4.4	Case Study IV: Tropical Pacific SST – Euro-Mediterranean Rainfall.....	115
7.5	Discussion	117
7.6	Code Availability	120
	References.....	121
8	Interdecadal Changes in the SST-Driven Teleconnections with the Sahel	125
8.1	Data and Methodology.....	126
8.1.1	Experimental Setup with the S ⁴ CAST Model	126
8.2	Non-stationary Interannual Teleconnections	128
8.2.1	Leading SSTA-Sahel Rainfall Covariability Modes	128
8.2.2	Mediterranean-Sahel	132

- 8.2.3 Tropical Atlantic-Sahel 134
- 8.2.4 Tropical Pacific-Sahel 138
- 8.3 Implications in Predictability 140
- 8.4 The Potential Role of Multidecadal SST Variability 142
- 8.5 Discussion 147
- References 150
- 9 Modulation of the Non-stationary
Mediterranean-Sahel Teleconnection 155**
- 9.1 Observational Data 156
- 9.2 Statistical Approach with the S⁴CAST Model 156
- 9.3 Numerical Experiments with the LMDZ Model 157
- 9.4 Discussion 169
- References 172
- 10 Concluding Remarks 175**
- 10.1 Main Conclusions 175
- 10.2 Future Work 178
- References 179
- References 181**
- Index 183**