

Xizhi Shi

# **Blind Signal Processing**

Theory and Practice

Xizhi Shi

# Blind Signal Processing

Theory and Practice

With 139 figures



上海交通大学出版社  
SHANGHAI JIAO TONG UNIVERSITY PRESS

 Springer

*Author*

Xizhi Shi

Institute of Vibration Shock & Noise, Shanghai Jiao Tong University

200030, Shanghai, China

Email: xzshi@sjtu.edu.cn

ISBN 978-7-313-05820-1

Shanghai Jiao Tong University Press, Shanghai

ISBN 978-3-642-11346-8

Springer Heidelberg Dordrecht London New York

ISBN 978-3-642-11347-5 (eBook)

Library of Congress Control Number: 2009944101

© Shanghai Jiao Tong University Press, Shanghai and Springer-Verlag Berlin Heidelberg 2011

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

*Cover design:* Frido Steinen-Broo, EStudio Calamar, Spain

Printed on acid-free paper

Springer is part of Springer Science+Business Media ([www.springer.com](http://www.springer.com))

# Preface

In this information age, digital signal processing technology is playing an increasingly important role in various fields of science and technology. Blind signal processing (BSP) has been an active research area in signal processing because the “blind” property doesn’t require on *a priori* knowledge about either the signal or training data. As a powerful statistical signal processing method, BSP has been successfully used in many fields, including acoustics, sonar, speech separation, image processing, biomedical signal processing, remote sensing, communications, geophysics, and economics.

Since the late 1990, students at Shanghai Jiao Tong University have actively probed this research area with much success “using for reference-innovation-practice” guiding principle. This book contains the results of this research, with the goal of furthering our academic work and providing a bridge for further domestic and international academic exchanges.

The book consists of three parts.

The first part, Chapters 1 to 5, gives the mathematical foundation of BSP, and introduces basic concepts, definitions, and representative algorithms.

The second part, Chapters 6 to 8, applies BSP using deconvolution, probability density estimation and joint diagonalization. In Chapter 6, the convolution mixtures and the techniques of deconvolution are explained. Compared with the linear instantaneous mixtures problem, the convolution mixtures problem matches well with the real environment. Because the convolution in the time-domain corresponds to the multiplication operation in the frequency-domain, the mixing process can be considered as the product of the finite impulse response (FIR) filter corresponding to the transmission channel and the  $z$ -domain expression of the mixed signal vector. Therefore, the blind separation of the convolution mixtures in the time-domain is changed to the blind separation of the instantaneous mixtures in the frequency-domain. The dual problems faced by the solution in the frequency-domain are the requirement for higher computation efficiency and the alignment connection of the separated frequency segment due to the permutation indeterminacy. The alignment method of the adjacent frequency segment developed in this book takes the correlation

parameters as the criteria to correctly connect the signal of each frequency segment together. In Chapter 7, the estimation of the probability density function of the source function forms the central topic. In the case where the distribution function of the signal is unknown with enough sample data, the non-parametric estimation method of the probability density function can guarantee that the estimate converges to any complex unknown density. This property is consistent with the condition that the source signals are unknown in blind separation. The probability density function-based separating algorithm we developed is more effective than the popular EASI algorithm. For any signals with a complex distribution, increasing the accuracy of the separation algorithms should cause the estimated probability density function to approach the true probability density function of the signal as much as possible. For this reason, we developed the Gaussian mixtures model-based probability density estimator, and verified the performance of the algorithm with speech signals and ship-radiated noise signals. Meanwhile, the estimation method of the probability density function is extended to the blind deconvolution problem where Gram-Charlier expansion is introduced to approximate the probability density function. This approach is suitable to the hybrid mixed signal containing the super-Gaussian signal as well as the sub-Gaussian signal along with improved computation and real-time performance. In Chapter 8, we extend the joint approximate diagonalization method to the non-stationary signal through the time-frequency distribution function matrix instead of through the power spectrum function matrix. After the convolution mixing model is transformed to a higher dimensional instantaneous mixing model, the joint approximate block diagonalization is adopted to implement the blind deconvolution of the time-frequency feature of the source signals. Combining the developed non-parametric estimation method with the time-frequency distribution fully utilizes the limited samples to obtain more information in the time and frequency domains; therefore improving the performance of the algorithm.

The third part, Chapters 9 and 10, introduces extensions to BSP theory and provide applications in varied fields. In Chapter 9, we discuss in detail some key problems, including how to speed up the convergence, the underdetermined model, the complex valued method, and constrained independent component analysis. The developed second-order statistics based algorithm is more suitable to the convolution mixtures of the multi-input and multi-output system. On the basis of the prior distribution expressed by the Gaussian mixtures model, the

MoG-ulCA algorithm with a parameter learning capability has been developed; that algorithm can recover the source signals with different distributions from the mixed signals without undue limitation. Recent study shows that on the basis of the state-space model of the signal, the particle filtering method combining with MoG-ulCA algorithm is very effective to deal with the blind separation of non-Gaussian noise and non-linear mixtures. And the study of a complex-valued domain extends the application areas while it increases the computation speed of existing algorithms. In Chapter 10, we present a wide range of prospective problems for future research. Our illustrative areas have included speech, underwater acoustics, medical imaging, data compression, image feature extraction, and bioinformatics.

In surveying this book, readers can realize that key problems faced by blind processing include nonlinear mixtures, the effect of noise on the performance of separation, non-stationary signal models and the underdetermined model. Though some progress, as reported in this book, has been achieved regarding the above topics, there is still plenty of space for development in theory and applications.

Since the word “blind” excludes prior assumption on system characteristic, reliance is made of the cognitive model, constructed by statistical reasoning and machine learning, to perform blind separation of real signals. The cognitive model indicates how to transfer the indeterminacy of the mixed signal in the mixing process. The classical statistical reasoning method is the Bayesian theorem; however, it is only optimal in the case of a known prior probability distribution. In order to overcome the obstacle of the prior probability distribution, we need to develop the data-driven based statistical reasoning learning method under the Bayesian framework to find an effective approach method. The time series-based Bayesian reasoning can deal with the transfer of indeterminacy very well. If the blind separation problem is described as a distribution model, in which all hidden variables are deduced from observation variables, then the blind separation problem is reduced to the Bayesian structure learning process. In a general sense, Bayesian learning is an information-based knowledge reasoning system. The key to successful separation is how to select a suitable probability distribution to approach the initial distribution of the mixed signals. The non-parametric Bayesian method uses the random process to depict the infinite dimensional space, namely the Dirichlet process. The joint application of Dirichlet process mixtures-based general purpose density estimator and

nonlinear decoupling technology of the indeterminacy transfer for system state and distribution estimation, can widen the successful application of blind signal processing.

I have written this book to show the partial research results by twelve Ph.D. students in recent years achieved in a collaborative, harmonious atmosphere. I would like to express my thanks to Hong Pan, Ze Wang, Xizhong Shen, Fengyu Cong, Wei Kong, Shanbao Tong, Yingyu Zhang, Yanxue Liang and Haixiang Xu for their respective contributions to Section 9.2; Section 1.4, Section 9.9, Section 10.5 and Section 10.6; Section 7.7 and Section 9.3; Section 2.6, Section 4.1, Section 9.6/9.10, and Section 10.1; Section 5.6, Section 7.5, Section 9.5/9.6, and Section 10.10; Section 10.2; Section 9.4 and Section 10.3; Section 10.7; Section 8.7.

I want to express my appreciation to the following experts for their concerns and support in the proposal and writing process; they are: Prof. Z. Y. He (Southeast University, China), Prof. C. H. Chen (Massachusetts University, Dartmouth, US), Prof. B. Z. Yuan (Northern Jiao Tong University, China), Prof. G. Meng, Prof. T. G. Zhuang, Prof. Z. Z. Han, Prof. Z. Z. Wang, Prof. J. Yang, Prof. Y. S. Zhu, Prof. L. Q. Zhang, and Prof. J. Chen of our laboratory.

Most of the early research results are taken from the related projects sponsored by the Department of Information Science National Natural Science Foundation of China. Without the enormous support from NSFC, it would have been difficult to complete the long-term research.

In early 2006, I had to stop my writing due to a sudden eye disease. Special thanks go to Prof. X. H. Sun for his treatment so that I could continue my writing.

Finally, I would like to express my sincere gratitude to Prof. C. H. Chen and Prof. Susan Landgraf for their help in editing the English version of the book.

**Xizhi Shi**

Shanghai Jiao Tong University

05/10/2010

# Contents

<b>Chapter 1 Introduction</b> .....	1
1.1 Introduction .....	1
1.2 Blind Source Separation .....	1
1.3 Independent Component Analysis (ICA) .....	9
1.4 The Historical Development and Research Prospect of Blind Signal Processing .....	11
References .....	20
<b>Chapter 2 Mathematical Description of Blind Signal Processing</b> .....	27
2.1 Random Process and Probability Distribution .....	27
2.2 Estimation Theory .....	34
2.3 Information Theory .....	40
2.4 Higher-Order Statistics .....	44
2.5 Preprocessing of Signal .....	48
2.6 Complex Nonlinear Function .....	53
2.7 Evaluation Index .....	58
References .....	58
<b>Chapter 3 Independent Component Analysis</b> .....	60
3.1 Problem Statement and Assumptions .....	60
3.2 Contrast Functions .....	62
3.3 Information Maximization Method of ICA .....	67
3.4 Maximum Likelihood Method and Common Learning Rule .....	70
3.5 FastICA Algorithm .....	71
3.6 Natural Gradient Method .....	74
3.7 Hidden Markov Independent Component Analysis .....	77
References .....	82
<b>Chapter 4 Nonlinear PCA &amp; Feature Extraction</b> .....	84
4.1 Principal Component Analysis & Infinitesimal Analysis .....	84

4.2	Nonlinear PCA and Blind Source Separation .....	87
4.3	Kernel PCA .....	89
4.4	Neural Networks Method of Nonlinear PCA and Nonlinear Complex PCA .....	91
	References .....	95
<b>Chapter 5</b>	<b>Nonlinear ICA .....</b>	<b>97</b>
5.1	Nonlinear Model and Source Separation .....	97
5.2	Learning Algorithm .....	99
5.3	Extended Gaussianization Method of Post Nonlinear Blind Separation .....	100
5.4	Neural Network Method for Nonlinear ICA .....	103
5.5	Genetic Algorithm of Nonlinear ICA Solution .....	105
5.6	Application Examples of Nonlinear ICA .....	106
	References .....	110
<b>Chapter 6</b>	<b>Convolutional Mixtures and Blind Deconvolution .....</b>	<b>113</b>
6.1	Description of Issues .....	113
6.2	Convolutional Mixtures in Time-Domain .....	114
6.3	Convolutional Mixtures Algorithms in Frequency-Domain .....	115
6.4	Frequency-Domain Blind Separation of Speech Convolutional Mixtures .....	122
6.5	Busgang Method .....	126
6.6	Multi-channel Blind Deconvolution .....	128
	References .....	130
<b>Chapter 7</b>	<b>Blind Processing Algorithm Based on Probability Density Estimation .....</b>	<b>132</b>
7.1	Advancing the Problem .....	132
7.2	Nonparametric Estimation of Probability Density Function .....	133
7.3	Estimation of Evaluation Function .....	141
7.4	Blind Separation Algorithm Based on Probability Density Estimation .....	142
7.5	Probability Density Estimation of Gaussian Mixtures Model .....	150
7.6	Blind Deconvolution Algorithm Based on Probability Density Function Estimation .....	155

---

7.7	On-line Algorithm of Nonparametric Density Estimation	163
	References	172
<b>Chapter 8</b>	<b>Joint Approximate Diagonalization Method</b>	175
8.1	Introduction	175
8.2	JAD Algorithm of Frequency-Domain Feature	176
8.3	JAD Algorithm of Time-Frequency Feature	181
8.4	Joint Approximate Block Diagonalization Algorithm of Convulsive Mixtures	184
8.5	JAD Method Based on Cayley Transformation	188
8.6	Joint Diagonalization and Joint Non-Diagonalization Method	190
8.7	Nonparametric Density Estimating Separating Method Based on Time-Frequency Analysis	193
	References	202
<b>Chapter 9</b>	<b>Extension of Blind Signal Processing</b>	205
9.1	Blind Signal Extraction	205
9.2	From Projection Pursuit Technology to Nonparametric Density Estimation-Based ICA	208
9.3	Second-Order Statistics Based Convulsive Mixtures Separation Algorithm	215
9.4	Blind Separation for Fewer Sensors than Sources— Underdetermined Model	225
9.5	FastICA Separation Algorithm of Complex Numbers in Convulsive Mixtures	252
9.6	On-line Complex ICA Algorithm Based on Uncorrelated Characteristics of Complex Vectors	259
9.7	ICA-Based Wigner-Ville Distribution	264
9.8	ICA Feature Extraction	269
9.9	Constrained ICA	278
9.10	Particle Filtering Based Nonlinear and Noisy ICA	282
	References	290
<b>Chapter 10</b>	<b>Data Analysis and Application Study</b>	301
10.1	Target Enhancement in Active Sonar Detection	301
10.2	ECG Artifacts Rejection in EEG with ICA	312

10.3	Experiment on Underdetermined Blind Separation of A Speech Signal .....	317
10.4	ICA in Human Face Recognition .....	320
10.5	ICA in Data Compression .....	324
10.6	Independent Component Analysis for Functional MRI Data Analysis .....	333
10.7	Speech Separation for Automatic Speech Recognition System .....	342
10.8	Independent Component Analysis of Microarray Gene Expression Data in the Study of Alzheimer's Disease (AD).....	351
	References .....	359
<b>Index</b>	.....	<b>367</b>

## Symbols

$A=[a_{ij}]$	mixing matrix
$a_{ij}$	$ij$ th element of matrix $A$
$C$	mixing-separating composite matrix
$C_x$	covariance matrix of $x$
$C_{xy}$	cross-covariance matrix of $x$ and $y$
$C(\omega)$	matrix in frequency-domain
$D$	diagonal matrix with full rank
$D(t, f)$	distribution function matrix in time-domain
$\det(A)$	determinant of matrix $A$
$\text{diag}(d_1, d_2, \dots, d_n)$	diagonal matrix with main diagonal elements $(d_1, d_2, \dots, d_n)$
$E\{ \cdot \}$	expectation operator
$G$	generalized partition matrix
$H^{-1}$	inverse of nonsingular matrix $H$
$H(z)$	transfer function of discrete time filter
$H(z)$	matrix transfer function of discrete time filter
$H(\omega)$	mixing matrix in frequency-domain
$H(x)$	entropy of random variable $x$
$I$	identity matrix
$I_n \times_n$	identity matrix of dimension $n \times n$
$I(x, y)$	mutual information of random variable $x$ and $y$
$\text{Im}(\cdot)$	imaginary part of
$J(w)$	evaluation function
$K(x)$	kernel function
$KL(\cdot)$	Kullback-Leibler divergence (distance)
$k$	discrete-time or number of iterations
$n$	number of inputs and outputs, sequence number of discrete-time
$N$	data length
$m$	number of sensors
$p(x)$	probability density function of $x$
$P$	permutation matrix
$P(f)$	power spectrum matrix
$R_{xy}(m)$	cross-correlation function of discrete- time sequence $x(n)$ and $y(n)$ with time delay $m$

$R_{xy}(\tau)$	cross-correlation function of continuous-time function $x(t)$ and $y(t)$ with time delay $\tau$
$R^n$	real space of dimension $x$
$R_x$	autocorrelation matrix of $x$
$R_{xy}$	cross-correlation matrix of $x$ and $y$
$R_x(\omega)$	correlation matrix of mixed signals in frequency-domain
$R_y(\omega)$	correlation matrix of output signals in frequency-domain
$\text{Re}(\cdot)$	real part of
$s$	source signal vector
$s(t)$	continuous-time signal
$s(k)=[s_1(k), \dots, s_n(k)]^T$	source signal vector of $k$ th sample
$s(z)$	$z$ -transform of source signal vector $s(k)$
$\text{sgn}(x)$	sign function
$\text{tr}(A)$	trace of matrix $A$
$U$	orthogonal matrix
$w$	system parameters of state-space model
$W=[w_{ij}]$	separating matrix, demixing matrix
$W^H=(W^*)^T$	complex conjugate transpose of $W$
$W(z)$	matrix transfer function of deconvolution filter
$W(\omega)$	separating matrix in frequency domain
$x, y$	random variable
$x(k)$	observed signals vector, mixed signals vector
$\ x\ $	norm of vector $x$
$y$	separated (output) signals vector
$Y(w)$	frequency spectrum of output signal
$Z^{-1}$	inverse $z$ -transform
$\delta_{ij}$	Kronecker symbol
$\eta$	learning rate of discrete-time algorithm
$\Gamma(\cdot)$	Gamma function
$\lambda$	eigenvalue of correlation matrix
$\Lambda$	diagonal matrix
$\phi(\cdot)$	contrast function, nonlinear activating function of neuron
$\omega$	normalized angle frequency
$\nabla$	gradient operator
$\hat{\theta}$	estimate of parameters $\theta$