

Editorial Board:

**A. Abe · A.-C. Albertsson · K. Dušek · J. Genzer
W.H. de Jeu · S. Kobayashi · K.-S. Lee · L. Leibler
T.E. Long · I. Manners · M. Möller · E.M. Terentjev
M. Vicent · B. Voit · G. Wegner · U. Wiesner**

Advances in Polymer Science

Recently Published and Forthcoming Volumes

Self Organized Nanostructures of Amphiphilic Block Copolymers II
Volume Editors: Müller, A.H.E., Borisov, O.
Vol. 242, 2011

Self Organized Nanostructures of Amphiphilic Block Copolymers I
Volume Editors: Müller, A.H.E., Borisov, O.
Vol. 241, 2011

Bioactive Surfaces
Volume Editors: Börner, H.G., Lutz, J.-F.
Vol. 240, 2011

Advanced Rubber Composites
Volume Editor: Heinrich, G.
Vol. 239, 2011

Polymer Thermodynamics
Volume Editors: Enders, S., Wolf, B.A.
Vol. 238, 2011

Enzymatic Polymerisation
Volume Editors: Palmans, A.R.A., Heise, A.
Vol. 237, 2010

High Solid Dispersion
Volume Editor: Cloitre, M.
Vol. 236, 2010

Silicon Polymers
Volume Editor: Muzafarov, A.
Vol. 235, 2011

Chemical Design of Responsive Microgels
Volume Editors: Pich, A., Richtering, W.
Vol. 234, 2010

Hybrid Latex Particles – Preparation with Emulsion
Volume Editors: van Herk, A.M., Landfester, K.
Vol. 233, 2010

Biopolymers
Volume Editors: Abe, A., Dušek, K., Kobayashi, S.
Vol. 232, 2010

Polymer Materials
Volume Editors: Lee, K.-S., Kobayashi, S.
Vol. 231, 2010

Polymer Characterization
Volume Editors: Dušek, K., Joanny, J.-F.
Vol. 230, 2010

Modern Techniques for Nano- and Microreactors/-reactions
Volume Editor: Caruso, F.
Vol. 229, 2010

Complex Macromolecular Systems II
Volume Editors: Müller, A.H.E., Schmidt, H.-W.
Vol. 228, 2010

Complex Macromolecular Systems I
Volume Editors: Müller, A.H.E., Schmidt, H.-W.
Vol. 227, 2010

Shape-Memory Polymers
Volume Editor: Lendlein, A.
Vol. 226, 2010

Polymer Libraries
Volume Editors: Meier, M.A.R., Webster, D.C.
Vol. 225, 2010

Polymer Membranes/Biomembranes
Volume Editors: Meier, W.P., Knoll, W.
Vol. 224, 2010

Organic Electronics
Volume Editors: Meller, G., Grasser, T.
Vol. 223, 2010

Inclusion Polymers
Volume Editor: Wenz, G.
Vol. 222, 2009

Advanced Computer Simulation Approaches for Soft Matter Sciences III
Volume Editors: Holm, C., Kremer, K.
Vol. 221, 2009

Self-Assembled Nanomaterials II
Nanotubes
Volume Editor: Shimizu, T.
Vol. 220, 2008

Self-Assembled Nanomaterials I
Nanofibers
Volume Editor: Shimizu, T.
Vol. 219, 2008

Self Organized Nanostructures of Amphiphilic Block Copolymers II

Volume Editors: Axel H.E. Müller
Oleg Borisov

With contributions by

V. Aseyev · S. Belegriou · N.A.M. Besseling
I. Botiz · M.A. Cohen Stuart · T. Hellweg
M. Junginger · A. de Keizer · K. Kita-Tokarczyk
G. Reiter · H. Schlaad · A. Taubert · H. Tenhu
F.M. Winnik · Y. Yan

 Springer

Editors

Prof. Axel H.E. Müller
Makromolekulare Chemie II
and Bayreuther Zentrum für Kolloide
und Grenzflächen
Universität Bayreuth
95440 Bayreuth
Germany
axel.mueller@uni-bayreuth.de

Dr. Oleg Borisov
Institut Pluridisciplinaire de Recherche sur
l'Environnement et les Matériaux
UMR 5254 CNRS/UPPA
64053 Pau
France
oleg.borisov@univ-pau.fr

ISSN 0065-3195

e-ISSN 1436-5030

ISBN 978-3-642-22296-2

e-ISBN 978-3-642-22297-9

DOI 10.1007/978-3-642-22297-9

Springer Heidelberg Dordrecht London New York

Library of Congress Control Number: 2011934436

© Springer-Verlag Berlin Heidelberg 2011

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Cover design: WMXDesign GmbH, Heidelberg

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Volume Editors

Prof. Axel H.E. Müller
Makromolekulare Chemie II
and Bayreuther Zentrum für Kolloide
und Grenzflächen
Universität Bayreuth
95440 Bayreuth
Germany
axel.mueller@uni-bayreuth.de

Dr. Oleg Borisov
Institut Pluridisciplinaire de Recherche sur
l'Environnement et les Matériaux
UMR 5254 CNRS/UPPA
64053 Pau
France
oleg.borisov@univ-pau.fr

Editorial Board

Prof. Akihiro Abe
Professor Emeritus
Tokyo Institute of Technology
6-27-12 Hiyoshi-Honcho, Kohoku-ku
Yokohama 223-0062, Japan
abe34@xc4.so-net.ne.jp

Prof. A.-C. Albertsson
Department of Polymer Technology
The Royal Institute of Technology
10044 Stockholm, Sweden
aila@polymer.kth.se

Prof. Karel Dušek
Institute of Macromolecular Chemistry
Czech Academy of Sciences
of the Czech Republic
Heyrovský Sq. 2
16206 Prague 6, Czech Republic
dusek@imc.cas.cz

Prof. Jan Genzer
Department of Chemical &
Biomolecular Engineering
North Carolina State University
911 Partners Way
27695-7905 Raleigh, North Carolina
USA

Prof. Dr. Wim H. de Jeu
DWI an der RWTH Aachen eV
Pauwelsstraße 8
D-52056 Aachen, Germany
dejeu@dw.rwth-aachen.de

Prof. Shiro Kobayashi
R & D Center for Bio-based Materials
Kyoto Institute of Technology
Matsugasaki, Sakyo-ku
Kyoto 606-8585, Japan
kobayash@kit.ac.jp

Prof. Kwang-Sup Lee
Department of Advanced Materials
Hannam University
561-6 Jeonmin-Dong
Yuseong-Gu 305-811
Daejeon, South Korea
kslee@hnu.kr

Prof. L. Leibler
Matière Molle et Chimie
Ecole Supérieure de Physique
et Chimie Industrielles (ESPCI)
10 rue Vauquelin
75231 Paris Cedex 05, France
ludwik.leibler@espci.fr

Prof. Timothy E. Long
Department of Chemistry
and Research Institute
Virginia Tech
2110 Hahn Hall (0344)
Blacksburg, VA 24061, USA
telong@vt.edu

Prof. Ian Manners
School of Chemistry
University of Bristol
Cantock's Close
BS8 1TS Bristol, UK
ian.manners@bristol.ac.uk

Prof. Martin Möller
Deutsches Wollforschungsinstitut
an der RWTH Aachen e.V.
Pauwelsstraße 8
52056 Aachen, Germany
moeller@dw.rwth-aachen.de

Prof. E.M. Terentjev
Cavendish Laboratory
Madingley Road
Cambridge CB 3 OHE, UK
emt1000@cam.ac.uk

Prof. Dr. Maria Jesus Vicent
Centro de Investigacion Principe Felipe
Medicinal Chemistry Unit
Polymer Therapeutics Laboratory
Av. Autopista del Saler, 16
46012 Valencia, Spain
mjvicent@cipf.es

Prof. Brigitte Voit
Leibniz-Institut für Polymerforschung
Dresden
Hohe Straße 6
01069 Dresden, Germany
voit@ipfdd.de

Prof. Gerhard Wegner
Max-Planck-Institut
für Polymerforschung
Ackermannweg 10
55128 Mainz, Germany
wegner@mpip-mainz.mpg.de

Prof. Ulrich Wiesner
Materials Science & Engineering
Cornell University
329 Bard Hall
Ithaca, NY 14853, USA
ubw1@cornell.edu

Advances in Polymer Sciences

Also Available Electronically

Advances in Polymer Sciences is included in Springer's eBook package *Chemistry and Materials Science*. If a library does not opt for the whole package, the book series may be bought on a subscription basis. Also, all back volumes are available electronically.

For all customers who have a standing order to the print version of *Advances in Polymer Sciences*, we offer free access to the electronic volumes of the Series published in the current year via SpringerLink.

If you do not have access, you can still view the table of contents of each volume and the abstract of each article by going to the SpringerLink homepage, clicking on "Browse by Online Libraries", then "Chemical Sciences", and finally choose *Advances in Polymer Science*.

You will find information about the

- Editorial Board
- Aims and Scope
- Instructions for Authors
- Sample Contribution

at springer.com using the search function by typing in *Advances in Polymer Sciences*.

Color figures are published in full color in the electronic version on SpringerLink.

Aims and Scope

The series *Advances in Polymer Science* presents critical reviews of the present and future trends in polymer and biopolymer science including chemistry, physical chemistry, physics and material science. It is addressed to all scientists at universities and in industry who wish to keep abreast of advances in the topics covered.

Review articles for the topical volumes are invited by the volume editors. As a rule, single contributions are also specially commissioned. The editors and publishers will, however, always be pleased to receive suggestions and supplementary information. Papers are accepted for *Advances in Polymer Science* in English.

In references *Advances in Polymer Sciences* is abbreviated as *Adv Polym Sci* and is cited as a journal.

Special volumes are edited by well known guest editors who invite reputed authors for the review articles in their volumes.

Impact Factor in 2010: 6.723; Section "Polymer Science": Rank 3 of 79

Preface

The spontaneous assembly of amphiphilic molecules in an aqueous environment represents a generic mechanism of self-organization on the supramolecular level exemplified by nature. In the living cell, the process of hierarchical assembly of bio(macro)molecules propagates from the nano- to the mesoscopic level and beyond, giving rise to highly organized structures, each perfectly adjusted for performing specific functions. This self-organization across multiple length scales occurs as an outcome of a delicate balance between a number of attractive and repulsive interactions: electrostatic, hydrophobic, hydrogen bonding, metal coordination, etc., each with its characteristic strength and range.

Recent advances in polymer chemistry, in particular, in controlled radical polymerization, have enabled the synthesis of complex macromolecular architectures with controlled topology, which comprise chemically different (functional) blocks of controlled length in well-defined positions. Block co- and terpolymers, molecular and colloidal polymer brushes, and star-like polymers present just a few typical examples. Furthermore, miktoarm stars, core-shell stars and molecular brushes, etc. exemplify structures where chemical and topological complexity are combined in one macromolecule.

Significant progress has been made in terms of understanding the self-assembly of amphiphilic diblock copolymers in selective solvents. In aqueous solutions, the assembly is typically driven by hydrophobic attraction between associating blocks and gives rise to diverse nanostructures (micelles, vesicles) and mesophases. Theory has established relationships between the macromolecular architectures of ionic/hydrophobic diblock copolymers and the equilibrium morphologies of the self-assembled aggregates. Unusual responsive properties of micelles with pH-sensitive coronas were predicted on the basis of the concept of coupling between ionization of the polyelectrolyte block and the aggregation state of the copolymer molecule and they have been recently observed in experiments. A multitude of experimental techniques, including radiation scattering, fluorescence spectroscopy, electron and atomic force microscopy, etc., have been used for structural and dynamic characterization of the block-copolymer self-assembly in solution and at liquid–solid and liquid–air interfaces.

Self-assembled structures of amphiphilic copolymers have been extensively explored in biomedicine as vectors for targeted delivery of drugs and biological molecules (enzymes, nucleic acids), in biomaterials engineering (antifouling surfaces), biosensors, etc. Further applications include food industry and agro-chemistry, uptake and pre-concentration of toxic organic compounds and heavy metal ions in water treatment, molecular templates for nano-electronic devices. Many water-based industrial formulations include polymeric amphiphiles that aggregate and co-assemble with other macromolecules, nanoparticles and surfactants to form nano-aggregates, and different types of mesophases and structures at interfaces. An important requirement for the biomedical applications are pronounced stimuli-responsive properties of the polymeric nano-structures, that is ability of a triggered response to smoothly varied external conditions (e.g., tiny variations in temperature or pH) or recognition of weak specific stimuli (e.g., trace concentrations of biologically active or toxic compounds).

The electrostatic attraction between oppositely charged ionic macromolecules and (bio)nanocolloids is an appealing alternative mechanism for building up functional nano-assemblies in aqueous media. The association of linear polyelectrolytes in solutions or at charged interfaces leads to interpolyelectrolyte complexes or polyelectrolyte multilayers. The strength of attractive electrostatic interactions can be easily tuned by the pH or ionic strength of the solution. Hence, electrostatically assembled structures exhibit pronounced stimuli-responsive features. The enormous diversity of possible combinations of co-assembling components, including oppositely charged ionic polymers, nucleic acids and proteins, metal/ligand complexes, and inorganic nano-particles, opens a fascinating perspective of the possibility to use this mechanism to design novel functional materials based on supramolecular and supracolloidal assemblies.

Furthermore, such advanced applications as (bio)nanoreactors or molecular templates require progressing beyond the most elementary forms of self-organization and generic types of copolymer nanostructures. We need to explore routes of self- and co-assembly of macromolecules into non-centrosymmetric multi-compartment supramolecular nano-assemblies. For example, construction of nanoreactors for enzymatic (cascade) reactions requires immobilization of multiple proteins in close proximity to each other in well-segregated (protective) environments. Such enzyme cascades are very promising in biotechnological applications. The development of pathways for fabrication of well-defined multi-domain nano-structures via the spontaneous assembly of elementary macromolecular building blocks represents one of the future challenges in supra-macromolecular chemistry.

Co-assembly of amphiphilic and bis-hydrophilic block copolymers with oppositely charged polyelectrolyte blocks gives rise to sophisticated nanostructures with compartmentalized core or corona domains. The combination of nano-sized compartments that differ in polarity and composition within one colloidally stable polymeric nanostructure is promising in the development of novel, highly effective, multifunctional polymeric reagents for wastewater treatment (e.g., an one-stage removal of organic impurities and heavy metal ions from aqueous environment) as well as smart nano-containers capable of incorporation of various physiologically active

compounds, e.g., proteins and nucleic acids. Co-assembly of two ionic-neutral block copolymers can lead to surface-compartmentalized polymer-based Janus nanoparticles (“Janus micelles”) with two chemically different “faces” exposed to the surrounding environment. Janus micelles with coronas solvated in a common good solvent (e.g., water), but laterally segregated, are promising as they can selectively incorporate different enzymes or metal nano-particles possessing catalytic activity in segregated compartments, thus offering opportunities for (bio)catalytic cascades. Janus micelles are intrinsically highly surface active; their use may cut down the use of conventional surfactants with concomitant environmental impact.

Biomedical applications strongly require nanostructures based on the assembly of amphiphilic macromolecules comprising functional blocks of biological origin (peptides, oligo- or polynucleotides, polysaccharides) or their synthetic analogs. A novel class of biohybrid copolymers comprising a synthetic block conjugated to a polypeptide or polynucleotide block has attracted considerable attention. Their self-assembly gives rise to diverse ordered structures in aqueous media and at solid–liquid interfaces. The ability of biopolymer blocks to take part in specific interactions (e.g., ligand–receptor, DNA hybridization, etc.) with target molecules opens up a fascinating perspective for the design of novel generations of label-free diagnostic systems, or of smart vector systems that can deliver drugs or biologically active molecules on the basis of self-assembled bio-hybrid structures.

Based on these considerations, the European Union funded a Marie Curie Research Training Network “Self-Organized Nanostructures of Amphiphilic Copolymers (POLYAMPHI).” This network, consisting of 14 research teams from 7 European countries, worked successfully from 2004 to 2008. Some of the results obtained in these collaborations are presented in these two volumes, supplemented by chapters dealing with additional aspects of the topic. Thus, we present a comprehensive overview of the state of the art in experimental research and theory of self-organization via self- and co-assembly of amphiphilic or hydrophilic ionic (macro)molecules in aqueous solutions and at interfaces.

Pau and Bayreuth
Summer 2011

Oleg Borisov
Axel Müller

Contents

Block Copolymer Surfactant Mixtures in Aqueous Solution: Can we Achieve Size and Shape Control by Co-Micellization?	1
Thomas Hellweg	
Non-ionic Thermoresponsive Polymers in Water	29
Vladimir Aseyev, Heikki Tenhu, and Françoise M. Winnik	
From Coordination Polymers to Hierarchical Self-Assembled Structures	91
Yun Yan, Arie de Keizer, Martien A. Cohen Stuart, and Nicolaas A.M. Besseling	
Processes of Ordered Structure Formation in Polypeptide Thin Film Solutions	117
Ioan Botiz, Helmut Schlaad, and Günter Reiter	
Amphiphilic Polymers at Interfaces	151
Katarzyna Kita-Tokarczyk, Mathias Junginger, Serena Belegriou, and Andreas Taubert	
Index	203