Operator Theory: Advances and
Applications
Vol. 169

Editor:
I. Gohberg

Editorial Office:
School of Mathematical
Sciences
Tel Aviv University
Ramat Aviv, Israel

Editorial Board:
D. Alpay (Beer-Sheva)
J. Arazy (Haifa)
A. Atzmon (Tel Aviv)
J. A. Ball (Blacksburg)
A. Ben-Artzi (Tel Aviv)
H. Bercovici (Bloomington)
A. Böttcher (Chemnitz)
K. Clancey (Athens, USA)
L. A. Coburn (Buffalo)
R. E. Curto (Iowa City)
K. R. Davidson (Waterloo, Ontario)
R. G. Douglas (College Station)
A. Dijksma (Groningen)
H. Dym (Rehovot)
P. A. Fuhrmann (Beer Sheva)
B. Gramsch (Mainz)
J. A. Helton (La Jolla)
M. A. Kaashoek (Amsterdam)
H. G. Kaper (Argonne)

S. T. Kuroda (Tokyo)
P. Lancaster (Calgary)
L. E. Lerer (Haifa)
B. Mityagin (Columbus)
V. Olshevsky (Storrs)
M. Putinar (Santa Barbara)
L. Rodman (Williamsburg)
J. Rovnyak (Charlottesville)
D. E. Sarason (Berkeley)
I. M. Spitkovsky (Williamsburg)
S. Treil (Providence)
H. Upmeyer (Marburg)
S. M. Verduyn Lunel (Leiden)
D. Voiculescu (Berkeley)
D. Xia (Nashville)
D. Yafaev (Rennes)

Honorary and Advisory
Editorial Board:
C. Foias (Bloomington)
P. R. Halmos (Santa Clara)
T. Kailath (Stanford)
H. Langer (Vienna)
P. D. Lax (New York)
M. S. Livsic (Beer Sheva)
H. Widom (Santa Cruz)

The Functional Calculus for Sectorial Operators

Markus Haase

Birkhäuser Verlag
Basel · Boston · Berlin

Author:

Markus Haase
Department of Pure Mathematics
University of Leeds
Leeds LS2 9JT
UK
e-mail: haase@maths.leeds.ac.uk

2000 Mathematics Subject Classification 47A60, 47D03, 47D06, 47D09, 47B44, 47A12, 47A55, 46B70, 46N20, 35K90, 35J30, 35J20, 35J15

A CIP catalogue record for this book is available from the
Library of Congress, Washington D.C., USA

Bibliographic information published by Die Deutsche Bibliothek

Die Deutsche Bibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data is available in the Internet at <<http://dnb.ddb.de>>.

ISBN 3-7643-7697-X Birkhäuser Verlag, Basel – Boston – Berlin

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, re-use of illustrations, recitation, broadcasting, reproduction on microfilms or in other ways, and storage in data banks. For any kind of use permission of the copyright owner must be obtained.

© 2006 Birkhäuser Verlag, P.O. Box 133, CH-4010 Basel, Switzerland

Part of Springer Science+Business Media

Printed on acid-free paper produced from chlorine-free pulp. TCF ∞

Cover design: Heinz Hiltbrunner, Basel

Printed in Germany

ISBN-10: 3-7643-7697-X

e-ISBN: 3-7643-7698-8

ISBN-13: 978-3-7643-7697-0

Contents

Preface	xi
1 Axiomatics for Functional Calculi	1
1.1 The Concept of Functional Calculus	1
1.2 An Abstract Framework	3
1.2.1 The Extension Procedure	4
1.2.2 Properties of the Extended Calculus	5
1.2.3 Generators and Morphisms	7
1.3 Meromorphic Functional Calculi	9
1.3.1 Rational Functions	10
1.3.2 An Abstract Composition Rule	12
1.4 Multiplication Operators	13
1.5 Concluding Remarks	15
1.6 Comments	16
2 The Functional Calculus for Sectorial Operators	19
2.1 Sectorial Operators	19
2.1.1 Examples	24
2.1.2 Sectorial Approximation	25
2.2 Spaces of Holomorphic Functions	26
2.3 The Natural Functional Calculus	30
2.3.1 Primary Functional Calculus via Cauchy Integrals	30
2.3.2 The Natural Functional Calculus	34
2.3.3 Functions of Polynomial Growth	37
2.3.4 Injective Operators	39
2.4 The Composition Rule	41
2.5 Extensions According to Spectral Conditions	45
2.5.1 Invertible Operators	45
2.5.2 Bounded Operators	46
2.5.3 Bounded and Invertible Operators	47
2.6 Miscellanies	48
2.6.1 Adjoints	48
2.6.2 Restrictions	50

2.6.3	Sectorial Approximation	50
2.6.4	Boundedness	52
2.7	The Spectral Mapping Theorem	53
2.7.1	The Spectral Inclusion Theorem	53
2.7.2	The Spectral Mapping Theorem	55
2.8	Comments	57
3	Fractional Powers and Semigroups	61
3.1	Fractional Powers with Positive Real Part	61
3.2	Fractional Powers with Arbitrary Real Part	70
3.3	The Phillips Calculus for Semigroup Generators	73
3.4	Holomorphic Semigroups	76
3.5	The Logarithm and the Imaginary Powers	81
3.6	Comments	88
4	Strip-type Operators and the Logarithm	91
4.1	Strip-type Operators	91
4.2	The Natural Functional Calculus	93
4.3	The Spectral Height of the Logarithm	98
4.4	Monniaux's Theorem and the Inversion Problem	100
4.5	A Counterexample	101
4.6	Comments	104
5	The Boundedness of the H^∞-calculus	105
5.1	Convergence Lemma	105
5.1.1	Convergence Lemma for Sectorial Operators.	105
5.1.2	Convergence Lemma for Strip-type Operators.	107
5.2	A Fundamental Approximation Technique	108
5.3	Equivalent Descriptions and Uniqueness	111
5.3.1	Subspaces	112
5.3.2	Adjoint	113
5.3.3	Logarithms	113
5.3.4	Boundedness on Subalgebras of H^∞	114
5.3.5	Uniqueness	116
5.4	The Minimal Angle	117
5.5	Perturbation Results	119
5.5.1	Resolvent Growth Conditions	119
5.5.2	A Theorem of Prüss and Sohr	125
5.6	A Characterisation	127
5.7	Comments	127

6	Interpolation Spaces	131
6.1	Real Interpolation Spaces	131
6.2	Characterisations	134
6.2.1	A First Characterisation	134
6.2.2	A Second Characterisation	139
6.2.3	Examples	140
6.3	Extrapolation Spaces	142
6.3.1	An Abstract Method	142
6.3.2	Extrapolation for Injective Sectorial Operators	144
6.3.3	The Homogeneous Fractional Domain Spaces	146
6.4	Homogeneous Interpolation	149
6.4.1	Some Intermediate Spaces	149
6.4.2	... Are Actually Real Interpolation Spaces	152
6.5	More Characterisations and Dore's Theorem	153
6.5.1	A Third Characterisation (Injective Operators)	153
6.5.2	A Fourth Characterisation (Invertible Operators)	155
6.5.3	Dore's Theorem Revisited	156
6.6	Fractional Powers as Intermediate Spaces	157
6.6.1	Density of Fractional Domain Spaces	157
6.6.2	The Moment Inequality	158
6.6.3	Reiteration and Komatsu's Theorem	160
6.6.4	The Complex Interpolation Spaces and BIP	162
6.7	Characterising Growth Conditions	164
6.8	Comments	168
7	The Functional Calculus on Hilbert Spaces	171
7.1	Numerical Range Conditions	173
7.1.1	Accretive and ω -accretive Operators	173
7.1.2	Normal Operators	175
7.1.3	Functional Calculus for m -accretive Operators	177
7.1.4	Mapping Theorems for the Numerical Range	180
7.1.5	The Crouzeix–Delyon Theorem	181
7.2	Group Generators on Hilbert Spaces	185
7.2.1	Liapunov's Direct Method for Groups	185
7.2.2	A Decomposition Theorem for Group Generators	188
7.2.3	A Characterisation of Group Generators	190
7.3	Similarity Theorems for Sectorial Operators	194
7.3.1	The Theorem of McIntosh	195
7.3.2	Interlude: Operators Defined by Sesquilinear Forms	197
7.3.3	Similarity Theorems	202
7.3.4	A Counterexample	205
7.4	Cosine Function Generators	208
7.5	Comments	212

8	Differential Operators	219
8.1	Elliptic Operators: $\mathbf{L}^1$ -Theory	221
8.2	Elliptic Operators: $\mathbf{L}^p$ -Theory	227
8.3	The Laplace Operator	231
8.4	The Derivative on the Line	237
8.5	The Derivative on a Finite Interval	240
8.6	Comments	247
9	Mixed Topics	251
9.1	Operators Without Bounded H^∞ -Calculus	251
9.1.1	Multiplication Operators for Schauder Bases	251
9.1.2	Interpolating Sequences	253
9.1.3	Two Examples	254
9.1.4	Comments	256
9.2	Rational Approximation Schemes	256
9.2.1	Time-Discretisation of First-Order Equations	257
9.2.2	Convergence for Smooth Initial Data	259
9.2.3	Stability	261
9.2.4	Comments	265
9.3	Maximal Regularity	267
9.3.1	The Inhomogeneous Cauchy Problem	267
9.3.2	Sums of Sectorial Operators	268
9.3.3	(Maximal) Regularity	273
9.3.4	Comments	277
A	Linear Operators	279
A.1	The Algebra of Multi-valued Operators	279
A.2	Resolvents	282
A.3	The Spectral Mapping Theorem for the Resolvent	286
A.4	Adjointes	288
A.5	Convergence of Operators	290
A.6	Polynomials and Rational Functions of an Operator	292
A.7	Injective Operators	295
A.8	Semigroups and Generators	297
B	Interpolation Spaces	303
B.1	Interpolation Couples	303
B.2	Real Interpolation by the K-Method	305
B.3	Complex Interpolation	310
C	Operator Theory on Hilbert Spaces	315
C.1	Sesquilinear Forms	315
C.2	Adjoint Operators	317
C.3	The Numerical Range	320

C.4	Symmetric Operators	321
C.5	Equivalent Scalar Products and the Lax–Milgram Theorem	323
C.6	Weak Integration	325
C.7	Accretive Operators	327
C.8	The Theorems of Plancherel and Gearhart	329
D	The Spectral Theorem	331
D.1	Multiplication Operators	331
D.2	Commutative C^* -Algebras. The Cyclic Case	333
D.3	Commutative C^* -Algebras. The General Case	335
D.4	The Spectral Theorem: Bounded Normal Operators	337
D.5	The Spectral Theorem: Unbounded Self-adjoint Operators	338
D.6	The Functional Calculus	339
E	Fourier Multipliers	341
E.1	The Fourier Transform on the Schwartz Space	341
E.2	Tempered Distributions	343
E.3	Convolution	345
E.4	Bounded Fourier Multiplier Operators	346
E.5	Some Pseudo-singular Multipliers	349
E.6	The Hilbert Transform and UMD Spaces	352
E.7	R-Boundedness and Weis' Theorem	354
F	Approximation by Rational Functions	357
	Bibliography	361
	Index	377
	Notation	385

Preface

In 1928 the austrian author Egon Friedell wrote in the introduction to his opus magnum *Kulturgeschichte der Neuzeit* [92]:

*Alle Dinge haben ihre Philosophie, ja noch mehr: alle Dinge sind Philosophie. Alle Menschen, Gegenstände und Ereignisse sind Verkörperungen eines bestimmten Naturgedankens, einer eigentümlichen Weltabsicht. Der menschliche Geist hat nach der Idee zu forschen, die in jedem Faktum verborgen liegt, nach dem Gedanken, dessen bloße Form es ist. Die Dinge pflegen oft erst spät, ihren wahren Sinn zu offenbaren.*¹

And, a few lines after:

*Daß die Dinge geschehen, ist nichts. Daß sie gewusst werden, ist alles.*²

Although spoken in the context of cultural history these words may also be applied towards the interpretation of mathematical thought. Friedell seems to say that nothing is just a ‘brute fact’ but the form of an idea which is hidden and has to be discovered in order to be shared by human beings. What really matters is not the mere fact (which in mathematics would be: the truth of a theorem) but is the form of our knowledge of it, the way (*how*) we know things. This means that in order to obtain substantial understanding (‘revealing its true meaning’) it is not enough to just state and prove theorems.

This conviction is at the heart of my efforts in writing this book. It came out of my attempt to deepen (or to establish in the first place) my *own* understanding of its subject. But I hope of course that it will also prove useful to others, and eventually will have its share in the advance of our understanding in general of the mathematical world.

---

¹All things have their philosophy, even more: all things actually *are* philosophy. All men, objects, and events embody a certain thought of nature, a proper intention of the world. The human mind has to inquire the idea which is hidden in each fact, the thought its mere form it is. Things tend to reveal their true meaning only after a long time. (Translation by the author)

²That things happen, is nothing. That they are known, is everything. (Translation by the author)

Topic of the book

The main theme, as the title indicates, is functional calculus. Shortly phrased it is about ‘inserting operators into functions’, in order to render meaningful such expressions as

$$A^\alpha, \quad e^{-tA}, \quad \log A,$$

where A is an (in general unbounded) operator on a Banach space. The basic objective is quite old, and in fact the Fourier transform provides an early example of a method to define $f(A)$, where $A = \Delta$ is the Laplacian, $X = \mathbf{L}^2(\mathbb{R})$ and f is an arbitrary measurable function on $\mathbb{R}$. A straightforward generalisation involving self-adjoint (or normal) operators on Hilbert spaces is provided by the Spectral Theorem, but to leave the Hilbert space setting requires a different approach.

Suppose that a class of functions on some set Ω has a reproducing kernel, i.e.,

$$f(z) = \int_{\Omega} f(w)K(z, w) \mu(dw) \quad (z \in \Omega)$$

for some measure μ , and — for whatever reason — one already ‘knows’ what operator the expression $K(A, w)$ should yield; then one may try to define

$$f(A) := \int_{\Omega} f(w)K(A, w) \mu(dw).$$

The simplest reproducing kernel is given by the Cauchy integral formula, so that $K(z, w) = (w - z)^{-1}$, and $K(A, w) = R(w, A)$ is just the resolvent of A . This leads to the ‘ansatz’

$$f(A) = \frac{1}{2\pi i} \int_{\partial\Omega} f(w)R(w, A) dw,$$

an idea which goes back already to RIESZ and DUNFORD, with a more recent extension towards functions which are singular at some points of the boundary of the spectrum. The latter extension is indeed needed, e.g. to treat fractional powers A^α , and is one of the reasons why functional calculus methods nowadays can be found in very different contexts, from abstract operator theory to evolution equations and numerical analysis of partial differential equations. We invite the reader to have a look at Chapter 9 in order to obtain some impressions of the possible applications of functional calculus.

Overview

The Cauchy formula encompasses a great flexibility in that its application requires only a spectral condition on the operator A . Although we mainly treat sectorial operators the approach itself is generic, and since we shall need to use it also for so-called strip-type operators, it seemed reasonable to ask for a more *axiomatic treatment*. This is provided in Chapter 1. *Sectorial operators* are introduced in

Chapter 2 and we give a full account of the basic functional calculus theory of these operators. As an application of this theory and as evidence for its elegance, in Chapter 3 we treat *fractional powers* and *holomorphic semigroups*. Chapter 4 is devoted to the interplay between a sectorial operator A and its *logarithm* $\log A$. One of the main aspects in the theory, subject to extensive research during the last two decades, is the *boundedness* of the H^∞ -calculus. Chapter 5 provides the necessary background knowledge including *perturbation theory*, Chapter 6 investigates the relation to real *interpolation spaces*. Here we encounter the suprising fact that an operator improves its functional calculus properties in certain interpolation spaces; this is due to the ‘flexible’ descriptions of these spaces in terms of the functional calculus.

Hilbert spaces play a special role in analysis in general and in functional calculus in particular. On the one hand, boundedness of the functional calculus can be deduced directly from *numerical range* conditions. On the other hand, there is an intimate connection with *similarity* problems. Both aspects are extensively studied in Chapter 7.

Chapters 8 and 9 account for *applications* of the theory. We study elliptic operators with constant coefficients and the relation of the functional calculus to Fourier multiplier theory. Then we apply functional calculus methods to a problem from numerical analysis regarding time-discretisation schemes of parabolic equations. Finally, we discuss the so-called maximal regularity problem and the functional calculus approach to its solution.

To make the book as self-contained as possible, we have provided an ample appendix, often also listing the more elementary results, since we thought the reader might be grateful for a comprehensive and nevertheless surveyable account. The appendix consists of six parts. Appendix A deals with operators, in particular their basic *spectral theory*. Our opinion is that a slight increase of generality, namely towards *multi-valued* operators, renders the whole account much easier. (Multi-valued operators will appear in the main text occasionally, but not indispensably.) Appendix B provides basics on *interpolation spaces*. Two more appendices (Appendix C and D) deal with forms and operators on *Hilbert spaces* as well as the *Spectral Theorem*. Finally, Appendix F quotes two results from complex *approximation theory*, but giving proofs here would have gone far beyond the scope of this book.

Instead of giving numbers to definitions I decided to incorporate the definitions into the usual text body, with the defined terms printed in boldface letters. All these definitions and some other key-words are collected in the index at the end of the book. There one will find also a list of symbols.

Acknowledgements

This book has been accompanying me for more than three years now. Although I am the sole author, and therefore take responsibility for all mistakes which

might be found in it, I enjoyed substantial support and help, both professional and private, without which this project would never have been completed. On the institutional and financial side I am deeply indebted to the Abteilung Angewandte Analysis of the Universität Ulm, where I lived and worked from 1999 to 2004. The major progress with the manuscript was made at the Scuola Normale Superiore di Pisa, where I spent the academic year 2004/05 as a research fellow of the Marie Curie Training Network *Evolution Equations for Deterministic and Stochastic Systems* (HPRN-CT-2002-00281). I am very grateful to Professor *Giuseppe Da Prato* for inviting me to come to Pisa.

H. Garth Dales (Leeds) has contributed substantially with his uncontested competence regarding grammar and style, and to him go my warmest thanks. *Imre Vörös* (Oxford) read parts of the manuscript and helped considerably in reducing the total number of misprints and other mistakes. I owe also thanks to Birkhäuser editor *Thomas Hempfling*, especially for his patience and his calm, professional handling of the publishing procedure.

Major support came and continues to come from many of my colleagues, friends, and family members. I am very much indebted to them, sometimes because of fruitful criticism or mathematical discussion, but more often for their encouragement and constant interest in my work. In particular I would like to mention *Wolfgang Arendt*, *András Bátkai*, *Charles Batty*, *Stefan Gabler*, *Bernhard Haak*, *Dietlinde Haase*, *Cathérine Hahn*, *Annette and Peter Kaune*, *Hans Kiesel*, *Máté Matolcsi*, *Rainer Nagel*, *Ulf Schlotterbeck* and *Johannes Zimmer*. Each of them has a special share in my work and in my life.

I dedicate this book to my father, *Hans Albert Haase* (1929–1997).

February 2006,

Markus Haase