Properties and Applications of Thermoelectric Materials

NATO Science for Peace and Security Series

This Series presents the results of scientific meetings supported under the NATO Programme: Science for Peace and Security (SPS).

The NATO SPS Programme supports meetings in the following Key Priority areas: (1) Defence Against Terrorism; (2) Countering other Threats to Security and (3) NATO, Partner and Mediterranean Dialogue Country Priorities. The types of meeting supported are generally "Advanced Study Institutes" and "Advanced Research Workshops". The NATO SPS Series collects together the results of these meetings. The meetings are co-organized by scientists from NATO countries and scientists from NATO's "Partner" or "Mediterranean Dialogue" countries. The observations and recommendations made at the meetings, as well as the contents of the volumes in the Series, reflect those of participants and contributors only; they should not necessarily be regarded as reflecting NATO views or policy.

Advanced Study Institutes (ASI) are high-level tutorial courses intended to convey the latest developments in a subject to an advanced-level audience

Advanced Research Workshops (ARW) are expert meetings where an intense but informal exchange of views at the frontiers of a subject aims at identifying directions for future action

Following a transformation of the programme in 2006 the Series has been re-named and re-organised. Recent volumes on topics not related to security, which result from meetings supported under the programme earlier, may be found in the NATO Science Series.

The Series is published by IOS Press, Amsterdam, and Springer, Dordrecht, in conjunction with the NATO Public Diplomacy Division.

Sub-Series

A.	Chemistry and Biology	Springer
B.	Physics and Biophysics	Springer
C.	Environmental Security	Springer
D.	Information and Communication Security	IOS Press
E.	Human and Societal Dynamics	IOS Press

<http://www.nato.int/science>

<http://www.springer.com>

<http://www.iospress.nl>

Series B: Physics and Biophysics

Properties and Applications of Thermoelectric Materials

The Search for New Materials for Thermoelectric Devices

edited by

Veljko Zlatić

Institute of Physics, Zagreb, Croatia

and

Alex C. Hewson

Imperial College, Department of Mathematics, London, United Kingdom

Published in cooperation with NATO Public Diplomacy Division

Proceedings of the NATO Advanced Research Workshop on
Properties and Applications of Thermoelectric Materials
Hvar, Croatia
21–26 September 2008

Library of Congress Control Number: 2009927448

ISBN 978-90-481-2891-4 (PB)
ISBN 978-90-481-2890-7 (HB)
ISBN 978-90-481-2892-1 (e-book)

Published by Springer,
P.O. Box 17, 3300 AA Dordrecht, The Netherlands.

www.springer.com

Printed on acid-free paper

All Rights Reserved

© Springer Science + Business Media B.V. 2009

No part of this work may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher, with the exception of any material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work.

Preface

The NATO sponsored Advanced Research Workshop on “Properties and Applications of Thermoelectric Materials” took place on the Croatian island of Hvar over the period 20-26 September, 2008. This subject has attracted renewed interest as concerns with the efficient use of energy resources, and the minimization of environmental damage, have become important current issues. There has been the recognition that thermoelectric devices could play a role in generating electricity from waste heat, enabling cooling via refrigerators with no moving parts, and many other more specialized applications. The main problem in realizing this ambition is the rather low efficiency of such devices for general applications. The workshop addressed that problem by reviewing the latest experimental and theoretical work in this field and by exploring various strategies that might increase the efficiency of thermoelectric devices.

A measure of the potential of a particular material for an efficient thermoelectric device is the figure of merit ZT . This dimensionless ratio depends on the electronic conductivity, the total thermal conductivity and the thermopower (Seebeck coefficient) of the material. For practical applications in a given temperature range a figure of merit should exceed a value of 1, and the search, therefore, is to find or fabricate materials that satisfy this criterion. The difficulty that arises is the conflicting effects of the different factors. The high electrical conductivity of good metals enhances ZT , but this coexists with poor thermopower and high electric thermal conductivity which reduces ZT , so these materials are not suitable. Materials with a high thermopower and low thermal conductivity, on the other hand, tend to have a poor electrical conductivity, so some compromise has to be found between these conflicting factors in optimizing ZT . One existing class of materials which are metallic, but also have a high thermopower, are the compounds and alloys which have strong electron correlation. These materials predominantly contain rare earth or actinide ions, and the enhanced thermopower arises from narrow asymmetric renormalized bands near the Fermi level, resulting from the hybridization of the 4f or 5f states with the conduction electrons. The thermoelectric anomalies due to the proximity of the chemical potential to the Mott–Hubbard gap have also attracted a lot of attention recently. Typical examples are provided by high temperature superconductors and other oxides. The thermoelectric properties of these classes of materials were the main focus of the workshop.

The papers in this volume cover the broad range of approaches, from the experimental work of fabricating, and characterising, the properties of new compounds to enhance ZT , through to theoretical work on renormalized band structure calculations and model Hamiltonians to obtain a deeper understanding of the thermoelectric properties of these materials. The effects of disorder, the proximity to metal-insulator transitions, the properties of layered composite materials, and the introduction of voids or cages into the structure to reduce the lattice thermal conductivity are all explored. Other ways of enhancing ZT by exploiting glassy materials or using the thermoelectric properties of metal-excitonic insulator interfaces are also covered. Several papers dealing with the general physical properties of strongly correlated materials are included as well.

We hope the papers presented here give a guide to the current activity in the field, and convey the fact that real progress is being made. Much work still requires to be done – this is more of an interim report – but we hope it will encourage and stimulate further developments in the field, to bring forward the day when the general production of high efficiency thermoelectric devices can be realized.

Zagreb, London
March 2009

Veljko Zlatić
Alex Hewson

Acknowledgements

The Advanced Research Workshop on “Properties and Applications of Thermo-electric Materials” was made possible through the financial support from the NATO Science for Peace Program. Additional financial support from the European COST-ECOM (P16) Action, The International Institute for Complex and Adaptive Matter (I2CAM), and the Ministry of Science of Croatia is also gratefully acknowledged. We also wish to thank Dr. I. Aviani of the Institute of Physics in Zagreb for his generous and continued help in the organization of the workshop.

Contents

Preface	v
Acknowledgements	vii
Contributors	xi
Strongly Correlated Electron Phenomena in the Filled Skutterudites	1
M. B. Maple, R. E. Baumbach, J. J. Hamlin, P. C. Ho, L. Shu, D. E. MacLaughlin, Z. Henkie, R. Wawryk, T. Cichorek, and A. Pietraszko	
Role of Structures on Thermal Conductivity in Thermoelectric Materials	19
C. Godart, A. P. Gonçalves, E. B. Lopes, and B. Villeroy	
New Approaches to Thermoelectric Materials	51
A. P. Gonçalves, E. B. Lopes, E. Alves, N. P. Barradas, N. Franco, O. Rouleau, and C. Godart	
Thermoelectric Effect in Transition Metal Oxides	69
W. Koshibae and S. Maekawa	
Thermoelectric Power of Correlated Compounds	81
N. Oeschler, S. Hartmann, U. Köhler, M. Deppe, P. Sun, and F. Steglich	
Thermoelectric Power and Thermal Transport of Anomalous Rare-Earth Kondo Compounds	91
B. Coqblin, B. Chevalier, and V. Zlatić	

Thermoelectrics Near the Mott Localization–Delocalization Transition	119
K. Haule and G. Kotliar	
Quasiparticles, Magnetization Dynamics, and Thermopower of Yb-Based Heavy-Fermion Compounds	133
G. Zwicknagl	
The LDA+DMFT Route to Identify Good Thermoelectrics	141
K. Held, R. Arita, V. I. Anisimov, and K. Kuroki	
Theory of Electronic Transport and Thermoelectricity in Ordered and Disordered Heavy Fermion Systems	159
C. Grenzbach, F. B. Anders, and G. Czycholl	
Role of Multiple Subband Renormalization in the Electronic Transport of Correlated Oxide Superlattices	181
A. Rüegg and M. Sigrist	
Thermoelectric Properties of Junctions Between Metal and Models of Strongly Correlated Semiconductors	193
M. Rontani and L. J. Sham	
Theory of the Nernst Effect Caused by Fluctuations of the Superconducting Order Parameter	213
K. Michaeli and A. M. Finkel'stein	
Quantum Criticality in Heavy Electron Compounds	243
M. C. Bennett, D. A. Sokolov, M. S. Kim, Y. Janssen, and M. C. Aronson	
Resistivity of $\text{Mn}_{1-x}\text{Fe}_x\text{Si}$ Single Crystals: Evidence for Quantum Critical Behavior	261
C. Meingast, Q. Zhang, T. Wolf, F. Hardy, K. Grube, W. Knafo, P. Adelman, P. Schweiss, and H. v. Löhneysen	
Electron Spectroscopy of Correlated Transition Metal Oxides	267
K. Maiti	
Orbital Fluctuations in the RVO_3 Perovskites	299
A. M. Oleś and P. Horsch	
Low Energy Scales of Kondo Lattices: Mean-field Perspective	325
S. Burdin	

Contributors

P. Adelmann Forschungszentrum Karlsruhe, Institut für Festkörperphysik,
PO Box 3640, 76021 Karlsruhe, email: peter.Adelmann@ifp.fzk.de

E. Alves Dep. Física, Instituto Tecnológico e Nuclear/CFN-UL, P-2686-953
Sacavém, Portugal, email: ealves@itn.pt

F. B. Anders Institute for Theoretical Physics, University of Bremen,
D-28334 Bremen, Germany
Lehrstuhl für Theoretische Physik II, Technische Universität Dortmund,
Otto-Hahn Straße 4, 44221 Dortmund, Germany,
email: frithjof.anders@tu-dortmund.de

V. I. Anisimov Institute of Metal Physics, Russian Academy of Science-Ural
division, 620219 Yekaterinburg, Russia, email: via@imp.uran.ru

R. Arita Department of Applied Physics, University of Tokyo, Tokyo 113-8656,
Japan, email: arita@ap.t.u-tokyo.ac.jp

M. C. Aronson Department of Physics and Astronomy, Stony Brook University,
Stony Brook, NY 11974 and Brookhaven National Laboratory, Upton, NY 11973,
email: maronson@bnl.gov

N. P. Barradas Dep. Física, Instituto Tecnológico e Nuclear/CFN-UL,
P-2686-953, Sacavém, Portugal, email: nunoni@itn.pt

R. E. Baumbach Department of Physics and Institute for Pure and Applied
Physical Sciences, University of California at San Diego, La Jolla, CA 92093,
USA, email: baumbach@physics.ucsd.edu

M. C. Bennett Department of Physics and Astronomy, Stony Brook University,
Stony Brook, NY 11974, email: mcbennett@umich.edu

S. Burdin Institut für Theoretische Physik, Universität zu Köln, Zùlpicher Str. 77,
50937 Köln, Germany
Max Planck Institut für Physik Komplexer Systeme, Nöthnitzer Str. 38, 01187
Dresden, Germany, email: burdin@thp.uni-koeln.de

B. Chevalier I.C.M.C.B., CNRS, Université Bordeaux I, 33608-Pessac, France,
email: chevalie@icmcb-bordeaux.cnrs.fr

T. Cichorek Institute of Low Temperature Structure Research,
Polish Academy of Sciences, 50-950 Wrocław, Poland,
email: T.Cichorek@int.pan.wroc.pl

B. Coqblin L.P.S., CNRS UMR 8502, Université Paris-Sud, 91405-Orsay, France,
email: coqblin@lps.u-psud.fr

G. Czycholl Institute for Theoretical Physics, University of Bremen,
D-28334 Bremen, Germany, email: czycholl@itp.uni-bremen.de

M. Deppe Max Planck Institut für Chemische Physik fester Stoffe,
Nöthnitzer Str. 40, 01187 Dresden, Germany, email: deppe@cpfs.mpg.de

A. M. Finkel'stein Department of Condensed Matter Physics, The Weizmann
Institute of Science, Rehovot 76100, Israel
Department of Physics, Texas A&M University, College Station,
TX 77843-4242, USA, email: alexander.finkelstein@weizmann.ac.il

N. Franco Dep. Física, Instituto Tecnológico e Nuclear/CFN-UL, P-2686-953,
Sacavém, Portugal, email: nfranco@itn.pt

C. Godart CNRS, ICMPE, CMTR, 2/8 rue Henri Dunant, 94320 Thiais, France,
email: godart@icmpe.cnrs.fr

A. P. Gonçalves Dep. Química, Instituto Tecnológico e Nuclear/CFMC-UL,
P-2686-953, Sacavém, Portugal, email: apg@itn.pt

C. Grenzebach Institute for Theoretical Physics, University of Bremen,
D-28334 Bremen, Germany, email: cgrenzebach@itp.uni-bremen.de

K. Grube Forschungszentrum Karlsruhe, Institut für Festkörperphysik,
PO Box 3640, 76021 Karlsruhe, email: Kai.Grube@ifp.fzk.de

J. J. Hamlin Department of Physics and Institute for Pure and Applied Physical
Sciences, University of California at San Diego, La Jolla, CA 92093, USA, email:
jhamlin@physics.ucsd.edu

F. Hardy Forschungszentrum Karlsruhe, Institut für Festkörperphysik,
PO Box 3640, 76021 Karlsruhe, email: frederic.hardy@ifp.fzk.de

S. Hartmann Max Planck Institut für Chemische Physik fester Stoffe,
Nöthnitzer Str. 40, 01187 Dresden, Germany, email: Hartmann@cpfs.mpg.de

K. Haule Physics Department and Center for Materials Theory, Rutgers University,
136 Frelinghuysen Road, Piscataway, NJ, email: haule@physics.rutgers.edu

K. Held Institute for Solid State Physics, Vienna University of Technology,
A-1040 Vienna, Austria, <http://www.ifp.tuwien.ac.at/cms>

Z. Henkie Institute of Low Temperature Structure Research, Polish Academy
of Sciences, 50-950 Wrocław, Poland, email: Z.Henkie@int.pan.wroc.pl

P. C. Ho Department of Physics and Institute for Pure and Applied Physical Sciences, University of California at San Diego, La Jolla, CA 92093, USA, email: pcho@csufresno.edu

P. Horsch Max-Planck-Institut für Festkörperforschung, Heisenbergstrasse 1, 70569 Stuttgart, Germany, email: P.Horsch@fkf.mpg.de

Y. Janssen Brookhaven National Laboratory, Upton, NY 11973, email: yjanssen@bnl.gov

U. Köhler Max Planck Institut für Chemische Physik fester Stoffe, Nöthnitzer Str. 40, 01187 Dresden, Germany
Leibniz-Institut für Festkörper- und Werkstoffforschung Dresden, Helmholtzstr. 20, 01069, Dresden, Germany, email: u.koehler@ifw-dresden.de

M. S. Kim Brookhaven National Laboratory, Upton, NY 11973, email: mskim@bnl.gov

W. Knafo Forschungszentrum Karlsruhe, Institut für Festkörperphysik, PO Box 3640, 76021 Karlsruhe
Physikalisches Institut, Universität Karlsruhe, 76128 Karlsruhe, email: knafo@lncmp.org

W. Koshibae Cross-Correlated Materials Research Group (CMRG), RIKEN, Saitama 351-0198, Japan, email: wataru@riken.jp

G. Kotliar Physics Department and Center for Materials Theory, Rutgers University, 136 Frelinghuysen Road, Piscataway, NJ, email: kotliar@physics.rutgers.edu

K. Kuroki University of Electro-Communications 1-5-1 Chofugaoka, Chofu-shi Tokyo 182-8585, Japan, email: kuroki@vivac.e-one.uec.ac.jp

E. B. Lopes Dep. Química, Instituto Tecnológico e Nuclear/CFMS-UL, P-2686-953 Sacavém, Portugal, email: eblopes@itn.pt

H. v. Löhneysen Forschungszentrum Karlsruhe, Institut für Festkörperphysik, PO Box 3640, 76021 Karlsruhe
Physikalisches Institut, Universität Karlsruhe, 76128 Karlsruhe, email: h.vL@phys.uni-karlsruhe.de

D. E. MacLaughlin Department of Physics, University of California, Riverside, CA 92521-0413, USA, email: macl@physics.ucr.edu

S. Maekawa Institute for Materials Research, Tohoku University, Sendai 980-8577, Japan
CREST, Japan Science and Technology Agency, Sanbancho, Tokyo 102-0075, Japan, email: maekawa@imr.tohoku.ac.jp

K. Maiti Department of Condensed Matter Physics and Materials Science, Tata Institute of Fundamental Research, Homi Bhabha Road, Colaba, Mumbai - 400005, India, email: kbmaiti@tifr.res.in

M. B. Maple Department of Physics and Institute for Pure and Applied Physical Sciences, University of California at San Diego, La Jolla, CA 92093, USA, email: mbmaple@ucsd.edu

C. Meingast Forschungszentrum Karlsruhe, Institut für Festkörperphysik, PO Box 3640, 76021 Karlsruhe, Germany, email: Christoph.Meingast@ifp.fzk.de

K. Michaeli Department of Condensed Matter Physics, The Weizmann Institute of Science, Rehovot 76100, Israel, email: karen.michaeli@weizmann.ac.il

N. Oeschler Max Planck Institut für Chemische Physik fester Stoffe, Nöthnitzer Str. 40, 01187 Dresden, Germany, email: oeschler@cpfs.mpg.de

A. M. Oleś M. Smoluchowski Institute of Physics, Jagellonian University, Reymonta 4, 30059 Kraków, Poland
Max-Planck-Institut für Festkörperforschung, Heisenbergstrasse 1, 70569 Stuttgart, Germany, email: A.M.Oles@fkf.mpg.de

A. Pietraszko Institute of Low Temperature Structure Research, Polish Academy of Sciences, 50-950 Wrocław, Poland, email: A.Pietraszko@int.pan.wroc.pl

A. Rüegg Theoretische Physik, ETH Zürich, 8093 Zürich, Switzerland, email: rueegga@phys.ethz.ch

M. Rontani CNR-INFM Research Center S3, Via Campi 213/A, 41100 Modena MO, Italy, email: rontani@unimore.it

O. Rouleau CNRS, ICMPE, CMTR, 2/8 rue Henri Dunant, 94320 Thiais, France, email: rouleau@icmpe.cnrs.fr

P. Schweiss Forschungszentrum Karlsruhe, Institut für Festkörperphysik, PO Box 3640, 76021 Karlsruhe, email: peter.schweiss@ifp.fzk.de

L. J. Sham Department of Physics, University of California San Diego, Gilman Drive 9500, La Jolla 92093-0319, California, email: lsham@ucsd.edu

L. Shu Department of Physics and Institute for Pure and Applied Physical Sciences, University of California at San Diego, La Jolla, CA 92093, USA, email: lshu@physics.ucsd.edu

M. Sigrist Theoretische Physik, ETH Zürich, 8093 Zürich, Switzerland, email: sigrist@phys.ethz.ch

D. A. Sokolov Brookhaven National Laboratory, Upton, NY 11973, email: fermiliquid@gmail.com

F. Steglich Max Planck Institut für Chemische Physik fester Stoffe, Nöthnitzer Str. 40, 01187 Dresden, Germany, email: Steglich@cpfs.mpg.de

P. Sun Max Planck Institut für Chemische Physik fester Stoffe, Nöthnitzer Str. 40, 01187 Dresden, Germany, email: sun@cpfs.mpg.de

R. Wawryk Institute of Low Temperature Structure Research, Polish Academy of Sciences, 50-950 Wrocław, Poland, email: R.Wawryk@int.pan.wroc.pl

T. Wolf Forschungszentrum Karlsruhe, Institut für Festkörperphysik,
PO Box 3640, 76021 Karlsruhe, email: Thomas.Wolf@ifp.fzk.de

Q. Zhang Forschungszentrum Karlsruhe, Institut für Festkörperphysik,
PO Box 3640, 76021 Karlsruhe, email: qinzhang788@yahoo.com.cn

V. Zlatić Institute of Physics, Bijenicka cesta 46, P.O. Box 304, HR-10001 Zagreb,
Croatia, email: zlati@ifs.hr

G. Zwicknagl Institut fuer Mathematische Physik, Technische Universitaet
Braunschweig, Mendelssohnstr. 3, 38116 Braunschweig, Germany,
email: g.zwicknagl@tu-bs.de