

Trees in a Changing Environment

Plant Ecophysiology

Volume 9

Series Editors:

Luit J. De Kok

University of Groningen, The Netherlands

Malcolm J. Hawkesford

Rothamsted Research, United Kingdom

Aims & Scope:

The Springer Series in Plant Ecophysiology comprises a series of volumes that deals with the impact of biotic and abiotic factors on plant functioning and physiological adaptation to the environment. The aim of the Plant Ecophysiology series is to review and integrate the present knowledge on the impact of the environment on plant functioning and adaptation at various levels: from the molecular, biochemical and physiological to a whole plant level. This series is of interest to scientists who like to be informed of new developments and insights in plant ecophysiology, and can be used as advanced textbooks for biology students.

The titles published in this series are listed at the end of this volume.

Trees in a Changing Environment

Ecophysiology, Adaptation, and Future
Survival

Edited by

Michael Tausz

Forest and Ecosystem Science

University of Melbourne

Victoria

Australia

and

Nancy Grulke

Pacific NW Research Station WWETAC

USDA Forest Service

Prineville, Oregon, USA



Springer

Editors

Michael Tausz
Forest and Ecosystem Science
University of Melbourne
Victoria
Australia

Nancy Grulke
Pacific NW Research Station WWETAC
USDA Forest Service
Prineville, Oregon, USA

ISSN 1572-5561

ISBN 978-94-017-9099-4

DOI 10.1007/978-94-017-9100-7

Springer Dordrecht Heidelberg New York London

ISSN 1572-5561 (electronic)

ISBN 978-94-017-9100-7 (eBook)

Library of Congress Control Number: 2014946587

© Springer Science+Business Media Dordrecht (outside the USA) 2014

Chapter 11 was created within the capacity of an US government employment. US copyright protection does not apply.

© Springer Science+Business Media Dordrecht 2014

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Editor's Note

For a variety of reasons, this book project took much longer to completion than planned. It was commenced 4 years ago, and some contributions were received as long as 3 years ago. Fortunately, this volume compiles excellent overviews of current topics in tree environmental physiology and ecosystem process aspects, and the delay does not diminish their value in any way. I am convinced that the contributions in this book will prove of long lasting value in an otherwise fast moving field of research. I would like to take the opportunity to thank all authors, editors, and publishers involved for their excellent contributions and, particularly, for their patience.

Creswick, Australia
March 2014

Michael Tausz

Preface

The Earth's climate is continuously changing and has always changed through time. These changes are based on complex, oscillating cycles that occur on decadal, century, and millennial time scales. Climate shifts are common, marked by ice ages as well as long, warm periods.

There is by now overwhelming evidence that human activities have altered natural climatic cycles (Stocker et al. 2013). Although atmospheric chemistry changes (in CO₂, CO, O₃, CH₄) have occurred in the past due to natural causes, the current and expected future atmospheric composition is unlike any in the past due to anthropogenically generated air pollution (in addition to the above: NO_x and tropospheric O₃, double the concentration of the pre-industrial era).

In computer-based models (general circulation models, GCMs), rising concentrations of greenhouse gases have resulted in an increase in air temperature and instabilities in weather. Warmer air holds more water, and it evaporates from all surfaces: soil, vegetation, and open water. In other areas, there will be flooding, just as deleterious as drought to maladapted species. Because every component of ecosystems responds to temperature and water, current ecosystems are and will continue to change in response to increases in temperature, increases in evaporation, and weather instabilities (extremes in temperature and precipitation, its form, and when the extremes occur). Evidence for climate change has already been reported in thousands of publications, in locations distributed throughout the globe. These changes, as well as predicted future changes, are predicted with high confidence on a global scale, yet may differ considerably from place to place (Stocker et al. 2013).

An increase in air temperature of 1–1.5 °C above the mean for 1850–1900 is highly likely by mid-century. In addition to the direct effect of increasing air temperature on water balance, global circulation models predict different amounts of precipitation (Stocker et al. 2013). The greatest threat to ecosystems is increased frequency, duration, and extremity of water availability (from drought to flooding) and temperature (unusual timing and duration of cold snaps, prolonged heat spells) that will disrupt function, survival, and distribution of plants, animals, insects, and pathogens adapted to a past, or at best the current environment. In addition, air

pollution effects on ecosystems need to be considered over the long term, especially with regard to the fertilizing effects of CO₂ and nitrogen deposition, and the deleterious and CO₂-negating effects of tropospheric O₃ on carbon uptake and its allocation. Although generalized approaches to managing ecosystems for climate change may be developed, the novel combinations of atmospheric chemistry, temperature, water availability, and the instabilities and extremities in weather will require novel, place-based land management approaches for ecosystems.

At a time when much of the world seems to be discussing climate change, one might ask, ‘why another book anticipating effects of climate change?’ Firstly, because trees are such long-lived organisms they depend on the acclimation potential of the individuals throughout their lifetime for their survival. Adaptive evolutionary change is slow in species with long generation cycles; hence trees are particularly vulnerable to rapid environmental changes. It is therefore even more important to understand the life functions of trees and the function of forests to underpin possible adaptive management strategies, and these will most likely be different from strategies under consideration for annual or short cycle natural or cropping systems. Secondly, most treatises on climate change effects on biological systems are CO₂-centric: they emphasize CO₂ fertilization and CO₂-induced increased temperatures, accompanying decreases in water availability (in general), but increased plant water use efficiency. We have included the interactive effects of elevated CO₂, the physical environmental effects of greenhouse gas accumulation, and the *source* of the CO₂: atmospheric chemical changes of air pollution (CO₂, O₃, NO_x, and nitrogen deposition). This is a fundamental consideration that many of the discussions on climate change have ignored, or considered only in isolation (with some noted exceptions, see Emberson et al. 2000, who advocated integration of the effects of these components in a process-based model). Due to the difficulty and the magnitude of experimental studies with multiple factors, there are few field studies that have accomplished two abiotic interactive factors (such as CO₂ x temperature, Kellomäki et al. 2000, CO₂ x N amendment, Pääkkönen and Holopainen 1995, O₃ x CO₂ Karnosky et al. 2003, or O₃ x N amendment, Watanabe et al. 2006), let alone many environmental and biological factors over the lifetime of trees and within the complexity of forest ecosystems. Some studies along environmental gradients with carefully matched sites (e.g., high N deposition, drought stress, and moderate O₃ exposure vs. high N deposition and moderate O₃ exposure alone, Miller and McBride 1999) can provide an insight into multiplicative effects. However, we are still restricted to the *current* range in conditions and responses of extant trees that established in a past climate: 80–250+ years ago. The future holds an unprecedented combination and quantity of atmospheric chemicals, and it is as yet unclear whether and which current species or populations of trees are sufficiently equipped to cope with such conditions.

Our ecosystems are already and unequivocally (Stocker et al. 2013) experiencing environmental and climate change, and forests and other tree dominated ecosystems are likely to be severely affected. In this book, the authors have thoughtfully reviewed and described constituent functions and processes that will help us understand tree responses to the complex, concurrent effects of environmental

stresses imposed by climate change, and its ultimate source, air pollution. In many cases they have challenged current theory on expected responses, and in all cases they have contributed their expert knowledge on tree and forest ecosystem response to environmental change: an integrated, qualitative assessment. We offer this comprehensive analysis of tree responses and their capacity to respond to environmental changes to give us better insight as to how to plan for the future.

Creswick, Australia
Prineville, Oregon

Michael Tausz
Nancy Grulke

References

- Emberson LD, Simpson D, Tuovinen J-P, Ashmore MR, Cambridge HM (2000) Modeling and mapping ozone deposition in Europe. *Water Air Soil Pollut* 130: 577–582
- Karnosky DF, Zak DR, Pregitzer KS, Awmack CS, Bockheim JG et al (2003) Tropospheric O₃ moderates responses of temperate hardwood forests to elevated CO₂: a synthesis of molecular to ecosystem results from the Aspen FACE project. *Funct Ecol* 17: 289–394
- Kellomäki S, Wang K-Y, Lemettinen M (2000) Controlled environment chambers for investigating tree response to elevated CO₂ and temperature under boreal conditions. *Photosynthetica* 38: 69–81
- Miller PR, McBride JR (1999) Oxidant air pollution impacts in the Montane forests of Southern California: a case study of the San Bernardino Mountains. *Ecological Studies* 134, Springer, New York
- Pääkkönen E, Holopainen T (1995) Influence of nitrogen supply on the response of clones of birch (*Betula pendula* Roth) to ozone. *New Phytol* 129: 595–603
- Stocker TF, Qin D, Plattner G-K, Tignor M, Allen SK, Boschung J, Nauels A, Xia Y, Bex V, Midgley PM (eds) (2013) *Climate Change 2013: the physical science basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, New York
- Watanabe M, Yamaguchi M, Iwasaki M, Matsuo N, Naba J, Tabe C, Matsumura H, Kohno Y, Izuta T (2006) Effects of ozone and/or nitrogen load on the growth of *Larix kaempferi*, *Pinus densiflora* and *Crytomeria japonica* seedlings. *J Jpn Soc Atmos Environ* 41: 320–334

Contents

1	Resource Allocation and Trade-Offs in Carbon Gain of Leaves Under Changing Environment	1
	Kouki Hikosaka, Yuko Yasumura, Onno Muller, and Riichi Oguchi	
2	Ecophysiological Aspects of Phloem Transport in Trees	25
	Teemu Hölttä, Maurizio Mencuccini, and Eero Nikinmaa	
3	Mycorrhizae and Global Change	37
	Michael F. Allen, Kuni Kitajima, and Rebecca R. Hernandez	
4	Dynamic Stomatal Changes	61
	Hartmut Kaiser and Elena Paoletti	
5	The Regulation of Osmotic Potential in Trees	83
	Andrew Merchant	
6	Ecophysiology of Long-Distance Water Transport in Trees	99
	Hanno Richter and Silvia Kikuta	
7	Forest Trees Under Air Pollution as a Factor of Climate Change	117
	Rainer Matyssek, Alessandra R. Kozovits, Jörg-Peter Schnitzler, Hans Pretzsch, Jochen Dieler, and Gerhard Wieser	
8	Influence of Atmospheric and Climate Change on Tree Defence Chemicals	165
	Jason Q.D. Goodger and Ian E. Woodrow	
9	Control over Growth in Cold Climates	191
	Sergio Rossi, Annie Deslauriers, Carlo Lupi, and Hubert Morin	
10	Treelines in a Changing Global Environment	221
	Gerhard Wieser, Friedrich-Karl Holtmeier, and William K. Smith	

11 The Future of Trees in a Changing Climate: Synopsis 265
Nancy Grulke and Michael Tausz

Index 281