

The Geometrical Beauty of Plants

Johan Gielis

The Geometrical Beauty of Plants



Johan Gielis
Department of Biosciences Engineering
University of Antwerp
Antwerp
Belgium

ISBN 978-94-6239-150-5 ISBN 978-94-6239-151-2 (eBook)
DOI 10.2991/978-94-6239-151-2

Library of Congress Control Number: 2017932536

© Atlantis Press and the author(s) 2017

This book, or any parts thereof, may not be reproduced for commercial purposes in any form or by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system known or to be invented, without prior permission from the Publisher.

Printed on acid-free paper

An equation has no meaning for me if it does not express a thought of God.

Ramanujan

“One must study not what is interesting and curious, but what is important and essential”.

Pafnuty Lvovich Chebyshev’s advice to his students

A special dedication to Walter Liese and Tom Gerats

Preface

In my study of natural shapes, more specifically of bamboo, I started using the superellipses and supercircles of Gabriel Lamé around 1994 to study the shape of certain square bamboos. The first publication was in the Belgian Bamboo Society Newsletter in 1996 followed by a presentation by Prof. Freddy Van Oystaeyen in the same year at a meeting at the University of Louvain organized by the Belgian Plant and Tissue Culture Group and published in the journal *Botanica Scripta Belgica*. Three years later, in 1997, I was able to generalize these curves into what I originally called superformula, as a generalization of supercircles, following joint work with Bert Beirinckx on superellipses. In 1999, I founded a company with the explicit aim to disseminate these ideas in science, technology, and education, with better than expected results.

My first presentation on the more general use of Lamé curves in botany was in 1997 at the Symposium Morphology, Anatomy and Systematics in Leuven, in honor of the great German plant scientist Wilhelm Troll. The symposium was co-organized by the Deutsche Botanische Gesellschaft and by the Botany Department of the University of Louvain. The talk went quite well, and in the closing speech, Erik Smets remarked that it was hoped that I could bring fresh ideas to mathematical botany; the untimely death of the late Aristid Lindenmayer had left a deep gap in that field. On advice of Focko Weberling, one of Troll's students, I was contacted by Springer Verlag that same week to publish a book on my work. In a sense, this book is 20 years overdue, but *pauca sed matura* was Gauss' motto.

In 2003, the first major scientific paper was published in the *American Journal of Botany*, on invitation by the editor in chief, Karl J. Niklas. The title “A generic geometric transformation which unifies a wide range of natural and abstract shapes” expresses the gist of the matter. This publication attracted a lot of attention, and I still think it was a good timing and (hoped for but unexpected) strategy for dissemination. In the same year, the English version of my book *Inventing the Circle* was published, two years after the Dutch version in 2001. My journey took me from horticulture and plant biotechnology to geometry. The article “*Universal Natural Shapes*” with Stefan Haesen and Leopold Verstraelen in 2005 introduced the equation into the field of geometers, and also substituted the name superformula

by the names *Gielis curves, surfaces, (sub-)manifolds, and transformations*. In geometry, a whole new world unveiled before me. This, along with several publications by others ensured the adoption and absorption of the formula in mathematics, science, and education. Two of my main goals, formulated in 1999, have been or are being realized, along various paths.

Technology was my third, long-term goal, and many papers in science and technology have been published using the formula. In many cases (antennas and nanotechnology, for example), the formula allowed to go beyond the classical and canonical shapes, opening many doors. My own passion about technology is this: No matter what field we consider, I (with many others) think our current technology, no matter how advanced, is essentially a bag-of-tricks, aimed at deception (which is perhaps a major feature of our times and culture). We are working toward new applications following my dream of unifying and simplifying, at the same time appreciating complexity.

In this respect, it is important to note that my background is horticulture and plant biotechnology. I have been involved as researcher and research director in plant research for more than 25 years, and methods were developed in our team for mass propagation of plants, in particular temperate and tropical bamboos, the former for ornamental purposes, the latter for reforestation in the tropics. Over the past years, we have produced over 20 million bamboos that have been distributed and planted worldwide. Bamboo is indeed a multipurpose plant, a beautiful plant for our gardens but providing building materials, food, and much more for the poorest one billion humans on this planet.

Key to this was focused in-depth research using molecular markers and high-throughput determination of plant hormones, but never losing sight of the end goal: plant production. The same procedure of combining science with technology, we use now in the development of antennas, where optimization is an ongoing activity. We are now able to produce very powerful antennas, at costs which could be up to ten times less than existing ones, optimizing margin, while delivering the highest possible quality and efficiency. In all my (scientific and engineering) activities, this combination of wide interests, a generalist (rather than myopic) view, and stamina has always led to remarkable results.

Always keep focused on what you want to achieve. The current book is a combination of such focus, combining wide interests (nature and science) and a generalist (rather than specialist) attitude, inspired by the vision of natural scientists and philosophers from a long gone era. Along the way, I learned many other things, which one cannot learn but by a constant drive and strive to understand. My scientific education continues daily.

I wish to convey my sincere gratitude to my parents and all teachers, botanists, mathematicians, and engineers who played an enormously important role in my personal scientific development and the various developments described in this book: These include my teachers in high school Fred Verstappen (Greek) and Gerard Bodifée (sciences); in my professional horticultural and plant biotechnological life: Pierre Debergh (University of Ghent), Walter Liese (University of Hamburg, Germany), Tom Gerats (Radboud University, The Netherlands), and

Paul Goetghebeur (University of Ghent, Belgium); in mathematics and geometry: Freddy Van Oystaeyen (University of Antwerp), Leopold Verstraelen (University of Louvain, Belgium), Paolo Emilio Ricci (La Sapienza University, Rome), and Ilia Tavkheldze (Tbilisi State University, Georgia). During the past two decades, fantastic collaborations developed with Bert Beirinckx, with Diego Caratelli (Antenna Company, University of Toms, Russia), Yohan Fougerolle (University of Dijon, France), Dishant Pandya (India), and with Shi Peijian, Yulong Ding, and the team at Nanjing Forestry University. I must also thank all collaborators in Genicap Beheer BV and Antenna Company.

Special thanks for their important contributions and advice in various chapters of this book are due to Yohan Fougerolle, Diego Caratelli, Dishant Pandya, Paolo Emilio Ricci, and Ilia Tavkheldze. The results of the collaborations with all four are fundamental to this book. Many thanks also to Albert Kiefer for graphics to Violet for help on references, corrections and pictures, and to Arjen Sevenster and the Atlantis and Springer teams.

Many thanks to my whole family, past–present–future, for their continuous support. With a most special dedication and many, many thanks to my wife and soul mate Christel, and our children, Violet and Fabian, for making my life complete.

Antwerp, Belgium
December 2016

Johan Gielis

About the Book

This book focuses on the origin of the Gielis curves, surfaces, and transformations in the plant sciences. It is shown how these transformations, as a generalization of the Pythagorean theorem, play an essential role in plant morphology and development. New insights show how plants can be understood as developing mathematical equations, which opens the possibility of directly solving analytically any boundary value problem (stress, diffusion, vibration...). This book illustrates how form, development, and evolution of plants unveil as a musical symphony. The reader will gain insight in how the methods are applicable in many diverse scientific and technological fields.

Contents

Part I Πρότασις—Propositio

1	Universal Natural Shapes	3
	Conic Sections at the Core, Once More	3
2	Towards a Geometrical Theory of Morphogenesis	7
	Biology Versus Physics	7
	Commensurability, Symmetry and Euclidean Geometry	9
	Mathematical Theories Versus Theories of Everything	11
	Quantities of O-Type	13
	Quantities of M-Type for Natural Shapes	16
	Objective Reality, Mathematics and the Mind's Eye	17
	A New Pair of Glasses	19

Part II Εκθεσις—Expositio

3	-1, -2, -3....., Understand the Legacy	23
	On Arithmetic and Geometric Means	23
	On Derivatives and Nomograms for Means	25
	Geometric Means and Pascal's Triangle	27
	Geometrically: A Game of Cubes and Beams	29
	The Decimal Principle and Fluxions	32
	The Geometry of Parabolas and Allometric Laws	35
	Monomiality Principle for Polynomials	37
	A Way of Thinking.....	38
	-1, -2, -3....., Understand the Legacy	40
4	Lamé Curves and Surfaces	43
	On Landscapes and Maps	43
	Lamé Curves and Surfaces	45

From Barrow to Lamé 47

The Immortal Works of Gabriel Lamé 49

From Lamé to Square Bamboos 51

Lamé Surfaces and Superquadrics 53

5 Gielis Curves, Surfaces and Transformations 57

Lamé Curves in Polar Coordinates 57

Generalized Pythagorean Theorems 59

From Lamé to Gielis Curves 60

Superpolygons and Regular Polygons 62

Polygrams and Generic Symmetries 63

Gielis Transformations 66

Continuous Transformations 68

Invariance Properties of Supershapes 70

Gielis Surfaces and Volumes 71

Generalized Möbius-Listing Surfaces and Bodies 75

Analytic Representations or Transformations? 81

Part III Διαρισμός—Determinatio

6 Pythagorean-Compact 87

A Zillion More 87

k-Type Curves and a Generalization of Fourier Series 91

Pythagorean Trees, L-Systems and Fractals 93

R-Functions and Supershapes 96

Complex Shapes and Self-intersections 100

R-Functions and Co-bordism 102

Shape Complexity and Oligomials 104

All Gielis Curves Are Equally Simple 107

Pythagorean-Compact and Pythagorean-Simple 108

7 Generalized Intrinsic and Extrinsic Lengths in Submanifolds 109

Embedded and Immersed 109

Rigid and Semi-rigid Geometry 109

Lorentz Transformations and SRT 111

A Theorem of Gauss and a Remarkable Year 114

FRLM Geometry and FRLW Metrics 115

Representing Dimensions 117

Transformations in Euclidean Geometry 118

Unveiling the Secrets of Grandi Curves 119

Orthogonal Polynomials and Phyllotaxy in Plants 121

Part IV Κατασκευή—Constructio

8 (Meta)Harmony 127
 Harmonic and Metaharmonic Solutions 127
 The Mathematical Physics Project of Fourier 130
 Solving BVP with Fourier Series 131
 The Dirichlet Problem for the Laplace Equation 132
 Numerical Results 135
 Flower and Plate Vibrations 135
 Fourier-Bessel Solution for the Helmholtz Equation 137
 Metaharmony 141
 R-Functions Revisited 142

9 Natural Curvature Conditions 145
 Curvature, the Central Notion in Geometry 145
 Moving in Space 146
 Moving on Curves on Surfaces 147
 Natural Curvature Conditions and Ideal Submanifolds 149
 Constant Mean Curvature Surfaces and Conic Sections 152
 Curvature Defined by Lamé and Gielis Curves 154
 The Inverse Square Law Generalized 156
 Sectional Curvature of Riemannian Manifolds 157
 Curvature Diagrams 158
 Flowers as Analytical Method for Studying Curvature 159
 Circles and Spirals 160
 Going with and Going Against the Flow 162
 Applying Gielis Transformations to the Basic Shapes 165
 Determinatio and Constructio 166

Part V Απόδειξις—Demonstratio

10 Bamboo Leaves and Tree Rings 169
 Shape Analysis with the Superformula 169
 Plant Leaves 171
 46 Bamboo Species, 1000 Leaves, 1 Equation 172
 A Two-Parameter Model 173
 Superelliptical Tree Rings and Bamboo Stems and Rhizomes 179
 Stems, Petioles and Cells 182

11 Snowflakes and Asclepiads 187
 Soap Bubbles, *Culcita Novaeguineae* and Ammonoids 187
 Equilibrium Shapes for Far-from-Equilibrium Conditions 189
 Fusion as Driving Force in the Evolution of Angiosperms 192
 Inter and Intrawhorl Fusion in Flowers 193
 Orchids and Asclepiads 194

Corolla Shapes in Asclepiad Flowers 196
 A Three-Element System for Fusion in Corolla 198
 A Highly Stable Corolla 199
 Fast Forward Evolution: Combining Stochastic and Deterministic
 Techniques 201
 Beyond Asclepiads 202

Part VI Συμπέρασμα—Conclusio

12 The Pythagorean Theorem for the Third Millenium 207
 Preserving the Pythagorean Theorem..... 207
 ...With Elementary Mathematics. 209
 Preserving Euclidean Geometry. 209
 What if? 210
 Deterministic and Structurally Stable. 211
 Plants at the Core of Our Worldview 212
 Physis-Centered Worldviews. 213
 Human-Centered Worldviews 213
 The Sixfold Way. 214
 An Open Invitation to Mathematicians and Students of Nature. 215

List of Figures

Figure 1.1	Universal natural shapes	4
Figure 2.1	Nature’s grand symphony	14
Figure 2.2	A snowflake with short and long sides and the water fern <i>Marsilea</i>	15
Figure 2.3	Some natural shapes as Gielis transformations of a circle	16
Figure 2.4	Observing and understanding is a human endeavour.	17
Figure 2.5	Uniting mathematics, science and philosophy	20
Figure 3.1	Combinatorial means: <i>Blue</i> is <i>AM</i> ; <i>light Green</i> is <i>GM</i> , <i>Pink</i> is <i>HM</i> , <i>dark green</i> is subcontrary to <i>GM</i> , <i>orange</i> is subcontrary to <i>HM</i>	24
Figure 3.2	Division of an interval $[a, b]$ into three parts according to <i>AM</i> or <i>GM</i>	26
Figure 3.3	Graphical construction of the harmonic mean H for $n = 3$	26
Figure 3.4	First rows of Pascal’s triangle	27
Figure 3.5	Binomial expansion	30
Figure 3.6	Simon Stevin’s Geometric numbers	31
Figure 3.7	Sine function for increasing number of terms in partial sums.	33
Figure 3.8	From Newton’s Principia [55]	34
Figure 3.9	The equal spacing of consecutive Fibonacci numbers in logarithmic scale and the geometry of super- and subparabola in the interval $[1; 1]$ [56].	34
Figure 3.10	Kepler’s law of equal areas (<i>left</i>) and law of periods	36
Figure 3.11	Annual growth G_T is related to total biomass M_T , over a wide range of plant species and growth types	36
Figure 3.12	Chebyshev polynomials $T_n(x)$ for $n = 0, \dots, 5$	37
Figure 3.13	Parallel or crossing lines, with direct correspondence to the constructions for <i>AM</i> and <i>HM</i>	40
Figure 4.1	Lamé’s supercircles	46

Figure 4.2	Lamé-curves for $n = 3$ and $n = 4$	46
Figure 4.3	Superelliptical stems of Phlomis, Verbena, teak and Euphorbia	47
Figure 4.4	Gabriel Lamé, superellipses combine the advantages of rectangle and ellipse, and cross section of supershaped stem or tube	52
Figure 4.5	<i>Chimonobambusa quadrangularis</i> , <i>Dendrocalamus</i> <i>giganteus culm</i> , and <i>Silphium perfoliatum</i> (flower and stem).	53
Figure 4.6	Hydrangea sepals arranged in a square	53
Figure 4.7	Polyhedral superspheres	54
Figure 5.1	From Pythagoras and the circle, to Lamé's supercircles	58
Figure 5.2	The symmetry parameter m increases from 1 to 8 for $n_{2,3} < 2$ [103]	61
Figure 5.3	Supershapes in continuous color gradients [104]	61
Figure 5.4	Regular superpolygons	64
Figure 5.5	Polygrams with $m = 5/2$; $5/3$ and $8/3$	64
Figure 5.6	Phyllotactic patterns in plants [1]	65
Figure 5.7	Choripetalous five-petalled flowers with the corresponding constraining superpolygons.	66
Figure 5.8	$\rho(\vartheta) = e^{0.2\vartheta}$ with $b m = 4$ and $n_1 = n_2 = n_3 = 100$ and $c m = 10$ and $n_1 = n_2 = n_3 = 5$	67
Figure 5.9	Superspirals in nature	68
Figure 5.10	Morphing a circle into a starfish. The value of $m = 5$ in all cases	68
Figure 5.11	Variations in starfish can be quantified precisely	70
Figure 5.12	Distances, area and polar moment of inertia I_p are conserved for changing m for fixed exponents (here all exponents $n = 1$).	70
Figure 5.13	3D shapes	72
Figure 5.14	Fluid mechanics and patterns as supertori	74
Figure 5.15	Cacti and stapeliads as generalized cylinders with supershaped cross sections.	75
Figure 5.16	Future Fossils [113, 114]	76
Figure 5.17	Modern Architecture.	77
Figure 5.18	Architon GML.	79
Figure 5.19	Knots and links after cutting GML ribbons	80
Figure 5.20	Goethe's rose grown through.	80
Figure 6.1	<i>Vinca major</i>	88
Figure 6.2	Some new shapes.	89
Figure 6.3	New shapes with higher periodicity	89

Figure 6.4 “Brilliant! Off the charts in terms of innovation” [130, 131] 90

Figure 6.5 Leaf shapes as transformations of a cardioid [132]. 91

Figure 6.6 Leaf shapes as variations on a superformular theme [133]. 91

Figure 6.7 A racecar in less than 900 bytes [139] 93

Figure 6.8 Architon in the Geometry Garden 94

Figure 6.9 Spiral of Theodorus (*left*) and Romanesco broccoli. 95

Figure 6.10 Pythagorean trees 95

Figure 6.11 Koch snowflake of order 3 (*left*) and 6 (*center*), and Sierpinski gasket 96

Figure 6.12 Conjunction (*left*); disjunction (*center*) and relative complement of two sets 97

Figure 6.13 Fichera domain (*left*) and superfractal (*right*). 98

Figure 6.14 $R_{\alpha=1}(x, y)$, $R_{p=2}(x, y)$ and $R_{m=2}^0(x, y)$ for R-disjunction. All have a constant sign in each quadrant [144]. 99

Figure 6.15 Rear axis of truck all in supershapes, and turbine of windmill with cross section displaying the potential fields 100

Figure 6.16 RGC as multivalued functions 101

Figure 6.17 Examples of the Boolean differences between consecutive layers 102

Figure 6.18 Strings and real things 103

Figure 6.19 Tree rings in teak. The central ones are Lamé curves 104

Figure 6.20 Supershapes with same complexity as a torus 105

Figure 6.21 Different shapes of leaves of maples, *Hydrangea petiolaris* and *H. quercifolia* 106

Figure 7.1 Unit circles based on rigid and semi-rigid rulers. For illustrative purposes the observer is depicted as a two-dimensional square, but one has to consider the one-dimensional line, originating from a common center for each angle 111

Figure 7.2 Application of areas to halfchords 113

Figure 7.3 Clelia curves developed onto supershapes 120

Figure 7.4 From Pythagoras to Gielis transformations and back. 123

Figure 8.1 Spatial distribution and boundary values of the partial sum $u_{N(x,y)}$ approximating the solution of the interior Dirichlet problem for the Laplace equation in a flying bird domain. 136

Figure 8.2 Spatial distribution (*left*) and boundary values (*right*) of the partial sum $u_{N(x,y)}$ of order $N = 20$ approximating the solution of the interior Dirichlet problem for the Helmholtz equation in a corolla shaped domain 140

Figure 8.3 Spatial distribution of the partial sum $u_{N(x,y)}$ of order N approximating the solution of the interior Dirichlet problem for the Helmholtz equation in the flower-shaped domain. *Left* $\alpha = 0.1$; *Right* $\alpha = 0.4$. $N = 20$ for both cases 141

Figure 8.4 Patterns on Mollusk shells. 142

Figure 8.5 Asclepiads and the various patterns of color and epidermal hairs structures 142

Figure 9.1 Tangent, normal and binormal vectors and planes 147

Figure 9.2 Curvature of surfaces 148

Figure 9.3 Examples of Wulff shapes and associated catenoids 154

Figure 9.4 Osculating starfish and chains along the curve 155

Figure 9.5 Curvature diagrams for constant mean, Gaussian, Casorati and Lamé curvature 159

Figure 9.6 Circular and spiral tendencies in developing flowers and inflorescences 162

Figure 9.7 Spiral and D’Arcy Thompson 163

Figure 9.8 Universal natural shapes 165

Figure 10.1 A variety of plant leaves 171

Figure 10.2 *Sasa palmata* 173

Figure 10.3 Leaf shape and size parameters n , L , l are related $L = (1 + 2^{-1/2n}) \cdot l$ 175

Figure 10.4 Comparison between scanned leaf profile and predicted leaf profile from the simplified Gielis equation 176

Figure 10.5 Leaf lengths of 42 species. 177

Figure 10.6 Leaf shape parameter n for 46 species of bamboo. Color codes are used for different genera; numbering in Table 10.1 178

Figure 10.7 Young stems of teak and cross section of teak stem 179

Figure 10.8 Superelliptical tree rings in softwoods. Clockwise from *upper left* Jack pine (*Pinus banksiana* Lamb), red pine (*Pinus resinosa* Aiton), tamarack (*Larix laricina* (Du Roi) K. Koch and white cedar (*Thuja occidentalis* L.) 180

Figure 10.9 Quantification of spirality in softwood trees 181

Figure 10.10 Observed culm wall rings and pith cavity rings (*black solid lines*) and the predicted rings (*red solid lines*) of eight bamboo species show excellent correspondence [215] 182

Figure 10.11 *Philodendron melinonii* with green petiole and *P. melinonii* “*Rubescens*” with red petioles 183

Figure 10.12	Series of sections of petioles of <i>Philodendron melinonii</i>	183
Figure 10.13	Stems of bamboo, petioles of tree ferns, the square basis of an oak and the stem of <i>Impatiens glandulifera</i>	184
Figure 10.14	Wood anatomy: <i>Upper row</i> bamboo parenchyma with starch (<i>left and right</i>) and bamboo fibres. (<i>center left and center right</i>). <i>Lower row</i> fibres of rattan (<i>left and left center</i>) and softwoods (<i>right center and right</i>).	185
Figure 11.1	<i>Culcita novaeguineae</i>	188
Figure 11.2	<i>Left and center left</i> fossil and reconstruction of living <i>Entogonites saharensis</i> . <i>Center right</i> <i>Parawocklumeria</i> . <i>Right</i> a discovery from the supershape universe.	188
Figure 11.3	Plant Pollen.	189
Figure 11.4	Capped column snow flake and CAMC catenoid.	191
Figure 11.5	Sand dollars and curvature	191
Figure 11.6	Spiral phyllotaxy (<i>upper row</i>) and whorled phyllotaxy	193
Figure 11.7	<i>Petunia hybrida</i> , <i>Petunia Maewest</i> , Wild type WT and Pink Ice	194
Figure 11.8	<i>Tridentia gemmiflora</i>	195
Figure 11.9	Formation of Asclepiad flower	196
Figure 11.10	Increasing fusion of petals.	197
Figure 11.11	a. <i>Caralluma frerei</i> , b. Fusion of <i>DF</i> and <i>CF</i> , c. <i>Huernia recondita</i> , d. constraining superpolygon	197
Figure 11.12	Black-eyed Susan (<i>Thunbergia alata</i>).	199
Figure 11.13	Spatial distribution of the partial sum $u_N(x,y)$ of order N approximating the solution of the interior Dirichlet problem for the Helmholtz equation in the flower-shaped domain with fusion parameter	200
Figure 11.14	Flowers are key to understanding nature.	203
Figure 12.1	Fatal attraction in Universal Natural Shapes.	216

List of Tables

Table 5.1	Superpolygons and regular polygons	63
Table 5.2	Spherical product of two superpolygons.	73
Table 9.1	From conicsections to CMC surfaces.	153
Table 10.1	46 Species of bamboo [210].	174
Table 11.1	Various means in numbers, surfaces and flowers.	199
Table 12.1	Allometry simplified	213