Atlantis Studies in Mathematics

Volume 4

Series editor

Jan van Mill, VU University, Amsterdam, The Netherlands

Aims and Scope

With this book series, we aim to publish monographs of high quality in all areas of mathematics. Both research monographs and books of an expository nature are welcome. This series is the continuation of the “Mathematics Studies”, previously published by Elsevier. All books published after November 2010 are promoted, distributed and sold by Springer, both as e-books and in print. The books are also part of SpringerLink and included in the relevant Springer subject collections. All book proposals submitted to this series will be reviewed by the Series Editor. After the manuscript has been completed, it will be entirely reviewed by one of our editors or reviewers. Only after this review will the book be published.

More information about this series at <http://www.springer.com/series/10070>

G.L.M. Groenewegen · A.C.M. van Rooij

Spaces of Continuous Functions

G.L.M. Groenewegen
Faculty of Education—ILS
HAN University of Applied Sciences
Nijmegen
The Netherlands

A.C.M. van Rooij
Faculty of Science—Mathematics
Radboud University
Nijmegen
The Netherlands

ISSN 1875-7634

Atlantis Studies in Mathematics

ISBN 978-94-6239-200-7

DOI 10.2991/978-94-6239-201-4

ISSN 2215-1885 (electronic)

ISBN 978-94-6239-201-4 (eBook)

Library of Congress Control Number: 2016936970

© Atlantis Press and the author(s) 2016

This book, or any parts thereof, may not be reproduced for commercial purposes in any form or by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system known or to be invented, without prior permission from the Publisher.

Printed on acid-free paper

Preface

This book is written in the spirit of Z. Semadeni's *Banach Spaces of Continuous Functions and Rings of Continuous Functions* by L. Gillman and M. Jerison, but on a lower level.

It is intended to be more accessible than Semadeni's book – at the cost of being considerably less thorough. It covers a wider range than the Gillman-Jerison book, putting more stress on lattice structure, less on multiplication.

Basically, our text deals with the connection between the topology of a space X (mostly a compact Hausdorff space) and the algebraic structure of $C(X)$, the set of all continuous real valued functions on X . We consider $C(X)$ as a ring, as a lattice and as a metric space. A typical result is that X (compact Hausdorff) is metrizable if and only if $C(X)$ is separable. Another: if X and Y are compact Hausdorff spaces and if $C(X)$ and $C(Y)$ are isomorphic rings, then X and Y must be homeomorphic.

A second theme is the occurrence of $C(X)$ (with compact X) in representation theorems. Not only is $C(X)$ an algebra (ring + vector space) and a Riesz space (lattice + vector space), several beautiful theorems characterize among the algebras and the Riesz spaces those that are “isomorphic” to $C(X)$ for some X . This leads to the Stone-Čech compactification and the Stone space of a Boolean algebra.

Concerning presupposed knowledge:

We expect the reader to be acquainted with the basic theory of *normed vector spaces* (norms, the dual Banach space, the Hahn-Banach Theorem) and of *ordered sets* (the lattice operations). Subjects such as the Alaoglu Theorem are treated in the text itself. For the reader's convenience and to establish notations we have added Appendix A on normed spaces and Appendix B on lattices.

Our attitude with regard to *topology* is a bit ambivalent. The reader is supposed to have knowledge of the elements of the theory (continuity, the Hausdorff property, Urysohn's Lemma). Terms like “completely regular” and “zerodimensional” are introduced. Our first chapter discusses convergence of nets and generating systems in some detail because not all standard books use the same terminology.

No knowledge of *integration theory* is assumed beyond the Riemann integral. There is an Appendix C on abstract integration theory, but in character it differs from the other two appendices. Our text is self-contained as far as integration theory is concerned. However, what we need is so rudimentary that the knowledgeable reader may feel that we are cheating, giving a false idea of what integration is all about. Indeed, our treatment (in Chapter 10) is no natural preparation for the more advanced theory. Therefore, we devote Appendix C to building the bridge from our text to the general literature.

About the set-up of the book:

Each chapter is followed by an *Extra*, either a short piece about history or an extension of the theory, an excursion.

There are many *exercises*. Some are decorated with a star; these contain results that are part of the theory and may be used farther on in the main text. Other exercises present examples or are meant for the reader to pick up routines.

At the end of the book there is a section with solutions for all starred exercises and hints for some others.

We make no claim for originality. Everything in this book can be found in the standard literature. Indeed, most is in Semadeni's book. Accordingly, our lists of references to mathematics are very brief. The references to the historical notes and the stories about mathematicians are more detailed.

References

Gillman, L. and Jerison, M. (1976) *Rings of Continuous Functions*. Springer-Verlag, New York.

Semadeni, Z. (1971) *Banach Spaces of Continuous Functions, Vol. I*. PWN Polish Scientific Publishers, Warszawa.

On general functional analysis:

Conway, J.B. (1990) *A Course in Functional Analysis*. Graduate Texts in Mathematics 96, Springer-Verlag, New York.

Hewitt, E., Stromberg, K. (1965) *Real and Abstract Analysis*. Springer-Verlag, New York.

On ordered vector spaces:

Aliprantis, C.D., Burkinshaw, O. (2003) *Locally Solid Riesz Spaces*. Math. Surveys and Monographs, Vol. 105, Amer. Math. Soc..

Contents

1. Topological Preliminaries	1
Nets, Generating Systems	1
Compactness	7
Extra: The Axiom of Choice	11
2. Metrizable Compact Spaces	14
Extra: The Cantor Set and Variations	20
3. The Stone-Weierstrass Theorem	22
Extra: The key is asking the “right” questions	27
4. Weak Topologies. The Alaoglu Theorem	29
Weak Topologies. Complete Regularity.	29
Normed spaces. The w' -topology.	33
Extra: Alaoglu (1914 – 1981)	39
5. Riesz Spaces	41
Generalities	41
Homomorphisms. Ideals	48
Archimedean spaces. Units	52
Extra: Riesz (1880 – 1956)	55
6. Yosida’s Representation Theorem	58
Yosida’s Theorem	58
Stone’s Representation Theorem (special)	63
Extra: Kakutani (1911 – 2004)	65
7. The Stone-Čech compactification	68
Extra: Stone (1903 – 1989)	75
8. Evaluations	77
Generalities	77
Realcompactness	81
Extreme Points	83
Postscript: Complex Values	86
Extra: Realcompactness of discrete topological spaces	87
9. $C(X)$ determines X	92
Postscript: Without linearity	94
Extra: Extremely disconnected spaces	97

10. The Riesz Representation Theorem	103
σ -Algebras. Measures	103
Riesz' Theorem	108
Baire and Borel	113
Example: Stieltjes integrals	118
Extra: Noncompact Spaces	121
11. Banach Algebras	125
Extra: The Origins of Banach Algebras	131
12. Other Scalars	133
The Banaschewski Compactification	135
Homomorphisms	137
Algebras	139
Stone's Representation Theorem (general)	142
Extra: Non-Archimedean Valued Fields	146
Appendix A: Normed Vector Spaces	149
Appendix B: Lattices	153
Appendix C: Integration	155
Solutions and hints for selected exercises	160
About the Authors	170
Symbols	171
Index	172

Conventions and Notations

Our use of the symbol $\subset$ does not necessarily mean a strict inclusion.

Most chapters open with the formulation of assumptions such as “ X is a topological space” that, without further explicit mention, are made throughout the chapter.

The exercises provided with an asterisk are considered to form part of the theory and may be referred to in proofs.

In principle we use $\mathbb{R}$ as our scalar field and “functions” have real numbers (excluding $\pm\infty$) as values. Occasionally we look into what happens if we replace $\mathbb{R}$ by $\mathbb{C}$.

- $\mathbb{N}$ is $\{1, 2, 3, \dots\}$.
- The constant function with value 1 is denoted as $\mathbb{1}$: the indicator of a set Y is $\mathbb{1}_Y$.
- ℓ^∞ is the space of all bounded number sequences; c is the space of all convergent sequences; c_0 is the space of all sequences that converge to 0.
In these spaces the unit vectors e_n ($n \in \mathbb{N}$) are defined by $e_n(n) = 1$, while $e_n(k) = 0$ for $k \neq n$. In other words, $e_n = \left(0, 0, 0, \dots, \underset{n}{1}, 0, \dots\right)$.
- For a set X we denote by $\mathcal{P}(X)$ the collection of all subsets of X .
- For a set X we denote by $\ell^\infty(X)$ the space of all bounded functions $X \rightarrow \mathbb{R}$. This $\ell^\infty(X)$ is a Banach space (= complete normed vector space) under the “supremum norm” $\| \cdot \|_\infty$, defined by

$$\|f\|_\infty := \sup\{|f(x)| : x \in X\} \quad (f \in \ell^\infty(X)).$$

- Let X be a topological space. We define $C(X)$ to be the space of all continuous functions on X , and we let $BC(X)$ be the space of all bounded elements of $C(X)$. When appropriate we write $C_{\mathbb{R}}(X)$ and $C_{\mathbb{C}}(X)$ for the spaces of all real and complex valued functions, respectively. $BC(X)$ (and hence $C(X)$ if X is compact) are “naturally” endowed with the sup-norm $\| \cdot \|_\infty$.
- We abbreviate: $C[0, 1] := C([0, 1])$, $BC[0, \infty) := BC([0, \infty))$, etc.
- For $s, t \in \mathbb{R}$ we define $s \vee t := \max\{s, t\}$, $s \wedge t := \min\{s, t\}$, $s^+ := s \vee 0$. Also, for functions f, g on a set X we let $f \vee g, f \wedge g, f^+$ be the functions $x \mapsto f(x) \vee g(x)$, $x \mapsto f(x) \wedge g(x)$, $x \mapsto f(x)^+$, respectively.
- Let X be a set. A collection F of functions on X is said to *separate* the points of X if for all $x, y \in X, x \neq y$, there is an f in F with $f(x) \neq f(y)$.