

# Lecture Notes in Mathematics

1891

## **Editors:**

J.-M. Morel, Cachan

F. Takens, Groningen

B. Teissier, Paris

## **Fondazione C.I.M.E. Firenze**

C.I.M.E. means Centro Internazionale Matematico Estivo, that is, International Mathematical Summer Center. Conceived in the early fifties, it was born in 1954 and made welcome by the world mathematical community where it remains in good health and spirit. Many mathematicians from all over the world have been involved in a way or another in C.I.M.E.'s activities during the past years.

So they already know what the C.I.M.E. is all about. For the benefit of future potential users and co-operators the main purposes and the functioning of the Centre may be summarized as follows: every year, during the summer, Sessions (three or four as a rule) on different themes from pure and applied mathematics are offered by application to mathematicians from all countries. Each session is generally based on three or four main courses (24–30 hours over a period of 6-8 working days) held from specialists of international renown, plus a certain number of seminars.

A C.I.M.E. Session, therefore, is neither a Symposium, nor just a School, but maybe a blend of both. The aim is that of bringing to the attention of younger researchers the origins, later developments, and perspectives of some branch of live mathematics.

The topics of the courses are generally of international resonance and the participation of the courses cover the expertise of different countries and continents. Such combination, gave an excellent opportunity to young participants to be acquainted with the most advance research in the topics of the courses and the possibility of an interchange with the world famous specialists. The full immersion atmosphere of the courses and the daily exchange among participants are a first building brick in the edifice of international collaboration in mathematical research.

C.I.M.E. Director  
Pietro ZECCA  
Dipartimento di Energetica "S. Stecco"  
Università di Firenze  
Via S. Marta, 3  
50139 Florence  
Italy  
e-mail: zecca@unifi.it

C.I.M.E. Secretary  
Elvira MASCOLO  
Dipartimento di Matematica  
Università di Firenze  
viale G.B. Morgagni 67/A  
50134 Florence  
Italy  
e-mail: mascolo@math.unifi.it

For more information see CIME's homepage: <http://www.cime.unifi.it>

CIME's activity is supported by:

- Ministero degli Affari Esteri, Direzione Generale per la Promozione e la Cooperazione, Ufficio V
- Ministero dell'Istruzione, Università e Ricerca, Consiglio Nazionale delle Ricerche
- E.U. under the Training and Mobility of Researchers Programme

J.B. Friedlander · D.R. Heath-Brown  
H. Iwaniec · J. Kaczorowski

# Analytic Number Theory

Lectures given at the  
C.I.M.E. Summer School  
held in Cetraro, Italy,  
July 11–18, 2002

Editors: A. Perelli, C. Viola



## Authors and Editors

J.B. Friedlander

Department of Mathematics  
University of Toronto  
40 St George street  
Toronto, ON M5S 2E4  
Canada

*e-mail: frdlndr@math.toronto.edu*

D.R. Heath-Brown

Mathematical Institute  
University of Oxford  
24-29 St Giles  
Oxford OX1 3LB  
England

*e-mail: rhb@maths.ox.ac.uk*

H. Iwaniec

Department of Mathematics  
Rutgers University  
110 Frelinghuysen road  
Piscataway, NJ 08854  
USA

*e-mail: iwaniec@math.rutgers.edu*

J. Kaczorowski

Faculty of Mathematics and Computer  
Science  
Adam Mickiewicz University  
ul. Umultowska 87  
61-614 Poznan  
Poland

*e-mail: kjerzy@amu.edu.pl*

Alberto Perelli

Dipartimento di Matematica  
Università di Genova  
Via Dodecaneso 35  
16146 Genova  
Italy

*e-mail: perelli@dima.unige.it*

Carlo Viola

Dipartimento di Matematica  
Università di Pisa  
Largo Pontecorvo 5  
56127 Pisa  
Italy

*e-mail: viola@dm.unipi.it*

Library of Congress Control Number: 2006930414

Mathematics Subject Classification (2000): 11D45, 11G35, 11M06, 11M20, 11M36,  
11M41, 11N13, 11N32, 11N35, 14G05

ISSN print edition: 0075-8434

ISSN electronic edition: 1617-9692

ISBN-10 3-540-36363-7 Springer Berlin Heidelberg New York

ISBN-13 978-3-540-36363-7 Springer Berlin Heidelberg New York

DOI 10.1007/3-540-36363-7

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable for prosecution under the German Copyright Law.

Springer is a part of Springer Science+Business Media  
springer.com

© Springer-Verlag Berlin Heidelberg 2006

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Typesetting by the authors and SPi using a Springer L<sup>A</sup>T<sub>E</sub>X package

Cover design: WMXDesign GmbH, Heidelberg

Printed on acid-free paper SPIN: 11795704 41/SPi 5 4 3 2 1 0

---

## Preface

The origins of analytic number theory, i.e. of the study of arithmetical problems by analytic methods, can be traced back to Euler's 1737 proof of the divergence of the series  $\sum 1/p$  where  $p$  runs through all prime numbers, a simple, yet powerful, combination of arithmetic and analysis. One century later, during the years 1837-40, Dirichlet produced a major development in prime number theory by extending Euler's result to primes  $p$  in an arithmetic progression,  $p \equiv a \pmod{q}$  for any coprime integers  $a$  and  $q$ . To this end Dirichlet introduced group characters  $\chi$  and  $L$ -functions, and obtained a key result, the non-vanishing of  $L(1, \chi)$ , through his celebrated formula on the number of equivalence classes of binary quadratic forms with a given discriminant.

The study of the distribution of prime numbers was deeply transformed in 1859 by the appearance of the famous nine pages long paper by Riemann, *Über die Anzahl der Primzahlen unter einer gegebenen Grösse*, where the author introduced the revolutionary ideas of studying the zeta-function  $\zeta(s) = \sum_1^\infty n^{-s}$  (and hence, implicitly, also the Dirichlet  $L$ -functions) as an analytic function of the complex variable  $s$  satisfying a suitable functional equation, and of relating the distribution of prime numbers with the distribution of zeros of  $\zeta(s)$ . Riemann considered it highly probable ("sehr wahrscheinlich") that the complex zeros of  $\zeta(s)$  all have real part  $\frac{1}{2}$ . This still unproved statement is the celebrated Riemann Hypothesis, and the analogue for all Dirichlet  $L$ -functions is known as the Grand Riemann Hypothesis. Several crucial results were obtained in the following decades along the way opened by Riemann, in particular the Prime Number Theorem which had been conjectured by Legendre and Gauss and was proved in 1896 by Hadamard and de la Vallée Poussin independently.

During the twentieth century, research subjects and technical tools of analytic number theory had an astonishing evolution. Besides complex function theory and Fourier analysis, which are indispensable instruments in prime number theory since Riemann's 1859 paper, among the main tools and

contributions to analytic number theory developed in the course of last century one should mention at least the circle method introduced by Hardy, Littlewood and Ramanujan in the 1920's, and later improved by Vinogradov and by Kloosterman, as an analytic technique for the study of diophantine equations and of additive problems over primes or over special integer sequences, the sieve methods of Brun and Selberg, subsequently developed by Bombieri, Iwaniec and others, the large sieve introduced by Linnik and substantially modified and improved by Bombieri, the estimations of exponential sums due to Weyl, van der Corput and Vinogradov, and the theory of modular forms and automorphic  $L$ -functions.

The great vitality of the current research in all these areas suggested our proposal for a C.I.M.E. session on analytic number theory, which was held at Cetraro (Cosenza, Italy) from July 11 to July 18, 2002. The session consisted of four six-hours courses given by Professors J. B. Friedlander (Toronto), D. R. Heath-Brown (Oxford), H. Iwaniec (Rutgers) and J. Kaczorowski (Poznań). The lectures were attended by fifty-nine participants from several countries, both graduate students and senior mathematicians. The expanded lecture notes of the four courses are presented in this volume.

The main aim of Friedlander's notes is to introduce the reader to the recent developments of sieve theory leading to prime-producing sieves. The first part of the paper contains an account of the classical sieve methods of Brun, Selberg, Bombieri and Iwaniec. The second part deals with the outstanding recent achievements of sieve theory, leading to an asymptotic formula for the number of primes in certain thin sequences, such as the values of two-variables polynomials of type  $x^2 + y^4$  or  $x^3 + 2y^3$ . In particular, the author gives an overview of the proof of the asymptotic formula for the number of primes represented by the polynomial  $x^2 + y^4$ . Such an overview clearly shows the role of bilinear forms, a new basic ingredient in such sieves.

Heath-Brown's lectures deal with integer solutions to Diophantine equations of type  $F(x_1, \dots, x_n) = 0$  with absolutely irreducible polynomials  $F \in \mathbb{Z}[x_1, \dots, x_n]$ . The main goal here is to count such solutions, and in particular to find bounds for the number of solutions in large regions of type  $|x_i| \leq B$ . The paper begins with several classical examples, with the relevant problems for curves, surfaces and higher dimensional varieties, and with a survey of many results and conjectures. The bulk of the paper deals with the proofs of the main theorems where several tools are employed, including results from algebraic geometry and from the geometry of numbers. In the final part, applications to power-free values of polynomials and to sums of powers are given.

The main focus of Iwaniec's paper is on the exceptional Dirichlet character. It is well known that exceptional characters and exceptional zeros play a relevant role in various applications of the  $L$ -functions. The paper begins with a survey of the classical material, presenting several applications to the class number problem and to the distribution of primes. Recent results are then

outlined, dealing also with complex zeros on the critical line and with families of  $L$ -functions. The last section deals with Linnik's celebrated theorem on the least prime in an arithmetic progression, which uses many properties of the exceptional zero. However, here the point of view is rather different from Linnik's original approach. In fact, a new proof of Linnik's result based on sieve methods is given, with only a moderate use of  $L$ -functions.

Kaczorowski's lectures present a survey of the axiomatic class  $S$  of  $L$ -functions introduced by Selberg. Essentially, the main aim of the Selberg class theory is to prove that such an axiomatic class coincides with the class of automorphic  $L$ -functions. Although the theory is rich in interesting conjectures, the focus of these lecture notes is mainly on unconditional results. After a chapter on classical examples of  $L$ -functions and one on the basic theory, the notes present an account of the invariant theory for  $S$ . The core of the theory begins with chapter 4, where the necessary material on hypergeometric functions is collected. Such results are applied in the following chapters, thus obtaining information on the linear and non-linear twists which, in turn, yield a complete characterization of the degree 1 functions and the non-existence of functions with degree between 1 and  $5/3$ .

We are pleased to express our warmest thanks to the authors for accepting our invitation to the C.I.M.E. session, and for agreeing to write the fine papers collected in this volume.

Alberto Perelli

Carlo Viola

---

## Contents

### Producing Prime Numbers via Sieve Methods

<i>John B. Friedlander</i> . . . . .	1
1 “Classical” sieve methods . . . . .	2
2 Sieves with cancellation . . . . .	18
3 Primes of the form $X^2 + Y^4$ . . . . .	28
4 Asymptotic sieve for primes . . . . .	38
5 Conclusion . . . . .	47
References . . . . .	47

### Counting Rational Points on Algebraic Varieties

<i>D. R. Heath-Brown</i> . . . . .	51
1 First lecture. A survey of Diophantine equations . . . . .	51
1.1 Introduction . . . . .	51
1.2 Examples . . . . .	51
1.3 The heuristic bounds . . . . .	53
1.4 Curves . . . . .	55
1.5 Surfaces . . . . .	55
1.6 Higher dimensions . . . . .	57
2 Second lecture. A survey of results . . . . .	57
2.1 Early approaches . . . . .	57
2.2 The method of Bombieri and Pila . . . . .	58
2.3 Projective curves . . . . .	59
2.4 Surfaces . . . . .	61
2.5 A general result . . . . .	64
2.6 Affine problems . . . . .	64
3 Third lecture. Proof of Theorem 14 . . . . .	65
3.1 Singular points . . . . .	65
3.2 The Implicit Function Theorem . . . . .	66
3.3 Vanishing determinants of monomials . . . . .	68
3.4 Completion of the proof . . . . .	71
4 Fourth lecture. Rational points on projective surfaces . . . . .	72



X Contents

4.1	Theorem 6 – Plane sections . . . . .	72
4.2	Theorem 6 – Curves of degree 3 or more . . . . .	73
4.3	Theorem 6 – Quadratic curves . . . . .	74
4.4	Theorem 8 – Large solutions . . . . .	74
4.5	Theorem 8 – Inequivalent representations . . . . .	76
4.6	Theorem 8 – Points on the surface $E = 0$ . . . . .	77
5	Fifth lecture. Affine varieties . . . . .	78
5.1	Theorem 15 – The exponent set $\mathcal{E}$ . . . . .	78
5.2	Completion of the proof of Theorem 15 . . . . .	79
5.3	Power-free values of polynomials . . . . .	82
6	Sixth lecture. Sums of powers, and parameterizations . . . . .	85
6.1	Theorem 13 – Equal sums of two powers . . . . .	86
6.2	Parameterization by elliptic functions . . . . .	89
6.3	Sums of three powers . . . . .	91
	References . . . . .	94

**Conversations on the Exceptional Character**

	<i>Henryk Iwaniec</i> . . . . .	97
1	Introduction . . . . .	97
2	The exceptional character and its zero . . . . .	98
3	How was the class number problem solved? . . . . .	101
4	How and why do the central zeros work? . . . . .	104
5	What if the GRH holds except for real zeros? . . . . .	108
6	Subnormal gaps between critical zeros . . . . .	109
7	Fifty percent is not enough! . . . . .	112
8	Exceptional primes . . . . .	114
9	The least prime in an arithmetic progression . . . . .	117
9.1	Introduction . . . . .	117
9.2	The case with an exceptional character . . . . .	120
9.3	A parity-preserving sieve inequality . . . . .	123
9.4	Estimation of $\psi_{\mathcal{X}}(x; q, a)$ . . . . .	125
9.5	Conclusion . . . . .	127
9.6	Appendix. Character sums over triple-primes . . . . .	128
	References . . . . .	130

**Axiomatic Theory of  $L$ -Functions: the Selberg Class**

	<i>Jerzy Kaczorowski</i> . . . . .	133
1	Examples of $L$ -functions . . . . .	134
1.1	Riemann zeta-function and Dirichlet $L$ -functions . . . . .	134
1.2	Hecke $L$ -functions . . . . .	136
1.3	Artin $L$ -functions . . . . .	140
1.4	$GL_2$ $L$ -functions . . . . .	145
1.5	Representation theory and general automorphic $L$ -functions . . . . .	155
2	The Selberg class: basic facts . . . . .	159
2.1	Definitions and initial remarks . . . . .	159

2.2	The simplest converse theorems.....	163
2.3	Euler product .....	166
2.4	Factorization .....	170
2.5	Selberg conjectures .....	174
3	Functional equation and invariants .....	177
3.1	Uniqueness of the functional equation .....	177
3.2	Transformation formulae.....	178
3.3	Invariants.....	181
4	Hypergeometric functions .....	186
4.1	Gauss hypergeometric function .....	186
4.2	Complete and incomplete Fox hypergeometric functions .....	187
4.3	The first special case: $\mu = 0$ .....	188
4.4	The second special case: $\mu > 0$ .....	191
5	Non-linear twists .....	193
5.1	Meromorphic continuation .....	193
5.2	Some consequences.....	196
6	Structure of the Selberg class: $d = 1$ .....	197
6.1	The case of the extended Selberg class.....	197
6.2	The case of the Selberg class .....	200
7	Structure of the Selberg class: $1 < d < 2$ .....	201
7.1	Basic identity .....	201
7.2	Fourier transform method.....	202
7.3	Rankin-Selberg convolution .....	204
7.4	Non existence of $L$ -functions of degrees $1 < d < 5/3$ .....	205
7.5	<i>Dulcis in fundo</i> .....	206
	References .....	207