

Editors:

J.-M. Morel, Cachan

F. Takens, Groningen

B. Teissier, Paris



**FONDAZIONE
CIME**
ROBERTO CONTI

CENTRO INTERNAZIONALE MATEMATICO ESTIVO
INTERNATIONAL MATHEMATICAL SUMMER CENTER

C.I.M.E. means Centro Internazionale Matematico Estivo, that is, International Mathematical Summer Center. Conceived in the early fifties, it was born in 1954 and made welcome by the world mathematical community where it remains in good health and spirit. Many mathematicians from all over the world have been involved in a way or another in C.I.M.E.'s activities during the past years.

So they already know what the C.I.M.E. is all about. For the benefit of future potential users and co-operators the main purposes and the functioning of the Centre may be summarized as follows: every year, during the summer, Sessions (three or four as a rule) on different themes from pure and applied mathematics are offered by application to mathematicians from all countries. Each session is generally based on three or four main courses (24–30 hours over a period of 6–8 working days) held from specialists of international renown, plus a certain number of seminars.

A C.I.M.E. Session, therefore, is neither a Symposium, nor just a School, but maybe a blend of both. The aim is that of bringing to the attention of younger researchers the origins, later developments, and perspectives of some branch of live mathematics.

The topics of the courses are generally of international resonance and the participation of the courses cover the expertise of different countries and continents. Such combination, gave an excellent opportunity to young participants to be acquainted with the most advance research in the topics of the courses and the possibility of an interchange with the world famous specialists. The full immersion atmosphere of the courses and the daily exchange among participants are a first building brick in the edifice of international collaboration in mathematical research.

C.I.M.E. Director
Pietro ZECCA
Dipartimento di Energetica “S. Stecco”
Università di Firenze
Via S. Marta, 3
50139 Florence
Italy
e-mail: zecca@unifi.it

C.I.M.E. Secretary
Elvira MASCOLO
Dipartimento di Matematica
Università di Firenze
viale G.B. Morgagni 67/A
50134 Florence
Italy
e-mail: mascolo@math.unifi.it

For more information see CIME's homepage: <http://www.cime.unifi.it>

CIME's activity is supported by:

- Istituto Nazionale di Alta Matematica “F. Severi”
- Ministero degli Affari Esteri - Direzione Generale per la Promozione e la Cooperazione - Ufficio V
- Ministero dell'Istruzione, dell'Università e della Ricerca

Grégoire Allaire · Anton Arnold
Pierre Degond · Thomas Y. Hou

Quantum Transport

Modelling, Analysis and Asymptotics -
Lectures given at the
C.I.M.E. Summer School
held in Cetraro, Italy
September 11–16, 2006

Editors:
Naoufel Ben Abdallah
Giovanni Frosali

 Springer



Authors and Editors

Grégoire Allaire
Centre de Mathématiques Appliquées
Ecole Polytechnique
Route de Saclay
91128 Palaiseau Cedex
France
gregoire.allaire@polytechnique.fr

Anton Arnold
Institute for Analysis and Scientific
Computing
Vienna University of Technology
Wiedner Hauptstraße 8
1040, Wien
Austria
anton.arnold@tuwien.ac.at

Naoufel Ben Abdallah
Institut de Mathématiques
Université de Toulouse
118 route de Narbonne
31062 Toulouse Cedex 9
France
naoufel@math.univ-toulouse.fr

Pierre Degond
Institut de Mathématiques
Université de Toulouse
118 route de Narbonne
31062 Toulouse Cedex 9
France
pierre.degond@math.univ-toulouse.fr

Thomas Yizhao Hou
Applied and Computational Math. 217-50
California Institute of Technology
1200 California Blvd
Pasadena, CA 91125
USA
hou@acm.caltech.edu

Giovanni Frosali
Dipartimento di Matematica Applicata
Università di Firenze
Via S.Marta 3
50139, Firenze
Italy
giovanni.frosali@unifi.it

ISBN: 978-3-540-79573-5 e-ISBN: 978-3-540-79574-2
DOI: 10.1007/978-3-540-79574-2

Lecture Notes in Mathematics ISSN print edition: 0075-8434
ISSN electronic edition: 1617-9692

Library of Congress Control Number: 2008927357

Mathematics Subject Classification (2000): 35Q40, 82C70, 76Y05, 35J10, 76M12, 76M50

© 2008 Springer-Verlag Berlin Heidelberg

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Cover design: WMXDesign GmbH

Printed on acid-free paper

9 8 7 6 5 4 3 2 1

springer.com

*This book is dedicated to the memory
of Frédéric Poupaud.*

Preface

Downscaling of semiconductor devices, which is now reaching the nanometer scale, makes it mandatory for us to understand the quantum phenomena involved in charge transport. Indeed, for nanoscale devices, the quantum nature of electrons cannot be neglected. In fact, it underlies the operation of an increasing number of devices. Unlike classical transport, the intuition of the physicist and the engineer is becoming insufficient for predicting the nature of device operation in the quantum context—the need for sufficiently accurate and numerically tractable models represents an outstanding challenge in which applied mathematics can play an important role.

The CIME Session “Quantum Transport: Modelling, Analysis and Asymptotics”, which took place in Cetraro (Cosenza), Italy, from September 11 to September 16, 2006, was intended both to present an overview of up-to-date mathematical problems in this field and to provide the audience with techniques borrowed from other fields of application.

It was attended by about 50 scientists and researchers, coming from different countries. The list of participants is included at the end of this book.

The school was structured into four courses:

- **Grégoire Allaire** (École Polytechnique, Palaiseau, France) *Periodic Homogenization and Effective Mass Theorems for the Schrödinger Equation.*
- **Anton Arnold** (Technische Universität, Vienna) *Mathematical Properties of Quantum Evolution Equations.*
- **Pierre Degond** (Université Paul Sabatier and CNRS, Toulouse, France) *Quantum Hydrodynamic and Diffusion Models Derived from the Entropy Principle.*
- **Thomas Yizhao Hou** (Caltech, Los Angeles, USA) *Multiscale Computations for Flow and Transport in Heterogeneous Media.*

This book contains the texts of the four series of lectures presented at the Summer School. Here follows a brief description of the subjects of these courses.

The first course, titled *Periodic Homogenization and Effective Mass Theorems for the Schrödinger Equation*, was given by Professor Grégoire Allaire, a renowned specialist in homogenization theory, and introduced the audience to the theory of homogenization, a powerful tool for mathematically analyzing the multiscale aspects which are encountered in mathematical physics. First, the heuristic method of two-scale asymptotic expansions is discussed, then an entire section is devoted to the rigorous aspects and the main theoretical results that are at the root of the two-scale convergence. Such a method can be applied to the homogenization of partial differential equations with periodically oscillating coefficients, like the model problem of diffusion in a periodic medium. These tools are then used to derive rigorously the so-called effective mass approximation which justifies the averaging of the crystal lattice effect on the transport of electrons in solids.

The course *Mathematical Properties of Quantum Evolution Equations*, given by Professor Anton Arnold, was aimed at introducing the basic mathematical properties of quantum evolution equations, such as the Schrödinger equation, the von Neumann equation and the Wigner formalism, and also dealt with the modelling of electron injection from reservoirs into semiconductor nano-devices, and the mathematical and numerical analysis of open boundary conditions for such equations. For the Schrödinger–Poisson analysis Strichartz inequalities are presented. In the density matrix formalism, both closed and open quantum systems can be treated. Their evolution is discussed in the space of trace class operators and energy subspaces, employing Lieb–Thirring inequalities. For the analysis of the Wigner–Poisson–Fokker–Planck system, quantum kinetic dispersion estimates are derived for Wigner–Poisson systems, inspired by the Vlasov–Poisson case. In this course, standard dispersion inequalities for the Schrödinger equation and novel stability properties of discrete artificial boundary conditions obtained by Professor Arnold are shown.

The course *Quantum Hydrodynamic and Diffusion Models Derived from the Entropy Principle*, given by Professor Pierre Degond, presents a novel methodology for the derivation of quantum macroscopic equations from kinetic-type models which is based on a deep understanding of the analogy between classical and quantum dynamics. The entropy minimization strategy of Levermore is considered in the quantum context, and is shown to produce diffusion or hydrodynamic-type equations in which the quantum features appear in particular in the nonlocal character of the relationship between the macroscopic variables such as the particle density and the entropic ones such as the chemical potential. The ad hoc corrections of classical fluid equations, which are commonly used in engineering simulations, are clarified and corrected using this approach. They appear as expansions of the fully quantum models in powers of the Planck constant. A whole field of difficult mathematical problems is open for researchers.

The last course was dedicated to numerical issues. In this course, titled *Multiscale Computations for Flow and Transport in Heterogeneous Media* and given by Professor Thomas Hou, a leader in this field, multiscale finite element methods are presented, analysed and illustrated in various physical situations. The author presents an exhaustive review of the more important recent advances in developing multiscale finite element methods for flow and transport in strongly heterogeneous porous media. The applications targeted by this course are in domains other than quantum transport, but the methodology will be of great interest to researchers involved in quantum transport modelling. Indeed, one of the main features of the quantum transport problem is the existence of different scales: macroscopic scales which are related to electrostatic forces and microscopic scales connected to oscillations of single wave functions and at which interference effects take place. Standard numerical methods need mesh sizes at microscopic scales, thus leading to unnecessarily high numerical cost. The goal of the course is to present methods that capture the small-scale effect on the large scales, but do not require resolving all the small-scale features. The course presented novel numerical multiscale methods which allow the use of coarse meshes while succeeding in resolving the microscopic scales.

The school succeeded in introducing the basic mathematical techniques to analyze quantum transport, to present new models dealing with collisions in the quantum context and to enlarge the knowledge in the domain to multiscale techniques borrowed from other fields of applied mathematics. The choice of the courses and the speakers was suggested by the demand of exhaustively presenting the state of art of quantum transport modelling, proposing both the kinetic and the hydrodynamic models, as well as the analytical and numerical aspects of the more significant problems.

During the course, the Thursday afternoon was dedicated to a poster session, where some of the young participants had the opportunity to show their more recent research and to discuss it with all the participants. The contributors to the poster session were D. Finco, E. Kalligiannaki, O. Maj, C. Manzini, O. Morandi, J.P. Milišić, C. Negulescu, G. Panati, T. Ryabukha, M. Schulte, and V.O. Shtyk.

The directors of this course thank the members of the CIME Scientific Committee for their invitation to organize it, and the Director, Professor Pietro Zecca, and the Secretary, Professor Elvira Mascolo, for their continuous help in the organization.

A special thanks has to be addressed to the lecturers for their good presentations, which stimulated scientific discussions. A thanks has to be addressed also to the attending people, constantly animated with genuine interest. The presence of some participants specialist in quantum transport topics favoured interactions among the students, and we are grateful for the attention paid by a precise and careful audience.

We also like to thank MIP Toulouse for its financial support of the French participants.

Finally, we thank the Director and all the staff of Hotel San Michele in Cetraro for their warm hospitality, which greatly contributed to the friendly atmosphere among all the participants.

Toulouse and Firenze, March 2007

Naoufel Ben Abdallah
Giovanni Frosali

Contents

Periodic Homogenization and Effective Mass Theorems for the Schrödinger Equation	1
Grégoire Allaire	
1 Introduction	1
2 Asymptotic Expansions in Periodic Homogenization	2
3 Two-Scale Convergence	7
4 Application to Homogenization	11
5 Bloch Waves	13
6 Schrödinger Equation in Periodic Media	19
7 Semiclassical Analysis and WKB Ansatz	20
8 Homogenization Without Drift	23
9 Generalization with Drift	30
10 Homogenized System of Equations	33
11 Localization	36
References	42
Mathematical Properties of Quantum Evolution Equations ...	45
Anton Arnold	
1 Quantum Transport Models for Semiconductor Nano-Devices	47
1.1 Quantum Waveguide with Adjustable Cavity	48
1.2 Resonant Tunneling Diode	52
2 Linear Schrödinger Equation	59
2.1 Free Schrödinger Group	59
2.2 Smoothing Effects and Gain of Integrability in \mathbb{R}^N	60
2.3 Potentials, Inhomogeneous Equation	61
2.4 Strichartz Estimates	63
3 Schrödinger–Poisson Analysis in \mathbb{R}^3	64
3.1 H^1 -Analysis	65
3.2 L^2 -Analysis	66
3.3 Schrödinger–Poisson Systems	69

4	Density Matrices	70
4.1	Framework, Trace Class Operators	70
4.2	Macroscopic Quantities	71
4.3	Time Evolution of Closed/Hamiltonian Systems	74
4.4	Von Neumann–Poisson Equation in \mathbb{R}^3	76
5	Wigner Function Models	78
5.1	Wigner Functions	78
5.2	Linear Wigner–Fokker–Planck: Well-Posedness	80
5.3	Linear Wigner–Fokker–Planck: Large Time Behavior	82
5.4	Wigner–Poisson–Fokker–Planck: Global Solutions in \mathbb{R}^3	85
6	Open Quantum Systems in Lindblad Form	90
6.1	Lindblad Form	91
6.2	Quantum Fokker–Planck Equation	96
7	Wigner Boundary Value Problems	100
7.1	1D Stationary Boundary Value Problem	100
7.2	Exponential Convergence to Steady State	104
	References	106

Quantum Hydrodynamic and Diffusion Models

Derived from the Entropy Principle 111

Pierre Degond, Samy Gallego, Florian Méhats, Christian Ringhofer

1	General Introduction	111
2	Quantum Kinetic Equations: An Introduction	112
2.1	Quantum Statistical Mechanics of Nonequilibrium Systems ...	112
2.2	N-Particle Quantum System	117
2.3	Quantum Methods: A Brief and Incomplete Summary	120
2.4	Hydrodynamic Limits: A Review	122
3	Quantum Hydrodynamic Models Derived from the Entropy Principle	124
3.1	Quantum Setting	124
3.2	QHD via Entropy Minimization	125
3.3	Quantum Isothermal Euler Model	133
4	Quantum Diffusion Models	144
4.1	Quantum Energy-Transport Model	144
4.2	Quantum Drift-Diffusion Model	152
5	Summary and Conclusion	162
	References	166

Multiscale Computations for Flow and Transport

in Heterogeneous Media 169

Yalchin Efendiev and Thomas Y. Hou

1	Introduction	170
2	Review of Homogenization Theory	171
2.1	Homogenization Theory for Elliptic Problems	171
2.1.1	Special Case: One-Dimensional Problem	172
2.1.2	Multiscale Asymptotic Expansions	173

2.1.3	Justification of Formal Expansions	175
2.1.4	Boundary Corrections	176
2.2	Convection of Microstructure	176
2.2.1	Nonlocal Memory Effect of Homogenization	178
3	Numerical Upscaling Based on Multiscale Finite Element Methods	179
3.1	Multiscale Finite Element Methods for Elliptic PDEs	181
3.2	Convergence Analysis of MsFEM	182
3.2.1	Error Estimates ($h < \epsilon$)	183
3.2.2	Error Estimates ($h > \epsilon$)	185
3.3	The Oversampling Technique	188
3.4	Performance and Implementation Issues	189
3.4.1	Cost and Performance	190
3.4.2	MsFEM for Problems with Scale Separation	191
3.4.3	Convergence and Accuracy	191
3.5	Brief Overview of Mixed Finite Element and Finite Volume Element Methods	192
3.5.1	Control Volume Multiscale Finite Element Method ..	192
3.5.2	Mixed Multiscale Finite Element Methods	194
3.6	Applications	195
3.6.1	Flow in Porous Media	195
3.6.2	Fine Scale Recovery	198
3.6.3	Scale-Up of One-Phase Flows	200
3.7	MsFEM Using Limited Global Information	205
3.7.1	Motivation	205
3.7.2	Modified Multiscale Finite Volume Element Method Using Limited Global Information	210
3.7.3	Mixed Multiscale Finite Element Methods	211
3.7.4	Numerical Results	212
3.7.5	Galerkin Finite Element Methods with Limited Global Information	215
3.7.6	Extensions of Galerkin Finite Element Methods with Limited Global Information	220
3.7.7	Mixed Finite Element Methods with Limited Global Information	222
4	Multiscale Finite Element Methods for Nonlinear Partial Differential Equations	223
4.1	Multiscale Finite Volume Element Method (MsFVEM)	225
4.2	Examples of V_ϵ^h	226
4.3	Convergence of MsFEM for Nonlinear Partial Differential Equations	227
4.4	Multiscale Finite Element Methods for Nonlinear Parabolic Equations	228
4.5	Numerical Results	230

4.6 Generalizations of MsFEM and Some Remarks 235

5 Multiscale Simulations of Two-Phase Immiscible Flow in Adaptive
Coordinate System 237

6 Conclusions 244

References 244

List of Participants 249