

Lecture Notes in Mathematics

2005

Editors:

J.-M. Morel, Cachan

F. Takens, Groningen

B. Teissier, Paris

Wen Yuan · Winfried Sickel · Dachun Yang

Morrey and Campanato Meet Besov, Lizorkin and Triebel



Springer

Wen Yuan
School of Mathematical Sciences
Beijing Normal University
Laboratory of Mathematics
and Complex Systems
Ministry of Education
Beijing 100875
People's Republic of China
wyuan@mail.bnu.edu.cn

Dachun Yang
(*Corresponding Author*)
School of Mathematical Sciences
Beijing Normal University
Laboratory of Mathematics
and Complex Systems
Ministry of Education
Beijing 100875
People's Republic of China
dcyang@bnu.edu.cn

Winfried Sickel
Mathematisches Institut
Friedrich-Schiller-Universität Jena
Ernst-Abbe-Platz 2
Jena 07743
Germany
winfried.sickel@uni-jena.de

Corresponding author, who is supported by the National Natural Science Foundation (Grant No. 10871025) of China.

ISBN: 978-3-642-14605-3 e-ISBN: 978-3-642-14606-0
DOI: 10.1007/978-3-642-14606-0
Springer Heidelberg Dordrecht London New York

Lecture Notes in Mathematics ISSN print edition: 0075-8434
ISSN electronic edition: 1617-9692

Library of Congress Control Number: 2010935182

Mathematics Subject Classification (2010): 42B35, 46E35, 42B25, 42C40, 42B15, 47G30, 47H30

© Springer-Verlag Berlin Heidelberg 2010

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Cover design: WMXDesign GmbH, Heidelberg

Printed on acid-free paper

springer.com

Preface

This book is based on three developments in the theory of function spaces.

As *the first* we wish to mention **Besov** and **Triebel-Lizorkin spaces**. These scales

$$B_{p,q}^s(\mathbb{R}^n) \text{ and } F_{p,q}^s(\mathbb{R}^n)$$

allow a unified approach to various types of function spaces which have been known before like Hölder-Zygmund spaces, Sobolev spaces, Slobodeckij spaces and Bessel-potential spaces. Over the last 60 years these scales have proved their usefulness, there are hundreds of papers and many books using these scales in various connections. In a certain sense all these spaces are connected with the usual Lebesgue spaces $L^p(\mathbb{R}^n)$.

The *second source* we wish to mention is **Morrey** and **Campanato spaces**. Since several years there is an increasing interest in function spaces built on Morrey spaces and leading to generalizations of Campanato spaces. This interest originates, at least partly, in some applications in the field of Navier-Stokes equations.

The *third ingredient* is the so-called **Q spaces** (Q_α spaces). These spaces were originally defined as spaces of holomorphic functions on the unit disk, which are geometric in the sense that they transform naturally under conformal mappings. However, about 10 years ago, M. Essén, S. Janson, L. Peng and J. Xiao extended these spaces to the n -dimensional Euclidean space \mathbb{R}^n .

The aim of the book consists in giving a unified treatment of all these three types of spaces, i.e., we will define and investigate the scales

$$B_{p,q}^{s,\tau}(\mathbb{R}^n) \text{ and } F_{p,q}^{s,\tau}(\mathbb{R}^n)$$

generalizing the three types of spaces mentioned before. Such projects have been undertaken by various mathematicians during the last ten years, which have been investigating Besov-Morrey and Triebel-Lizorkin-Morrey spaces. Let us mention only the names Kozono, Yamazaki, Mazzucato, El Baraka, Sawano, Tang, Xu and two of the authors (W.Y. and D.Y.) in this connection. A more detailed history will be given in the first chapter of the book; see Sect. 1.2.

Let us further mention the approach of Hedberg and Netrusov [70] to general spaces of Besov-Triebel-Lizorkin type. There is some overlap with our treatment. Details will be given in Sect. 4.5.

The real persons Besov, Lizorkin and Triebel never met Morrey or Campanato (which we learned from personal communications with Professor Besov and Professor Triebel). However, we hope at least, the meaning of the title is clear. We shall develop a theory of spaces of Besov-Triebel-Lizorkin type built on Morrey spaces.

A second aim of the book, just a byproduct of the first, will be a completion of the theory of the Triebel-Lizorkin spaces $F_{\infty,q}^s(\mathbb{R}^n)$. By looking into the series of monographs written by Triebel over the last 30 years, these spaces play an exceptional role, in most of the cases they are even not treated. The only exception is the monograph [145], where they are introduced essentially as the dual spaces of $F_{1,q}^s(\mathbb{R}^n)$ (with some restrictions in q). Also after Jawerth and Frazier [64] have found a more appropriate definition, there have been no further contributions developing the theory of these spaces further, e. g., by establishing characterizations by differences or local oscillations (at least we do not know about).

In Chaps. 4–6 we shall prove characterizations by differences, local oscillations, and wavelets as well as assertions on the boundedness of pseudo-differential operators, nonlinear composition operators and pointwise multipliers.

In this book we only treat unweighted isotropic spaces, with other words, all directions and all points in \mathbb{R}^n are of equal value. This means anisotropic and/or weighted spaces are not treated here. Further, we also do not deal with spaces of generalized smoothness or smoothness parameters depending on x (variable exponent spaces). However, some basic properties of corresponding spaces of Besov-Triebel-Lizorkin type are known in all these situations, we refer to

- Anisotropic spaces: [3, 13, 14, 148].
- Spaces of dominating mixed smoothness: [4, 128, 129, 151].
- Weighted spaces: [120, 129].
- Spaces of generalized smoothness: [57].
- Spaces of variable exponent: [47, 152].

Further investigations could be based also on a generalization of the underlying Morrey spaces, we refer to [29–31]. We believe that our methods could be applied also in these more general situations. But nothing is done at this moment.

The book contains eight chapters. Because of the generality of the spaces we use Chap. 1 for helping the reader to get an overview in various directions. First of all we summarize the contents of Chaps. 2–8. Second, we give a list of definitions of the function spaces which occur in the book. Third, we collect the various known coincidences of these spaces. Finally, we add a short history. Chapters 2–6 deal with the definition and basic properties of the spaces $B_{p,q}^{s,\tau}(\mathbb{R}^n)$ and $F_{p,q}^{s,\tau}(\mathbb{R}^n)$. Chapter 7 is devoted to the study of Besov-Hausdorff and Triebel-Lizorkin-Hausdorff spaces. Finally, in Chap. 8, parts of the theory of the *homogeneous* counterparts,

$$\dot{B}_{p,q}^{s,\tau}(\mathbb{R}^n) \text{ and } \dot{F}_{p,q}^{s,\tau}(\mathbb{R}^n),$$

of $B_{p,q}^{s,\tau}(\mathbb{R}^n)$ and $F_{p,q}^{s,\tau}(\mathbb{R}^n)$ are discussed.

The book is essentially self-contained. However, sometimes we carry over some results originally obtained for the homogeneous spaces, mainly from [163–165]. The papers [163–165] supplement the book in a certain sense. Most of the results are new in this generality and have been published never before.

Beijing and Jena
May, 2010

Wen Yuan
Winfried Sickel
Dachun Yang

Contents

1	Introduction	1
1.1	A Short Summary of the Book	1
1.2	A Piece of History	3
1.2.1	Besov-Triebel-Lizorkin Spaces	4
1.2.2	Morrey-Campanato Spaces	4
1.2.3	Spaces Built on Morrey-Campanato Spaces	5
1.2.4	Q Spaces	5
1.3	A Collection of the Function Spaces Appearing in the Book	6
1.3.1	Function Spaces Defined by Derivatives and Differences	6
1.3.2	Function Spaces Defined by Mean Values and Oscillations	8
1.3.3	Function Spaces Defined by Fourier Analytic Tools	10
1.4	A Table of Coincidences	14
1.4.1	Besov-Morrey Spaces	14
1.4.2	Triebel-Lizorkin-Morrey Spaces	15
1.4.3	Morrey-Campanato Spaces	16
1.4.4	Homogeneous Spaces	17
1.5	Notation	17
2	The Spaces $B_{p,q}^{s,\tau}(\mathbb{R}^n)$ and $F_{p,q}^{s,\tau}(\mathbb{R}^n)$	21
2.1	The φ -Transform for $B_{p,q}^{s,\tau}(\mathbb{R}^n)$ and $F_{p,q}^{s,\tau}(\mathbb{R}^n)$	21
2.1.1	The Definition and Some Preliminaries	21
2.1.2	The Calderón Reproducing Formulae and Some Consequences	24
2.1.3	Sequence Spaces	30
2.2	Embeddings	39
2.3	The Fatou Property	48
3	Almost Diagonal Operators and Atomic and Molecular Decompositions	49
3.1	Smooth Atomic and Molecular Decompositions	49
3.2	The Relation of $A_{p,q}^{s,\tau}(\mathbb{R}^n)$ to Besov-Triebel-Lizorkin-Morrey Spaces	61

4	Several Equivalent Characterizations	65
4.1	Preparations	65
4.1.1	An Equivalent Definition	65
4.1.2	Several Technical Lemmas on Differences	72
4.1.3	Means of Differences	83
4.2	Characterizations by Wavelets	84
4.2.1	Wavelets and Besov-Triebel-Lizorkin Spaces	85
4.2.2	Estimates of Mean-Values of Differences by Wavelet Coefficients	86
4.2.3	The Wavelet Characterization of $A_{p,q}^{s,\tau}(\mathbb{R}^n)$	96
4.2.4	The Wavelet Characterization of $F_{\infty,q}^{s,\tau}(\mathbb{R}^n)$	100
4.3	Characterizations of $A_{p,q}^{s,\tau}(\mathbb{R}^n)$ by Differences	102
4.3.1	Characterizations of $F_{p,q}^{s,\tau}(\mathbb{R}^n)$ by Differences	102
4.3.2	Characterizations of $B_{p,q}^{s,\tau}(\mathbb{R}^n)$ by Differences	106
4.3.3	The Classes $A_{p,q}^{s,\tau}(\mathbb{R}^n)$ and Their Relations to Q Spaces	108
4.3.4	The Characterization of $F_{\infty,q}^{s,\tau}(\mathbb{R}^n)$ by Differences	110
4.4	Characterizations via Oscillations	111
4.4.1	Preparations	111
4.4.2	Oscillations and Besov-Type Spaces	115
4.4.3	Oscillations and Triebel-Lizorkin-Type Spaces	117
4.4.4	Oscillations and $F_{\infty,q}^{s,\tau}(\mathbb{R}^n)$	118
4.5	The Hedberg-Netrusov Approach to Spaces of Besov-Triebel-Lizorkin Type	119
4.5.1	Some Preliminaries	119
4.5.2	Characterizations by Differences	121
4.5.3	Characterizations by Oscillations	123
4.6	A Characterization of $A_{p,q}^{s,\tau}(\mathbb{R}^n)$ via a Localization of $A_{p,q}^s(\mathbb{R}^n)$	125
4.6.1	A Characterization of $B_{p,q}^{s,\tau}(\mathbb{R}^n)$	126
4.6.2	A Characterization of $F_{p,q}^{s,\tau}(\mathbb{R}^n)$	132
4.6.3	A Characterization of $F_{\infty,q}^{s,\tau}(\mathbb{R}^n)$	134
5	Pseudo-Differential Operators	137
5.1	Pseudo-Differential Operators of Class $\mathcal{S}_{1,1}^{\mu}(\mathbb{R}^n)$	137
5.2	Composition of Functions in $A_{p,q}^{s,\tau}(\mathbb{R}^n)$	142
6	Key Theorems	147
6.1	Pointwise Multipliers	147
6.1.1	Smooth Functions are Pointwise Multipliers for $A_{p,q}^{s,\tau}(\mathbb{R}^n)$	148
6.1.2	Pointwise Multipliers and Paramultiplication	149
6.1.3	A Characterization of $M(F_{\infty,q}^s(\mathbb{R}^n))$	157
6.1.4	A Characterization of $M(F_{p,q}^s(\mathbb{R}^n))$, $s < n/p$	159
6.2	Diffeomorphisms	160
6.3	Traces	162
6.3.1	Traces of Functions in $A_{p,q}^{s,\tau}(\mathbb{R}^n)$	163
6.3.2	Traces of Functions in $F_{\infty,q}^s(\mathbb{R}^n)$ and Some Consequences	166

6.4	Spaces on \mathbb{R}_+^n and Smooth Domains	168
6.4.1	Spaces on \mathbb{R}_+^n	168
6.4.2	Spaces on Smooth Domains	173
7	Inhomogeneous Besov-Hausdorff and Triebel-Lizorkin-Hausdorff Spaces	177
7.1	Tent Spaces	177
7.2	Besov-Hausdorff Spaces and Triebel-Lizorkin-Hausdorff Spaces	199
7.3	A (vmo, h^1) -Type Duality Result	237
7.4	Real Interpolation	246
8	Homogeneous Spaces	251
8.1	The Definition and Some Preliminaries	251
8.2	The Wavelet Characterization of $\dot{B}_{p,q}^{s,\tau}(\mathbb{R}^n)$ and $\dot{F}_{p,q}^{s,\tau}(\mathbb{R}^n)$	255
8.3	The Characterization by Differences of $\dot{B}_{p,q}^{s,\tau}(\mathbb{R}^n)$ and $\dot{F}_{p,q}^{s,\tau}(\mathbb{R}^n)$	261
8.4	Homogeneous Besov-Hausdorff and Triebel-Lizorkin-Hausdorff Spaces	268
	References	271
	Index	279

