

Lecture Notes in Mathematics

2024

Editors:

J.-M. Morel, Cachan

B. Teissier, Paris

For further volumes:

<http://www.springer.com/series/304>

Mariarosaria Padula

Asymptotic Stability of Steady Compressible Fluids

Mariarosaria Padula
University of Ferrara
Faculty of Engineering
Department of Mathematics
via Machiavelli 35
44124 Ferrara
Italy
pad@unife.it

ISBN 978-3-642-21136-2 e-ISBN 978-3-642-21137-9
DOI 10.1007/978-3-642-21137-9
Springer Heidelberg Dordrecht London New York

Lecture Notes in Mathematics ISSN print edition: 0075-8434
ISSN electronic edition: 1617-9692

Library of Congress Control Number: 2011933136

Mathematics Subject Classification (2010): 35-XX, 76-XX

© Springer-Verlag Berlin Heidelberg 2011

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Cover design: deblik, Berlin

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

*Dedicated to my children
and grandchildren.*

Preface

Qui non se canta al modo de le rane,
qui non se canta al modo del poeta
che finge imaginando cose vane;
ma qui resplende e luce onne natura,
che a chi intende fa la mente leta;
qui non se gira per la selva oscura.

Dall' "Acerba", Cecco D'Ascoli

This book aims to introduce a systematic approach for solving mathematical problems arising in the study of hyperbolic-parabolic systems governing the motions of thermodynamic fluids. It appeals to a wide range of theoretical and applied mathematicians whose research interests may include compressible flows, capillarity theory, and control of motions. It aims to acquaint mathematicians and fluid dynamics researchers with recent results achieved in the investigation and of nonlinear asymptotic stability under no smallness assumption on initial data, and of loss of control from initial data for some steady flows of compressible fluids as well.

The main ideas are illustrated using three different model problems. The following classes of motions are studied:

- (i) Barotropic viscous gases in rigid domains with compact, either impermeable or porous boundaries, and exterior domains.
- (ii) Isothermal viscous gases with free boundaries.
- (iii) Heat conducting viscous polytropic gases.

Equations governing non-steady flows of the fluids described in (i), (ii), (iii) are classified as follows:

- (1) One vector parabolic equation for the velocity, and one scalar hyperbolic equation for the density.
- (2) One vector parabolic equation for the velocity, and two scalar hyperbolic equations for the density and the free boundary.

- (3) Two parabolic equations with one vectorial for the velocity, one scalar for the temperature, and one scalar hyperbolic equation for the density.

The main goal of this text is to reduce the study of stability, linear and nonlinear of basic motion S_b , to the sign of a suitable functional \mathbb{E} called the **modified energy functional**. To this end, we employ the classical Lyapunov direct method¹ where the Lyapunov functional is identified with the *modified energy of perturbations* $\mathbb{E}(t)$. The modified energy $\mathbb{E}(t)$ consists of the difference between the total energies of unsteady $E(t)$ and basic E_b motions, plus an extra energy term given by the functional $\mathcal{I}(t)$, named *free work functional*. Namely $\mathbb{E}(t)$ is given by

$$\mathbb{E}(t) = E(t) - E_b + \gamma \mathcal{I},$$

where γ is an arbitrary parameter.

To apply the Lyapunov method using the modified energy as functional we are led to *formulate a differential equation governing the time evolution of the free work functional $\mathcal{I}(t)$, called the free work equation*, which is the key ingredient for the proof of uniqueness, asymptotic nonlinear stability, and loss of control from initial data, cf. [104]. Specifically, in coupled conservative-dissipative systems, the free work equation provides an artificial dissipative term for the variables satisfying conservative equations. As such, the free work equation, in combination with the energy equation for perturbations, results in a differential equation for the modified energy $\mathbb{E}(t)$, which then allows for a new a priori estimate that provides control of perturbations in particular norms that we call “natural norms”; cf. [4].

The two main tools that we will introduce in this book are:

- (1) A variant of *Lyapunov’s second method* (a generalization of Dirichlet method) to prove nonlinear stability;
- (2) The *free work equation*, useful in proving asymptotic nonlinear stability, and loss of initial data control.

In our stability problems the control occurs on the employed “natural” norms for perturbations, that reduce only in particular cases to the L^2 norms of perturbations. In most cases, for regular flows, they will be equivalent to the

¹Sometime the Lyapunov method is erroneously confused with the energy method. Actually in the energy method the Lyapunov functional is identified with the L^2 norm $K(t)$ of the difference $\mathbf{u} = \mathbf{v} - \mathbf{v}_b$ between the velocities \mathbf{v} , \mathbf{v}_b of unsteady $S(t)$ and basic S_b motions. Of course $K(t) = \int_{\Omega} \mathbf{u}^2 dx$ doesn’t coincide with the difference between the kinetic energies $E(t) = \int_{\Omega} \mathbf{v}^2 dx$, $E_b(t) = \int_{\Omega} \mathbf{v}_b^2 dx$ of the two motions,

$$K(t) \neq E(t) - E_b.$$

L^2 norm of perturbations. Furthermore, the basic flow S_b will represent either an equilibrium position or a steady motion.

In this text we will confine ourselves to the listed three cases (i), (ii) and (iii), as our aim is to explain a new algorithm, named the *free work identity*. It is introduced for the study of nonlinear stability of basic flows. We deem that our three examples of fluid motions, each containing an elastic behavior, cover a sufficiently wide mathematical set of partial differential equations (PDE), without being so many as to give rise to confusion.

Below is a summary of how the text will approach the subject matter.

- (1) Chapter 1 is a prologue to thermo-fluid dynamics. In this chapter we introduce the equations for compressible fluids, with related boundary and initial-boundary value problems for the cases (i), (ii) and (iii) defined in the preface.
- (2) In Chap. 2 we recall direct methods in the study of nonlinear stability, with the aid of three simple applications of the Dirichlet method. We end the chapter listing the main theorems proven in the paper.
- (3) In Chap. 3 we consider barotropic fluids filling domains Ω with fixed, rigid, and compact closed boundaries $\partial\Omega$. The fluid may fill either the region Ω interior to $\partial\Omega$ where Ω is a bounded domain, or the region exterior to $\partial\Omega$, where Ω is an unbounded domain. For the exterior region we distinguish between cases when the fluid has finite mass, and when it has an infinite mass. We prove uniqueness theorems for several steady flows in a given regularity class of steady motions corresponding to the same data, thus we prove asymptotic decay of regular perturbed unsteady motions to these steady flows.
- (4) In Chap. 4 we consider the rest state of an isothermal fluid in a section of horizontal layer with free boundaries. Periodicity in the horizontal direction is assumed. First we prove a uniqueness theorem of the rest state in the class of steady motions corresponding to the same data, thus we prove asymptotic decay to the rest. We also study the instability problem that occurs when the fluid is below the rigid plane of the layer. We extend this study by constructing rest states which are linearly stable, but not physically observable for large initial data. This result is achieved by introducing the concept of loss of initial data control.
- (5) In Chap. 5 we consider the rest state of a polytropic viscous gas in a rigid, bounded domain, with perfectly heat conducting walls and periodicity in the horizontal direction. We then prove a uniqueness theorem for the rest state in the class of steady motions corresponding to the same data, and asymptotic decay to the rest.

Note that in Chaps. 2, 3 and 5:

- (1) The initial perturbations may be large;
- (2) The class of perturbations is quite large despite the fact that we will not be covering the problem of optimizing the regularity class of solutions.

This book deals with a single approach, in order not to obscure the main ideas.

To restrict the length of the book, the discussion of materials that require more extensive coverage, such as problems relating to fluid motions in pipes [57, 77, 111] and of heat conducting fluids with free boundaries [45], has been omitted.

The results described within the book are obtained using simple form, and the reader is required to know only the basic elements of classical and functional analysis.

Also note that each chapter is self-contained, and can be read independently.

Acknowledgements

The results in this book represent the summa of a long research period that began 10 years ago. The work presented was performed, in part, during the visit of the author to TIFR, where she delivered an academic course on Fluid Dynamics.

The author wishes to express her deep gratitude to professors G. Bizhanova, E. Frolova, T. Nishida, and V.A. Solonnikov, for their friendship, and for the endless discussions concerning the organization of the matter.

Furthermore she acknowledges the 60% and GNFM of Italian CNR-INDAM. She would like to thank to professors A. Borrelli, V. Coscia, G.P. Galdi, J. Heywood, P. Maremonti, F. Mollica, C. Patria and to dr. E.M. Galdi for scientific support in the compilation of the text.

Contents

1	Topics in Fluid Mechanics	1
1.1	Introduction	1
1.2	Mathematical Notations	2
1.2.1	Geometrical Notations	2
1.2.2	Analytical Notations	5
1.3	Kinematics	9
1.3.1	Vectorial Notations	10
1.3.2	Eulerian and Lagrangean Descriptions	11
1.3.3	Reynolds Transport Theorem	11
1.3.4	Frames	13
1.3.5	From Macroscopic to Local Laws	14
1.3.6	Mass, Momentum, Rotational Momentum, Kinetic Energy	14
1.4	Mechanics	15
1.4.1	Forces	16
1.4.2	Conservation of Mass	17
1.4.3	Balance Laws of Momentum, Rotational Momentum	18
1.4.4	Stress Tensor	19
1.4.5	Balance Equations in Local Form	20
1.4.6	Incompressible Euler Equations	21
1.4.7	Constitutive Equations	22
1.4.8	Linearly Viscous Fluids	23
1.5	Thermodynamics	25
1.5.1	Thermodynamical Variables	25
1.5.2	The First Law of Thermodynamics	27
1.5.3	The Second Law of Thermodynamics	29
1.5.4	Clausius–Duhem Inequality	30
1.5.5	Phenomenological Laws	32
1.5.6	Compressible Euler Equations	33

1.5.7	Linearly Viscous Fluids	34
1.5.8	Heat-Conducting Fluids.....	35
1.6	Side Conditions	36
1.6.1	Classes of Boundary Conditions	37
1.6.2	Boundary Conditions on Velocity	38
1.6.3	Boundary Conditions on Stress.....	40
1.6.4	Boundary Conditions on Temperature	43
1.6.5	Side Conditions on Density	44
1.7	Three Model Problems	46
1.7.1	Incompressible Fluids	47
1.7.2	Barotropic Fluids	48
1.7.3	Polytropic Fluids	50
1.7.4	Bibliographical Notes.....	51
2	Topics in Stability	53
2.1	Introduction.....	53
2.2	Nonlinear Stability	54
2.2.1	Abstract Settings	55
2.2.2	Initial Data Control	58
2.2.3	Lyapunov Method	59
2.2.4	Energy Method	60
2.3	Lagrange–Dirichlet Method.....	62
2.3.1	Hyperbolic First Order Systems.....	62
2.3.2	Second Order ODE	64
2.3.3	Stability of Barotropic Inviscid Fluids $\mathbf{v}_b \neq 0$	66
2.3.4	Isothermal Viscous Fluids $\mathbf{v}_b = 0$	71
2.4	Main Theorems	74
2.4.1	Case (a) Barotropic Fluid, Rigid Boundary	74
2.4.2	Case (b) Isothermal Fluid, Deformable Boundary	80
2.4.3	Case (c) Polytropic Fluid, Rigid Boundary.....	85
2.5	Bibliographical Notes	86
3	Barotropic Fluids with Rigid Boundary	87
3.1	Introduction.....	87
3.2	Ω Bounded, Potential Forces	89
3.2.1	Uniqueness of the Rest State	90
3.2.2	Nonlinear Stability	91
3.2.3	Nonlinear Exponential Stability	96
3.3	Ω Bounded, Non-Potential Forces	100
3.3.1	Uniqueness $f \neq \nabla U$	100
3.3.2	Nonlinear Stability	106
3.3.3	Nonlinear Exponential Stability	109
3.4	Ω Bounded, Non Zero Boundary Data.....	113
3.4.1	Uniqueness	113
3.4.2	Nonlinear Exponential Stability	115

3.5	Ω Exterior, Fixed Compact Region	116
3.5.1	Uniqueness	117
3.5.2	Nonlinear Exponential Stability	119
3.6	Instability	122
3.7	Auxiliary Lemmas	126
3.7.1	Function \mathbf{V} for Uniqueness	126
3.7.2	Function \mathbf{V} for Stability	128
3.7.3	Bibliographical Notes.....	131
4	Isothermal Fluids with Free Boundaries	133
4.1	Introduction.....	133
4.2	Position of the Problem.....	136
4.2.1	Geometrical Tools	136
4.2.2	Equations of Motion.....	138
4.2.3	Rest State and Equilibrium Configurations	139
4.2.4	First and Second Variations of Energy.....	141
4.3	Definitions Related to Stability	147
4.3.1	Initial Data Control	149
4.3.2	Present Results	152
4.4	Uniqueness	154
4.5	Nonlinear Stability	158
4.5.1	Energy Equation.....	158
4.5.2	Nonlinear Stability	162
4.5.3	Nonlinear Exponential Stability	164
4.6	Loss of Stability	171
4.6.1	Energy Inequality.....	171
4.6.2	Equivalence of Norms	173
4.6.3	Instability	175
4.6.4	Loss of Initial Data Control	179
4.7	Sign of E_0 in Terms of Size of Perturbation.....	179
4.7.1	Proof of Theorem 4.7.1.....	180
4.7.2	Proof of Theorem 4.7.2.....	183
4.8	Auxiliary Lemmas	187
4.8.1	Function \mathbf{V} for Uniqueness	187
4.8.2	Functions \mathbf{V} for Stability and Instability	190
4.8.3	Bibliographical Notes.....	194
5	Polytropic Fluids with Rigid Boundary	197
5.1	Introduction.....	197
5.1.1	Equations of Motion	198
5.2	Uniqueness of the Rest State	201
5.3	Stability Problem.....	207
5.3.1	Energy Equation.....	208
5.3.2	Energy Equation of Perturbation	209
5.3.3	Nonlinear Exponential Stability	213

5.4	Auxiliary Lemmas	217
5.4.1	Some Inequalities	217
5.4.2	Function \mathbf{V} for Uniqueness	218
5.4.3	Auxiliary Function for Stability	219
5.4.4	Bibliographical Notes.....	221
	Bibliography	223
	Index	231