2004

8 – 12 February

17th International Symposium on Microscale Separations and Analysis (HPCE 2004), Salzburg, Austria. Chairman Prof. Wolfgang Lindner. *Information:* Congress Secretariat, Mrs Ina Kaehler, PCO Tyrol Congress, Rennweg 3, 6010 Innsbruck, Austria. Tel. +43 (512) 575 600; Fax +43 (512) 575 607. E-Mail: c.kaehler@congress-innsbruck.at; www.hpce2004.at

2 – 6 May

15th International Symposium on Pharmaceutical and Biomedical Analysis, Florence, Italy. *Information:* Dr. Sergio Pinzauti, Chairman, University of Florence, Via G. Capponi 9, 50121 Florence, Italy. Tel. +39 055 275 7284; Fax +39 055 240 776. E-Mail: info@pba.com

5 – 8 May

XIth International Symposium on Luminescence Spectrometry in Biomedical and Environmental Analysis – Spectroscopic and Imaging Detection Techniques, Tsinghua University, Beijing, China. *Information:* Professor Dr. Xinrong Zhang, Analysis Center, Department of Chemistry, Tsinghua University, Beijing 100084, P. R. China. Tel. +86 (10) 6278 1688 (Lab); Fax +86 (10) 6277 0327 (Lab). E-Mail: xrzhang@chem.tsinghua.edu.cn

12 – 18 June

28th International Symposium & Exhibit on High Performance Liquid Phase Separations & Related Techniques, Philadelphia Convention Center, Philadelphia, Pennsylvania, USA. *Information:* janetbarr@aol.com

Erratum

Properties of Reversed Phase Packings with an Embedded Polar Group

by U. D. Neue* / Y.-F. Cheng / Z. Lu / B. A. Alden / P. C. Iraneta / C. H. Phoebe / K. Van Tran

published in **2001**, 54, 169–177

Figure 11 on page 176 was incorrect. The correct version of this figure is shown here.

Figure 11. Separation of quercetin (A), kaempferol (C) and isorhamnetin (D). Peak B is a contamination of kaempferol. Columns: SymmetryShield RP₈ (top) and SymmetryC₈ (bottom), 4.6 x 150 mm, 5 μ m. Mobile phase 55% water, 35% acetonitrile, 10% 50 mM formic acid. Flow rate: 1.2 mL min⁻¹. Column temperature: 35 °C. Detection: UV at 270 nm.