Erratum to: A Combination of Melatonin and Alpha Lipoic Acid has Greater Cardioprotective Effect than Either of them Singly Against Cadmium-Induced Oxidative Damage

**Raktim Mukherjee · Sudeep Banerjee ·
Niraj Joshi · Prem Kumar Singh · Darshee Baxi ·
A. V. Ramachandran**

Published online: 16 November 2010
© Springer Science+Business Media, LLC 2010

Erratum to: Cardiovasc Toxicol
DOI 10.1007/s12012-010-9092-9

In Fig. 3, in the original publication, the unit for GPX in the figure should be ‘ μ moles of GSH consumed/min/mg protein’. The corrected figure appears below.

The online version of the original article can be found under doi:
[10.1007/s12012-010-9092-9](https://doi.org/10.1007/s12012-010-9092-9).

R. Mukherjee · S. Banerjee · N. Joshi · P. K. Singh · D. Baxi ·
A. V. Ramachandran (✉)
Division of Cardiotoxicity, Department of Zoology,
Faculty of Science, The Maharaja Sayajirao University
of Baroda, Vadodara 390 002, Gujarat, India
e-mail: avrcn2008@yahoo.co.in

Present Address:

R. Mukherjee
Shree PM Patel College of PG Studies and Research in Science,
Affiliated to SP University, Anand, Gujarat, India

Fig. 3 Effect of simultaneous administration of melatonin + ALA combination on the status of enzymatic antioxidants in the heart of cadmium-treated animal. Values are expressed as mean $\pm$ SEM for $n = 6$, where, C ($P < 0.001$) and NS non-significant when control

versus Mel, ALA, Mel + ALA, Cd and, a ($P < 0.05$), b ($P < 0.01$), C ($P < 0.001$) and ns non-significant when Cd versus Cd + M, Cd + ALA, Cd + M + ALA