A global perspective on the challenges and opportunities in learning about rheumatic and musculoskeletal diseases in undergraduate medical education

White paper by the World Forum on Rheumatic and Musculoskeletal Diseases (WFRMD)

Mustafa Al Maini¹ · Yousef Al Weshahi² · Helen E. Foster^{3,4} · Mellick J. Chehade⁵ · Sherine E. Gabriel⁶ · Jamal Al Saleh⁷ · Humaid Al Wahshi⁸ · Johannes W. J. Bijlsma⁹ · Maurizio Cutolo¹⁰ · Sharad Lakhanpal¹¹ · Manda Venkatramana¹² · Carlos Pineda¹³ · Anthony D. Woolf¹⁴

Received: 17 December 2018 / Accepted: 1 April 2019 / Published online: 24 May 2019
© The Author(s) 2019

Abstract

Rheumatic and musculoskeletal diseases (RMDs) encompass a spectrum of degenerative, inflammatory conditions predominantly affecting the joints. They are a leading cause of disability worldwide and an enormous socioeconomic burden. However, worldwide deficiencies in adult and paediatric RMD knowledge among medical school graduates and primary care physicians (PCPs) persist. In October 2017, the World Forum on Rheumatic and Musculoskeletal Diseases (WFRMD), an international think tank of RMD and related experts, met to discuss key challenges and opportunities in undergraduate RMD education. Topics included needs analysis, curriculum content, interprofessional education, teaching and learning methods, implementation, assessment and course evaluation and professional formation/career development, which formed a framework for this white paper. We highlight a need for all medical graduates to attain a basic level of RMD knowledge and competency to enable them to confidently diagnose, treat/manage or refer patients. The importance of attracting more medical students to a career in rheumatology, and the indisputable value of integrated, multidisciplinary and multiprofessional care are also discussed. We conclude that RMD teaching for the future will need to address what is being taught, but also where, why and to whom, to ensure that healthcare providers deliver the best patient care possible in their local setting.

Keywords Education · Learning · Medical student · Paediatrics · Rheumatic and musculoskeletal diseases · Rheumatology · Undergraduate

Part of the Topical Collection entitled ‘*Empowering Medical Education to Transform: Learnings from an international perspective*’

✉ Mustafa Al Maini
mmaini@wfrmd.org

¹ Mafraq Hospital, Abu Dhabi, United Arab Emirates

² Oman Medical Specialty Board, Muscat, Sultanate of Oman

³ Newcastle University Medicine Malaysia, Gelang Patah, Johor, Malaysia

⁴ Great North Children’s Hospital, Newcastle Hospitals NHS Foundation Trust, Newcastle upon Tyne, UK

⁵ Discipline of Orthopaedics and Trauma, Royal Adelaide Hospital and University of Adelaide, Adelaide, Australia

⁶ Robert Wood Johnson Medical School, Rutgers University, Camden, NJ, USA

⁷ Dubai Hospital, Dubai, United Arab Emirates

⁸ Royal Hospital, Muscat, Sultanate of Oman

⁹ Utrecht University, Utrecht, The Netherlands

¹⁰ Research Laboratory and Division of Rheumatology, Department of Internal Medicine, University of Genoa, Genoa, Italy

¹¹ UT Southwestern Medical Center, Dallas, TX, USA

¹² Gulf Medical University, Ajman, United Arab Emirates

¹³ Instituto Nacional de Rehabilitación, Mexico City, Mexico

¹⁴ Royal Cornwall Hospital and University of Exeter Medical School, Truro, UK

Introduction

Rheumatic and musculoskeletal diseases (RMDs) encompass over 200 degenerative, inflammatory and autoimmune conditions predominantly affecting the musculoskeletal (MSK) system [1–3]. They are a leading cause of disability worldwide [4] and have a profound impact on quality of life through chronic pain, social exclusion, loss of employment and reduced productivity [1, 5, 6]. The economic burden of RMDs and the pressure they impose on healthcare services can be staggering [6, 7]. In Europe, RMDs are estimated to cost more than 200 billion Euros per year and are considered the most expensive diseases for healthcare systems [8]. Moreover, in the context of an ageing world population and increasingly sedentary and obesogenic lifestyles, the impact of RMDs on society is expected to increase further [6].

In an effort to raise global awareness of the burden of RMDs amongst policy makers and the public, a working group for the American College of Rheumatology (ACR) and European League Against Rheumatism (EULAR) have developed a consensus statement defining RMDs: ‘A diverse group of diseases that commonly affect the joints, but can also affect any organ of the body. There are more than 200 different RMDs, affecting both children and adults. They are usually caused by problems of the immune system, inflammation, infections, or gradual deterioration of joints, muscle, and bones. Many of these diseases are long term and worsen over time. They are typically painful and limit function. In severe cases, RMDs can result in significant disability, having a major impact on both quality of life and life expectancy’ [2, 3].

The World Forum on Rheumatic and Musculoskeletal Diseases (WFRMD) [9] is an international think tank of rheumatology experts and related specialists, dedicated to increasing awareness of RMDs as a burden to society and to improving local and global RMD care. Our inaugural white paper [10, 11] identified education as a key priority due to the marked shortage of rheumatologists globally and the inadequacies in RMD knowledge and confidence documented among primary care physicians (PCPs) [10]. The implication of these findings is that PCPs are poorly prepared for diagnosing and managing RMDs, resulting in delays in referral.

The aims of this second white paper are to:

1. Foster dialogue between rheumatologists and medical education specialists, and advocate that all medical school graduates should attain a basic level of RMD competency. This would ensure that PCPs are able to confidently diagnose, initiate appropriate treatment without delay or refer RMD patients to rheumatologists.
2. Support improvement in undergraduate RMD education by providing stakeholders with an up-to-date needs assessment and an overview of evidence-based modern

RMD learning methods with examples of best practice from around the world.

3. Identify strategies to attract more medical students to a career in rheumatology and encourage the incorporation of these strategies into undergraduate medical school curricula.

Methods

A full-day meeting of the WFRMD was held in Abu Dhabi on 20 October 2017 to define the aims and scope of this white paper. A list of topics for discussion was circulated to meeting invitees in advance of the meeting, expanding on the key challenges, barriers, and opportunities in undergraduate RMD education identified in the previous white paper.

The discussions culminated in the development of a framework, based on the six-step approach to curriculum development by Kern et al. [12] addressing the following areas: (1) needs analysis, (2) curriculum content, (3) interprofessional education, (4) teaching and learning methods, (5) implementation, (6) assessment and course evaluation, (7) professional formation and career development.

A focused PubMed literature search was conducted based on the agreed framework. The search focused on publications from the year 2000 onwards, to more closely reflect current practices.

Needs analysis

Burden of RMDs

RMDs are estimated to account for 10–30% of primary care visits for both adults and children [13–19]. According to a recent systematic analysis for the Global Burden of Disease Study 2016, low back pain is the leading cause of years lived with disability across all 195 countries and territories studied, with serious implications for quality of life, work productivity and healthcare services globally [4] (Table 1).

The Center for Disease Control and Prevention (CDC) recently reported that one in four adults in the USA now have arthritis. The report also emphasised that RMDs such as arthritis can negatively impact chronic comorbidities including obesity and type 2 diabetes [21]. Conversely, obesity has been implicated in the development or progression of a number of RMDs [22]. According to a recent global report, the number of adult women with obesity increased from 69 million in 1975 to 390 million in 2016. Over the same timeframe, the number of adult men with obesity increased from 31 to 281 million [23]. Worldwide, the number of girls and boys with obesity has increased from 5 and 6 million in 1975 to 50 and

Table 1 Global burden of rheumatic and musculoskeletal diseases (years lived with disability)

Region	% total YLDs as per Global Burden of Disease 2016* (lower bound–upper bound)				
	Back and neck pain	Osteoarthritis	Rheumatoid arthritis	Gout	Other MSK
North America	11.93% (10.91–12.88)	2.34% (1.75–2.96)	1.34% (1.10–1.58)	0.25% (0.20–0.31)	4.88% (3.86–6.16)
Australasia	14.81% (13.12–16.50)	1.83% (1.39–2.34)	1.13% (0.89–1.39)	0.30% (0.23–0.38)	5.73% (4.46–7.32)
Asia Pacific	15.98% (13.94–17.95)	2.06% (1.58–2.58)	0.82% (0.64–1.00)	0.25% (0.19–0.32)	3.82% (2.92–5.02)
Western Europe	16.73% (14.81–18.71)	2.11% (1.61–2.66)	0.91% (0.72–1.11)	0.28% (0.21–0.35)	2.69% (2.02–3.62)
Southern Latin America	15.29% (13.44–17.07)	1.77% (1.35–2.24)	1.51% (1.19–1.84)	0.22% (0.16–0.27)	5.75% (4.48–7.37)
Eastern Europe	14.04% (12.29–15.79)	2.89% (2.52–3.27)	0.68% (0.53–0.84)	0.12% (0.09–0.15)	0.71% (0.50–1.01)
Central Europe	15.55% (13.44–17.58)	2.91% (2.55–3.27)	0.79% (0.61–0.98)	0.12% (0.09–0.16)	0.65% (0.48–0.88)
Central Asia	12.22% (10.52–13.87)	2.04% (1.80–2.29)	0.63% (0.48–0.77)	0.10% (0.08–0.13)	0.93% (0.63–1.34)
Central Latin America	9.44% (8.26–10.64)	2.08% (1.82–2.34)	0.55% (0.43–0.68)	0.07% (0.05–0.09)	3.85% (2.97–4.97)
Andean Latin America	11.33% (9.77–12.93)	1.99% (1.75–2.24)	0.64% (0.49–0.79)	0.08% (0.06–0.11)	2.69% (2.03–3.56)
Caribbean	8.65% (7.49–9.77)	2.11% (1.84–2.37)	0.86% (0.66–1.05)	0.09% (0.07–0.12)	4.08% (3.18–5.32)
Tropical Latin America	11.93% (10.41–13.44)	2.03% (1.78–2.28)	0.65% (0.50–0.79)	0.08% (0.06–0.11)	4.17% (3.24–5.32)
East Asia	11.65% (10.19–13.13)	3.08% (2.67–3.46)	0.66% (0.51–0.80)	0.18% (0.13–0.23)	3.44% (2.62–4.54)
Southeast Asia	11.35% (9.83–12.84)	1.84% (1.60–2.06)	0.30% (0.23–0.36)	0.13% (0.10–0.16)	4.12% (3.19–5.33)
Oceania	9.07% (7.77–10.45)	1.52% (1.34–1.70)	0.27% (0.20–0.34)	0.09% (0.07–0.12)	3.29% (2.48–4.30)
North Africa and Middle East	11.23% (9.87–12.64)	1.80% (1.58–2.04)	0.61% (0.47–0.75)	0.08% (0.06–0.10)	3.80% (2.93–4.89)
South Asia	7.26% (6.23–8.27)	1.50% (1.32–1.68)	0.51% (0.39–0.63)	0.08% (0.06–0.10)	4.94% (3.79–6.37)
Southern sub-Saharan Africa	7.88% (6.82–8.98)	1.51% (1.32–1.69)	0.53% (0.41–0.65)	0.08% (0.06–0.10)	2.02% (1.54–2.66)
Western sub-Saharan Africa	8.62% (7.24–9.94)	1.05% (0.92–1.17)	0.24% (0.18–0.30)	0.07% (0.05–0.09)	1.57% (1.13–2.13)
Eastern sub-Saharan Africa	7.47% (6.30–8.64)	0.98% (0.87–1.10)	0.31% (0.23–0.39)	0.07% (0.05–0.09)	1.47% (1.07–1.99)
Central sub-Saharan Africa	7.54% (6.28–8.75)	0.85% (0.75–0.95)	0.31% (0.23–0.39)	0.06% (0.04–0.08)	1.40% (1.04–1.89)

* Source: Global Burden of Disease 2016 data [20]. Data are for males and females of all age groups. *MSK* musculoskeletal (diseases), *YLDs* years lived with disability

74 million in 2016, respectively [23]. This rising prevalence of obesity, for both adults and children, has profound

implications for RMD healthcare and the societal burden of RMD conditions.

Patient needs

The effective management of RMDs depends upon integrated, multidisciplinary and multiprofessional care centred around the needs of the individual. Optimal management of RMDs can often be provided within the community and primary care setting (e.g. regional pain, non-specific back pain and mild/moderate osteoarthritis). However, in many cases, the expertise of a rheumatologist and access to specialist services and facilities are also warranted [24]. A seamless continuum of health services encompassing all levels of care is therefore required to ensure the timely diagnosis and management of patients by healthcare professionals (HCPs) with the appropriate competency (UK National Health Service principles of ‘right care, right time, right place’ [24, 25]).

Workforce needs

Inadequacy in undergraduate RMD education

At the turn of the twenty-first century, undergraduate education in rheumatology was deemed to be inadequate across the globe [26]. In certain medical schools in Latin America, rheumatology accounted for $\leq 1\%$ of the total programme credits [27]. Meaningful progress has since been made by virtue of global initiatives, such as the World Health Organization (WHO)-endorsed ‘Bone and Joint Decade’ (BJD) (2000–2010). A key priority for the BJD was to increase the education of all HCPs working in MSK medicine [28].

The US BJD’s ‘Project 100’ was founded to enhance recognition of MSK medicine as an ‘essential discipline’ by all medical schools, and to ensure that it is given equal emphasis to other organ systems [29]. This work led to the development of recommendations for core RMD curricula and some curricular reform [30–34]. Nevertheless, worldwide deficiencies in RMD knowledge and skills among medical school graduates and PCPs persist [27, 35, 36]. Surveys of students, graduates, PCPs and even young rheumatologists consistently reveal low confidence in MSK competencies [16, 37–40]. Furthermore, studies assessing RMD knowledge and clinical skills using the validated Freedman and Bernstein examination demonstrated poor competence among graduates and students irrespective of where they were educated [37, 41–49] (Table 2). Alarming deficiencies in the RMD knowledge of junior doctors and PCPs have also been widely reported [39, 43, 52–54].

Clinicians often lack confidence in diagnosing children and young adults presenting with MSK symptoms [55] (Table 2). This is particularly problematic as paediatric patients with MSK symptoms often present to non-specialist clinicians [18] and although most cases are minor, the differential diagnosis can include serious and even life-threatening conditions [33].

The importance of early diagnosis and appropriate treatment in improving long-term prognosis for patients with RMDs cannot be overstated. Developed countries have seen a substantial reduction in the time to diagnosis for patients with rheumatoid arthritis, indicating greater awareness of the importance of early diagnosis [58]. However, this is not the case in regions of economic inequality with disparities in access to public healthcare and restricted access to private medicine [58, 59]. As many patients with RMDs will ultimately present to non-specialists [60], gaining basic adult *and* paediatric RMD knowledge and competencies should be a fundamental requirement of global undergraduate medical education. This is especially pertinent in countries which are devoid of rheumatologists and/or where undergraduate medical education is the only training that a PCP will receive [41]. In many areas of the Americas, for example, patients with RMDs are often treated by non-specialists lacking training and/or experience in the management of such conditions.

Education regarding transitional care for children and young people who transfer to adult rheumatology care is also lacking. Recent National Institute for Health and Care Excellence (NICE) guidance in the UK and EULAR recommendations for paediatric rheumatology [61] highlighted unmet education and training needs across the RMD workforce—not just for specialists but also allied health professions and PCPs. Recommendations from the literature for improving RMD education include increased exposure to adult and paediatric RMDs (including the more common MSK conditions) in undergraduate curricula [37, 38, 54, 62, 63], increased time and resources devoted to MSK anatomy [54], and clinical rotation in a MSK field [47].

Shortfalls in rheumatologists

Although an increase in the number of rheumatologists and training programmes has been observed in recent years [64], global and regional shortfalls remain (especially for paediatric rheumatologists) as well as pronounced disparities between urban and rural areas [10, 35, 60, 64–66]. Factors contributing to this shortage are complex and multifaceted. However, from the perspective of undergraduate education, more effort is needed to increase exposure to RMDs and improve understanding of what rheumatology is in order to attract medical students to this specialty.

Curriculum content

Core recommendations and curriculum design

Being dynamic, multi-dimensional, contextual and flexible are essential qualities for modern curricula. Educational

Table 2 Evidence of global inadequacies in undergraduate RMD education

Region	Inadequacies in undergraduate RMD education
Australia	A national workshop with academic teaching and student representatives confirmed inadequacies in MSK teaching nationally [50].
Barbados	In a small study of final year medical students, > 80% failed the Freedman and Bernstein ^a examination [46].
Egypt	> 80% of PCPs surveyed ($n = 297$) reported low confidence in performing MSK physical examinations and in accordance with this, 75% achieved an unsatisfactory score in the assessment [39].
India	The majority (95%) of final year medical students assessed failed to demonstrate basic MSK competency [45].
Ireland	Out of 303 participants assessed using the Freedman and Bernstein examination, ~ 70% of general practitioners and general practice trainees failed to achieve a passing score; > 85% of medical students who had completed an intensive 1-week course in MSK medicine also failed the examination [43].
Latin America	According to PANLAR online surveys of national society presidents and members, only 29% of Latin American medical schools taught undergraduate rheumatology and 72% of 316 respondents agreed that the majority of doctors in Latin America lacked training or had poor knowledge of clinical rheumatology [51].
Mexico	Poor clinical competence in rheumatic disease management was identified by a cross-sectional survey of PCPs ($n = 104$), > 50% of PCPs demonstrated suboptimal knowledge [52].
Nigeria	All pre-internship graduates (from 7 Nigerian medical schools) tested over a 3-year period failed to pass the Freedman and Bernstein examination (scores from 7% to 67%) [41].
Saudi Arabia	Overall knowledge of osteoarthritis among PCPs surveyed was found to be inadequate (only ~ 50% of responses received were correct) [53].
UK	Assessment of MSK knowledge in junior doctors at the end of their 2-year foundation programme found that > 90% of respondents failed the Freedman and Bernstein competence examination [54]. Assessment of the MSK system was shown to be routinely neglected or sub-optimally performed during paediatric in-patient admission at 4 different hospitals. Self-reported confidence of specialist registrars in MSK assessment was found to be low and none could recall learning paediatric MSK examination skills during their undergraduate training [55, 56]. Paediatric MSK clinical skills in the UK were found to only be included in a minority of undergraduate curricula, the content taught was variable and the skills rarely featured in student assessments [57].
USA	Medical schools across the USA have consistently reported poor student performance in the Freedman and Bernstein examination (pass rate < 50%), despite an appreciation of the importance of RMDs [37, 47–49]. MSK clinical instruction continues to be underrepresented in undergraduate curricula: MSK clerkships were found to only feature in 15% of medical schools (mean of 2 ± 1 weeks) and clinical MSK medicine selectives were only offered in 34% of medical schools [36].

^a Notes on the Freedman and Bernstein examination: This basic MSK competency test is the only validated assessment tool currently available (pass score > 73.1%). However, some studies have questioned the contextual relevance of the test and no information is currently available on the correlation between competence as assessed by the Freedman and Bernstein test and patient outcomes. *MSK* musculoskeletal, *PCP* primary care physician, *RMDs* rheumatic and musculoskeletal diseases

goals and learning objectives for undergraduate MSK medicine have employed a range of methodologies [30, 31, 34, 67, 68]. In 2005, The Association of American Medical Colleges (AAMC) provided an overview of learning objectives for the knowledge, skills and attitudes relevant to MSK conditions that all students should acquire during medical school [30]. This report also included the panel's views on educational strategies, curriculum design, implementation and assessment, plus a description of tools to aid curriculum management [30].

One of the primary outcomes of the BJD was the publication of a set of global core curriculum recommendations for undergraduate RMD education, developed by experts from across 29 countries with a spectrum of relevant specialties [31]. The curriculum was subsequently validated by educators across Canada representing 77 accredited academic programmes [69]. Although the importance of certain items was rated differently by

orthopaedic surgeons compared to rheumatologists, all 80 items proposed by Woolf et al. received a mean rank score of ≥ 3 out of 4, with 4 deemed to be most important [69]. Of note, 35 items received a mean score of ≥ 3.8 and were classified into three categories: (1) clinical assessment (accurate and thorough history-taking and physical examination), (2) emergency and red flag conditions and (3) common problems that any physician might encounter [69]. The study also identified additional topics which were incorporated into the multidisciplinary Canadian MSK Core Curriculum [69]. Based on the global core curriculum, the Australian Musculoskeletal Education Collaboration (AMSEC) also developed and published its own 'National Core Competencies in Musculoskeletal Basic and Clinical Science' [50].

In 2009, The Association of Academic Physiatrists (a partner of the US BJD Project 100) published their white paper on MSK education for medical students which advocated for an

interdisciplinary model for education [68]. The publication provided examples of curricula that can be implemented during each year of medical school covering anatomy (year 1), physical examination (year 2), core clinical rotations (year 3) and advanced elective clerkships (year 4). They also provided guidelines and examples for assessing core clinical rotations and advanced electives [68]. In 2015, Jandial et al. published consensus-based learning outcomes for undergraduate paediatric MSK medicine [34]. The outcomes encompassed indicators of important RMDs, such as inflammatory arthritis, as well as common conditions presenting within primary care and paediatrics [34]. Paediatric MSK learning outcomes for GP trainees have also been produced [33].

The language around education is constantly evolving and with it, our interpretation and strategies of applying key principles. Following considerable discussion around the merits of ‘competency-based’ education [70] and implications surrounding assessment and accreditation, educational outcomes are increasingly being defined using ‘EPAs’ (entrustable professional activities) [71]. EPAs have been adopted by accreditation bodies in the USA and Canada, and are currently being discussed in Australia. Importantly, EPAs separate performance of job tasks from the more complex array of competencies that reflect the person delivering the care, making it easier to accredit readiness for work. They also incorporate milestones as a means of monitoring progress [72]. Initial work on the MSK standards described above employed the concept of competencies. However, incorporating EPAs into discussions at the medical student level could allow education goals to be more readily tailored to local workforce needs.

MSK anatomy and basic science

Over the past 20 years, many institutions have reduced time devoted to laboratory anatomy or discontinued dissection-based teaching altogether [54, 73, 74]. Although this may be appropriate in certain clinical scenarios, there is a consensus in the literature that RMD medicine relies heavily on a solid foundation in internal and surface MSK anatomy and the ‘sense of touch’ [54, 73, 75, 76]. Medical school educators and students have voiced concerns over the insufficient time allocated to MSK anatomy in undergraduate curricula [45, 50, 54, 73] and there is evidence that anatomy knowledge among HCPs in the field is lacking [75, 77]. A review of methodologies for the teaching of clinical anatomy in rheumatology was published by a Clinical Anatomy Study Group, which met at the 2014 Annual Meeting of the ACR [78]. Modern rheumatology also requires a good understanding of basic science and in particular, immunology. A detailed appreciation of the molecular disease pathways may, however, be unnecessary at undergraduate level.

GALS and pGALS

The Gait, Arms, Legs and Spine (GALS) examination [79, 80] is still regarded by many as a valid MSK screening method and is included in global recommendations for undergraduate RMD curricula [31, 63, 81]. However, evidence suggests that attitudes towards the GALS examination may be changing. A recent study from the UK revealed that although 77% of rheumatologists were taught using GALS, only 21% used this screening tool in clinical practice [82]. Furthermore, according to a 2014 PANLAR survey of Latin American rheumatologists, 32% were not familiar with the GALS examination [51]. A desire to simplify and standardise the teaching of undergraduate MSK clinical examination skills has emerged [82, 83]; the concept of a streamlined core physical examination has also received some support [84, 85].

The paediatric GALS (pGALS) [62, 86] examination tool was designed specifically for use by medical students and PCPs (paediatric Regional Examination of the Musculoskeletal System [pREMS] was developed for postgraduate training) [87]. To further support students and non-specialists who lack confidence in performing the pGALS examination and diagnosing paediatric MSK conditions, a free online resource called Paediatric Musculoskeletal Matters (PMM) [88, 89] was developed (Table 3). While simple paediatric MSK physical examination tools do exist, an adequate knowledge base is a prerequisite for the interpretation of clinical findings [33].

Interprofessional education

In today’s healthcare environment, optimal patient-centred care is dependent upon collaborative practice [96]. The care of patients with RMDs, who are managed by multidisciplinary teams, supports a need for all relevant HCPs to be adequately trained and supported to collaborate in delivering appropriate MSK healthcare: triage and early diagnosis, access to the right care and shared care following diagnosis.

Interprofessional education (IPE) is the process by which students across different disciplines come together to learn common curricular components, with the aim of ensuring effective future collaboration between HCPs and ultimately providing improved patient care. The WHO identified IPE as a key policy issue and is promoting interprofessional training and collaborative practice as part of its future workforce strategy [96, 97]. Specific aims of IPE include understanding different health professionals’ roles, competencies and mindsets and developing attitudes that facilitate effective teamwork [96].

Although RMD education lends itself to IPE, it rarely features in health education programmes, partly due to challenges associated with designing and implementing

Table 3 Online RMD teaching resources

	Description of online/app-based resource
AMSEC	The AMSEC website (amsec.org.au) provides access to the AMSEC competency document and framework, in addition to associated MSK teaching resources.
EULAR School of Rheumatology	The EULAR School of Rheumatology website hosts training videos (35 min) covering the principles of MSK history and examination and the GALS screen [80].
EULAR Ultrasound Scanning Guide	The EULAR ultrasound scanning app [90], is a comprehensive digital technical manual of image acquisition in rheumatologic ultrasound.
Paediatric Musculoskeletal Matters (PMM)	To support students and non-specialists who lack confidence in performing the pGALS examination and diagnosing paediatric MSK conditions [88, 89]. PMM is endorsed by professional organisations (Paediatric Rheumatology European Society [PREs], British Society for Paediatric and Adolescent Rheumatology [BSPAR]) and NICE. The content of PMM is tailored to reflect different health contexts. For example, PMM for India (September 2015) was adapted in partnership with the Indian Academy of Pediatrics [91]. Further globalisation of PMM is in progress to provide content relevant to healthcare contexts around the world. A free pGALS app is available and the most recent version includes multiple language translations based on user feedback. Free online e-learning about pGALS is also available (cpd.ncl.ac.uk) targeting medical students and PCPs.
PANLAR Edu (reumati.co)	The Pan-American League of Associations of Rheumatology (PANLAR) has launched Panlar Edu https://www.reumati.co/ , an ILAR grant-funded, free Spanish-language website to improve the undergraduate medical education in Latin America [92]. It offers an interactive rheumatology curriculum, based on “Rheum2Learn” by ACR but adapted by Latin American rheumatologists, to facilitate active learning.
Reumacademia	The Reumacademia project was launched by the Spanish Rheumatology Society with sponsorship from the Roche Institute; one of its aims was to develop materials for the teaching of rheumatology in undergraduate medicine [93, 94]. The website contains links to teaching guides (in Spanish) based on case studies and problem-based learning, which include comprehensive descriptions of didactic goals, objectives, structure and content of learning sessions, and assessment. Topics include rheumatoid arthritis, primary Sjögren’s syndrome, systemic lupus erythematosus, gout and metabolic osteo-pathologies.
‘Reumatología chuac’ YouTube channel	The Rheumatology Service of Complejo Hospitalario Universitario de A Coruña (Spain) has created a YouTube channel [95] containing teaching videos (1–10 min) covering basic rheumatology topics (in Spanish) [93].
University of Barcelona teaching resources	Rheumatology teaching resources (problem-based learning and case study method) have been developed by the University of Barcelona and are freely available online (in Spanish) [93].

ACR American College of Rheumatology, AMSEC Australian Musculoskeletal Education Collaboration, GALS Gait/Arms/Legs/Spine physical examination, MSK musculoskeletal, NICE UK National Institute for Health and Care Excellence, PCPs primary care physicians, pGALS paediatric GALS, RMDs rheumatic and musculoskeletal diseases

IPE in health science curricula [98]. A comprehensive literature review, which included 83 IPE studies (2005–2010), suggested that the most common barrier was scheduling (47%), followed by learner-level compatibility (18%) [99]. Among studies that reported administrative support as a key factor for success, financial support (e.g. institutional or grant support) was reported to have the largest positive influence (39%) [99].

The majority of studies investigating the impact of IPE activities focus on outcomes such as student learning about professional roles, team communication and student satisfaction [99]. Several studies have described interprofessional curricular activities at individual institutions. A study conducted in Düsseldorf, Germany, evaluated the implementation of an interprofessional curriculum (medical and physiotherapy students) across different stages of training [98]. The study reported high levels of student satisfaction, high examination pass rates (94%) and 100% student support for the continuation of the interprofessional unit [98].

Considerations for implementation of IPE curricula include identifying the best timing for its incorporation relative to student development, formation of professional identities and methods for learning team management skills. A recent review of 16 US medical schools discussed key issues around IPE implementation including: common IPE practices (simulation, didactic or team-based learning) and activities, IPE activity objectives, overcoming challenges, evaluation of whether learners were meeting planned objectives (instrumental and formative methods), effective faculty development strategies and general best IPE practices [100]. An important finding supported by previous publications [101] was that faculty development, which is crucial for IPE to be effective, was often neglected and under-resourced. The authors also emphasised the lack of broad consensus on measures of IPE as many instruments only measure short-term benefits.

From a broader global perspective, it may be important to expand the concept of IPE to include non-professional healthcare providers (transprofessional education), in

recognition of the dependence of developing country healthcare systems on basic and ancillary health workers [102]. Ultimately, inter- and transprofessional teamwork is a fundamental aspect of best practice for the care of patients with RMDs. The more that education reflects this, the better equipped healthcare providers will be to deliver integrated, patient-centred care.

Teaching and learning methods

Curricular reform

Many studies from the USA and Europe have described curricular reform and implementation at individual institutions, referring to both clinical and pre-clinical MSK courses of varied duration [103–105]. A multidisciplinary approach is encouraged [74]. A successful demonstration of this approach is the 6-week multidisciplinary course in MSK medicine for first year medical students, designed by faculty from the departments of orthopaedic surgery, rheumatology and anatomy at the Louisiana State University Health Sciences Center [105]. The objective-based and problem-centred course was well received. Evaluation revealed significant improvement in the mean score for the competency examination (77.8% vs 59.6% for a historical comparison group, $p < 0.05$), and all students passed the general MSK physical examination [105].

The University of Minnesota developed an integrated, multidisciplinary MSK course (orthopaedics, rheumatology and physical medicine and rehabilitation) for second year medical students [106]. The study concluded that students were more knowledgeable and confident in MSK examination and succeeded in retaining their physical examination skills after completing the course [106]. In 2006, the University Hospitals of Leicester, England, introduced a 7-week teaching programme in MSK medicine consisting of supervised clinical learning, weekly plenary sessions, a task-based workbook and special interest clinics/experiences [103]. At the end of the course, a small improvement in student performance was observed across all domains tested in a multiple choice question (MCQ) examination [103].

Based on the AMSEC competency standards, the University of Adelaide developed an intensive 6-week MSK medicine ward and outpatient-based clinical attachment integrating orthopaedics, rheumatology and rehabilitation in year 4 of a 6-year undergraduate degree. To address deficiencies in anatomy, three 4-h resource sessions were introduced covering spine, lower limb and upper limb clinical applications (physical examination, radiological interpretation, joint aspirations and joint relocations [107]. A blended learning, ‘flipped classroom’ approach was employed with online tasks and assessments preceding face-to-face interactive clinical problem- or case-based tutorials run by clinical staff. A

marked improvement in MSK knowledge, examination skills and clinical reasoning was noted by senior clinicians involved in teaching and OSCE assessments. The students also reported increased confidence and preparedness for practice (M Chehade, Adelaide Medical School internal report data). The online resources trialled were developed to be freely available as part of the AMSEC project [50]. Videotaped OSCEs using simulated patients with asynchronous, annotated performance feedback have recently been introduced and are currently being evaluated with very positive initial impressions (M Chehade, personal communication).

Learning methods and interventions

Improvements in RMD education can only be achieved through a better appreciation of effective learning strategies. It is important to recognise that increasing teaching hours does not guarantee improvements in student competence (e.g. + 1.5-h physical diagnosis [total 10 h]; + 6.5-h lectures [total 18.5 h]; + 5-h laboratory [total 23 h]) [47].

Many interventions have been tested to investigate the effectiveness of different teaching methods, and comprehensive pragmatic and systematic reviews of evidence-based strategies for the teaching of undergraduate RMDs have been published [74, 104]. Examples of successful teaching strategies include the following: small interactive group sessions [81, 108, 109], flipped classroom learning [110], the use of patient educators/partners [109, 111–113], team-based learning [114, 115], peer-assisted learning [116, 117], e-learning or computer-assisted learning as a useful adjunct [118–121] and the use of MSK ultrasound to facilitate the learning of anatomy [122–124]. Educators in the field of RMDs have been encouraged to embrace new teaching strategies and learning styles [40, 82, 93].

Modern medicine evolves rapidly and requires graduates to be equipped with the skills to be independent, lifelong learners [97, 119]. The introduction of continuous learning methods should, therefore, begin early on. Strategies involving information science and/or computer technology can help facilitate the transition to active learning. Naranjo et al. present an elegant overview of rheumatology teaching innovations and online resources from the Spanish Society for Rheumatology and three Spanish universities [93] (Table 3). Freely accessible online and app-based educational materials (Table 3) can be especially useful when resources are limited. A subsidised, online course on paediatric rheumatology (postgraduate level) is also available via the EULAR website, with discounted prices for low- and middle-income countries [125].

E-learning materials and teaching apps are being increasingly relied upon as teaching aids; however, efforts are needed to evaluate their effectiveness at imparting desired learning outcomes. The AMSEC competency framework (developed with Mind-Mapping software) may provide an ideal platform

Table 4 Undergraduate RMD education: barriers and recommendations

Barriers to effective RMD education	Recommendations for improvement of RMD teaching
Poor knowledge of basic/biomedical science and MSK anatomy (gained or retained) in pre-clinical years [42]	Development and implementation of integrated, multidisciplinary courses on RMDs [74, 82, 105, 106]
Lack of clinical opportunities in general, as well as exposure to rheumatology patients in the ambulatory setting in particular	Increased clinical exposure to RMDs: ‘The Stealth Approach’ (integrating MSK education across all years of medical school, progressively building on knowledge) and ‘Reclaiming the Fourth Year’ (refreshing MSK knowledge taught during pre-clinical years through electives) [74]. However, as electives would not provide exposure for all students, MSK anatomy should also be revisited during clerkship or clinical years [78]
Insufficient time for bedside teaching [42]	Selection of teachers who would serve as role models and who are committed and engaging, and provision of adequate teacher (‘teach the teacher’) training to cascade knowledge [74, 82]
Over-reliance on technology for teaching clinical examination skills [42]	Protected time for rheumatology educators to mentor students
Shortage of faculty with clinical MSK instruction skills and low confidence in teaching these skills among non-MSK specialists [42, 128]	Increased awareness of global core competencies for undergraduate RMD education and harmonisation of RMD teaching, learning methodologies and assessment strategies worldwide [129]
Scarcity of effective teaching patients [42]	Incorporation of innovative approaches such as patient/parent partners/educators, to involve the patient perspective in the teaching of future professionals [130], blended learning and IPE
Poor communication between relevant specialties [128]	
No consensus on what to teach and lack of standardised approach to MSK examination [51, 82, 128]	

IPE interprofessional education, *MSK* musculoskeletal, *RMDs* rheumatic and musculoskeletal diseases

for communicating and organising future teaching and learning content for MSK and IPE, from both competency and EPA perspectives [97, 126, 127].

Implementation

The implementation of any curriculum can present challenges and barriers to effective teaching, such as pressures on time and insufficient resources [74]. Undergraduate RMD education is not immune to these; in a recent study involving orthopaedic and rheumatology educators in the UK, 63% of clinicians stated insufficient time as the main barrier to providing effective skills teaching and 31.5% quoted organisational and institutional factors [82]. Challenges and recommendations specific to the teaching of MSK medicine are presented in Table 4.

Assessment and course evaluation

Assessment of learners

Assessment typically involves written MCQ-style tests in the pre-clinical years followed by subject-specific clerkship exams in the clinical years [74]. In their review of MSK education in the USA, Monrad et al. discuss the advantages of different exam formats including one-best-

answer and script concordance, which permits assessment of clinical reasoning in a context of uncertainty better reflecting clinical practice [74] (Table 5). There is no doubt that assessment is an integral component of student engagement; hence, the adage ‘assessment drives learning’ [138]. Furthermore, the clinical importance of rheumatology is only likely to be appreciated by medical students if it is given commensurate weighting in examinations [45]. This is particularly relevant in the current climate of limited awareness of social accountability by medical students [139]. For these reasons, inclusion of RMDs in examinations is of paramount importance and rheumatologists should be advocating this [82].

There is also a need for adult rheumatologists, and paediatric rheumatologists, to act as examiners and to ‘teach the teachers’. In the UK, a discriminatory MSK station was introduced to the general paediatrics mandatory examination (MRCPCH) in 2009. However, it is mainly assessed by general paediatricians, who may require support from specialists due to a lack of confidence in MSK examination [55]. The importance of education and of paediatric rheumatology multidisciplinary teams engaging with teaching was highlighted in the UK BSPAR standards of care [140]. The 2016 European Syllabus for Training in Paediatric Rheumatology also stressed the importance of trainees having the skills to teach and be involved in teaching at all levels of medical education [141].

Table 5 Assessment of undergraduate RMD learning

Assessment type	Description
Freedman and Bernstein test	This basic MSK competency test is the only validated assessment tool currently available (pass score > 73.1%). However, some studies have questioned the contextual relevance of the test and no information is currently available on the correlation between competence as assessed by the Freedman and Bernstein test and patient outcomes [41, 45].
Script concordance test	A script concordance test in rheumatology was recently developed by a panel of rheumatology experts, including community rheumatologists, in France [131]. The test, consisting of 60 questions, was designed for fifth year medical students with a view to including it in their computer-based national ranking examination (iNRE) [131].
OSCEs	Specific OSCEs have been designed to assess MSK clinical examination skills [109, 132–135] which can provide valuable insight into students' clinical competence and skillsets [74].
MSK subject examination	The National Board of Medical Examiners in the USA have developed a MSK subject examination [136].
Longitudinal assessment	A 'progress test' to estimate gains in student MSK knowledge as they progressed through the undergraduate course was devised at the University of Sheffield, UK. The computer-based assessment evaluated competence in clinical MSK medicine and underpinning basic science that would be required of a newly qualified doctor [137].

MSK musculoskeletal, OSCEs objective structured clinical examinations

Course evaluation

Prior to implementation of any curriculum changes, it is essential to consider how the intended outcomes will be assessed with respect to both immediate and longer-term impact. Comprehensive frameworks for conducting meaningful evaluations of academic programmes have been provided elsewhere [142]. Commonly used metrics include student satisfaction and student performance, also referred to as 'assessment gains' [74] (Table 5).

Evaluation should be distinguished from academic assessment, although assessment gains are often used as part of the programme evaluation. This typically involves comparing examination scores of two groups of students: (1) students who completed a new curriculum versus the last group to complete the old curriculum [103, 143] and (2) students who volunteered or were randomly selected to participate in an intervention versus students who received standard tuition. Some studies have compared overall group performance before and after an intervention as an indicator of successful learning; however, the information provided by this strategy is more limited.

Professional formation and career development

While some RMDs can be managed in primary care, the management of more complicated, multi-system, progressive diseases (or complex examples of common conditions) requires specialist expertise [24]. The global shortfall in rheumatologists alongside the increasing burden of RMDs highlights the urgent need to attract more medical students to a career in rheumatology [66]. Increasing exposure of medical students to RMDs early on is key. Students also need to gain a clear

understanding of what rheumatology is, to enable them to distinguish it from related disciplines. Appreciation of the more nuanced factors that influence career choice, such as the perceived distinguishing qualities of clinicians practicing in that field, or the high degree of professional satisfaction is also important [144].

A study reporting how rheumatology fellows defined the qualities of a rheumatologist identified phrases such as 'intellectual', 'intelligent' and 'curious', 'the detective work of fitting things together' and 'the ability to deal with uncertainty and complexity' [144]. Trainees were also attracted to the 'complexity, variety, and depth of the diseases' which led them to develop an intellectual interest in rheumatology [144, 145]. Emphasising a 'bench to bedside' message may, therefore, be a successful recruitment strategy [145]. Lifestyle frequently features as an important factor in specialty choice; however, it was mentioned by only 14% of trainees when asked what attracted them to rheumatology [144]. While challenging to disentangle, rheumatology fellows appeared to value intellectual reward and a controllable lifestyle above remuneration [145].

A survey of US rheumatology trainees revealed that interest in the specialty typically developed during internship and residency (> 75%). Nevertheless, many residents began developing an interest in rheumatology relatively early on in their medical education (> 25% within the first 3 years of medical school) [144]. The most commonly cited influences on this decision were a clinical rotation in rheumatology (~ 35%), a clinical mentor (28%) and patient interaction (14%) [144]. The multiple factors contributing to career decisions provides opportunities for medical schools to target students using different approaches that rely on their individual strengths [144]. An alternative approach is to minimise the effect of negative factors, such as the shortage of training positions [145].

Recommendations for attracting students to rheumatology:

1. Medical curriculum designers should be encouraged to build early clinical exposure to RMDs and interaction with patients into the undergraduate curriculum. However, it is important that this is approached carefully; patient contact should occur at a point when the student is able to understand and integrate knowledge of basic pathophysiology, disease symptoms, diagnostic tools and treatment pathways.
2. It is the responsibility of rheumatologists to promote and convey enthusiasm for rheumatology and be good role models. Career talks should be incorporated into the curriculum to allow students to gain insight into rheumatology as a career including an accurate appreciation of the lifestyle associated. Rheumatologists should actively engage in teaching and mentoring to inspire the next generation of clinicians.
3. During undergraduate medical education, rheumatology must be presented as the intellectually stimulating, fast-paced field that it is, referring to complex, intriguing clinical cases, sophisticated novel pharmacotherapies and exciting research opportunities [1, 111]. More students should be encouraged to attend congresses (e.g. ACR, EULAR, Advanced Academic Rheumatology Review Course [ADARRC]) which offer free places for students, to provide structured exposure to rheumatology research.

Conclusions

RMDs are a leading cause of disability worldwide [4] and have a profound impact on quality of life through chronic pain, social exclusion, loss of independence, discrimination, loss of employment and diminished work capacity. Recommendations concerning education of the RMD workforce must aim to meet the needs of people with or at risk of RMDs. Policy discussions should focus on how these needs can be met in light of current and future demographic changes, such as ageing, the increasing burden of chronic and non-communicable diseases, multi-morbidity and calls for better integrated patient care.

This white paper highlights the importance of attracting more medical students to a career in rheumatology to manage the more complex conditions. However, a balanced workforce with different levels and types of competency is of fundamental importance to provide holistic patient-centred care. It is therefore imperative that all medical school graduates attain a basic level of RMD competency to ensure that PCPs are able to confidently diagnose, initiate appropriate treatment without delay or refer RMD patients if possible and where necessary. The establishment of an international collaboration of RMD

educators and other stakeholders to develop, share, disseminate and evaluate educational resources and strategies to promote the advancement of RMD care globally would be an important step forward.

Teaching for the future must reflect how healthcare will be delivered, which has implications not only on what is being taught but also where, why and to whom [96]. Inter- and transprofessional education are universally recognised as the direction for the future of medical education [102]. However, due to barriers identified herein, blueprints for their successful implementation have yet to be developed. This offers an opportunity for specialties to lead; the field of RMDs in particular has a great need for inter- and transprofessional teamwork and the delivery of RMD care showcases the expertise of this community in providing integrated care. Undergraduate RMD education must, therefore, ensure that all relevant healthcare providers are equipped to operate in this way to deliver the best patient care possible in their local healthcare setting.

Authors' contributions Mustafa Al Maini, MD, MSc, FRCP, is Acting Chief Medical Officer at Mafraq Hospital, Abu Dhabi, United Arab Emirates, Founder and Course Director of the Advanced Academic Rheumatology Review Course (ADARRC) and Chair of the World Forum on Rheumatic and Musculoskeletal Diseases (WFRMD).

Yousef Al Weshahi, MD, PhD, Director of Continuing Professional Development at the Oman Medical Specialty Board, Muscat, Oman.

Helen E. Foster, MD MBBS (Hons), FRCP, FRCPH, DCH, Cert Clin ED, is Professor of Paediatric Rheumatology at Newcastle University Medicine, Malaysia and Co-Chair of the Paediatric Task Force of the Global Alliance for Musculoskeletal Health.

Mellick J. Chehade, PhD, MBBS, FRACS, GCert. Online Learning (H.Ed), Associate Professor, Orthopaedic Surgeon and past President, Australasian Orthopaedic Trauma Society. He specialises in MSK education, fragility fractures and frailty transdisciplinary research and knowledge translation. He established AMSEC and chairs the Global Alliance for Musculoskeletal Health Education Task Force.

Sherine E. Gabriel, MD, MSc, is Distinguished Professor and Dean, Rutgers Robert Wood Johnson Medical School, USA. She was also Dean of Mayo Medical School, where she developed the Clinical Research Training and Career Development Programs, and Co-Principal Investigator and Director of Education, NIH-funded Clinical and Translational Science Awards Program.

Jamal Al Saleh, MD, FRCP, is Consultant Rheumatologist, Head of Unit and Director of Medical Affairs at Dubai Hospital, and Senior Lecturer at the Dubai Medical School, United Arab Emirates. He was formerly Chair of the Arab League Against Rheumatism (ArLAR).

Humaid Al Wahshi, MD, FRCP, is Senior Consultant Internist, Rheumatologist and Immunologist at the Royal Hospital, Muscat, and Senior Clinical Lecturer at the College of Medicine, Sultan Qaboos University, Sultanate of Oman. He is Chair of the Arab League Against Rheumatism (ArLAR) and President of the Oman Society of Rheumatology.

Johannes W. J. Bijlsma, MD, PhD, is Professor of Rheumatology and Clinical Immunology at Utrecht University, Netherlands, and is President of the European League Against Rheumatism (EULAR).

Maurizio Cutolo, is Professor of Rheumatology, Director of the Research Laboratories and Clinical Academic Unit of Rheumatology, and of the Academic Postgraduate School of Rheumatology at the University of Genova, Italy. He is former President of the European League Against Rheumatism (EULAR).

Sharad Lakhanpal, is Clinical Professor of Internal Medicine at UT Southwestern Medical Center, Dallas, USA, and immediate past President of the American College of Rheumatology (ACR).

Manda Venkatramana, FRCSEd, is Vice Provost Academics and Dean, College of Medicine, Gulf Medical University in Ajman, and Consultant Surgeon at Thumbay Hospital, Ajman, United Arab Emirates.

Carlos Pineda, MD, PhD, is Researcher at the National Institute of Rehabilitation, Mexico City, Mexico, and past President of the Pan-American League of Associations for Rheumatology (PANLAR) and past Coordinator of the International League of Associations for Rheumatology (ILAR).

Anthony D. Woolf, BSc, MD MBBS, FRCP, is Clinical Director, NIHR Clinical Research Network South West Peninsula, Consultant, Royal Cornwall Hospital, and Honorary Professor, University of Exeter Medical School, Truro, UK. He is Chair, Arthritis and Musculoskeletal Alliance (ARMA), and founding member and former Chair, Global Alliance for Musculoskeletal Health.

Funding information Financial support was provided by the World Forum on Rheumatic and Musculoskeletal Diseases (WFRMD), managed by the K.I.T. Group. Writing support and editorial assistance were provided by Arianna Psichas, PhD, and Debbie Nixon, DPhil, from Costello Medical, Cambridge, UK.

Compliance with ethical standards

Declaration of interest Mustafa Al Maini: None declared; Yousef Al Weshahi: None declared; Helen E. Foster: Advisory boards and/or unrestricted educational grants and/or honoraria from: Pfizer, AbbVie, Roche, Sobi, Sanofi Genzyme and BioMarin; Mellick J. Chehade: None declared; Jamal Al Saleh: None declared; Humaid Al Wahshi: None declared; Johannes W. J. Bijlsma: None declared; Maurizio Cutolo: None declared; Sherine E. Gabriel: None declared; Sharad Lakhanpal: None declared; Manda Venkatramana: None declared; Carlos Pineda: None declared; Anthony D. Woolf: None declared.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

- European League Against Rheumatism (EULAR) Taskforce 2017. RheumaMap: a Research Roadmap to transform the lives of people with Rheumatic and Musculoskeletal Diseases. Available at: <https://www.eular.org/myUploadData/files/RheumaMap.pdf> [Last accessed: 20.04.18]
- van der Heijde D et al (2018) Common language description of the term rheumatic and musculoskeletal diseases (RMDs) for use in communication with the lay public, healthcare providers, and other stakeholders endorsed by the European League Against Rheumatism (EULAR) and the American College of Rheumatology (ACR). *Ann Rheum Dis* 77(6):829–832
- van der Heijde D et al (2018) Common language description of the term rheumatic and musculoskeletal diseases (RMDs) for use in communication with the lay public, healthcare providers, and other stakeholders endorsed by the European League Against Rheumatism (EULAR) and the American College of Rheumatology (ACR). *Arthritis Rheum* 70(6):826–831
- GBD 2016 Disease and Injury Incidence and Prevalence Collaborators (2017). Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet* 390(10100): p. 1211–1259
- Bevan S (2015) Economic impact of musculoskeletal disorders (MSDs) on work in Europe. *Best Pract Res Clin Rheumatol* 29(3):356–373
- Woolf AD, Pfleger B (2003) Burden of major musculoskeletal conditions. *Bull World Health Organ* 81(9):646–656
- United States Bone and Joint Initiative. The burden of musculoskeletal diseases in the United States – prevalence, societal and economic cost. Available at: [http://www.boneandjointburden.org/docs/The%20Burden%20of%20Musculoskeletal%20Diseases%20in%20the%20United%20States%20\(BMUS\)%203rd%20Edition%20\(Dated%202012.31.16\).pdf](http://www.boneandjointburden.org/docs/The%20Burden%20of%20Musculoskeletal%20Diseases%20in%20the%20United%20States%20(BMUS)%203rd%20Edition%20(Dated%202012.31.16).pdf) [Last accessed: 20.04.18]
- European League Against Rheumatism (EULAR). Ten facts about rheumatic and musculoskeletal diseases (RMDs) – 2017 Factsheet. Available at: https://www.eular.org/myUploadData/files/EULAR_Ten_facts_about_RMDs.pdf [Last accessed: 20.04.18]
- World Forum on Rheumatic and Musculoskeletal Diseases (WFRMD). Available at: www.wfrmd.org [Last accessed: 20.04.18]
- Al Maini M et al (2015) The global challenges and opportunities in the practice of rheumatology: white paper by the World Forum on Rheumatic and Musculoskeletal Diseases. *Clin Rheumatol* 34(5):819–829
- Woolf AD, Gabriel S (2015) Overcoming challenges in order to improve the management of rheumatic and musculoskeletal diseases across the globe. *Clin Rheumatol* 34(5):815–817
- Kern, D.E., et al., Curriculum development for medical education: a six-step approach. 1998: The Johns Hopkins University Press
- United Kingdom Department of Health (2006). A joint responsibility: doing it differently. Available at: http://webarchive.nationalarchives.gov.uk/20130124073659/http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_4138412.pdf [Last accessed: 22.05.18]
- Jordan KP, Kadam UT, Hayward R, Porcheret M, Young C, Croft P (2010) Annual consultation prevalence of regional musculoskeletal problems in primary care: an observational study. *BMC Musculoskelet Disord* 11:144
- Pinney SJ, Regan WD (2001) Educating medical students about musculoskeletal problems. Are community needs reflected in the curricula of Canadian medical schools? *J Bone Joint Surg Am* 83-a(9):1317–1320
- Lynch JR, Gardner GC, Parsons RR (2005) Musculoskeletal workload versus musculoskeletal clinical confidence among primary care physicians in rural practice. *Am J Orthop (Belle Mead NJ)* 34(10):487–491
- Mulhall KJ, Masterson E (2005) Relating undergraduate musculoskeletal medicine curricula to the needs of modern practice. *Ir J Med Sci* 174(2):46–51
- Gunz AC, Canizares M, MacKay C, Badley EM (2012) Magnitude of impact and healthcare use for musculoskeletal disorders in the paediatric: a population-based study. *BMC Musculoskelet Disord* 13:98
- Al Saleh J et al (2016) The prevalence and the determinants of musculoskeletal diseases in Emiratis attending primary health care clinics in Dubai. *Oman Med J* 31(2):117–123

20. Institute for Health Metrics and Evaluation (2016). Global Burden of Disease Study 2016. Available at: <https://vizhub.healthdata.org/gbd-compare/> [Last accessed: 22.05.18]
21. Barbour KE, Helmick CG, Boring M, Brady TJ (2017) Vital signs: prevalence of doctor-diagnosed arthritis and arthritis-attributable activity limitation - United States, 2013–2015. *MMWR Morb Mortal Wkly Rep* 66(9):246–253
22. Anandacoomarasamy A, Caterson I, Sambrook P, Fransen M, March L (2008) The impact of obesity on the musculoskeletal system. *Int J Obes* 32(2):211–222
23. NCD Risk Factor Collaboration (NCD-RisC) (2017) Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. *Lancet*. 390(10113):2627–2642
24. Woolf AD (2007) Healthcare services for those with musculoskeletal conditions: a rheumatology service. Recommendations of the European Union of Medical Specialists Section of Rheumatology/European Board of Rheumatology 2006. *Ann Rheum Dis* 66(3):293–301
25. National Quality Board (NQB) (2016) Supporting NHS providers to deliver the right staff, with the right skills, in the right place at the right time [Last accessed: 22.05.18].
26. Akesson K, Dreinhofer KE, Woolf AD (2003) Improved education in musculoskeletal conditions is necessary for all doctors. *Bull World Health Organ* 81(9):677–683
27. Munoz-Louis R, Medrano-Sanchez J, Montufar R (2015) Rheumatoid arthritis in Latin America: challenges and solutions to improve its diagnosis and treatment training for medical professionals. *Clin Rheumatol* 34(Suppl 1):S67–S70
28. Woolf AD (2000) The bone and joint decade 2000–2010. *Ann Rheum Dis* 59(2):81–82
29. US Bone and Joint Initiative – Project 100. Available at: <https://www.usbji.org/programs/project-100> [Last accessed: 15.06.18]
30. Association of American Medical Colleges (AAMC) (2005) Report VII contemporary issues in medicine: Musculoskeletal medicine education, medical school objectives project. Available at: <https://members.aamc.org/eweb/upload/Contemporary%20Issues%20in%20Med%20Musculoskeletal%20Med%20Report%20VII%20.pdf> [Accessed 20.04.18]
31. Woolf AD, Walsh NE, Akesson K (2004) Global core recommendations for a musculoskeletal undergraduate curriculum. *Ann Rheum Dis* 63(5):517–524
32. Bernstein J, Garcia GH, Guevara JL, Mitchell GW (2011) Progress report: the prevalence of required medical school instruction in musculoskeletal medicine at decade's end. *Clin Orthop Relat Res* 469(3):895–897
33. Goff I, Boyd DJ, Wise EM, Jandial S, Foster HE (2014) Paediatric musculoskeletal learning needs for general practice trainees: achieving an expert consensus. *Educ Prim Care* 25(5):249–256
34. Jandial S, Stewart J, Foster HE (2015) What do they need to know: achieving consensus on paediatric musculoskeletal content for medical students. *BMC Med Educ* 15:171
35. Louthrenoo W (2015) An insight into rheumatology in Thailand. *Nat Rev Rheumatol* 11(1):55–61
36. DiGiovanni BF, Sundem LT, Southgate RD, Lambert DR (2016) Musculoskeletal medicine is underrepresented in the American medical school clinical curriculum. *Clin Orthop Relat Res* 474(4):901–907
37. Day CS, Yeh AC, Franko O, Ramirez M, Krupat E (2007) Musculoskeletal medicine: an assessment of the attitudes and knowledge of medical students at Harvard Medical School. *Acad Med* 82(5):452–457
38. Clawson DK, Jackson DW, Ostergaard DJ (2001) It's past time to reform the musculoskeletal curriculum. *Acad Med* 76(7):709–710
39. Abou-Raya A, Abou-Raya S (2010) The inadequacies of musculoskeletal education. *Clin Rheumatol* 29(10):1121–1126
40. Bandinelli F et al (2011) Rheumatology education in Europe: results of a survey of young rheumatologists. *Clin Exp Rheumatol* 29(5):843–845
41. Nottidge TE, Ekrikpo U, Ifesanya AO, Nnabuko RE, Dim EM, Udoinyang CI (2012) Pre-internship Nigerian medical graduates lack basic musculoskeletal competency. *Int Orthop* 36(4):853–856
42. Ramani S, Ring BN, Lowe R, Hunter D (2010) A pilot study assessing knowledge of clinical signs and physical examination skills in incoming medicine residents. *J Grad Med Educ* 2(2):232–235
43. Queally JM, Kiely PD, Shelly MJ, O'Daly BJ, O'Byrne JM, Masterson EL (2008) Deficiencies in the education of musculoskeletal medicine in Ireland. *Ir J Med Sci* 177(2):99–105
44. Matzkin E, Smith MEL, Freccero CD, Richardson AB (2005) Adequacy of education in musculoskeletal medicine. *J Bone Joint Surg Am* 87(2):310–314
45. Menon J, Patro DK (2009) Undergraduate orthopedic education: is it adequate? *Indian J Orthop* 43(1):82–86
46. Jones JK (2001) An evaluation of medical school education in musculoskeletal medicine at the University of the West Indies. *Barbados West Indian Med J* 50(1):66–68
47. Weiss K, Curry E, Matzkin E (2015) Assessment of medical school musculoskeletal education. *Am J Orthop (Belle Mead NJ)* 44(3):E64–E67
48. Skelley NW et al. (2012) Medical student musculoskeletal education: an institutional survey. *J Bone Joint Surg Am* 94(19):e146(1–7)
49. Schmale GA (2005) More evidence of educational inadequacies in musculoskeletal medicine. *Clin Orthop Relat Res* 437:251–259
50. Chehade MJ, Bachorski A (2008) Development of the Australian core competencies in musculoskeletal basic and clinical science project - phase 1. *Med J Aust* 189(3):162–165
51. Caballero-Urbe, C.V., Education in Rheumatology in Latin America. *ACR* 2014. [Latin American Study Group; oral presentation 153 B]
52. Cabrera Pivaral CE, Gutiérrez González TY, Gámez Nava JI, Nava A, Villa Manzano AI, Luce González E (2009) Clinical competence for autoimmune and non-autoimmune rheumatic disorders in primary care. *Rev Alerg Mex* 56(1):18–22
53. Homoud AH (2012) Knowledge, attitude, and practice of primary health care physicians in the management of osteoarthritis in Al-Jouf province. *Saudi Arabia Niger Med J* 53(4):213–219
54. Al-Nammari SS, James BK, Ramachandran M (2009) The inadequacy of musculoskeletal knowledge after foundation training in the United Kingdom. *J Bone Joint Surg (Br)* 91(11):1413–1418
55. Myers A, McDonagh J, Gupta K, Hull R, Barker D, Kay LJ, Foster HE (2004) More 'cries from the joints': assessment of the musculoskeletal system is poorly documented in routine paediatric clerking. *Rheumatology (Oxford)* 43(8):1045–1049
56. Jandial S, Myers A, Wise E, Foster HE (2009) Doctors likely to encounter children with musculoskeletal complaints have low confidence in their clinical skills. *J Pediatr* 154(2):267–271
57. Jandial S, Rapley T, Foster H (2009) Current teaching of paediatric musculoskeletal medicine within UK medical schools—a need for change. *Rheumatology (Oxford)* 48(5):587–590
58. Pineda C, Caballero-Urbe CV (2015) Challenges and opportunities for diagnosis and treatment of rheumatoid arthritis in Latin America. *Clin Rheumatol* 34(Suppl 1):S5–S7
59. da Mota LM et al (2015) Rheumatoid arthritis in Latin America: the importance of an early diagnosis. *Clin Rheumatol* 34(Suppl 1):S29–S44
60. Burgos Vargas, R. and M.H. Cardiel, Rheumatoid arthritis in Latin America. Important challenges to be solved. *Clin Rheumatol*, 2015. 34 Suppl 1: p. S1–3

61. Foster HE, Minden K, Clemente D, Leon L, McDonagh JE, Kamphuis S, Berggren K, van Pelt P, Wouters C, Waite-Jones J, Tattersall R, Wyllie R, Stones SR, Martini A, Constantin T, Schalm S, Fidanci B, Erer B, Dermikaya E, Ozen S, Carmona L (2017) EULAR/PReS standards and recommendations for the transitional care of young people with juvenile-onset rheumatic diseases. *Ann Rheum Dis* 76(4):639–646
62. Foster HE, Jandial S (2013) pGALS - paediatric Gait Arms Legs and Spine: a simple examination of the musculoskeletal system. *Pediatr Rheumatol Online J* 11(1):44
63. Khawaja K, Al-Maini M (2017) Access to pediatric rheumatology care for Juvenile Idiopathic Arthritis in the United Arab Emirates. *Pediatr Rheumatol Online J* 15(1):41
64. Reveille JD, Muñoz R, Soriano E, Albanese M, Espada G, Lozada CJ, Montúfar RA, Neubarth F, Vasquez GM, Zummer M, Sheen R, Caballero-Urbe CV, Pineda C (2016) Review of current workforce for rheumatology in the countries of the Americas 2012–2015. *J Clin Rheumatol* 22(8):405–410
65. Cox A, Piper S, Singh-Grewal D (2017) Pediatric rheumatology consultant workforce in Australia and New Zealand: the current state of play and challenges for the future. *Int J Rheum Dis* 20(5):647–653
66. Watad A, al-Saleh J, Lidar M, Amital H, Shoenfeld Y (2017) Rheumatology in the Middle East in 2017: clinical challenges and research. *Arthritis Res Ther* 19(1):149
67. Boyer MI (2005) Objectives of undergraduate medical education in musculoskeletal surgery and medicine. *J Bone Joint Surg Am* 87(3):684–685
68. Mayer RS, Baima J, Bloch R, Braza D, Newcomer K, Sherman A, Sullivan W (2009) Musculoskeletal education for medical students. *Am J Phys Med Rehabil* 88(10):791–797
69. Wadey VM, Tang ET, Abelseh G, Dev P, Olshen RA, Walker D (2007) Canadian multidisciplinary core curriculum for musculoskeletal health. *J Rheumatol* 34(3):567–580
70. Touchie C, ten Cate O (2016) The promise, perils, problems and progress of competency-based medical education. *Med Educ* 50(1):93–100
71. Ten Cate O et al (2015) Curriculum development for the workplace using Entrustable Professional Activities (EPAs): AMEE Guide No. 99. *Med Teach* 37(11):983–1002
72. Tekian A, Hodges BD, Roberts TE, Schuwirth L, Norcini J (2015) Assessing competencies using milestones along the way. *Med Teach* 37(4):399–402
73. Day CS, Ahn CS (2010) Commentary: the importance of musculoskeletal medicine and anatomy in medical education. *Acad Med* 85(3):401–402
74. Monrad SU, Zeller JL, Craig CL, DiPonio LA (2011) Musculoskeletal education in US medical schools: lessons from the past and suggestions for the future. *Curr Rev Musculoskelet Med* 4(3):91–98
75. Navarro-Zarza JE et al (2013) AB1408 knowledge of clinical anatomy by rheumatology fellows and rheumatologists in Latin America. *Ann Rheum Dis* 71:718
76. Boon JM, Meiring JH, Richards PA (2002) Clinical anatomy as the basis for clinical examination: development and evaluation of an introduction to clinical examination in a problem-oriented medical curriculum. *Clin Anat* 15(1):45–50
77. Kalish RA, Canoso JJ (2007) Clinical anatomy: an unmet agenda in rheumatology training. *J Rheumatol* 34(6):1208–1211
78. Torralba KD, Villaseñor-Ovies P, Evelyn CM, Koolae RM, Kalish RA (2015) Teaching of clinical anatomy in rheumatology: a review of methodologies. *Clin Rheumatol* 34(7):1157–1163
79. Plant MJ, Linton S, Dodd E, Jones PW, Dawes PT (1993) The GALS locomotor screen and disability. *Ann Rheum Dis* 52(12):886–890
80. European League Against Rheumatism (EULAR) School of Rheumatology. Video production: undergraduate training in physical examination of the musculoskeletal system. Available at: https://www.eular.org/edu_training_dvd.cfm [Last accessed: 20.04.18]
81. Perrig M, Berendonk C, Rogausch A, Beyeler C (2016) Sustained impact of a short small group course with systematic feedback in addition to regular clinical clerkship activities on musculoskeletal examination skills - a controlled study. *BMC Med Educ* 16:35
82. Blake T (2014) Teaching musculoskeletal examination skills to UK medical students: a comparative survey of rheumatology and Orthopaedic education practice. *BMC Med Educ* 14:62
83. Coady D, Walker D, Kay L (2003) The attitudes and beliefs of clinicians involved in teaching undergraduate musculoskeletal clinical examination skills. *Med Teach* 25(6):617–620
84. Haring CM, van der Meer JW, Postma CT (2013) A core physical examination in internal medicine: what should students do and how about their supervisors? *Med Teach* 35(9):e1472–e1477
85. Gowda D, Blatt B, Fink MJ, Kosowicz LY, Baecker A, Silvestri RC (2014) A core physical exam for medical students: results of a national survey. *Acad Med* 89(3):436–442
86. Foster HE, Kay LJ, Friswell M, Coady D, Myers A (2006) Musculoskeletal screening examination (pGALS) for school-age children based on the adult GALS screen. *Arthritis Rheum* 55(5):709–716
87. Foster H, Kay L, May C, Rapley T (2011) Pediatric regional examination of the musculoskeletal system: a practice- and consensus-based approach. *Arthritis Care Res* 63(11):1503–1510
88. Paediatric Musculoskeletal Matters. Available at: <http://www.pmmonline.org/> [Last accessed: 20.04.18]
89. Smith N, Rapley T, Jandial S, English C, Davies B, Wyllie R, Foster HE (2016) Paediatric musculoskeletal matters (pmm)—collaborative development of an online evidence based interactive learning tool and information resource for education in paediatric musculoskeletal medicine. *Pediatr Rheumatol Online J* 14(1):1
90. EULAR Ultrasound Scanning App. Available at: <http://ultrasound.eular.org/#/home> [Last accessed: 28.03.18]
91. Paediatric Musculoskeletal Matters (pmm) India. Available at: <http://www.pmmonlineindia.org/about-pmm> [Last accessed: 20.04.18]
92. Pan-American League of Associations for Rheumatology (PANLAR). Panlar Edu. Available at: <https://sites.google.com/reumati.co/reumatologia/> [Last accessed: 19.02.18]
93. Naranjo A, de Toro J, Nolla JM (2015) The teaching of rheumatology at the University. The journey from teacher based to student-centered learning. *Reumatol Clin* 11(4):196–203
94. Reumacademia. Available at: <https://www.ser.es/profesionales/que-hacemos/formacion/otras-iniciativas/reumacademia/> [Last accessed: 28.03.18]
95. Youtube channel “Reumatologia chuac”. Available at: <https://www.youtube.com/channel/UCJ70tZRtLc1Y3xElP5BQ5A> [Last accessed: 28.03.18]
96. World Health Organization (WHO) (2013). Transforming and scaling up health professionals’ education and training: guidelines 2013. Available at: http://apps.who.int/iris/bitstream/10665/93635/1/9789241506502_eng.pdf [Last accessed: 20.04.18]
97. Chehade MJ, Gill TK, Kopansky-Giles D, Schuwirth L, Karnon J, McLiesh P, Alleyne J, Woolf AD (2016) Building multidisciplinary health workforce capacity to support the implementation of integrated, people-centred models of care for musculoskeletal health. *Best Pract Res Clin Rheumatol* 30(3):559–584
98. Sander, O., et al., Interprofessional education as part of becoming a doctor or physiotherapist in a competency-based curriculum. *GMS J Med Educ*, 2016. 33(2): p. Doc15
99. Abu-Rish E, Kim S, Choe L, Varpio L, Malik E, White AA, Craddock K, Blondon K, Robins L, Nagasawa P, Thigpen A,

- Chen LL, Rich J, Zierler B (2012) Current trends in interprofessional education of health sciences students: a literature review. *J Interprof Care* 26(6):444–451
100. West C, Graham L, Palmer RT, Miller MF, Thayer EK, Stuber ML, Awdishu L, Umoren RA, Wamsley MA, Nelson EA, Joo PA, Tysinger JW, George P, Carney PA (2016) Implementation of interprofessional education (IPE) in 16 U.S. medical schools: common practices, barriers and facilitators. *J Interprofessional Educ Pract* 4:41–49
 101. Everard KM et al (2014) Exploring interprofessional education in the family medicine clerkship: a CERA study. *Fam Med* 46(6): 419–422
 102. Frenk J, Chen L, Bhutta ZA, Cohen J, Crisp N, Evans T, Fineberg H, Garcia P, Ke Y, Kelley P, Kistnasamy B, Meleis A, Naylor D, Pablos-Mendez A, Reddy S, Scrimshaw S, Sepulveda J, Serwadda D, Zurayk H (2010) Health professionals for a new century: transforming education to strengthen health systems in an interdependent world. *Lancet* 376(9756):1923–1958
 103. Williams SC et al (2010) A new musculoskeletal curriculum: has it made a difference? *J Bone Joint Surg (Br)* 92(1):7–11
 104. O'Dunn-Orto A et al (2012) Teaching musculoskeletal clinical skills to medical trainees and physicians: a best evidence in medical education systematic review of strategies and their effectiveness: BEME Guide No. 18. *Med Teach* 34(2):93–102
 105. Bilderback K, Eggerstedt J, Sadasivan KK, Seelig L, Wolf R, Barton S, McCall R, Chesson AL Jr, Marino AA (2008) Design and implementation of a system-based course in musculoskeletal medicine for medical students. *J Bone Joint Surg Am* 90(10): 2292–2300
 106. Saleh K et al (2004) Development and evaluation of an integrated musculoskeletal disease course for medical students. *J Bone Joint Surg Am* 86-a(8):1653–1658
 107. Au J, Palmer E, Johnson J, Chehade M (2018) Evaluation of the utility of teaching joint relocations using cadaveric specimens. *BMC Med Educ* 18(1):41
 108. Kelly M et al (2017) Undergraduate clinical teaching in orthopedic surgery: a randomized control trial comparing the effect of case-based teaching and bedside teaching on musculoskeletal OSCE performance. *J Surg Educ*
 109. Oswald AE et al (2008) The current state of musculoskeletal clinical skills teaching for preclerkship medical students. *J Rheumatol* 35(12):2419–2426
 110. El Miedany, Y., et al., Flipped learning: can rheumatology lead the shift in medical education? *Curr Rheumatol Rev*, 2018
 111. Raj N, Badcock LJ, Brown GA, Deighton CM, O'Reilly SC (2006) Undergraduate musculoskeletal examination teaching by trained patient educators—a comparison with doctor-led teaching. *Rheumatology (Oxford)* 45(11):1404–1408
 112. Haq I, Fuller J, Dacre J (2006) The use of patient partners with back pain to teach undergraduate medical students. *Rheumatology (Oxford)* 45(4):430–434
 113. Hassell A (2012) Patient instructors in rheumatology. *Med Teach* 34(7):539–542
 114. Reimschisel T, Herring AL, Huang J, Minor TJ (2017) A systematic review of the published literature on team-based learning in health professions education. *Med Teach* 39(12):1227–1237
 115. Luetmer, M.T., et al., Simulating the multi-disciplinary care team approach: enhancing student understanding of anatomy through an ultrasound-anchored interprofessional session. *Anat Sci Educ*, 2017
 116. Graham K, Burke JM, Field M (2008) Undergraduate rheumatology: can peer-assisted learning by medical students deliver equivalent training to that provided by specialist staff? *Rheumatology (Oxford)* 47(5):652–655
 117. Perry, M.E., et al., Can training in musculoskeletal examination skills be effectively delivered by undergraduate students as part of the standard curriculum? *Rheumatology (Oxford)*, 2010. 49(9): p. 1756–61
 118. D'Alessandro DM, Lewis TE, D'Alessandro MP (2004) A pediatric digital storytelling system for third year medical students: the virtual pediatric patients. *BMC Med Educ* 4:10
 119. Wilson AS, Goodall JE, Ambrosini G, Carruthers DM, Chan H, Ong SG, Gordon C, Young SP (2006) Development of an interactive learning tool for teaching rheumatology—a simulated clinical case studies program. *Rheumatology (Oxford)* 45(9):1158–1161
 120. Bateman HE, Sterrett AG, Alias A, Rodriguez EJ, Westphal L, Carter J, Vasey F, Valeriano-Marcet J (2012) Innovative virtual interactive teaching tool “Arthur” for clinical diagnosis of musculoskeletal diseases. *J Clin Rheumatol* 18(3):151–152
 121. World Health Organization (2015). eLearning for undergraduate health professional education: a systematic review informing a radical transformation of health workforce development. Available at: <http://www.who.int/hrh/documents/14126-eLearningReport.pdf> [Last accessed: 28.02.18]
 122. Wright SA, Bell AL (2008) Enhancement of undergraduate rheumatology teaching through the use of musculoskeletal ultrasound. *Rheumatology (Oxford)* 47(10):1564–1566
 123. Walrod BJ et al (2017) Does ultrasound-enhanced instruction of musculoskeletal anatomy improve physical examination skills of first-year medical students? *J Ultrasound Med*
 124. Tshibwabwa ET, Groves HM, Levine MA (2007) Teaching musculoskeletal ultrasound in the undergraduate medical curriculum. *Med Educ* 41(5):517–518
 125. European League Against Rheumatism (EULAR). EULAR / PReS Online Course in Paediatric Rheumatology. Available at: https://www.eular.org/edu_online_course_paediatric.cfm [Last accessed: 19.02.18]
 126. Chehade MJ, Burgess TA, Bentley DJ (2011) Ensuring quality of care through implementation of a competency-based musculoskeletal education framework. *Arthritis Care Res* 63(1):58–64
 127. Chehade, M., D. Bentley, and T. Burgess. The AMSEC project—a model for collaborative interprofessional and interdisciplinary evidence-based competency education in health. *J Interprof Care*, 2011. 25(3): p. 218–20.a
 128. Coady DA, Walker DJ, Kay LJ (2004) Teaching medical students musculoskeletal examination skills: identifying barriers to learning and ways of overcoming them. *Scand J Rheumatol* 33(1):47–51
 129. Sivera F et al (2016) Rheumatology training experience across Europe: analysis of core competences. *Arthritis Res Ther* 18(1): 213
 130. Nikiphorou E, Alunno A, Carmona L, Kouloumas M, Bijlsma J, Cutolo M (2017) Patient-physician collaboration in rheumatology: a necessity. *RMD Open* 3(1):e000499
 131. Mathieu S, Couderc M, Glace B, Tournadre A, Malochet-Guinamand S, Pereira B, Dubost JJ, Soubrier M (2013) Construction and utilization of a script concordance test as an assessment tool for DCEM3 (5th year) medical students in rheumatology. *BMC Med Educ* 13:166
 132. Yudkowsky R, Otaki J, Lowenstein T, Riddle J, Nishigori H, Bordage G (2009) A hypothesis-driven physical examination learning and assessment procedure for medical students: initial validity evidence. *Med Educ* 43(8):729–740
 133. Connell KJ, Sinacore JM, Schmid FR, Chang RW, Perlman SG (1993) Assessment of clinical competence of medical students by using standardized patients with musculoskeletal problems. *Arthritis Rheum* 36(3):394–400
 134. Raj N, Badcock LJ, Brown GA, Deighton CM, O'Reilly SC (2007) Design and validation of 2 objective structured clinical examination stations to assess core undergraduate examination skills of the hand and knee. *J Rheumatol* 34(2):421–424

135. Siddharthan T, Soares S, Wang HH, Holt SR (2017) Objective structured clinical examination-based teaching of the musculoskeletal examination. *South Med J* 110(12):761–764
136. National Board of Medical Examiners. Musculoskeletal Subject Examination. Available at: <http://www.nbme.org/Schools/Subject-Exams/Subjects/musculo.html> [Last accessed: 20.04.18]
137. Basu S, Roberts C, Newble DI, Snaith M (2004) Competence in the musculoskeletal system: assessing the progression of knowledge through an undergraduate medical course. *Med Educ* 38(12):1253–1260
138. Newble DI, Jaeger K (1983) The effect of assessments and examinations on the learning of medical students. *Med Educ* 17(3):165–171
139. McCrea ML, Murdoch-Eaton D (2014) How do undergraduate medical students perceive social accountability? *Med Teach* 36(10):867–875
140. Davies K, Cleary G, Foster H, Hutchinson E, Baildam E, on behalf of the British Society of Paediatric and Adolescent Rheumatology (2010) BSPAR standards of care for children and young people with juvenile idiopathic arthritis. *Rheumatology (Oxford)* 49(7):1406–1408
141. Paediatric Rheumatology European Society (PReS) and European Academy of Paediatrics (EAP) (2016). European Syllabus for Training in Paediatric Rheumatology (March 2016). Available at: <http://eapaediatrics.eu/wp-content/uploads/2016/05/Pediatric-Rheumatology-Syllabus-2016-final-version-2.pdf> [Last accessed: 20.02.18].
142. The Undergraduate Committee of the University Faculty Senate and the Faculty Council of Community Colleges of the State University of New York. Guide for the Evaluation of Undergraduate Academic Programs. Available at: <https://www.delhi.edu/kenny/about/institutional-effectiveness/pdfs/program-eval-guide-2012.pdf> [Last accessed: 20.04.18]
143. Day CS et al (2011) Early assessment of a new integrated preclinical musculoskeletal curriculum at a medical school. *Am J Orthop (Belle Mead NJ)* 40(1):14–18
144. Kolasinski SL, Bass AR, Kane-Wanger GF, Libman BS, Sandorfi N, Utset T (2007) Subspecialty choice: why did you become a rheumatologist? *Arthritis Rheum* 57(8):1546–1551
145. Rahbar L, Moxley G, Carleton D, Barrett C, Brannen J, Thacker L, Waterhouse EJ, Roberts WN (2010) Correlation of rheumatology subspecialty choice and identifiable strong motivations, including intellectual interest. *Arthritis Care Res* 62(12):1796–1804

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.