MEETING ABSTRACT

Open Access

Impact of mothers' health attitudes on dental health of their children

Mare Saag*, Jana Olak†

From EPMA-World Congress 2013

Brussels, Belgium. 20-21 September 2013

Dental caries is a common well-known multifactorial disease which affects most of the people. Parents can be the main factor in avoiding dental caries in their children. The level and the time of acquisition of mutans streptococci (MS) in infants is important, since caries risk in permanent dentition may be dependent on early colonization with MS. Parents' behaviour can impact their children's oral health habits. The dietary habits are very important: daily consumption of sugar containing drinks, especially during night, and frequent snacking are factors predisposing to the development of early childhood caries. Dental fear is one of the important factors influencing dental health of children. The relationship between dental anxiety and poor oral health is mediated by poor oral health habits and irregular dental visits. Maternal dental anxiety is strongly correlated with children's anxiety. Mothers' dental fear manifests as poor dental health and poor oral hygiene of themselves and their children. Dentally anxious mothers brushed their teeth and visited the dentist less frequently than non-anxious mothers. The child's general fear of dentistry correlated with maternal ($p=0.004$) and paternal ($p=0.005$) dental fear. Comparing children's dental health and fear of dentistry, it was found that dental health indices, like dmft/DMFT and dt/DT were strongly associated with children's general fear of dentistry ($p=0.017$ and $p=0.005$, respectively), and with their fear of invasive ($p=0.025$ and $p=0.001$, respectively) and dt/DT with non-invasive procedures ($p=0.004$). Health education of mothers and simple preventive measures used by them reduce the risk of caries in their children. Xylitol candies, used by the mothers of toddlers, daily with adequate frequency, quantity and length of the time during eruption of primary teeth reduce the level of transmission of MS from mothers to their children. The reduced early colonization

of children's teeth with MS will manifest as improved dental health and reduced caries experience.

Published: 11 February 2014

doi:10.1186/1878-5085-5-S1-A111

Cite this article as: Saag and Olak: Impact of mothers' health attitudes on dental health of their children. *EPMA Journal* 2014 **5**(Suppl 1):A111.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

* Correspondence: mare.saag@ut.ee
† Contributed equally
University of Tartu, Estonia