for an accurate calculation of the time-varying force. Torsional harmonic AFM has revealed fractal dimensionality of cancerous cells that differs substantially from that of normal cells.

By simultaneously exciting the sample and the probe, **nanomechanical holography** generates images of structures beneath the surface of biological or synthetic materials. The waves that propagate through the sample are scattered by internal structural features, which modify their amplitude and phase shift, and

eventually emerge at the sample surface where they influence the tip-surface coupling. An image of the subsurface structure is acquired by plotting the modified phase shift as the probe moves across the sample surface. The inner structure of different cells has been imaged with nanomechanical holography as has nanoparticles inside soft materials.

According to the authors of the review article, “This new field provides a promising framework to improve compositional sensitivity and spatial and

time resolution of materials in their native environment and, at the same time, allows properties that are not accessible to conventional force microscopes to be measured.” They said, “Multifrequency AFM methods are conceptually more demanding than conventional AFM methods, but this would seem to be a reasonable price to pay to sustain the impressive development of force microscopy that has been seen over the past 25 years.”

Steven Trohalaki

Nano Focus

Graphite-like nanocapsules tailored

Researchers in Holger Frauenrath’s group at the Ecole Polytechnique Fédérale de Lausanne (EPFL) have created carbon nanocapsules varying from 50 nm to 100 nm in diameter through a wet-chemical, UV-assisted carbonization technique. R. Szilluweit, T.N. Hoheisel, and colleagues at EPFL and the Swiss Federal Institute of Technology in Zürich fabricated these capsules from amphiphilic hexaynes using a low-temperature carbonization process that allowed them

to tune the size of the particles.

As reported in the March 29 online edition of *Nano Letters* (DOI: 10.1021/nl300822f), the researchers began by synthesizing the amphiphilic hexayne for use as reactive carbon precursors. In a pure state, the hexayne amphiphile was reactive and degraded at room temperature—but the researchers found that diluting the amphiphiles in dioxane/MeOH created a solution that could be kept stable at 4°C for weeks. In aqueous solution, the hexayne amphiphiles experienced a reversible and non-reactive aggregation, resulting in vesicle-like lamellar shells encapsulating a core of

water. Passage of the aqueous vesicle solutions through polycarbonate membranes with 50 nm or 100 nm pore sizes and subsequent UV radiation at 1°C resulted in transformation of the self-assembled vesicles into carbon nanocapsules. Small-angle x-ray scattering, transmission electron microscopy, and dynamic light scattering experiments all confirmed they were hollow structures with 4 nm wall thicknesses and radii of 34 nm or 54 nm.

Although they were prepared at 1°C in water, the nanocapsules have an amorphous graphite carbon microstructure that can typically only be obtained by annealing at temperatures of above 600°C. The structure of the capsules may allow them to be used in high-surface area lithium-ion battery electrodes, while their biofunctional shell of carbohydrates could enable exploitation in drug delivery and cancer detection. The salient discovery, however, has to be that of the process itself, which provides “a new universal strategy for the rational preparation of tailored, functional carbon nanostructures [that] may, hence, open new possibilities for the use of carbon materials in emerging fields of technology.”

Benjamin Scheiner